


LOS ALAMOS SCIENTIFIC LABORATORY

OF THE UNIVERSITY OF CALIFORNIA
LOS ALAMOS, NEW MEXICO



CONTRACT W-7405-ENG. 36 WITH THE
U.S. ATOMIC ENERGY COMMISSION

FOR REFERENCE

NOT TO BE TAKEN FROM THIS ROOM

CAT. NO. 1937

LIBRARY BUREAU


LOS ALAMOS NATIONAL LABORATORY



3 9338 00419 9724

SECRET
RESTRICTED DATA

THIS DOCUMENT CONTAINS RESTRICTED DATA AS DEFINED BY THE ATOMIC ENERGY ACT OF 1954. ITS TRANSMITTAL OR DISCLOSURE OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED.




UNCLASSIFIED

LOS ALAMOS SCIENTIFIC LABORATORY
of the
UNIVERSITY OF CALIFORNIA

Report written:
March 9, 1954

Classification changed to UNCLASSIFIED
by authority of the U. S. Atomic Energy Commission,

Per Jack H. Kahn 3/26/59
By REPORT LIBRARY H. Meyer 3/21/59

LAMS-1640 This document consists of 5 pages
C.3  of 10 copies, Series C

THERMONUCLEAR REACTION RATES

PUBLICLY RELEASABLE

Per A. Polatiquo FSS-16 Date: no date
By Marcia Ballig CIC-14 Date: 1-24-96

by

James L. Tuck

~~Classification by authority of the U. S. Atomic Energy Commission
Per J. H. Kahn 3/26/59
By REPORT LIBRARY H. Meyer 3/21/59~~


~~RESTRICTED DATA~~
This document contains restricted data as defined
in the Atomic Energy Act of 1954. Its transmittal
or the disclosure of its contents in any manner to
an unauthorized person is prohibited.

All Los Alamos reports present the opinions of the author or authors and do not necessarily reflect the views of the Los Alamos Scientific Laboratory. Furthermore, this LAMS report has not been prepared for general distribution. It is accordingly requested that no distribution be made without the permission of the Director's Office of the Laboratory.


LOS ALAMOS SCIENTIFIC LABORATORY



3 9338 00419 9724



UNCLASSIFIED



UNCLASSIFIED

Distributed: JAN 2 1953

LAMS-1640

Series A JAN 2 1953

Los Alamos Report Library

1-6

Series B


Los Alamos Report Library

1-8B

Series C JAN 2 1956

Los Alamos Report Library

1-10C




UNCLASSIFIED

UNCLASSIFIED

ABSTRACT





This report gives the thermonuclear reaction rates for the DD, DT, D He³, TT reactions for temperatures 50 ev to 100 kev.



UNCLASSIFIED

UNCLASSIFIED

Thermonuclear reaction rates for the following reactions are given:



Definitions

$$\text{Reactions/cc/sec} = \frac{1}{2} n_D^2 \overline{\sigma v} \quad [n_D = \text{deuterons/cc}]$$

$$\text{and } n_1 n_2 \overline{\sigma v} \quad \left[\begin{array}{l} \text{reactions between densities} \\ n_1, n_2 \text{ of species 1 and 2.} \end{array} \right]$$

T is defined as $\frac{2}{3} \bar{U}$ where \bar{U} is the mean kinetic energy per particle.

Accuracy

The data presented here were computed mainly from the cross sections of Arnold, Phillips, Sawyer, Stovall and Tuck, Phys. Rev. 93, p. 483 (1954). In this paper, the yields are measured at 90° and use isotropic angular distributions in the center of mass system for (DT), (D, He³). The resulting probable error in σ is $\pm 6\%$. For the purposes of this interim report, the $\overline{\sigma v}$ have been rounded to the nearest figure given.


For DD, which is appreciably anisotropic in the center of mass system at the lowest energies observed (~ 10 kev), the angular distribution

UNCLASSIFIED

UNCLASSIFIED

for $DDp > 100$ kev, and extrapolated down to lower energies, has been used for both branches. This results in a branching ratio $\sigma_{DDn}/\sigma_{DDp}$ of 0.93 below 20 kev. There is some weak evidence that the angular distributions of the two branches are different, in a sense that would make $\sigma_{DDn}/\sigma_{DDp}$ closer to 1.00. This would increase σ_{DDn} by some 7% and make a similar change in the $\overline{\sigma v}$ of the neutron branch. However, for the purposes of this interim report, $\overline{\sigma v}$ have been rounded off to the nearest figure.

T kev	$\overline{\sigma v}$ TD	$\overline{\sigma v}$ DD _{total}	$\overline{\sigma v}$ D He ³	$\overline{\sigma v}$ TT _{2n}
.05	7 x 10 ⁻³⁵	2 x 10 ⁻³⁵	1 x 10 ⁻⁴⁸	1 x 10 ⁻³⁸
0.1	3 x 10 ⁻³⁰	4 x 10 ⁻³¹	3 x 10 ⁻⁴¹	2 x 10 ⁻³³
0.5	6 x 10 ⁻²³	2 x 10 ⁻²⁴	2 x 10 ⁻²⁹	1 x 10 ⁻²⁵
1.0	7 x 10 ⁻²¹	2 x 10 ⁻²²	6 x 10 ⁻²⁶	2 x 10 ⁻²³
2.0	3 x 10 ⁻¹⁹	5 x 10 ⁻²¹	2 x 10 ⁻²³	1 x 10 ⁻²¹
5.0	1.4 x 10 ⁻¹⁷		1 x 10 ⁻²⁰	6 x 10 ⁻²⁰
10	1.1 x 10 ⁻¹⁶	8.6 x 10 ⁻¹⁹		5 x 10 ⁻¹⁹
20	4.3 x 10 ⁻¹⁶	3.6 x 10 ⁻¹⁸		
40	7.9 x 10 ⁻¹⁶	1.0 x 10 ⁻¹⁷		
60	8.7 x 10 ⁻¹⁶	1.6 x 10 ⁻¹⁷		
80	8.5 x 10 ⁻¹⁶	2.3 x 10 ⁻¹⁷		
100	8.1 x 10 ⁻¹⁶	3.0 x 10 ⁻¹⁷		



UNCLASSIFIED