
ESHID-601744-01

LA-UR-16-26215
August 2016
EP2016-0100

Periodic Monitoring Report for Material Disposal Area AB Monitoring Group, Second Quarter, Monitoring Year 2016



Prepared by the Associate Directorate for Environmental Management

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy (DOE) under Contract No. DE-AC52-06NA253 and under DOE Office of Environmental Management Contract No. DE-EM0003528, has prepared this document pursuant to the Compliance Order on Consent, signed June 24, 2016. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory.
The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

EP2016-0100

Periodic Monitoring Report for Material Disposal Area AB Monitoring Group, Second Quarter, Monitoring Year 2016

August 2016

Responsible project manager:

Printed Name	Signature	Title	Organization	Date
Steve Paris		Project Manager	Environmental Remediation Program	8-17-2016

Responsible LANS representative:

Printed Name	Signature	Title	Organization	Date
Randall Erickson		Associate Director	Associate Directorate for Environmental Management	8/19/16

Responsible DOE-EM-LA representative:

Printed Name	Signature	Title	Organization	Date
David S. Rhodes		Office Director	Quality and Regulatory Compliance	8-24-2016

EXECUTIVE SUMMARY

This periodic monitoring report (PMR) provides the results of the monitoring year 2016, second quarter, periodic monitoring event (PME) conducted by Los Alamos National Laboratory in the Material Disposal Area AB monitoring group. This PME was conducted pursuant to the Interim Facility-Wide Groundwater Monitoring Plan for the 2016 Monitoring Year, October 2015–September 2016, prepared in accordance with the Compliance Order on Consent.

The PME documented in this report occurred from March 3 to March 18, 2016, and included the monitoring of groundwater wells and well screens. This report also includes any results from previous PMEs that were unreported in their respective PMRs because validated laboratory data were not available (in some cases because of data release agreements). Any additional results from sampling that occurred outside the time frame of a PME are also included in this report. Two locations from the Ancho Canyon watershed portion of the General Surveillance monitoring group are also included in this report.

Water samples collected from various locations during this PME were analyzed for metals; volatile organic compounds; semivolatile organic compounds; high explosives; radionuclides, including low-level tritium; general inorganic chemicals, including perchlorate; stable isotopes; and field parameters (dissolved oxygen, oxidation-reduction potential, pH, specific conductance, temperature, and turbidity).

No surface-water locations are sampled for this monitoring group.

No results from previous sampling of PME groundwater monitoring locations reported in this PMR were above screening levels. No results from current PME groundwater samples reported in this PMR were above screening levels.

CONTENTS

1.0 INTRODUCTION 1
1.1 Background 1
2.0 SCOPE OF ACTIVITIES 2
3.0 MONITORING RESULTS 2
3.1 Methods and Procedures 2
3.2 Field Parameter Results 2
3.3 Groundwater Elevations 2
3.4 Deviations from Planned Scope 2
4.0 ANALYTICAL DATA RESULTS 3
4.1 Methods and Procedures 3
4.2 Analytical Data 4
4.2.1 Surface Water (Base Flow) 5
4.2.2 Groundwater 6
4.3 Sampling Program Modifications 6
5.0 SUMMARY AND INTERPRETATIONS 6
5.1 Monitoring Results 6
5.2 Analytical Results 6
5.2.1 Surface Water (Base Flow) 6
5.2.2 Groundwater 6
5.3 Data Gaps 6
5.4 Remediation System Monitoring 6
6.0 REFERENCES 6

Figures

Figure 2.0-1 Locations scheduled to be monitored for this PME (see Table 2.0-1) 9
Figure 3.3-1 Groundwater elevations 10

Tables

Table 2.0-1 MDA AB Monitoring Group Locations and General Information 11
Table 3.4-1 MDA AB Monitoring Group PME Observations and Deviations 11
Table 3.4-2 Target Analytes with MDLs above Screening Levels for Current PME 12
Table 3.4-3 Target Analytes with MDLs below Screening Levels for Current PME 13
Table 4.2-1 Sources of Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory 14
Table 4.2-2 MDA AB Monitoring Group Groundwater Results above Screening Levels 14

Appendixes

Appendix A	Field Parameter Results, Including Results from Previous Four Monitoring Events if Available
Appendix B	Groundwater-Elevation Measurements (on CD included with this document)
Appendix C	Analytical Chemistry Results, Including Results from Previous Four Monitoring Events if Available
Appendix D	Groundwater Results Greater Than Half of Screening Levels
Appendix E	Analytical Chemistry Graphs of Screening-Level Exceedances
Appendix F	Analytical Reports (on CD included with this document)

Acronyms and Abbreviations

amsl	above mean sea level
AOC	area of concern
AQA	Analytical Quality Associates, Inc.
BCG	Biota Concentration Guide (DOE)
CFR	Code of Federal Regulations (U.S.)
Consent Order	Compliance Order on Consent
DCS	Derived Concentration Technical Standard (DOE)
DOE	Department of Energy (U.S.)
EIM	Environmental Information Management (Database)
EPA	Environmental Protection Agency (U.S.)
ESH	Environment, Safety, and Health (Directorate)
F	filtered
gpm	gallons per minute
HE	high explosives
HMX	octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory
MCL	maximum contaminant level (EPA)
MDA	material disposal area
MDL	method detection limit
N	no (best value flag code)
NMAC	New Mexico Administrative Code
NMED	New Mexico Environment Department
NM HH OO	Human health organism only, New Mexico surface-water standards
NMWQCC	New Mexico Water Quality Control Commission
PME	periodic monitoring event
PMR	periodic monitoring report
QC	quality control
RDX	hexahydro-1,3,5-trinitro-1,3,5-triazine
RLWTF	Radioactive Liquid Waste Treatment Facility
SIM	selected ion monitoring
SOP	standard operating procedure
SVOC	semivolatile organic compound

SWMU	solid waste management unit
TA	technical area
TDS	total dissolved solids
TNT	2,4,6-trinitrotoluene
UF	unfiltered
VOC	volatile organic compound
Y	yes (best value flag code)

1.0 INTRODUCTION

This periodic monitoring report (PMR) provides documentation of monitoring year 2016, second quarter, annual groundwater monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Material Disposal Area (MDA) AB monitoring group. Monitoring was conducted pursuant to the Interim Facility-Wide Groundwater Monitoring Plan for the 2016 Monitoring Year, October 2015–September 2016 (2016 IFGMP) (LANL 2015, 600467), which was prepared in accordance with the Compliance Order on Consent (the Consent Order). The periodic monitoring event (PME) occurred from March 3 to March 18, 2016, and included sampling of groundwater wells and well screens. Two locations from the Ancho Canyon watershed portion of the General Surveillance monitoring group are included in this report.

This report also includes any results from previous PMEs that were unreported in their respective PMRs because validated laboratory data were not available (in some cases because of data release agreements). Any additional results from sampling that occurred outside the time frame of a PME are also included in this report.

Sections VIII.A and VIII.C of the Consent Order identify New Mexico Water Quality Control Commission (NMWQCC) groundwater and surface-water standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA regional screening levels for tap water are used as screening levels for monitoring data and are provided in this report.

This report presents the following information:

- general background information on the monitoring group
- field-measurement monitoring results
- water-quality monitoring results
- screening analysis results (comparing these PME results with regulatory standards and results from previous reports)
- a summary based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy.

1.1 Background

Most of the monitoring wells discussed in the 2016 IFGMP (LANL 2015, 600467) are assigned to area-specific monitoring groups related to project areas that may be located in more than one watershed. Locations that are not included within one of these six area-specific monitoring groups are assigned to the General Surveillance monitoring group. This PMR presents results from two well screens, R-31 S4 (screen 4) and R-31 S5, in the Ancho Canyon watershed portion of the General Surveillance monitoring group.

The MDA AB monitoring group is located in Technical Area 49 (TA-49). TA-49, also known as the Frijoles Mesa Site, is located on a mesa in the upper portion of the Ancho Canyon drainage, and part of the TA drains into Water Canyon. The canyons in the Ancho watershed are mainly dry with little alluvial and no known intermediate groundwater.

MDA AB was the site of underground nuclear weapons component testing from 1959 to 1961 (Purtymun and Stoker 1987, 006688; LANL 1988, 223036). The tests involved insufficient high explosives (HE) and fissionable material to produce a nuclear reaction. The testing consisted of criticality, equation-of-state, and calibration experiments involving special nuclear materials. The testing involved large inventories of radioactive and hazardous materials: isotopes of uranium and plutonium, lead, and beryllium; HE such as TNT (2,4,6-trinitrotoluene), RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine), and HMX (octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine); and barium nitrate. Much of this material remains in shafts on the mesa top. Further information about activities and solid waste management units and areas of concern at TA-49 can be found in recent Laboratory reports (LANL 2010, 109318; LANL 2010, 109319).

2.0 SCOPE OF ACTIVITIES

The PME for the MDA AB monitoring group was conducted pursuant to the 2016 IFGMP (LANL 2015, 600467).

Table 2.0-1 provides the location name, sample collection date, screened interval, top and bottom screen depths, casing volume, purge volume, and purge rate for each of the locations scheduled to be monitored. These locations are shown in Figure 2.0-1. Some locations on this map may not have been sampled.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2016 IFGMP (LANL 2015, 600467).

3.2 Field Parameter Results

Appendix A contains the field parameter results for this PME and the four previous PMEs.

3.3 Groundwater Elevations

The periodic monitoring water-level data for the previous 2 yr are presented in Appendix B (on CD included with this document). For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements were recorded immediately before sampling. The groundwater-elevation measurements are shown graphically in Figure 3.3-1. No surface-water locations are sampled for this monitoring group.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the fieldwork deviations from the planned scope of the current PME.

Table 3.4-2 presents a list of analytes with method detection limits (MDLs) greater than screening levels. Some of the analytes were measured using more than one analytical method or analytical laboratory, leading to a range of MDLs. For some of these analytes, the MDL is much lower than for earlier analyses. Table 3.4-3 presents a list of analytes with MDLs below screening levels. The tables apply to the results with the lowest MDL, so the analytical method and analytical laboratory are included in the tables for reference.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2016 IFGMP (LANL 2015, 600467). Purge water is managed and characterized in accordance with the waste characterization strategy form associated with the well and ENV-RCRA-QP-010, Land Application of Groundwater. ENV-RCRA-QP-010 implements the NMED-approved Decision Tree for land application of drilling, development, rehabilitation, and purge water.

All sampling, data reviews, and data package validations were conducted using standard operating procedures (SOPs) that are part of a comprehensive quality assurance program. The procedures are listed at http://www.lanl.gov/environment/plans-procedures.php and are available at eprr.lanl.gov. Completed chain-of-custody forms serve as analytical request forms and include the requester or owner, sample number, program code, date and time of sample collection, total number of bottles, list of analytes to be measured, bottle sizes, and preservatives for each required analysis.

The required analytical laboratory batch quality control (QC) is defined by the analytical method, the analytical statement of work, and generally accepted industry practices. The analytical laboratory assigns qualifiers to the data to indicate the quality of the analytical results. The laboratory batch QC is used in the secondary data validation process to evaluate the quality of individual analytical results, evaluate the appropriateness of the analytical methodologies, and measure the routine performance of the analytical laboratory.

In addition to batch QC performed by laboratories, the Laboratory submitted field QC samples to test the overall sampling and analytical laboratory process and to spot-check for analytical problems. These results are used in secondary validation along with information provided by the analytical laboratory.

After the Laboratory receives the analytical laboratory data packages, the packages receive secondary validation. For data collected before March 2012, validation was done by an independent contractor, Analytical Quality Associates, Inc. (AQA). After that date, validation is done by an automated process after data are loaded.

Data validation determines the quality of an analytical data set. Data validation focuses on specific quality assurance samples, such as matrix spikes, duplicates, surrogates, method blanks, and laboratory control samples, and holding times, which indicate the accuracy and precision of the analyses. Based on the results, data qualifiers are applied to indicate data quality issues as well as the usability of results. This process also includes a description of the reasons for any failure to meet method, procedural, or contractual requirements and an evaluation of the impact of such failure on the overall data set.

AQA's reviews followed the guidelines set in the DOE model SOP for data validation, which included reviewing the data quality and the documentation's correctness and completeness, verifying that holding times were met, and ensuring that analytical laboratory QC measures were applied, documented, and kept within contract requirements. As a result of secondary validation, a second set of qualifiers was assigned to the analytical results.

Auto validation (1) ensures that the electronic data deliverable contains all the required fields, (2) verifies that results of all QC checks and procedures are within valid criteria limits, and (3) applies specific qualifiers and reason codes per the EPA's National Functional Guidelines for data review as well as the Laboratory's SOPs. Once auto validation is complete, the data are uploaded into the Laboratory's database system and the public database (http://intellusnm.com/).

The Laboratory assigns detection status to the analytical result based on the analytical laboratory and secondary validation qualifiers. A detect flag of "N" indicates that, based on the qualifiers, the result was not detected.

4.2 Analytical Data

Appendix C presents the analytical data from this PME and from the four sampling events at these locations immediately before the PME. The analytical laboratory reports (including chain-of-custody forms and data validation forms) are provided in Appendix F (on CD included with this document).

Appendix C contains all data collected during the PME (i.e., all data that have been independently reviewed for conformance with Laboratory requirements) with the following constraints.

- All data
    - ❖ Data that are R-qualified (rejected because of noncompliance regarding QC acceptance criteria) during independent validation are considered unusable but are still reported.
    - ❖ Analytical laboratory QC results, including matrix spike and matrix spike duplicates, and field blanks, trip blanks, and equipment blanks are not included in the data set.
    - ❖ Field duplicates, reanalyses, and results from different analytical methods are reported.
- Radionuclides
    - ❖ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
    - ❖ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
    - ❖ Otherwise, all results are reported at all locations.
- Nonradionuclides
    - ❖ All detected results are reported.

Multiple analyses of a sample, including dilutions and reanalyses, create redundant results. These multiple results have the same sample ID, analytical laboratory code, and analytical method. The analytical and validation information is used to designate the preferred result, which is marked with a best value flag of "Y" (yes). The redundant values of lower quality are assigned a best value flag of "N" (no). In cases where a reanalysis gives a significantly different result than an earlier value, the original result may be rejected and assigned a best value flag of N, and the reanalysis result may be marked with a best value flag of Y. The best value flag is included in Appendix C.

Data for PMRs are evaluated using the following screening process. The sources of screening levels with which the results are compared are listed in Table 4.2-1.

- The base-flow monitoring locations are assigned to one of two screening categories—perennial or ephemeral. Along with a hardness value, this category determines the screening levels used for data at each monitoring location. Hardness-dependent screening levels used to screen data at each base-flow monitoring location are determined using the geometric mean of hardness data (mg/L as calcium carbonate) collected from 2006 to 2010 at each location. Hardness-dependent acute and chronic criteria were used for total aluminum and dissolved cadmium, chromium, copper, lead, manganese, nickel, silver, and zinc in accordance with the requirements of 20 New Mexico Administrative Code (NMAC) 6.4.900.

- Surface-water and groundwater perchlorate data are compared with the screening level of 4 µg/L established in Section VIII.A.1.a of the Consent Order.
- Other groundwater data are screened to groundwater cleanup levels described in Section VIII.A.1 of the Consent Order; for an individual substance, the lower of the EPA MCL or the NMWQCC groundwater standard is used.
- If an NMWQCC standard or an MCL has not been established for a specific substance for which toxicological information is published, the EPA regional screening levels for tap water are used as the groundwater cleanup level. These screening levels are for either a cancer- or noncancer-risk type. For the cancer-risk type, the Consent Order specifies screening at a 10^{-5} excess cancer risk. The EPA screening levels are for 10^{-6} excess cancer risk, so 10 times the EPA 10^{-6} screening levels are used for screening. This report was prepared using the November 2015 EPA regional screening levels.
- The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous-phase liquids apply to the total unfiltered concentrations of the contaminants. EPA MCLs are applied to both filtered and unfiltered sample results.
- The analytical results for radionuclides and radioactivity are voluntarily compared with the DOE Biota Concentration Guides (BCGs) for surface water and Derived Concentration Technical Standards (DCSs) for groundwater but are not reported in Table 4.2-2 or Appendix D.

The results of data screening for this PMR are presented in Appendix D. This appendix shows all analytical results greater than half the lowest applicable screening levels. Results with a best value flag of N are included in Appendix D but not discussed in the text. No analytes from the current PME exceeded one-half of their screening levels, so no results are included in Appendix D.

Table 4.2-2 provides groundwater analytical results (by hydrogeologic zone for a specific analytical suite) that are above screening levels. Multiple detections are included in the table except for field duplicate exceedances. For example, if aluminum was detected above a screening level in both a primary sample and a field duplicate, only the primary sample result is shown. If aluminum was detected above a screening level in two primary samples, both results are shown. No results were greater than screening levels for the current PME, so no results are included in Table 4.2-2.

No analytes from the current PME exceeded their screening levels at more than one sampling location, so no maps showing analyte concentrations are presented in this PMR.

Graphs in Appendix E display concentration histories of analytes for locations where the analyte was above its screening level at least once during the three most recent PMEs. Concentrations of the analyte are plotted for a 3-yr period. If 3 yr of data are not available, then all available results for the analyte are plotted. When shown, the solid red lines depict applicable screening levels. Results with a best value flag of N are not included in Appendix E. There were no locations where an analyte was above its screening level at least once during the three most recent PMEs, so no graphs are included in Appendix E.

4.2.1 Surface Water (Base Flow)

No surface-water locations are included in this monitoring group.

4.2.2 Groundwater

No results reported in this PMR from previous sampling of PME groundwater monitoring locations were above screening levels. No results from current PME groundwater samples reported in this PMR were above screening levels.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the MDA AB monitoring group are proposed at this time.

5.0 SUMMARY AND INTERPRETATIONS

5.1 Monitoring Results

The field parameter monitoring results are presented in Appendix A.

5.2 Analytical Results

5.2.1 Surface Water (Base Flow)

No surface-water locations are included in this monitoring group.

5.2.2 Groundwater

No results reported in this PMR from previous sampling of PME groundwater monitoring locations were above screening levels. No results from current PME groundwater samples reported in this PMR were above screening levels.

5.3 Data Gaps

Table 3.4-1 summarizes the field deviations encountered during the PME. The table also provides a detailed account of sampling event deviations.

5.4 Remediation System Monitoring

Remediation system monitoring is not applicable to the MDA AB monitoring group because no systems are installed in the monitoring group area.

6.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID or ESH ID. This information is also included in text citations. ER IDs were assigned by the Environmental Programs Directorate's Records Processing Facility (IDs through 599999), and ESH IDs are assigned by the Environment, Safety, and Health (ESH) Directorate (IDs 600000 and above). IDs are used to locate documents in the Laboratory's Electronic Document Management System and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the ESH Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), May 1988. "Environmental Surveillance at Los Alamos During 1987," Los Alamos National Laboratory report LA-11306-ENV, Los Alamos, New Mexico. (LANL 1988, 223036)

LANL (Los Alamos National Laboratory), May 2010. "Investigation Report for Sites at Technical Area 49 Outside the Nuclear Environmental Site Boundary," Los Alamos National Laboratory document LA-UR-10-3095, Los Alamos, New Mexico. (LANL 2010, 109318)

LANL (Los Alamos National Laboratory), May 2010. "Investigation Report for Sites at Technical Area 49 Inside the Nuclear Environmental Site Boundary," Los Alamos National Laboratory document LA-UR-10-3304, Los Alamos, New Mexico. (LANL 2010, 109319)

LANL (Los Alamos National Laboratory), May 2015. "Interim Facility-Wide Groundwater Monitoring Plan for the 2016 Monitoring Year, October 2015–September 2016," Los Alamos National Laboratory document LA-UR-15-23276, Los Alamos, New Mexico. (LANL 2015, 600467)

Purtymun, W.D., and A.K. Stoker, November 1987. "Environmental Status of Technical Area 49, Los Alamos, New Mexico," Los Alamos National Laboratory report LA-11135-MS, Los Alamos, New Mexico. (Purtymun and Stoker 1987, 006688)




Figure 2.0-1 Locations scheduled to be monitored for this PME (see Table 2.0-1)




Figure 3.3-1 Groundwater elevations

Table 2.0-1
MDA AB Monitoring Group Locations and General Information

Location Name	Sample Collection Date	Screened Interval (ft)	Screen Top Depth (ft)	Screen Bottom Depth (ft)	Calculated Single Casing Volume (gal.)	Purge Volume (gal.)	Purge or Flow Rate (gpm[a])
Intermediate							
R-27i	03/18/16	10	619	629	13.9	42.2	0.57
Regional							
R-27	03/18/16	23	852	875	50.3	153.5	3.41
R-29	03/03/16	10	1170	1180	39.3	192.3	7.69
R-30	03/04/16	21	1140	1161	46.82	225.03	5.77
R-31 S4[b]	03/09/16	10	826.60	836.6	n/a[c]	n/a	n/a
R-31 S5[b]	03/10/16	10	1007.10	1017.1	n/a	n/a	n/a

[a] gpm = Gallons per minute.

[b] Ancho Canyon watershed portion of the General Surveillance monitoring group.

[c] n/a = Not applicable. Westbay wells are not subject to purge requirements.

Table 3.4-1
MDA AB Monitoring Group PME Observations and Deviations

Location	Deviation	Cause	Comment
n/a*	n/a	n/a	No deviations for this PME

*n/a = Not applicable.

Table 3.4-2
Target Analytes with MDLs above Screening Levels for Current PME

Analyte Name	MDL	Analytical Method	Screening Level	Unit	Screening-Level Type	Lab ID
Semivolatile Organic Compounds						
Azobenzene	1.5–3	SW-846:8270D	1.2	µg/L	EPA TAP SCRN LVL[a]	GELC[b]
Benzidine	0.83–3.9	SW-846:8270DGCMS_SIM, SW-846:8270D	0.0011	µg/L	EPA TAP SCRN LVL	GELC
Benzo(a)anthracene	0.15–0.3	SW-846:8270D	0.12	µg/L	EPA TAP SCRN LVL	GELC
Benzo(a)pyrene	0.3	SW-846:8270D	0.2	µg/L	EPA MCL	GELC
Bis(2-chloroethyl)ether	1.5–3	SW-846:8270D	0.14	µg/L	EPA TAP SCRN LVL	GELC
Dibenz(a,h)anthracene	0.15–0.3	SW-846:8270D	0.034	µg/L	EPA TAP SCRN LVL	GELC
Dichlorobenzidine[3,3'-]	1.5–3	SW-846:8270D	1.3	µg/L	EPA TAP SCRN LVL	GELC
Dinitro-2-methylphenol[4,6-]	1.53–3	SW-846:8270D	1.5	µg/L	EPA TAP SCRN LVL	GELC
Hexachlorobenzene	1.5–3	SW-846:8270D	1	µg/L	EPA MCL	GELC
Nitrosodiethylamine[N-]	0.03–3	SW-846:8270DGCMS_SIM, SW-846:8270D	0.0017	µg/L	EPA TAP SCRN LVL	GELC
Nitrosodimethylamine[N-]	0.07–3	SW-846:8270DGCMS_SIM, SW-846:8270D	0.0011	µg/L	EPA TAP SCRN LVL	GELC
Nitroso-di-n-butylamine[N-]	0.03–3	SW-846:8270DGCMS_SIM, SW-846:8270D	0.027	µg/L	EPA TAP SCRN LVL	GELC
Nitroso-di-n-propylamine[N-]	1.5–3	SW-846:8270D	0.11	µg/L	EPA TAP SCRN LVL	GELC
Nitrosopyrrolidine[N-]	1.5–3	SW-846:8270D	0.37	µg/L	EPA TAP SCRN LVL	GELC
Pentachlorophenol	1.5–3	SW-846:8270D	1	µg/L	EPA MCL	GELC
Volatile Organic Compounds						
Acrolein	0.5–1.5	SW-846:8260B_SIM, SW-846:8260B	0.042	µg/L	EPA TAP SCRN LVL	GELC
Acrylonitrile	1–1.5	SW-846:8260B	0.52	µg/L	EPA TAP SCRN LVL	GELC
Chloro-1,3-butadiene[2-]	0.2–0.3	SW-846:8260B	0.19	µg/L	EPA TAP SCRN LVL	GELC
Dibromo-3-Chloropropane[1,2-]	0.5	SW-846:8260B	0.2	µg/L	EPA MCL	GELC
Dibromoethane[1,2-]	0.3	SW-846:8260B	0.05	µg/L	EPA MCL	GELC
Trichloropropane[1,2,3-]	0.0185–0.3	SW-846:8011, SW-846:8260B	0.0075	µg/L	EPA TAP SCRN LVL	GELC

Note: This table is applicable to samples reported in this PMR.

[a] EPA TAP SCRN LVL = U.S. Environmental Protection Agency regional screening level for tap water.

[b] GELC = General Engineering Laboratories, Inc., Charleston, SC.

Table 3.4-3
Target Analytes with MDLs below Screening Levels for Current PME

Analyte Name	MDL	Analytical Method	Screening Level	Unit	Screening-Level Type	Lab ID
Herbicides						
Pentachlorophenol	0.0833–0.0969	SW-846:8151A	1	µg/L	EPA MCL	GELC[a]
Pesticides and PCBs						
Hexachlorobenzene	0.00644–0.00753	SW-846:8081B	1	µg/L	EPA MCL	GELC
Semivolatile Organic Compounds						
Atrazine	1.5–3	SW-846:8270D	3	µg/L	EPA MCL	GELC
Benzo(a)anthracene	0.03–0.0323	SW-846:8270DGCMS_SIM	0.12	µg/L	EPA TAP SCRN LVL[b]	GELC
Benzo(a)pyrene	0.03–0.158	SW-846:8270D, SW-846:8270DGCMS_SIM	0.2	µg/L	EPA MCL	GELC
Benzo(b)fluoranthene	0.03–0.3	SW-846:8270D, SW-846:8270DGCMS_SIM	0.34	µg/L	EPA TAP SCRN LVL	GELC
Bis(2-chloroethyl)ether	0.03–0.0323	SW-846:8270DGCMS_SIM	0.14	µg/L	EPA TAP SCRN LVL	GELC
Dibenz(a,h)anthracene	0.03–0.0323	SW-846:8270DGCMS_SIM	0.034	µg/L	EPA TAP SCRN LVL	GELC
Dichlorobenzidine[3,3'-]	0.039–0.0419	SW-846:8270DGCMS_SIM	1.3	µg/L	EPA TAP SCRN LVL	GELC
Dinitro-2-methylphenol[4,6-]	1.5	SW-846:8270D	1.5	µg/L	EPA TAP SCRN LVL	GELC
Indeno(1,2,3-cd)pyrene	0.03–0.3	SW-846:8270D, SW-846:8270DGCMS_SIM	0.34	µg/L	EPA TAP SCRN LVL	GELC
Nitroso-di-n-propylamine[N-]	0.03–0.0323	SW-846:8270DGCMS_SIM	0.11	µg/L	EPA TAP SCRN LVL	GELC
Nitrosopyrrolidine[N-]	0.03–0.0323	SW-846:8270DGCMS_SIM	0.37	µg/L	EPA TAP SCRN LVL	GELC
Oxybis(1-chloropropane)[2,2'-]	1.5–3	SW-846:8270D	710	µg/L	EPA TAP SCRN LVL	GELC
Volatile Organic Compounds						
Acrylonitrile	0.5	SW-846:8260B_SIM	0.52	µg/L	EPA TAP SCRN LVL	GELC
Chloro-1,3-butadiene[2-]	0.1	SW-846:8260B_SIM	0.19	µg/L	EPA TAP SCRN LVL	GELC
Dibromo-3-Chloropropane[1,2-]	0.00877–0.00896	SW-846:8011	0.2	µg/L	EPA MCL	GELC
Dibromoethane[1,2-]	0.00877–0.00896	SW-846:8011	0.05	µg/L	EPA MCL	GELC
Methacrylonitrile	1–1.5	SW-846:8260B	1.9	µg/L	EPA TAP SCRN LVL	GELC

Note: This table is applicable to samples reported in this PMR.

[a] GELC = General Engineering Laboratories, Inc., Charleston, SC.

[b] EPA TAP SCRN LVL = U.S. Environmental Protection Agency regional screening level for tap water.

Table 4.2-1
Sources of Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory

Standard Source	Standard Type	Groundwater	Surface Water
DOE Order 458.1	DOE BCG	n/a[a]	X[b]
DOE Order 458.1	DOE 100-mrem Public Dose DCS	X	n/a
DOE Order 458.1	DOE 4-mrem Drinking Water DCS	X	n/a
40 CFR[c] 141	EPA MCL	X	n/a
EPA Regional Screening Levels[d]	EPA Regional Screening Levels for Tap Water	X	n/a
Consent Order	Screening Level for Perchlorate in Groundwater	X	n/a
20 NMAC 6.2.3103	NMWQCC Groundwater Standard	X	n/a
20 NMAC 6.4.900.C	NMWQCC Irrigation Standard	n/a	X
20 NMAC 6.4.900.F	NMWQCC Livestock Watering Standard	n/a	X
20 NMAC 6.4.900.G	NMWQCC Wildlife Habitat Standard	n/a	X
20 NMAC 6.4.900.H	NMWQCC Aquatic Life Standards Acute	n/a	X[e,f]
20 NMAC 6.4.900.H	NMWQCC Aquatic Life Standards Chronic	n/a	X[e,f]
20 NMAC 6.4.900.H	NMWQCC Aquatic Life Human Health Standard	n/a	X

[a] n/a = Not applicable.

[b] X = Applied to data screen for this report.

[c] CFR = Code of Federal Regulations.

[d] Available at http://www.epa.gov/risk/risk-based-screening-table-generic-tables.

[e] Hardness-based standards for total recoverable aluminum and dissolved chromium(III) conservatively compared with results for total aluminum and dissolved chromium, respectively.

[f] Standard for dissolved chromium(VI) conservatively compared with results for dissolved chromium.

Table 4.2-2
MDA AB Monitoring Group Groundwater Results above Screening Levels

Location	Date	Analyte	Field Prep Code	Result	Unit	Screening Level	Screening-Level Type
Regional Aquifer							
n/a*	n/a	No results above screening levels for this PME	n/a	n/a	n/a	n/a	n/a

*n/a = Not applicable.

Appendix A

Field Parameter Results, Including Results from Previous Four Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-27	852	03/18/16	WG[a]	Dissolved Oxygen	7.19	mg/L	CAWA-16-110752
R-27	852	02/06/15	WG	Dissolved Oxygen	7.02	mg/L	CAWA-15-91341
R-27	852	03/07/14	WG	Dissolved Oxygen	7.03	mg/L	CAWA-14-54782
R-27	852	03/11/13	WG	Dissolved Oxygen	7.23	mg/L	CAWA-13-28880
R-27	852	02/03/12	WG	Dissolved Oxygen	7.13	mg/L	CAWA-12-2022
R-27	852	03/18/16	WG	Flow (in gpm[b])	3.41	gpm	CAWA-16-110752
R-27	852	02/06/15	WG	Flow (in gpm)	3.33	gpm	CAWA-15-91341
R-27	852	03/07/14	WG	Flow (in gpm)	3.75	gpm	CAWA-14-54782
R-27	852	02/03/12	WG	Flow (in gpm)	4	gpm	CAWA-12-2022
R-27	852	04/04/11	WG	Flow (in gpm)	4	gpm	CAWA-11-5100
R-27	852	03/18/16	WG	Oxidation-Reduction Potential	186.3	mV	CAWA-16-110752
R-27	852	02/06/15	WG	Oxidation-Reduction Potential	64.6	mV	CAWA-15-91341
R-27	852	03/07/14	WG	Oxidation-Reduction Potential	102.1	mV	CAWA-14-54782
R-27	852	03/11/13	WG	Oxidation-Reduction Potential	45.4	mV	CAWA-13-28880
R-27	852	02/03/12	WG	Oxidation-Reduction Potential	17.1	mV	CAWA-12-2022
R-27	852	03/18/16	WG	pH	7.77	SU[c]	CAWA-16-110752
R-27	852	02/06/15	WG	pH	7.88	SU	CAWA-15-91341
R-27	852	03/07/14	WG	pH	7.87	SU	CAWA-14-54782
R-27	852	03/11/13	WG	pH	7.95	SU	CAWA-13-28880
R-27	852	02/03/12	WG	pH	7.99	SU	CAWA-12-2022
R-27	852	03/18/16	WG	Specific Conductance	124	µS/cm	CAWA-16-110752
R-27	852	02/06/15	WG	Specific Conductance	120	µS/cm	CAWA-15-91341
R-27	852	03/07/14	WG	Specific Conductance	122	µS/cm	CAWA-14-54782
R-27	852	03/11/13	WG	Specific Conductance	119	µS/cm	CAWA-13-28880
R-27	852	02/03/12	WG	Specific Conductance	119	µS/cm	CAWA-12-2022
R-27	852	03/18/16	WG	Temperature	17.69	deg C	CAWA-16-110752
R-27	852	02/06/15	WG	Temperature	18.39	deg C	CAWA-15-91341
R-27	852	03/07/14	WG	Temperature	18.44	deg C	CAWA-14-54782

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-27	852	03/11/13	WG	Temperature	17.88	deg C	CAWA-13-28880
R-27	852	02/03/12	WG	Temperature	17.29	deg C	CAWA-12-2022
R-27	852	03/18/16	WG	Turbidity	0.39	NTU[d]	CAWA-16-110752
R-27	852	02/06/15	WG	Turbidity	0.7	NTU	CAWA-15-91341
R-27	852	03/07/14	WG	Turbidity	0	NTU	CAWA-14-54782
R-27	852	03/11/13	WG	Turbidity	0.1	NTU	CAWA-13-28880
R-27	852	02/03/12	WG	Turbidity	0.4	NTU	CAWA-12-2022
R-27i	619	03/18/16	WG	Dissolved Oxygen	8.16	mg/L	CAWA-16-110753
R-27i	619	02/06/15	WG	Dissolved Oxygen	8.14	mg/L	CAWA-15-91342
R-27i	619	03/07/14	WG	Dissolved Oxygen	7.86	mg/L	CAWA-14-54783
R-27i	619	03/11/13	WG	Dissolved Oxygen	8.07	mg/L	CAWA-13-28881
R-27i	619	02/03/12	WG	Dissolved Oxygen	8.16	mg/L	CAWA-12-2018
R-27i	619	03/18/16	WG	Flow (in gpm)	0.57	gpm	CAWA-16-110753
R-27i	619	02/06/15	WG	Flow (in gpm)	0.65	gpm	CAWA-15-91342
R-27i	619	03/07/14	WG	Flow (in gpm)	0.6	gpm	CAWA-14-54783
R-27i	619	02/03/12	WG	Flow (in gpm)	0.55	gpm	CAWA-12-2018
R-27i	619	06/20/11	WG	Flow (in gpm)	0.31	gpm	CAWA-11-14631
R-27i	619	06/20/11	WG	Flow (in gpm)	0.38	gpm	CAWA-11-13980
R-27i	619	06/20/11	WG	Flow (in gpm)	0.36	gpm	CAWA-11-14633
R-27i	619	06/20/11	WG	Flow (in gpm)	0.38	gpm	CAWA-11-14635
R-27i	619	03/18/16	WG	Oxidation-Reduction Potential	293.9	mV	CAWA-16-110753
R-27i	619	02/06/15	WG	Oxidation-Reduction Potential	118.6	mV	CAWA-15-91342
R-27i	619	03/07/14	WG	Oxidation-Reduction Potential	170.6	mV	CAWA-14-54783
R-27i	619	03/11/13	WG	Oxidation-Reduction Potential	240.1	mV	CAWA-13-28881
R-27i	619	02/03/12	WG	Oxidation-Reduction Potential	193.1	mV	CAWA-12-2018
R-27i	619	03/18/16	WG	pH	6.68	SU	CAWA-16-110753
R-27i	619	02/06/15	WG	pH	6.88	SU	CAWA-15-91342
R-27i	619	03/07/14	WG	pH	6.99	SU	CAWA-14-54783

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-27i	619	03/11/13	WG	pH	6.46	SU	CAWA-13-28881
R-27i	619	02/03/12	WG	pH	7.08	SU	CAWA-12-2018
R-27i	619	03/18/16	WG	Specific Conductance	107	µS/cm	CAWA-16-110753
R-27i	619	02/06/15	WG	Specific Conductance	0.6	µS/cm	CAWA-15-91342
R-27i	619	03/07/14	WG	Specific Conductance	106	µS/cm	CAWA-14-54783
R-27i	619	03/11/13	WG	Specific Conductance	103	µS/cm	CAWA-13-28881
R-27i	619	02/03/12	WG	Specific Conductance	102	µS/cm	CAWA-12-2018
R-27i	619	03/18/16	WG	Temperature	13.97	deg C	CAWA-16-110753
R-27i	619	02/06/15	WG	Temperature	13.48	deg C	CAWA-15-91342
R-27i	619	03/07/14	WG	Temperature	13.19	deg C	CAWA-14-54783
R-27i	619	03/11/13	WG	Temperature	13.39	deg C	CAWA-13-28881
R-27i	619	02/03/12	WG	Temperature	12.93	deg C	CAWA-12-2018
R-27i	619	03/18/16	WG	Turbidity	0.56	NTU	CAWA-16-110753
R-27i	619	02/06/15	WG	Turbidity	1.2	NTU	CAWA-15-91342
R-27i	619	03/07/14	WG	Turbidity	0.3	NTU	CAWA-14-54783
R-27i	619	03/11/13	WG	Turbidity	1.6	NTU	CAWA-13-28881
R-27i	619	02/03/12	WG	Turbidity	0.45	NTU	CAWA-12-2018
R-29	1170	03/03/16	WG	Dissolved Oxygen	5.87	mg/L	CAAN-16-110571
R-29	1170	09/21/15	WG	Dissolved Oxygen	6.46	mg/L	CAAN-15-104031
R-29	1170	03/09/15	WG	Dissolved Oxygen	7.09	mg/L	CAAN-15-92883
R-29	1170	08/06/14	WG	Dissolved Oxygen	7.14	mg/L	CAAN-14-84628
R-29	1170	03/12/14	WG	Dissolved Oxygen	8.17	mg/L	CAAN-14-54788
R-29	1170	03/03/16	WG	Flow (in gpm)	7.69	gpm	CAAN-16-110571
R-29	1170	09/21/15	WG	Flow (in gpm)	7.14	gpm	CAAN-15-104031
R-29	1170	03/09/15	WG	Flow (in gpm)	7.5	gpm	CAAN-15-92883
R-29	1170	08/06/14	WG	Flow (in gpm)	7.3	gpm	CAAN-14-84628
R-29	1170	03/12/14	WG	Flow (in gpm)	7.3	gpm	CAAN-14-54788
R-29	1170	03/03/16	WG	Oxidation-Reduction Potential	135	mV	CAAN-16-110571

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-29	1170	09/21/15	WG	Oxidation-Reduction Potential	116.1	mV	CAAN-15-104031
R-29	1170	03/09/15	WG	Oxidation-Reduction Potential	203.5	mV	CAAN-15-92883
R-29	1170	08/06/14	WG	Oxidation-Reduction Potential	71	mV	CAAN-14-84628
R-29	1170	03/12/14	WG	Oxidation-Reduction Potential	133.5	mV	CAAN-14-54788
R-29	1170	03/03/16	WG	pH	8.36	SU	CAAN-16-110571
R-29	1170	09/21/15	WG	pH	8	SU	CAAN-15-104031
R-29	1170	03/09/15	WG	pH	8.12	SU	CAAN-15-92883
R-29	1170	08/06/14	WG	pH	7.66	SU	CAAN-14-84628
R-29	1170	03/12/14	WG	pH	8.1	SU	CAAN-14-54788
R-29	1170	03/03/16	WG	Specific Conductance	125	µS/cm	CAAN-16-110571
R-29	1170	09/21/15	WG	Specific Conductance	126	µS/cm	CAAN-15-104031
R-29	1170	03/09/15	WG	Specific Conductance	126	µS/cm	CAAN-15-92883
R-29	1170	08/06/14	WG	Specific Conductance	123	µS/cm	CAAN-14-84628
R-29	1170	03/12/14	WG	Specific Conductance	129	µS/cm	CAAN-14-54788
R-29	1170	03/03/16	WG	Temperature	18.42	deg C	CAAN-16-110571
R-29	1170	09/21/15	WG	Temperature	20	deg C	CAAN-15-104031
R-29	1170	03/09/15	WG	Temperature	18.76	deg C	CAAN-15-92883
R-29	1170	08/06/14	WG	Temperature	19.14	deg C	CAAN-14-84628
R-29	1170	03/12/14	WG	Temperature	18.21	deg C	CAAN-14-54788
R-29	1170	03/03/16	WG	Turbidity	7.31	NTU	CAAN-16-110571
R-29	1170	09/21/15	WG	Turbidity	6.9	NTU	CAAN-15-104031
R-29	1170	03/09/15	WG	Turbidity	6.4	NTU	CAAN-15-92883
R-29	1170	08/06/14	WG	Turbidity	6.3	NTU	CAAN-14-84628
R-29	1170	03/12/14	WG	Turbidity	7.2	NTU	CAAN-14-54788
R-30	1140	03/04/16	WG	Dissolved Oxygen	6.88	mg/L	CAAN-16-110572
R-30	1140	09/22/15	WG	Dissolved Oxygen	7.21	mg/L	CAAN-15-104032
R-30	1140	03/10/15	WG	Dissolved Oxygen	6.97	mg/L	CAAN-15-92884
R-30	1140	08/11/14	WG	Dissolved Oxygen	7.22	mg/L	CAAN-14-84629

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-30	1140	03/05/14	WG	Dissolved Oxygen	7.14	mg/L	CAAN-14-54789
R-30	1140	03/04/16	WG	Flow (in gpm)	5.77	gpm	CAAN-16-110572
R-30	1140	09/22/15	WG	Flow (in gpm)	5.6	gpm	CAAN-15-104032
R-30	1140	03/10/15	WG	Flow (in gpm)	5.08	gpm	CAAN-15-92884
R-30	1140	08/11/14	WG	Flow (in gpm)	5.26	gpm	CAAN-14-84629
R-30	1140	03/05/14	WG	Flow (in gpm)	5.17	gpm	CAAN-14-54789
R-30	1140	03/04/16	WG	Oxidation-Reduction Potential	197.5	mV	CAAN-16-110572
R-30	1140	09/22/15	WG	Oxidation-Reduction Potential	162.7	mV	CAAN-15-104032
R-30	1140	03/10/15	WG	Oxidation-Reduction Potential	204.2	mV	CAAN-15-92884
R-30	1140	08/11/14	WG	Oxidation-Reduction Potential	81.2	mV	CAAN-14-84629
R-30	1140	03/05/14	WG	Oxidation-Reduction Potential	157.7	mV	CAAN-14-54789
R-30	1140	03/04/16	WG	pH	7.9	SU	CAAN-16-110572
R-30	1140	09/22/15	WG	pH	7.93	SU	CAAN-15-104032
R-30	1140	03/10/15	WG	pH	8.17	SU	CAAN-15-92884
R-30	1140	08/11/14	WG	pH	7.75	SU	CAAN-14-84629
R-30	1140	03/05/14	WG	pH	8.11	SU	CAAN-14-54789
R-30	1140	03/04/16	WG	Specific Conductance	124	µS/cm	CAAN-16-110572
R-30	1140	09/22/15	WG	Specific Conductance	122	µS/cm	CAAN-15-104032
R-30	1140	03/10/15	WG	Specific Conductance	120	µS/cm	CAAN-15-92884
R-30	1140	08/11/14	WG	Specific Conductance	118	µS/cm	CAAN-14-84629
R-30	1140	03/05/14	WG	Specific Conductance	121	µS/cm	CAAN-14-54789
R-30	1140	03/04/16	WG	Temperature	19.72	deg C	CAAN-16-110572
R-30	1140	09/22/15	WG	Temperature	20.19	deg C	CAAN-15-104032
R-30	1140	03/10/15	WG	Temperature	19.43	deg C	CAAN-15-92884
R-30	1140	08/11/14	WG	Temperature	20.04	deg C	CAAN-14-84629
R-30	1140	03/05/14	WG	Temperature	19	deg C	CAAN-14-54789
R-30	1140	03/04/16	WG	Turbidity	1	NTU	CAAN-16-110572
R-30	1140	09/22/15	WG	Turbidity	3	NTU	CAAN-15-104032

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-30	1140	03/10/15	WG	Turbidity	0.78	NTU	CAAN-15-92884
R-30	1140	08/11/14	WG	Turbidity	0.45	NTU	CAAN-14-84629
R-30	1140	03/05/14	WG	Turbidity	0.6	NTU	CAAN-14-54789
R-31 S4	826.6	03/09/16	WG	Dissolved Oxygen	7.07	mg/L	CAAN-16-110573
R-31 S4	826.6	03/17/15	WG	Dissolved Oxygen	6.97	mg/L	CAAN-15-92885
R-31 S4	826.6	03/26/13	WG	Dissolved Oxygen	7.11	mg/L	CAAN-13-28914
R-31 S4	826.6	02/01/12	WG	Dissolved Oxygen	6.88	mg/L	CAAN-12-2027
R-31 S4	826.6	09/20/10	WG	Dissolved Oxygen	3.71	mg/L	CAAN-10-25927
R-31 S4	826.6	03/09/16	WG	pH	8.11	SU	CAAN-16-110573
R-31 S4	826.6	03/17/15	WG	pH	8.35	SU	CAAN-15-92885
R-31 S4	826.6	03/26/13	WG	pH	7.67	SU	CAAN-13-28914
R-31 S4	826.6	02/01/12	WG	pH	7.32	SU	CAAN-12-2027
R-31 S4	826.6	09/20/10	WG	pH	8.01	SU	CAAN-10-25927
R-31 S4	826.6	03/09/16	WG	Specific Conductance	119	µS/cm	CAAN-16-110573
R-31 S4	826.6	03/17/15	WG	Specific Conductance	123	µS/cm	CAAN-15-92885
R-31 S4	826.6	03/26/13	WG	Specific Conductance	114	µS/cm	CAAN-13-28914
R-31 S4	826.6	02/01/12	WG	Specific Conductance	119	µS/cm	CAAN-12-2027
R-31 S4	826.6	09/20/10	WG	Specific Conductance	123	µS/cm	CAAN-10-25927
R-31 S4	826.6	03/09/16	WG	Temperature	19.71	deg C	CAAN-16-110573
R-31 S4	826.6	03/17/15	WG	Temperature	20.64	deg C	CAAN-15-92885
R-31 S4	826.6	03/26/13	WG	Temperature	18.83	deg C	CAAN-13-28914
R-31 S4	826.6	02/01/12	WG	Temperature	19.03	deg C	CAAN-12-2027
R-31 S4	826.6	09/20/10	WG	Temperature	24.76	deg C	CAAN-10-25927
R-31 S4	826.6	03/09/16	WG	Turbidity	3.6	NTU	CAAN-16-110573
R-31 S4	826.6	03/17/15	WG	Turbidity	5	NTU	CAAN-15-92885
R-31 S4	826.6	03/26/13	WG	Turbidity	4.1	NTU	CAAN-13-28914
R-31 S4	826.6	02/01/12	WG	Turbidity	0.97	NTU	CAAN-12-2027
R-31 S4	826.6	09/20/10	WG	Turbidity	0.49	NTU	CAAN-10-25927

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-31 S5	1007.1	03/10/16	WG	Dissolved Oxygen	7.01	mg/L	CAAN-16-110574
R-31 S5	1007.1	03/18/15	WG	Dissolved Oxygen	6.45	mg/L	CAAN-15-92886
R-31 S5	1007.1	03/22/13	WG	Dissolved Oxygen	6.92	mg/L	CAAN-13-28915
R-31 S5	1007.1	02/01/12	WG	Dissolved Oxygen	7.09	mg/L	CAAN-12-2035
R-31 S5	1007.1	09/09/10	WG	Dissolved Oxygen	8.12	mg/L	CAAN-10-25931
R-31 S5	1007.1	03/10/16	WG	pH	8.31	SU	CAAN-16-110574
R-31 S5	1007.1	03/18/15	WG	pH	8.51	SU	CAAN-15-92886
R-31 S5	1007.1	03/22/13	WG	pH	8.25	SU	CAAN-13-28915
R-31 S5	1007.1	02/01/12	WG	pH	8.28	SU	CAAN-12-2035
R-31 S5	1007.1	09/09/10	WG	pH	8.09	SU	CAAN-10-25931
R-31 S5	1007.1	03/10/16	WG	Specific Conductance	115	µS/cm	CAAN-16-110574
R-31 S5	1007.1	03/18/15	WG	Specific Conductance	120	µS/cm	CAAN-15-92886
R-31 S5	1007.1	03/22/13	WG	Specific Conductance	111	µS/cm	CAAN-13-28915
R-31 S5	1007.1	02/01/12	WG	Specific Conductance	115	µS/cm	CAAN-12-2035
R-31 S5	1007.1	09/09/10	WG	Specific Conductance	121	µS/cm	CAAN-10-25931
R-31 S5	1007.1	03/10/16	WG	Temperature	20.93	deg C	CAAN-16-110574
R-31 S5	1007.1	03/22/13	WG	Temperature	19.15	deg C	CAAN-13-28915
R-31 S5	1007.1	02/01/12	WG	Temperature	19.42	deg C	CAAN-12-2035
R-31 S5	1007.1	09/09/10	WG	Temperature	23.16	deg C	CAAN-10-25931
R-31 S5	1007.1	04/22/10	WG	Temperature	21.94	deg C	CAAN-10-15247
R-31 S5	1007.1	03/10/16	WG	Turbidity	5.7	NTU	CAAN-16-110574
R-31 S5	1007.1	03/18/15	WG	Turbidity	9.3	NTU	CAAN-15-92886
R-31 S5	1007.1	03/22/13	WG	Turbidity	2.4	NTU	CAAN-13-28915
R-31 S5	1007.1	02/01/12	WG	Turbidity	1.2	NTU	CAAN-12-2035
R-31 S5	1007.1	09/09/10	WG	Turbidity	1.01	NTU	CAAN-10-25931

[a] WG = Groundwater.

[b] gpm = Gallons per minute.

[c] SU = Standard unit.

[d] NTU = Nephelometric turbidity unit.

Appendix B

Groundwater-Elevation Measurements
(on CD included with this document)

Appendix C

Analytical Chemistry Results, Including Results from Previous Four Monitoring Events if Available

The following pages provide lists of (1) acronyms, abbreviations, symbols, and various analytical codes; (2) analytical laboratory qualifier codes; and (3) secondary validation flag codes that may be used in Appendix C. Please note that these are comprehensive lists, and this periodic monitoring report may not include all of the terms in the lists.

Acronyms and Abbreviations

Acronym, Abbreviation, or Symbol	Description
Miscellaneous	
%	percent
%D	percent difference
%R	percent recovery
%RSD	percent relative standard deviation
<	Based on qualifiers, the result was a nondetection.
—	none
4,4'-DDD	4,4'-dichlorodiphenyldichloroethane
4,4'-DDT	4,4'-dichlorodiphenyltrichloroethane
BHC	benzene hexachloride
CB	chlorinated biphenyl
CCB	continuing calibration blank
CCV	continuing calibration verification
CLP	Contract Laboratory Program
CRDL	contract-required detection limit
CRI	CDRL check standard
DCG	Derived Concentration Guide (DOE)
DDE	dichlorodiphenyldichloroethylene
DNX	dinitroso-RDX (or hexahydro-1,3-dinitroso-5-nitro-1,3,5-triazine)
DOE	Department of Energy (U.S.)
DQO	data quality objective
EPA	Environmental Protection Agency (U.S.)
GC	gas chromatography
GC/MS	gas chromatography/mass spectrometry
GFAA	graphite furnace atomic absorption
GFPC	gas-flow proportional counter
GW	groundwater
HH OO	Human Health—Organism Only (NMWQCC standard)
HMX	1,3,5,7-tetranitro-1,3,5,7-tetrazocine
HPLC	high-pressure liquid chromatography
ICAL	initial calibration
ICPAES	inductively coupled plasma atomic (optical) emission spectroscopy
ICV	initial calibration verification
IDL	instrument detection limit

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Miscellaneous (continued)	
IS	internal standard
LAL	lower acceptance limit
LANL	Los Alamos National Laboratory
LCS	laboratory control sample
LLEE	low-level electrolytic extraction
LOC	level of chlorination
LSC	liquid scintillation counting
Lvl	level
MCL	maximum contaminant level (EPA)
MDA	minimum detectable activity
MDC	minimum detectable concentration
MDL	method detection limit
MNX	mononitroso-RDX (or hexahydro-1-nitroso-3,5-dinitro-1,3,5-triazine)
MS	matrix spike
MSD	matrix spike duplicate
NM	New Mexico
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
OPR	ongoing precision recovery
PCB	polychlorinated biphenyl
PCDD	polychlorinated dibenzo-p-dioxin
PCDF	polychlorinated dibenzofuran
PQL	practical quantitation limit
Prelim	preliminary
QC	quality control
RDX	hexahydro-1,3,5-trinitro-1,3,5-triazine
RF	response factor
RL	reporting limit
RPD	relative percent difference
RRF	relative response factor
RRT	relative retention time
RT	retention time
Scr	screening
SDG	sample delivery group
SMO	Sample Management Office
SSC	suspended sediment concentration
SU	standard unit
TCDD	tetrachlorodibenzo-p-dioxin

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Miscellaneous (continued)	
TCDF	tetrachlorodibenzofuran
TDS	total dissolved solids
TPH-DRO	total petroleum hydrocarbons—diesel range organics
TNX	trinitroso-RDX (or hexahydro-1,3,5-trinitroso-1,3,5-triazine)
TPU	total propagated uncertainty
UAL	upper acceptance limit
Field Matrix Codes	
W	water
WG	groundwater
WM	snowmelt
WP	persistent flow
WS	base flow
WT	storm runoff
Field Prep Codes	
F	filtered
UF	unfiltered
Lab Sample Type Codes	
CS	client sample
DL	dilution
DUP	duplicate
INIT	initial
RE	reanalysis
REDL	reanalysis dilution
REDP	reanalysis duplicate
RI	reissue
TRP	triplicate
Field QC Type Codes	
EQB	equipment rinsate blank
FB	field blank
FD	field duplicate
FR	field rinsate
FS	field split
FTB	field trip blank
FTR	field triplicate
INB	equipment blank taken during installation and not associated with a sampling event
ITB	trip blank taken during installation and not associated with a sampling event
NA	not applicable
PEB	performance evaluation blank

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Field QC Type Codes (continued)	
PEK	performance evaluation known
REG	regular
RES	resample
SS	special sampling event, data unique
SS-EQB	equipment blank of special sampling event, data unique
SS-FB	field blank of special sampling event, data unique
SS-FD	field duplicate of special sampling event, data unique
SS-FTB	field trip blank of special sampling event, data unique
Analytical Suite Codes	
DIOX/FUR, Diox/Fur	dioxins and furans
DRO	diesel range organics
Geninorg, GENINORG, General Chemistry	general inorganics
GRO	gasoline range organics
HERB	herbicides
HEXP	high explosives
INORGANIC	inorganics
ISOTOPE, Isotope	isotope ratios
LCMS/MS	liquid chromatography mass spectrometry/mass spectrometry
METALS, Metals	metals
PEST/PCB, PESTPCB	pesticides and PCBs
RAD, Rad	radiochemistry
SVOC, SVOA	semivolatile organic compounds
VOC, VOA	volatile organic compounds
Detect Flag and Best Value Flag Codes	
N	no
Y	yes
Lab Codes	
ALTC	Alta Analytical Laboratory, Inc., San Diego, CA
ARSL	American Radiation Services, Inc.
CFA	Cape Fear Analytical, LLC, Wilmington, NC
C-INC	Isotope and Nuclear Chemistry Division (LANL)
COAST	Coastal Science Laboratories, Austin, TX
CST	Chemical Sciences and Technology Division (LANL)
EES6	Hydrology, Geochemistry, and Geology Group (LANL)
ESE	Environmental Sciences & Engineering, Inc., Gainesville, FL
FLD	measurement taken in field
GEL	General Engineering Laboratories, Inc.

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Lab Codes (continued)	
GELC	General Engineering Laboratories, Inc., Charleston, SC
GEO	Geochron Laboratories, Boston, MA
HENV	Health and Environmental Laboratory (Johnson Controls, Northern New Mexico)
HUFFMAN	Huffman Laboratories, Inc., Golden, CO
KA	KEMRON Environmental Services, Inc., Vienna, VA
LVLI	Lionville Laboratory, Inc., Philadelphia, PA
PARA	Paragon Analytics, Inc., Salt Lake City, UT
PEC	Pacific Ecorisk Laboratories, Fairfield, CA
QESL	Quanterra Environmental Services, St. Louis, MO
QST	QST Environmental, Newberry, FL
RECRAP	RECRA Labnet, Lionville, PA
RFWC	Roy F. Weston, Inc., West Chester, PA
SGSW	Paradigm Analytical Laboratories, Inc., Wilmington, NC
SILENS	Stable Isotope Laboratory, Woods Hole, MA
STL2, STR	Severn Trent Laboratories, Inc., Richland, WA (historical)
STLA	Severn Trent Laboratories, Inc., Los Angeles, CA
STSL	Severn Trent Laboratories, Inc., St. Louis, MO
SwRI	Southwest Research Institute, San Antonio, TX
UAZ	University of Arizona, Tucson
UIL	University of Illinois, Urbana-Champaign
UMTL	University of Miami Tritium Lab

Note: A combination of analytical laboratory qualifier codes means that several codes apply.

Analytical Laboratory Qualifier Codes

Code	Description
*	(Inorganic)—Duplicate analysis (relative percent difference [RPD]) not within control limits.
B	(Organic)—Analyte was present in the blank and the sample. (Inorganic) —Reported value was obtained from a reading that was less than the contract-required detection limit (CRDL) but greater than or equal to the instrument detection limit (IDL).
BJ	See B code and see J code.
BJP	See B code, see J code, and see P code.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the IDL but less than the CRDL. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary gas chromatography (GC) columns were greater than 25% difference. (P) (SW-846 EPA Method 8310, High-Pressure Liquid Chromatography, [HPLC] Results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
D	The result for this analyte was reported from a dilution.
DJ	See D code and see J code.
DNA	Did not analyze because equipment was broken.
E	(Organic) Analyte exceeded the concentration range. (Inorganic) The serial dilution was exceeded.
E*	See E code and see * code.
EJ	See E code and see J code.
EJ*	See E code, see J code, and see * code.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma atomic [optical] emission spectroscopy [ICPAES])—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption [GFAA])—The result for this analyte failed one or more Control Laboratory Program (CLP) acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike (MS) sample was outside acceptance criteria.
EN	See E code and see N code.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICPAES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a TIC. (N) (Inorganic)—The result for this analyte in the MS sample was outside acceptance criteria. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

Analytical Laboratory Qualifier Codes (continued)

Code	Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	See H code and see J code.
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
INS	(d15N)—The d15N of nitrate is a signature of the nitrate present in a sample. Therefore, nitrate has to be present to have a signature. A d15N value cannot be given to a blank because the blank does not have nitrate. This is different from most analytical methods, where a blank is run with the designator “nondetect” or “detected, but below detection limit.”
J	(Inorganic)—The associated numerical value is an estimated quantity. (Organic)—The associated numerical value is an estimated quantity.
J*	See J code and see * code.
JB	See J code and see B code
JN	See J code and see N code.
JN*	See J code, see N code, and see * code.
JP	See J code and see P code.
N	(Inorganic)—Spiked sample recovery was not within control limits.
N*	See N code and see * code.
N*E	See N code, see * code, and see E code.
NE	See N code and see E code.
P	Percent difference between the results on the two columns during the analysis differed by more than 40%.
PJ	See P code and see J code.
Q	One or more quality control criteria have not been met. Refer to the applicable narrative or data exception report.
U	The material was analyzed for but was not detected above the level of the associated numeric value.
U*	See U code and see * code.
UD	See U code and see D code.
UE	See U code and see E code.
UE*	See U code, see E code, and see * code.
UEN	See U code, see E code, and see N code.
UH	See U code and see H code.

Analytical Laboratory Qualifier Codes (continued)

Code	Description
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UI	(Rad) Gamma spectroscopy result should be regarded as an uncertain identification.
UN	EPA flag (Inorganic)—Compound was analyzed for but was not detected. Spiked sample recovery was not within control limits.
UN*	EPA flag (Inorganic)—See U code, see N code, and see * code.
UUI	(Rad) Gamma spectroscopy result should be regarded as an uncertain identification, and the analytical lab assigned these gamma spectroscopy results as not detected.
X	The analytical laboratory suspects the result is a nondetect despite positive quantification results.

Secondary Validation Flag Codes

Code	Description
A	The contractually required supporting documentation for this datum is absent.
I	The calculated sums are considered incomplete because of the lack of one or more congener results.
J	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual.
J-	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
N	There is presumptive evidence of the presence of the material.
NJ	(Organic) Analyte has been tentatively identified, and the associated numerical value is estimated based upon a 1:1 response factor to the nearest eluting internal standard.
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impact data use.
R	The reported sample result is classified as rejected because of serious noncompliances regarding quality control (QC) acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
U	The analyte is classified as not detected.
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.84	—	—	0.01	SU	Y	H	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.84	—	—	0.01	SU	Y	H	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.92	—	—	0.01	SU	Y	H	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.67	—	—	0.01	SU	Y	H	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.8	—	—	0.01	SU	Y	H	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.1	—	—	0.01	SU	Y	H	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.78	—	—	0.01	SU	Y	H	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.7	—	—	0.725	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	49.6	—	—	0.725	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	50.1	—	—	0.725	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.9	—	—	0.725	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.6	—	—	0.725	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	1.02E-09	0.00575	0.0327	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00934	0.00934	0.0375	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.013	0.00934	0.0435	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00395	0.0153	0.0462	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00804	0.00804	0.0471	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00312	0.0054	0.0625	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00475	0.00475	0.0311	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.449	—	—	0.017	mg/L	Y	—	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0317	—	—	0.017	mg/L	Y	J	U	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.134	—	—	0.017	mg/L	Y	—	U	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0535	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0694	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0582	—	—	0.017	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0494	—	—	0.017	mg/L	Y	J	U	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	17.3	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	17	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	17.2	—	—	1	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	15.9	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	16	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	17.4	—	—	1	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	18.5	—	—	1	µg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.6	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.5	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.4	—	—	0.05	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.78	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.83	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	11.1	—	—	0.05	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.2	—	—	0.05	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.24	1.45	4.83	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.551	1.36	5.01	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.89	1.44	4.64	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.11	1.3	5.16	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.165	1.33	4.76	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-2.25	1.95	6.39	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.946	1.4	5.16	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.81	—	—	0.067	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.8	—	—	0.067	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.69	—	—	0.067	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.68	—	—	0.067	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.71	—	—	0.067	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.77	—	—	0.067	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.77	—	—	0.067	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.51	1.27	5.17	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.109	1.38	5.24	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	2.06	1.21	5.27	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.44	1.32	4.53	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.65	1.25	3.74	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.47	2.01	5.03	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.0356	1.38	4.48	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.189	—	—	0.033	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.197	—	—	0.033	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.215	—	—	0.033	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.149	—	—	0.033	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.155	—	—	0.033	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.179	—	—	0.033	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.248	—	—	0.033	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.911	0.616	2.96	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.574	0.802	2.94	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.272	0.327	1.2	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.71	0.774	2.23	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.211	0.655	2.3	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.49	0.53	2.43	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	2.09	0.881	2.36	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.671	0.874	2.95	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	-1.1	0.548	2.11	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.853	0.33	1.06	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2	0.6	1.76	—	pCi/L	Y	—	NQ	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	0.984	0.854	2.88	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	10	0.506	1.15	—	pCi/L	Y	—	NQ	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.92	0.688	2.32	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.8	—	—	0.453	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.5	—	—	0.453	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	37.7	—	—	0.453	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.8	—	—	0.453	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	36	—	—	0.453	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	41.3	—	—	0.453	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	37.2	—	—	0.453	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Iron	Fe	Y	66.6	—	—	30	µg/L	Y	J	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Iron	Fe	Y	82.6	—	—	30	µg/L	Y	J	J	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Iron	Fe	N	100	—	—	30	µg/L	Y	U	U	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Iron	Fe	N	100	—	—	30	µg/L	Y	U	U	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Iron	Fe	N	100	—	—	30	µg/L	Y	U	U	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	N	43	—	—	30	µg/L	Y	J	U	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	Y	38.2	—	—	30	µg/L	Y	J	J	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3	—	—	0.11	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.96	—	—	0.11	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.85	—	—	0.11	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.75	—	—	0.11	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.79	—	—	0.11	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.29	—	—	0.11	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.82	—	—	0.11	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	8.11	—	—	2	µg/L	Y	J	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Manganese	Mn	Y	8.17	—	—	2	µg/L	Y	J	J	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	6.91	—	—	2	µg/L	Y	J	J	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	9.62	—	—	2	µg/L	Y	J	J	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Manganese	Mn	Y	9.69	—	—	2	µg/L	Y	J	J	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	16.1	—	—	2	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	11.9	—	—	2	µg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.44	—	—	0.165	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.49	—	—	0.165	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.49	—	—	0.165	µg/L	Y	—	J	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.44	—	—	0.165	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.39	—	—	0.165	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	2.57	—	—	0.165	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.99	—	—	0.165	µg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.22	2.55	9.06	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.283	2.81	9.86	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.26	2.22	7.67	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.45	2.49	8.98	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.665	2.66	9.44	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	4.53	3.01	11.8	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.398	3.27	9.68	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.588	—	—	0.5	µg/L	Y	J	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.693	—	—	0.5	µg/L	Y	J	J	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.707	—	—	0.5	µg/L	Y	J	J	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.737	—	—	0.5	µg/L	Y	J	J	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.708	—	—	0.5	µg/L	Y	J	J	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.942	—	—	0.5	µg/L	Y	J	J	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	1.39	—	—	0.5	µg/L	Y	J	U	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.287	—	—	0.017	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.278	—	—	0.017	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.306	—	—	0.017	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.291	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.296	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.77	—	—	0.017	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.284	—	—	0.017	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.225	—	—	0.05	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.227	—	—	0.05	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.22	—	—	0.05	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.209	—	—	0.05	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.208	—	—	0.05	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.227	—	—	0.05	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	02/02/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.233	—	—	0.05	µg/L	Y	—	NQ	12-712	CAAN-12-2025	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00113	0.00528	0.0269	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00208	0.0055	0.0417	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00207	0.00359	0.0391	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0132	0.00937	0.04	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00658	0.0397	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00999	0.0455	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0051	0.0328	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00675	0.00606	0.024	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0072	0.0372	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00415	0.00508	0.0506	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00662	0.00662	0.0696	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00329	0.0087	0.0691	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00706	0.00999	0.104	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.00721	0.0364	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.16	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.15	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.13	—	—	0.05	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.14	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.12	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.29	—	—	0.05	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.21	—	—	0.05	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	7.48	16.7	56.8	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	-36.4	18.7	57.1	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	16.3	17.6	38.2	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-15.9	15.6	56.3	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	0.8	15	59.6	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	22.7	21.2	89.8	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-2.12	15.6	54.6	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	64.4	—	—	0.053	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	64.5	—	—	0.053	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	63.4	—	—	0.053	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	60.2	—	—	0.053	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	60.6	—	—	0.053	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63	—	—	0.053	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63.8	—	—	0.053	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.4	—	—	0.1	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.3	—	—	0.1	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	11	—	—	0.1	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.3	—	—	0.1	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.8	—	—	0.1	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.252	1.3	4.82	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.671	1.26	4.68	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.11	1.16	3.52	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.05	1.16	3.74	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	1.07	1.06	4.42	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.91	1.48	4.8	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.83	1.49	4.03	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	104	—	—	1	µS/cm	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	107	—	—	1	µS/cm	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	114	—	—	3.63	µS/cm	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	122	—	—	1	µS/cm	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	124	—	—	1	µS/cm	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	—	—	1	µS/cm	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	128	—	—	1	µS/cm	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	53.4	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	56	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	59.1	—	—	1	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	57	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	57	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	58.1	—	—	1	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	64.4	—	—	1	µg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0734	0.097	0.403	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.109	0.107	0.413	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.212	0.11	0.49	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.301	0.113	0.484	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.141	0.137	0.475	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.000552	0.126	0.475	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0829	0.14	0.484	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.61	—	—	0.133	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.63	—	—	0.133	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.68	—	—	0.133	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.85	—	—	0.133	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.84	—	—	0.133	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	4.28	—	—	0.133	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.84	—	—	0.133	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	129	—	—	3.4	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	116	—	—	3.4	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	62.9	—	—	3.4	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	RE	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	113	—	—	3.4	mg/L	Y	H	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	RE	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	94.3	—	—	3.4	mg/L	Y	H	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	413	—	—	3.4	mg/L	N	—	R	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	223	—	—	3.4	mg/L	N	—	R	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	119	—	—	3.4	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	141	—	—	3.4	mg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0448	—	—	0.017	mg/L	Y	J	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0362	—	—	0.017	mg/L	Y	J	J	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0765	—	—	0.017	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0263	—	—	0.017	mg/L	Y	J	J	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0394	—	—	0.017	mg/L	Y	J	J	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0574	—	—	0.017	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-1.568	0.743	2.499	—	pCi/L	Y	U	U	2015-2371	CAAN-15-104031	ARSL
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.656	0.69	2.362	—	pCi/L	Y	U	U	2015-2371	CAAN-15-104027	ARSL
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.3	1.01	3.43	—	pCi/L	Y	U	U	2015-885	CAAN-15-92883	ARSL
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.879	0.653	2.116	—	pCi/L	Y	U	U	2014-4232	CAAN-14-84628	ARSL
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.682	0.657	2.161	—	pCi/L	Y	U	U	2014-4232	CAAN-14-84625	ARSL
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.656	0.495	1.603	—	pCi/L	Y	U	U	2014-2980	CAAN-14-54788	ARSL
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.947	0.742	2.186	—	pCi/L	Y	U	U	2013-615	CAAN-13-28901	ARSL
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.467	—	—	0.067	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.454	—	—	0.067	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.453	—	—	0.067	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.381	—	—	0.067	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.434	—	—	0.067	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.543	—	—	0.067	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.451	—	—	0.067	µg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.345	0.037	0.135	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104031	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.305	0.0306	0.122	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.242	0.0443	0.267	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.255	0.027	0.0631	—	pCi/L	Y	—	J	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.339	0.0354	0.0865	—	pCi/L	Y	—	NQ	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.271	0.0345	0.0652	—	pCi/L	Y	—	NQ	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.28	0.0283	0.0613	—	pCi/L	Y	—	J	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.087	0.0202	0.0952	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0645	0.016	0.0863	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0256	0.0283	0.167	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0284	0.0105	0.038	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00863	0.00863	0.052	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00486	0.00842	0.0622	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0131	0.00805	0.0356	—	pCi/L	Y	U	U	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.237	0.03	0.125	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.197	0.0249	0.114	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.159	0.0397	0.136	—	pCi/L	Y	—	NQ	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.112	0.018	0.0563	—	pCi/L	Y	—	J	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.161	0.0247	0.0772	—	pCi/L	Y	—	NQ	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.173	0.0267	0.0609	—	pCi/L	Y	—	NQ	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.176	0.0223	0.0332	—	pCi/L	Y	—	J	2013-607	CAAN-13-28901	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.42	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.46	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.65	—	—	1	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	4.91	—	—	1	µg/L	Y	J	J	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	4.8	—	—	1	µg/L	Y	J	J	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.58	—	—	1	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.6	—	—	1	µg/L	Y	—	NQ	2013-607	CAAN-13-28903	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.98	—	—	0.01	SU	Y	H	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.91	—	—	0.01	SU	Y	H	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8	—	—	0.01	SU	Y	H	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.75	—	—	0.01	SU	Y	H	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.15	—	—	0.01	SU	Y	H	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.98	—	—	0.01	SU	Y	H	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.01	—	—	0.01	SU	Y	H	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.8	—	—	0.725	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	48.7	—	—	0.725	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.3	—	—	0.725	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	53.5	—	—	0.725	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	66.8	—	—	0.725	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	1.02E-09	0.00578	0.0328	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00723	0.00723	0.0607	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00821	0.0689	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00365	0.0121	0.0428	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00853	0.00603	0.0427	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00724	0.00639	0.0317	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00248	0.00657	0.0325	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.74	—	—	1.7	µg/L	Y	J	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2015-873	CAAN-15-92880	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.9	—	—	1.7	µg/L	Y	J	J	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	13.5	—	—	1	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	14.1	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	14.4	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	13.5	—	—	1	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	13.6	—	—	1	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	14.2	—	—	1	µg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	13.7	—	—	1	µg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.69	—	—	0.05	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.1	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.4	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.52	—	—	0.05	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.34	—	—	0.05	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.72	—	—	0.05	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.36	—	—	0.05	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.45	1.54	6.21	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	3.56	2.04	7.57	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.194	1.95	5.96	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.61	1.48	4.26	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.31	1.48	5.84	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.727	1.44	4.19	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.7	1.34	4.56	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.7	—	—	0.067	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.52	—	—	0.067	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.53	—	—	0.067	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.59	—	—	0.067	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.63	—	—	0.067	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.63	—	—	0.067	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.62	—	—	0.067	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.34	—	—	2	µg/L	Y	J	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.27	—	—	2	µg/L	Y	J	J	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.06	—	—	2	µg/L	Y	J	J	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.07	—	—	2	µg/L	Y	J	J	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.22	—	—	2	µg/L	Y	J	J	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.76	—	—	2	µg/L	Y	J	J	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.64	—	—	2	µg/L	Y	J	J	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-3.21	1.23	3.35	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.61	1.97	6.79	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.49	1.66	5.89	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.5	1.33	5.42	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	2.65	1.28	6.07	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.158	1.22	4.45	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.737	1.44	4.74	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.219	—	—	0.033	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.187	—	—	0.033	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.188	—	—	0.033	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.179	—	—	0.033	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.19	—	—	0.033	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.253	—	—	0.033	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.246	—	—	0.033	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.133	0.655	2.42	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.53	0.559	2.76	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.901	0.343	1.08	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.1	0.75	2.94	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.29	0.418	1.99	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.29	0.62	1.63	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	1.35	0.678	1.86	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.633	0.613	2.06	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.38	0.504	1.63	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	0.487	0.395	1.3	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.27	0.951	2.82	—	pCi/L	Y	—	NQ	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.862	0.601	1.99	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.13	0.71	2.34	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	0.85	0.659	2.24	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	36.1	—	—	0.453	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	37.7	—	—	0.453	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.9	—	—	0.453	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.9	—	—	0.453	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.4	—	—	0.453	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	36.8	—	—	0.453	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.4	—	—	0.453	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.9	—	—	0.11	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.05	—	—	0.11	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.14	—	—	0.11	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.95	—	—	0.11	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.93	—	—	0.11	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.04	—	—	0.11	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.93	—	—	0.11	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.35	—	—	0.165	µg/L	Y	—	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.16	—	—	0.165	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.22	—	—	0.165	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.16	—	—	0.165	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	N	1.37	—	—	0.165	µg/L	Y	—	U	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	N	1.27	—	—	0.165	µg/L	Y	—	U	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.189	3.06	11	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.02	3.49	11.1	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.0966	3.2	11.1	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.87	2.83	9.66	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.0315	2.7	9.71	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.554	2.58	9.24	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	2	2.64	9.46	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.571	—	—	0.5	µg/L	Y	J	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	0.955	—	—	0.5	µg/L	Y	J	U	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	N	1.03	—	—	0.5	µg/L	Y	J	U	2013-608	CAAN-13-28898	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.3	—	—	0.017	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.313	—	—	0.017	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.311	—	—	0.017	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.35	—	—	0.017	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.31	—	—	0.017	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.307	—	—	0.017	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.304	—	—	0.017	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.239	—	—	0.05	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.24	—	—	0.05	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.24	—	—	0.05	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.216	—	—	0.05	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.23	—	—	0.05	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	02/01/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.24	—	—	0.05	µg/L	Y	—	NQ	12-699	CAAN-12-2030	GELC
R-30	1140	02/01/12	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.238	—	—	0.05	µg/L	Y	—	NQ	12-699	CAAN-12-2200	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00339	0.00739	0.0406	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00501	0.00614	0.0472	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00933	0.0103	0.0586	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00598	0.0511	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00299	0.00518	0.0385	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00545	0.00545	0.0351	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00262	0.00454	0.0338	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00169	0.00795	0.0361	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0112	0.0611	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00311	0.012	0.0759	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00422	0.014	0.0888	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00598	0.00598	0.0878	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00545	0.00545	0.039	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0083	0.0375	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.16	—	—	0.05	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.16	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.2	—	—	0.05	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Potassium	K	Y	1.18	—	—	0.05	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-29.6	17.2	58.9	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	4.19	20.2	80.1	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	31.1	19.2	39.3	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	9.89	18.8	49.6	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	35.7	19.2	64	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	3.36	14.3	53.5	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	13.5	17.4	42.7	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	67.1	—	—	0.053	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	69.3	—	—	0.053	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	71.4	—	—	0.053	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	65.4	—	—	0.053	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	65.2	—	—	0.053	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	69.2	—	—	0.053	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	67	—	—	0.053	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.5	—	—	0.1	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.5	—	—	0.1	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	12	—	—	0.1	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.9	—	—	0.1	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.4	—	—	0.1	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.665	1.45	5.3	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.74	1.78	7.69	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.04	1.42	5.18	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.68	1.45	4.97	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.565	1.33	5.5	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.32	1.84	4.55	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.81	1.61	4.38	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	107	—	—	1	µS/cm	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	110	—	—	3.63	µS/cm	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	110	—	—	3.63	µS/cm	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	117	—	—	1	µS/cm	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	119	—	—	1	µS/cm	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	117	—	—	1	µS/cm	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	117	—	—	1	µS/cm	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	45.7	—	—	1	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	49.7	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	53.1	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	46.8	—	—	1	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.1	—	—	1	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.4	—	—	1	µg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	46.9	—	—	1	µg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.115	0.0927	0.404	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.083	0.134	0.481	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.276	0.119	0.495	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.228	0.11	0.455	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.357	0.146	0.452	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0106	0.138	0.482	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0328	0.0661	0.224	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.5	—	—	0.133	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.47	—	—	0.133	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.47	—	—	0.133	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.55	—	—	0.133	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.51	—	—	0.133	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.76	—	—	0.133	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.58	—	—	0.133	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	136	—	—	3.4	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	114	—	—	3.4	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	109	—	—	3.4	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	153	—	—	3.4	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	119	—	—	3.4	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	130	—	—	3.4	mg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	117	—	—	3.4	mg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0449	—	—	0.017	mg/L	Y	J	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0221	—	—	0.017	mg/L	Y	J	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0322	—	—	0.017	mg/L	Y	J	U	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2014-4316	CAAN-14-84631	GELC

Table C-1 MDA AB Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0893	—	—	0.017	mg/L	Y	—	U	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-2.063	0.752	2.469	—	pCi/L	Y	U	U	2015-2371	CAAN-15-104032	ARSL
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.61	1.07	3.59	—	pCi/L	Y	U	U	2015-885	CAAN-15-92884	ARSL
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.69	1.11	3.72	—	pCi/L	Y	U	U	2015-885	CAAN-15-92879	ARSL
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.912	0.779	2.328	—	pCi/L	Y	U	U	2014-4343	CAAN-14-84629	ARSL
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.39	0.64	2.142	—	pCi/L	Y	U	U	2014-2942	CAAN-14-54789	ARSL
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.09	0.672	2.141	—	pCi/L	Y	U	U	2013-615	CAAN-13-28897	ARSL
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-1.006	0.785	2.688	—	pCi/L	Y	U	U	2013-615	CAAN-13-28902	ARSL
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.491	—	—	0.067	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.506	—	—	0.067	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.592	—	—	0.067	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.41	—	—	0.067	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.501	—	—	0.067	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.506	—	—	0.067	µg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.506	—	—	0.067	µg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.342	0.0329	0.129	—	pCi/L	Y	—	NQ	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.303	0.0253	0.0755	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.257	0.0247	0.0782	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.264	0.0289	0.0695	—	pCi/L	Y	—	NQ	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.318	0.0301	0.0435	—	pCi/L	Y	—	NQ	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.326	0.0315	0.064	—	pCi/L	Y	—	NQ	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.308	0.0298	0.0625	—	pCi/L	Y	—	NQ	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0302	0.0131	0.0908	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0121	0.00871	0.0472	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00501	0.00792	0.0489	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0	0.011	0.0418	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0162	0.00859	0.0415	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	-0.00343	0.00767	0.0371	—	pCi/L	Y	U	U	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00335	0.00581	0.0363	—	pCi/L	Y	U	U	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.201	0.0255	0.119	—	pCi/L	Y	—	J	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.17	0.0195	0.0385	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.186	0.0205	0.0399	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.146	0.0224	0.062	—	pCi/L	Y	—	NQ	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.152	0.021	0.0407	—	pCi/L	Y	—	NQ	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/12/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.205	0.0248	0.0346	—	pCi/L	Y	—	NQ	2013-608	CAAN-13-28902	GELC
R-30	1140	03/12/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.16	0.0212	0.0339	—	pCi/L	Y	—	NQ	2013-608	CAAN-13-28897	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.76	—	—	1	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.65	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.87	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.4	—	—	1	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.84	—	—	1	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/12/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.13	—	—	1	µg/L	Y	—	NQ	2013-608	CAAN-13-28904	GELC
R-30	1140	03/12/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	6.76	—	—	1	µg/L	Y	—	NQ	2013-608	CAAN-13-28898	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.97	—	—	0.01	SU	Y	H	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.98	—	—	0.01	SU	Y	H	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.9	—	—	0.01	SU	Y	H	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.12	—	—	0.01	SU	Y	H	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.91	—	—	0.01	SU	Y	H	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.95	—	—	0.01	SU	Y	H	J-	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	57.9	—	—	0.725	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	58.4	—	—	0.725	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.5	—	—	0.725	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	47.6	—	—	0.725	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.1	—	—	0.725	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.9	—	—	0.73	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0152	0.0056	0.0303	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00679	0.00635	0.0304	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0058	0.00916	0.0412	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00643	0.0526	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00707	0.00782	0.0309	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.0021	0.0047	0.043	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.174	—	—	0.017	mg/L	Y	—	J	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0663	—	—	0.017	mg/L	Y	—	U	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0275	—	—	0.017	mg/L	Y	J	U	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.017	mg/L	Y	U	U	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.113	—	—	0.017	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0325	—	—	0.016	mg/L	Y	J	J	12-726	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	26.9	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	27.1	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	26.7	—	—	1	µg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	26.1	—	—	1	µg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	26.2	—	—	1	µg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.5	—	—	1	µg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.7	—	—	0.05	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.8	—	—	0.05	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.3	—	—	0.05	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.71	—	—	0.05	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.1	—	—	0.05	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.9	—	—	0.05	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	3.01	1.73	6.91	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.0599	1.07	3.81	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.12	1.25	4.72	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.266	1.66	5.08	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.12	1.24	3.54	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.8	1.4	4.8	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.5	—	—	0.067	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.48	—	—	0.067	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.52	—	—	0.067	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.62	—	—	0.067	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.62	—	—	0.067	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.56	—	—	0.066	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.55	—	—	2	µg/L	Y	J	J	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.1	—	—	2	µg/L	Y	J	J	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	2015-772	CAWA-15-91368	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.0758	1.53	6.04	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.4	1.31	3.33	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.39	1.26	5.64	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.699	1.26	5.04	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.297	1.07	4.2	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.998	1.3	5	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.173	—	—	0.033	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.17	—	—	0.033	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.192	—	—	0.033	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.185	—	—	0.033	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.235	—	—	0.033	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.217	—	—	0.033	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.63	0.936	2.97	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.365	0.762	2.96	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.42	0.821	2.68	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.949	0.521	2.51	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.54	0.743	2.07	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.508	0.52	2.7	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	1.51	0.443	1.42	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	-1.13	0.474	1.65	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.161	0.753	2.64	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	-1.04	0.553	1.9	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.48	0.878	2.35	—	pCi/L	Y	—	NQ	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	-0.715	0.54	2.3	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	39.4	—	—	0.453	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	39.7	—	—	0.453	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.4	—	—	0.453	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.9	—	—	0.453	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	37.5	—	—	0.453	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	40.3	—	—	0.45	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.09	—	—	0.11	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.09	—	—	0.11	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.05	—	—	0.11	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.83	—	—	0.11	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.97	—	—	0.11	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.18	—	—	0.11	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.02	—	—	0.165	µg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.978	—	—	0.165	µg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.03	—	—	0.165	µg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.922	—	—	0.165	µg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.16	—	—	0.165	µg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.09	—	—	0.17	µg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-5.63	3.47	11.1	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.18	2.21	7.78	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.51	3.4	12.1	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.66	2.84	9.51	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.27	2.33	7.67	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.67	2.4	8.1	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.278	—	—	0.017	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.294	—	—	0.017	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.285	—	—	0.017	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.392	—	—	0.017	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.274	—	—	0.017	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.295	—	—	0.05	mg/L	Y	—	NQ	12-726	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.208	—	—	0.05	µg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.203	—	—	0.05	µg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.197	—	—	0.05	µg/L	Y	J	J	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.203	—	—	0.05	µg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	02/03/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.211	—	—	0.05	µg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	04/04/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.235	—	—	0.05	µg/L	Y	—	NQ	11-1904	CAWA-11-5101	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0153	0.00881	0.0402	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00583	0.00921	0.0461	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00706	0.00623	0.0414	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00601	0.00601	0.0387	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00687	0.00944	0.0295	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0155	0.0068	0.033	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0127	0.0105	0.037	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0262	0.012	0.0424	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0118	0.00706	0.0465	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00601	0.0085	0.0882	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00687	0.00606	0.0327	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00776	0.011	0.038	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.33	—	—	0.05	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.32	—	—	0.05	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.21	—	—	0.05	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.38	—	—	0.05	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.29	—	—	0.05	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.49	—	—	0.05	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-16.1	20.5	75.2	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	-36	13.4	42.9	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	32.8	21.9	56.7	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-26.8	14.5	53.7	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	11.8	20.3	42.2	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-14.4	18	61	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	68.4	—	—	0.053	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	68.1	—	—	0.053	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	64.5	—	—	0.053	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	64.1	—	—	0.053	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	66.2	—	—	0.053	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	71.8	—	—	0.053	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	9.96	—	—	0.1	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.1	—	—	0.1	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	9.76	—	—	0.1	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.1	—	—	0.1	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	9.67	—	—	0.1	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.7	—	—	0.1	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.629	1.81	6.55	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.796	1.1	3.85	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.03	1.47	5.27	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.295	1.41	5.22	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.313	1.28	4.56	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.324	1	3.9	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	126	—	—	3.63	µS/cm	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	—	—	3.63	µS/cm	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	111	—	—	3.63	µS/cm	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	117	—	—	1	µS/cm	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	119	—	—	1	µS/cm	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	119	—	—	1	µS/cm	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	49.3	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	49.3	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	47.7	—	—	1	µg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.6	—	—	1	µg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	47.9	—	—	1	µg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	52.3	—	—	1	µg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.242	0.128	0.486	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0983	0.105	0.434	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.206	0.089	0.364	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.175	0.126	0.485	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.167	0.0839	0.295	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0467	0.14	0.48	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.32	—	—	0.133	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.32	—	—	0.133	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.29	—	—	0.133	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.41	—	—	0.133	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.44	—	—	0.133	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.49	—	—	0.1	mg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	134	—	—	3.4	mg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	114	—	—	3.4	mg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	82.9	—	—	3.4	mg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	136	—	—	3.4	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	117	—	—	3.4	mg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	121	—	—	3.4	mg/L	Y	—	J	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.446	—	—	0.33	mg/L	Y	J	J	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.87	—	—	0.33	mg/L	Y	J	J	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.557	—	—	0.33	mg/L	Y	J	J	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.859	—	—	0.33	mg/L	Y	J	J	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	12-726	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0385	—	—	0.017	mg/L	Y	J	J	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0266	—	—	0.017	mg/L	Y	J	J	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.197	—	—	0.017	mg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0564	—	—	0.015	mg/L	Y	—	NQ	12-726	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.244	0.648	2.217	—	pCi/L	Y	U	U	2016-946	CAWA-16-110697	ARSL
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.143	0.658	2.247	—	pCi/L	Y	U	U	2016-946	CAWA-16-110752	ARSL
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	2.087	0.746	2.157	—	pCi/L	Y	U	U	2015-789	CAWA-15-91341	ARSL
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.038	0.646	2.061	—	pCi/L	Y	U	U	2014-2979	CAWA-14-54782	ARSL
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.601	0.645	2.214	—	pCi/L	Y	U	U	2013-614	CAWA-13-28880	ARSL
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.7	0.6	1.97	—	pCi/L	Y	U	U	12-728	CAWA-12-2023	ARSL

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.623	—	—	0.067	µg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.612	—	—	0.067	µg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.511	—	—	0.067	µg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.501	—	—	0.067	µg/L	Y	—	NQ	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.524	—	—	0.067	µg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.477	—	—	0.067	µg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.369	0.0414	0.157	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.356	0.0348	0.118	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.331	0.0278	0.102	—	pCi/L	Y	—	NQ	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.301	0.0302	0.0438	—	pCi/L	Y	—	NQ	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.283	0.0284	0.0577	—	pCi/L	Y	—	NQ	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.284	0.032	0.056	—	pCi/L	Y	—	NQ	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0	0.00684	0.101	—	pCi/L	Y	U	U	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0125	0.00882	0.0755	—	pCi/L	Y	U	U	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0428	0.0114	0.0454	—	pCi/L	Y	U	U	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	-0.00654	0.0103	0.0418	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0155	0.00928	0.0335	—	pCi/L	Y	U	U	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.012	0.0074	0.029	—	pCi/L	Y	U	U	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.185	0.0298	0.101	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110752	GELC
R-27	852	03/18/16	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.195	0.027	0.0753	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110697	GELC
R-27	852	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.171	0.0204	0.0427	—	pCi/L	Y	—	NQ	2015-772	CAWA-15-91341	GELC
R-27	852	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.182	0.0244	0.0409	—	pCi/L	Y	—	NQ	2014-2960	CAWA-14-54782	GELC
R-27	852	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.163	0.0208	0.0312	—	pCi/L	Y	—	NQ	2013-605	CAWA-13-28880	GELC
R-27	852	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.172	0.023	0.042	—	pCi/L	Y	—	NQ	12-727	CAWA-12-2023	GELC
R-27	852	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.88	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110783	GELC
R-27	852	03/18/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.75	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110700	GELC
R-27	852	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.39	—	—	1	µg/L	Y	—	NQ	2015-772	CAWA-15-91368	GELC
R-27	852	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	4.83	—	—	1	µg/L	Y	J	J	2014-2960	CAWA-14-54784	GELC
R-27	852	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.12	—	—	1	µg/L	Y	—	NQ	2013-605	CAWA-13-28882	GELC
R-27	852	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.76	—	—	1	µg/L	Y	—	NQ	12-727	CAWA-12-2022	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.59	—	—	0.01	SU	Y	H	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.81	—	—	0.01	SU	Y	H	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.56	—	—	0.01	SU	Y	H	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.29	—	—	0.01	SU	Y	H	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.31	—	—	0.01	SU	Y	H	J-	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	50.6	—	—	0.725	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	47.5	—	—	0.725	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	125	—	—	0.725	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	47.9	—	—	0.725	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	49.1	—	—	0.73	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00558	0.00416	0.0333	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00606	0.0352	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00248	0.00656	0.0496	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00954	0.00826	0.0313	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00483	0.0034	0.049	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	9.43	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	9.35	—	—	1	µg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	9.27	—	—	1	µg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	9.69	—	—	1	µg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	9.4	—	—	1	µg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	8.79	—	—	0.05	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	8.79	—	—	0.05	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	8.11	—	—	0.05	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	8.38	—	—	0.05	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	8.83	—	—	0.05	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.565	1.53	4.75	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.62	1.34	3.92	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-2.87	1.77	5.42	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.826	2.2	6.52	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.82	1.6	5.4	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.22	—	—	0.067	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.28	—	—	0.067	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.34	—	—	0.067	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.36	—	—	0.067	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.79	—	—	0.066	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.07	—	—	2	µg/L	Y	J	J	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.66	1.42	4.93	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.778	1.16	4.98	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.36	1.42	5.08	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.45	2.43	7.75	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.861	1.4	5.6	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.141	—	—	0.033	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.171	—	—	0.033	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.149	—	—	0.033	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.206	—	—	0.033	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.219	—	—	0.033	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.408	0.528	2.75	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.474	0.791	2.92	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.658	0.643	2.9	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.961	0.623	2.01	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.02	0.68	2.2	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.452	0.308	1.02	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.716	0.806	2.74	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.633	0.36	1.16	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.713	0.68	2.36	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.426	0.63	2.3	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	32.3	—	—	0.453	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	32.2	—	—	0.453	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	29.7	—	—	0.453	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	30.9	—	—	0.453	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	32.3	—	—	0.45	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.5	—	—	0.11	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.5	—	—	0.11	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.29	—	—	0.11	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.42	—	—	0.11	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.5	—	—	0.11	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.49	—	—	0.165	µg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.54	—	—	0.165	µg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.59	—	—	0.165	µg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.7	—	—	0.165	µg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.57	—	—	0.17	µg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.41	3.3	11.8	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.967	3.07	10.9	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-6.1	3.04	10.1	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.11	4.71	15	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	6.1	3.3	12	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.752	—	—	0.5	µg/L	Y	J	J	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.875	—	—	0.5	µg/L	Y	J	J	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	1.09	—	—	0.5	µg/L	Y	J	U	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.722	—	—	0.5	µg/L	Y	J	J	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.112	—	—	0.017	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.107	—	—	0.017	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.11	—	—	0.017	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.0955	—	—	0.017	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.09	—	—	0.05	mg/L	Y	J	J	12-718	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.124	—	—	0.05	µg/L	Y	J	J	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.112	—	—	0.05	µg/L	Y	J	J	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.117	—	—	0.05	µg/L	Y	J	J	2014-2960	CAWA-14-54785	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.123	—	—	0.05	µg/L	Y	J	J	12-719	CAWA-12-2019	GELC
R-27i	619	06/20/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.127	—	—	0.05	µg/L	Y	J	J	11-2716	CAWA-11-13981	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0111	0.00967	0.0351	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00593	0.0369	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00565	0.00692	0.0364	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00257	0.00446	0.0332	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00615	0.0044	0.039	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0177	0.00941	0.0323	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00629	0.00629	0.0414	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00848	0.0185	0.083	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00257	0.00575	0.0368	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0184	0.0087	0.045	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	0.763	—	—	0.05	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	0.673	—	—	0.05	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	0.784	—	—	0.05	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	0.8	—	—	0.05	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	0.938	—	—	0.05	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	45	19.7	64.1	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	34.8	28.6	64.2	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	50	23.2	55.6	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-23.3	24.2	75.9	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	27.1	18	71	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	68	—	—	0.053	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	66.6	—	—	0.053	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63.9	—	—	0.053	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	67.3	—	—	0.053	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	71	—	—	0.053	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	9.68	—	—	0.1	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	9.76	—	—	0.1	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	9.89	—	—	0.1	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	9.59	—	—	0.1	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.2	—	—	0.1	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.99	1.51	5.58	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.18	1.5	5.52	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.297	1.62	6.05	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	6.36	2.18	8.13	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.566	1.5	5.6	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	111	—	—	3.63	µS/cm	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	97.3	—	—	3.63	µS/cm	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	103	—	—	1	µS/cm	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	103	—	—	1	µS/cm	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	104	—	—	1	µS/cm	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	46.6	—	—	1	µg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	46.8	—	—	1	µg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	46.7	—	—	1	µg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	45.9	—	—	1	µg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.7	—	—	1	µg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.037	0.132	0.491	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.135	0.139	0.477	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.252	0.0884	0.438	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.373	0.134	0.476	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0556	0.14	0.48	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.66	—	—	0.133	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.74	—	—	0.133	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.96	—	—	0.133	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.85	—	—	0.133	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.95	—	—	0.1	mg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	130	—	—	3.4	mg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	82.9	—	—	3.4	mg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	103	—	—	3.4	mg/L	Y	—	NQ	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	114	—	—	3.4	mg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	119	—	—	3.4	mg/L	Y	—	J	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.16	0.646	2.207	—	pCi/L	Y	U	U	2016-946	CAWA-16-110753	ARSL
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.833	0.666	2.17	—	pCi/L	Y	U	U	2015-789	CAWA-15-91342	ARSL
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.594	0.66	2.262	—	pCi/L	Y	U	U	2014-2979	CAWA-14-54783	ARSL
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.128	0.714	2.282	—	pCi/L	Y	U	U	2013-614	CAWA-13-28881	ARSL
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.83	0.6	1.93	—	pCi/L	Y	U	U	12-721	CAWA-12-2018	ARSL
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.294	—	—	0.067	µg/L	Y	—	NQ	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.249	—	—	0.067	µg/L	Y	—	NQ	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	N	0.25	—	—	0.067	µg/L	Y	—	U	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.269	—	—	0.067	µg/L	Y	—	NQ	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.24	—	—	0.067	µg/L	Y	—	NQ	12-719	CAWA-12-2019	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.215	0.0273	0.113	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.193	0.0205	0.0916	—	pCi/L	Y	—	NQ	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.214	0.0262	0.048	—	pCi/L	Y	—	NQ	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.152	0.0233	0.0717	—	pCi/L	Y	—	J	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.139	0.022	0.05	—	pCi/L	Y	—	NQ	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0131	0.00978	0.0724	—	pCi/L	Y	U	U	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00723	0.00799	0.0409	—	pCi/L	Y	U	U	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0179	0.0107	0.0458	—	pCi/L	Y	U	U	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00769	0.0122	0.0416	—	pCi/L	Y	U	U	2013-604	CAWA-13-28881	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00807	0.0047	0.027	—	pCi/L	Y	U	U	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.133	0.0214	0.0722	—	pCi/L	Y	—	NQ	2016-929	CAWA-16-110753	GELC
R-27i	619	02/06/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0877	0.0139	0.0385	—	pCi/L	Y	—	J	2015-772	CAWA-15-91342	GELC
R-27i	619	03/07/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.104	0.0183	0.0449	—	pCi/L	Y	—	NQ	2014-2960	CAWA-14-54783	GELC
R-27i	619	03/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.103	0.0194	0.0388	—	pCi/L	Y	—	J	2013-604	CAWA-13-28881	GELC
R-27i	619	02/03/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0827	0.015	0.038	—	pCi/L	Y	—	NQ	12-719	CAWA-12-2018	GELC
R-27i	619	03/18/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	1.9	—	—	1	µg/L	Y	J	J	2016-929	CAWA-16-110784	GELC
R-27i	619	02/06/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	1.62	—	—	1	µg/L	Y	J	J	2015-772	CAWA-15-91369	GELC
R-27i	619	03/07/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	N	5	—	—	1	µg/L	Y	U	U	2014-2960	CAWA-14-54785	GELC
R-27i	619	03/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	N	5	—	—	1	µg/L	Y	U	U	2013-604	CAWA-13-28883	GELC
R-27i	619	02/03/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	1.91	—	—	1	µg/L	Y	J	J	12-719	CAWA-12-2019	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.01	—	—	0.01	SU	Y	H	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.99	—	—	0.01	SU	Y	H	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.84	—	—	0.01	SU	Y	H	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.84	—	—	0.01	SU	Y	H	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.92	—	—	0.01	SU	Y	H	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.67	—	—	0.01	SU	Y	H	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.8	—	—	0.01	SU	Y	H	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.1	—	—	0.01	SU	Y	H	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.8	—	—	0.725	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.8	—	—	0.725	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.7	—	—	0.725	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	49.6	—	—	0.725	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	50.1	—	—	0.725	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.9	—	—	0.725	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0107	0.00932	0.0383	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00765	0.00605	0.0343	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	1.02E-09	0.00575	0.0327	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00934	0.00934	0.0375	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.013	0.00934	0.0435	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00395	0.0153	0.0462	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00804	0.00804	0.0471	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00312	0.0054	0.0625	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0981	—	—	0.017	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.017	mg/L	Y	U	U	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.449	—	—	0.017	mg/L	Y	—	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0317	—	—	0.017	mg/L	Y	J	U	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.134	—	—	0.017	mg/L	Y	—	U	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0535	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0694	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0582	—	—	0.017	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	Y	1.74	—	—	1.7	µg/L	Y	J	J	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	1.7	—	—	1.7	µg/L	Y	J	U	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	4.01	—	—	1.7	µg/L	Y	J	U	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2014-2989	CAAN-14-54790	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	17	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	16.7	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	17.3	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	17	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	17.2	—	—	1	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	15.9	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	16	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	17.4	—	—	1	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	11.2	—	—	0.05	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	11.1	—	—	0.05	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.6	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.5	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.4	—	—	0.05	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.78	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.83	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	11.1	—	—	0.05	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.38	1.17	4.05	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.34	1.32	5.44	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.24	1.45	4.83	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.551	1.36	5.01	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.89	1.44	4.64	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.11	1.3	5.16	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.165	1.33	4.76	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-2.25	1.95	6.39	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.68	—	—	0.067	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.69	—	—	0.067	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.81	—	—	0.067	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.8	—	—	0.067	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.69	—	—	0.067	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.68	—	—	0.067	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.71	—	—	0.067	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.77	—	—	0.067	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	Y	1.98	—	—	1	µg/L	Y	J	J	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Cobalt	Co	Y	1.73	—	—	1	µg/L	Y	J	J	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	Y	1.17	—	—	1	µg/L	Y	J	J	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.453	1.45	5.7	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.376	1.12	4.62	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.51	1.27	5.17	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.109	1.38	5.24	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	2.06	1.21	5.27	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.44	1.32	4.53	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.65	1.25	3.74	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.47	2.01	5.03	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.129	—	—	0.033	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.134	—	—	0.033	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.189	—	—	0.033	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.197	—	—	0.033	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.215	—	—	0.033	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.149	—	—	0.033	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.155	—	—	0.033	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.179	—	—	0.033	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	1.93	0.75	1.95	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.0535	0.653	2.81	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.911	0.616	2.96	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.574	0.802	2.94	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.272	0.327	1.2	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.71	0.774	2.23	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.211	0.655	2.3	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.49	0.53	2.43	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	Y	1.7	0.437	1.39	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.132	0.532	1.78	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.671	0.874	2.95	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	-1.1	0.548	2.11	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.853	0.33	1.06	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2	0.6	1.76	—	pCi/L	Y	—	NQ	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	0.984	0.854	2.88	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	10	0.506	1.15	—	pCi/L	Y	—	NQ	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	41	—	—	0.453	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	40.4	—	—	0.453	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.8	—	—	0.453	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.5	—	—	0.453	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	37.7	—	—	0.453	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.8	—	—	0.453	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	36	—	—	0.453	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	41.3	—	—	0.453	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.16	—	—	0.11	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.09	—	—	0.11	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3	—	—	0.11	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.96	—	—	0.11	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.85	—	—	0.11	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.75	—	—	0.11	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.79	—	—	0.11	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.29	—	—	0.11	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	6.94	—	—	2	µg/L	Y	J	J	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Manganese	Mn	Y	6.97	—	—	2	µg/L	Y	J	J	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	8.11	—	—	2	µg/L	Y	J	J	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Manganese	Mn	Y	8.17	—	—	2	µg/L	Y	J	J	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	6.91	—	—	2	µg/L	Y	J	J	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Manganese	Mn	Y	9.62	—	—	2	µg/L	Y	J	J	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Manganese	Mn	Y	9.69	—	—	2	µg/L	Y	J	J	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	16.1	—	—	2	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.46	—	—	0.165	µg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.33	—	—	0.165	µg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.44	—	—	0.165	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.49	—	—	0.165	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.49	—	—	0.165	µg/L	Y	—	J	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.44	—	—	0.165	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.39	—	—	0.165	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	2.57	—	—	0.165	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-5.59	2.89	9.44	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-4.85	2.59	8.47	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.22	2.55	9.06	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.283	2.81	9.86	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.26	2.22	7.67	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.45	2.49	8.98	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.665	2.66	9.44	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	4.53	3.01	11.8	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.317	—	—	0.017	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.292	—	—	0.017	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.287	—	—	0.017	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.278	—	—	0.017	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.306	—	—	0.017	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.291	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.296	—	—	0.017	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.77	—	—	0.017	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.23	—	—	0.05	µg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.227	—	—	0.05	µg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.225	—	—	0.05	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.227	—	—	0.05	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.22	—	—	0.05	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.209	—	—	0.05	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.208	—	—	0.05	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.227	—	—	0.05	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00741	0.00524	0.0293	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00607	0.00729	0.032	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00113	0.00528	0.0269	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00208	0.0055	0.0417	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00207	0.00359	0.0391	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0132	0.00937	0.04	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00658	0.0397	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00999	0.0455	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00741	0.00524	0.0269	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.00572	0.0294	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00675	0.00606	0.024	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0072	0.0372	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00415	0.00508	0.0506	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00662	0.00662	0.0696	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00329	0.0087	0.0691	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00706	0.00999	0.104	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.34	—	—	0.05	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.21	—	—	0.05	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.16	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.15	—	—	0.05	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.13	—	—	0.05	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.14	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.12	—	—	0.05	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.29	—	—	0.05	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	-8.62	16.2	58.1	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-3.41	17.6	68.8	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	7.48	16.7	56.8	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	-36.4	18.7	57.1	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	16.3	17.6	38.2	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-15.9	15.6	56.3	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	0.8	15	59.6	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	22.7	21.2	89.8	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	68	—	—	0.053	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	67.1	—	—	0.053	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	64.4	—	—	0.053	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	64.5	—	—	0.053	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	63.4	—	—	0.053	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	60.2	—	—	0.053	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	60.6	—	—	0.053	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63	—	—	0.053	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.6	—	—	0.1	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.5	—	—	0.1	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.4	—	—	0.1	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.3	—	—	0.1	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	11	—	—	0.1	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.3	—	—	0.1	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.69	1.54	5.07	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.26	1.05	4.72	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.252	1.3	4.82	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.671	1.26	4.68	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.11	1.16	3.52	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.05	1.16	3.74	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	1.07	1.06	4.42	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.91	1.48	4.8	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	129	—	—	3.63	µS/cm	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	130	—	—	3.63	µS/cm	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	104	—	—	1	µS/cm	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	107	—	—	1	µS/cm	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	114	—	—	3.63	µS/cm	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	122	—	—	1	µS/cm	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	124	—	—	1	µS/cm	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	—	—	1	µS/cm	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	63.7	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	62.4	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	53.4	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	56	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	59.1	—	—	1	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	57	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	57	—	—	1	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	58.1	—	—	1	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.12	0.116	0.463	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.324	0.149	0.477	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0734	0.097	0.403	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.109	0.107	0.413	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.212	0.11	0.49	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.301	0.113	0.484	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.141	0.137	0.475	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.000552	0.126	0.475	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.44	—	—	0.133	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.44	—	—	0.133	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.61	—	—	0.133	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.63	—	—	0.133	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.68	—	—	0.133	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.85	—	—	0.133	mg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.84	—	—	0.133	mg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	4.28	—	—	0.133	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	Y	2.56	—	—	2.5	µg/L	Y	J	J	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	100	—	—	25	µg/L	Y	U	U	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Tin	Sn	N	100	—	—	25	µg/L	Y	U	U	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	124	—	—	3.4	mg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	107	—	—	3.4	mg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	129	—	—	3.4	mg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	116	—	—	3.4	mg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	62.9	—	—	3.4	mg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	RE	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	113	—	—	3.4	mg/L	Y	H	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	RE	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	94.3	—	—	3.4	mg/L	Y	H	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	413	—	—	3.4	mg/L	N	—	R	2014-4255	CAAN-14-84624	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	223	—	—	3.4	mg/L	N	—	R	2014-4255	CAAN-14-84630	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	119	—	—	3.4	mg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.275	0.584	1.964	—	pCi/L	Y	U	U	2016-846	CAAN-16-110571	ARSL
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.997	0.704	2.272	—	pCi/L	Y	U	U	2016-846	CAAN-16-110565	ARSL
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-1.568	0.743	2.499	—	pCi/L	Y	U	U	2015-2371	CAAN-15-104031	ARSL
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.656	0.69	2.362	—	pCi/L	Y	U	U	2015-2371	CAAN-15-104027	ARSL
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.3	1.01	3.43	—	pCi/L	Y	U	U	2015-885	CAAN-15-92883	ARSL
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.879	0.653	2.116	—	pCi/L	Y	U	U	2014-4232	CAAN-14-84628	ARSL
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.682	0.657	2.161	—	pCi/L	Y	U	U	2014-4232	CAAN-14-84625	ARSL
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.656	0.495	1.603	—	pCi/L	Y	U	U	2014-2980	CAAN-14-54788	ARSL
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.421	—	—	0.067	µg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.395	—	—	0.067	µg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.467	—	—	0.067	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.454	—	—	0.067	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.453	—	—	0.067	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.381	—	—	0.067	µg/L	Y	—	NQ	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.434	—	—	0.067	µg/L	Y	—	NQ	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.543	—	—	0.067	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.277	0.0265	0.089	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.297	0.029	0.0952	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.345	0.037	0.135	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.305	0.0306	0.122	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.242	0.0443	0.267	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.255	0.027	0.0631	—	pCi/L	Y	—	J	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.339	0.0354	0.0865	—	pCi/L	Y	—	NQ	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.271	0.0345	0.0652	—	pCi/L	Y	—	NQ	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0322	0.0121	0.0569	—	pCi/L	Y	U	U	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0345	0.0121	0.0608	—	pCi/L	Y	U	U	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.087	0.0202	0.0952	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0645	0.016	0.0863	—	pCi/L	Y	U	U	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0256	0.0283	0.167	—	pCi/L	Y	U	U	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0284	0.0105	0.038	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00863	0.00863	0.052	—	pCi/L	Y	U	U	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00486	0.00842	0.0622	—	pCi/L	Y	U	U	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.185	0.0217	0.0568	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110565	GELC
R-29	1170	03/03/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.145	0.0204	0.0608	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110571	GELC
R-29	1170	09/21/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.237	0.03	0.125	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104031	GELC
R-29	1170	09/21/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.197	0.0249	0.114	—	pCi/L	Y	—	NQ	2015-2362	CAAN-15-104027	GELC
R-29	1170	03/09/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.159	0.0397	0.136	—	pCi/L	Y	—	NQ	2015-866	CAAN-15-92883	GELC
R-29	1170	08/06/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.112	0.018	0.0563	—	pCi/L	Y	—	J	2014-4255	CAAN-14-84628	GELC
R-29	1170	08/06/14	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.161	0.0247	0.0772	—	pCi/L	Y	—	NQ	2014-4255	CAAN-14-84625	GELC
R-29	1170	03/12/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.173	0.0267	0.0609	—	pCi/L	Y	—	NQ	2014-2989	CAAN-14-54788	GELC
R-29	1170	03/03/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.71	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110575	GELC
R-29	1170	03/03/16	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.06	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110566	GELC
R-29	1170	09/21/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.42	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104033	GELC
R-29	1170	09/21/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.46	—	—	1	µg/L	Y	—	NQ	2015-2362	CAAN-15-104028	GELC
R-29	1170	03/09/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	5.65	—	—	1	µg/L	Y	—	NQ	2015-866	CAAN-15-92887	GELC
R-29	1170	08/06/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	4.91	—	—	1	µg/L	Y	J	J	2014-4255	CAAN-14-84630	GELC
R-29	1170	08/06/14	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	4.8	—	—	1	µg/L	Y	J	J	2014-4255	CAAN-14-84624	GELC
R-29	1170	03/12/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.58	—	—	1	µg/L	Y	—	NQ	2014-2989	CAAN-14-54790	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.04	—	—	0.01	SU	Y	H	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.98	—	—	0.01	SU	Y	H	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.91	—	—	0.01	SU	Y	H	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8	—	—	0.01	SU	Y	H	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.75	—	—	0.01	SU	Y	H	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.15	—	—	0.01	SU	Y	H	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.8	—	—	0.725	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.8	—	—	0.725	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	48.7	—	—	0.725	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.3	—	—	0.725	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00382	0.00467	0.0342	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	1.02E-09	0.00578	0.0328	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00723	0.00723	0.0607	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00821	0.0689	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00365	0.0121	0.0428	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00853	0.00603	0.0427	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0274	—	—	0.017	mg/L	Y	J	J	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.105	—	—	0.017	mg/L	Y	—	U	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0272	—	—	0.017	mg/L	Y	J	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0423	—	—	0.017	mg/L	Y	J	U	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0249	—	—	0.017	mg/L	Y	J	J	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.017	mg/L	Y	U	U	2014-2944	CAAN-14-54791	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.11	—	—	1.7	µg/L	Y	J	J	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.74	—	—	1.7	µg/L	Y	J	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.9	—	—	1.7	µg/L	Y	J	J	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	13.9	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	13.5	—	—	1	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	14.1	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Barium	Ba	Y	14.4	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	13.5	—	—	1	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	13.6	—	—	1	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.5	—	—	0.05	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.69	—	—	0.05	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.1	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Calcium	Ca	Y	10.4	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.52	—	—	0.05	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.34	—	—	0.05	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-3.04	1.67	5.31	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.45	1.54	6.21	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	3.56	2.04	7.57	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.194	1.95	5.96	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.61	1.48	4.26	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.31	1.48	5.84	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.56	—	—	0.067	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.7	—	—	0.067	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.52	—	—	0.067	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.53	—	—	0.067	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.59	—	—	0.067	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.63	—	—	0.067	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.24	—	—	2	µg/L	Y	J	J	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.34	—	—	2	µg/L	Y	J	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.27	—	—	2	µg/L	Y	J	J	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.06	—	—	2	µg/L	Y	J	J	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.07	—	—	2	µg/L	Y	J	J	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.22	—	—	2	µg/L	Y	J	J	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	Y	1.22	—	—	1	µg/L	Y	J	J	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Cobalt	Co	N	5	—	—	1	µg/L	Y	U	U	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.504	1.36	5.33	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-3.21	1.23	3.35	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.61	1.97	6.79	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.49	1.66	5.89	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.5	1.33	5.42	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	2.65	1.28	6.07	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.15	—	—	0.033	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.219	—	—	0.033	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.187	—	—	0.033	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.188	—	—	0.033	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.179	—	—	0.033	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.19	—	—	0.033	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.0275	0.679	2.69	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.133	0.655	2.42	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.53	0.559	2.76	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.901	0.343	1.08	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.1	0.75	2.94	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.29	0.418	1.99	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.814	0.277	0.876	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.633	0.613	2.06	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.38	0.504	1.63	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	0.487	0.395	1.3	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.27	0.951	2.82	—	pCi/L	Y	—	NQ	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.862	0.601	1.99	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	39.5	—	—	0.453	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	36.1	—	—	0.453	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	37.7	—	—	0.453	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	38.9	—	—	0.453	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.9	—	—	0.453	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.4	—	—	0.453	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.23	—	—	0.11	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.9	—	—	0.11	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.05	—	—	0.11	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	3.14	—	—	0.11	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.95	—	—	0.11	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.93	—	—	0.11	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.17	—	—	0.165	µg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.35	—	—	0.165	µg/L	Y	—	J	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.16	—	—	0.165	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.22	—	—	0.165	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.16	—	—	0.165	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-3.2	3.32	11.2	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.189	3.06	11	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.02	3.49	11.1	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.0966	3.2	11.1	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.87	2.83	9.66	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.0315	2.7	9.71	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.336	—	—	0.017	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.3	—	—	0.017	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.313	—	—	0.017	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.311	—	—	0.017	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.35	—	—	0.017	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.31	—	—	0.017	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.244	—	—	0.05	µg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.239	—	—	0.05	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.24	—	—	0.05	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.24	—	—	0.05	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.216	—	—	0.05	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.23	—	—	0.05	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00227	0.00393	0.0359	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00339	0.00739	0.0406	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00501	0.00614	0.0472	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00933	0.0103	0.0586	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00598	0.0511	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00299	0.00518	0.0385	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00907	0.00641	0.033	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00169	0.00795	0.0361	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0112	0.0611	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00311	0.012	0.0759	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00422	0.014	0.0888	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00598	0.00598	0.0878	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.31	—	—	0.05	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.16	—	—	0.05	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Potassium	K	Y	1.16	—	—	0.05	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	17.4	24	95.2	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-29.6	17.2	58.9	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	4.19	20.2	80.1	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	31.1	19.2	39.3	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	9.89	18.8	49.6	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	35.7	19.2	64	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	69.7	—	—	0.053	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	67.1	—	—	0.053	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	69.3	—	—	0.053	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	71.4	—	—	0.053	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	65.4	—	—	0.053	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	65.2	—	—	0.053	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.5	—	—	0.1	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	11.5	—	—	0.1	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Sodium	Na	Y	12	—	—	0.1	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.9	—	—	0.1	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.205	1.15	4.73	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.665	1.45	5.3	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.74	1.78	7.69	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.04	1.42	5.18	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.68	1.45	4.97	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.565	1.33	5.5	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	—	—	3.63	µS/cm	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	107	—	—	1	µS/cm	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	110	—	—	3.63	µS/cm	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	110	—	—	3.63	µS/cm	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	117	—	—	1	µS/cm	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	119	—	—	1	µS/cm	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	51.2	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	45.7	—	—	1	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	49.7	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Strontium	Sr	Y	53.1	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	46.8	—	—	1	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.1	—	—	1	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.148	0.131	0.493	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.115	0.0927	0.404	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.083	0.134	0.481	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.276	0.119	0.495	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.228	0.11	0.455	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.357	0.146	0.452	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.49	—	—	0.133	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.5	—	—	0.133	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.47	—	—	0.133	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.47	—	—	0.133	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.55	—	—	0.133	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.51	—	—	0.133	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	Y	3.48	—	—	2.5	µg/L	Y	J	J	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	50	—	—	12.5	µg/L	Y	U	U	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	131	—	—	3.4	mg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	136	—	—	3.4	mg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	114	—	—	3.4	mg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	109	—	—	3.4	mg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	153	—	—	3.4	mg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	119	—	—	3.4	mg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.338	—	—	0.33	mg/L	Y	J	J	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	UJ	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.286	0.58	1.95	—	pCi/L	Y	U	U	2016-871	CAAN-16-110572	ARSL
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-2.063	0.752	2.469	—	pCi/L	Y	U	U	2015-2371	CAAN-15-104032	ARSL
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.61	1.07	3.59	—	pCi/L	Y	U	U	2015-885	CAAN-15-92884	ARSL
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.69	1.11	3.72	—	pCi/L	Y	U	U	2015-885	CAAN-15-92879	ARSL
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.912	0.779	2.328	—	pCi/L	Y	U	U	2014-4343	CAAN-14-84629	ARSL
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.39	0.64	2.142	—	pCi/L	Y	U	U	2014-2942	CAAN-14-54789	ARSL
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.475	—	—	0.067	µg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.491	—	—	0.067	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.506	—	—	0.067	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.592	—	—	0.067	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.41	—	—	0.067	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.501	—	—	0.067	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.279	0.0256	0.0817	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.342	0.0329	0.129	—	pCi/L	Y	—	NQ	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.303	0.0253	0.0755	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.257	0.0247	0.0782	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.264	0.0289	0.0695	—	pCi/L	Y	—	NQ	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.318	0.0301	0.0435	—	pCi/L	Y	—	NQ	2014-2944	CAAN-14-54789	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00807	0.0111	0.0522	—	pCi/L	Y	U	U	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0302	0.0131	0.0908	—	pCi/L	Y	U	U	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0121	0.00871	0.0472	—	pCi/L	Y	U	U	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00501	0.00792	0.0489	—	pCi/L	Y	U	U	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0	0.011	0.0418	—	pCi/L	Y	U	U	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0162	0.00859	0.0415	—	pCi/L	Y	U	U	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.159	0.0191	0.0522	—	pCi/L	Y	—	NQ	2016-856	CAAN-16-110572	GELC
R-30	1140	09/22/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.201	0.0255	0.119	—	pCi/L	Y	—	J	2015-2366	CAAN-15-104032	GELC
R-30	1140	03/10/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.17	0.0195	0.0385	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92884	GELC
R-30	1140	03/10/15	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.186	0.0205	0.0399	—	pCi/L	Y	—	NQ	2015-873	CAAN-15-92879	GELC
R-30	1140	08/11/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.146	0.0224	0.062	—	pCi/L	Y	—	NQ	2014-4316	CAAN-14-84629	GELC
R-30	1140	03/05/14	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.152	0.021	0.0407	—	pCi/L	Y	—	NQ	2014-2944	CAAN-14-54789	GELC
R-30	1140	03/04/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	7.04	—	—	1	µg/L	Y	—	NQ	2016-856	CAAN-16-110576	GELC
R-30	1140	09/22/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.76	—	—	1	µg/L	Y	—	NQ	2015-2366	CAAN-15-104034	GELC
R-30	1140	03/10/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.65	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92888	GELC
R-30	1140	03/10/15	WG	F	INIT	FD	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.87	—	—	1	µg/L	Y	—	NQ	2015-873	CAAN-15-92880	GELC
R-30	1140	08/11/14	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.4	—	—	1	µg/L	Y	—	NQ	2014-4316	CAAN-14-84631	GELC
R-30	1140	03/05/14	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.84	—	—	1	µg/L	Y	—	NQ	2014-2944	CAAN-14-54791	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.02	—	—	0.01	SU	Y	H	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.01	—	—	0.01	SU	Y	H	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.1	—	—	0.01	SU	Y	H	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.36	—	—	0.01	SU	Y	H	J-	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.11	—	—	0.01	SU	Y	H	J-	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	56.3	—	—	0.725	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.7	—	—	0.725	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	34.2	—	—	0.725	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	53.8	—	—	0.73	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	51.6	—	—	0.73	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0093	0.00569	0.0417	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00975	0.00597	0.0409	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0139	0.00654	0.0404	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0124	0.0059	0.042	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00667	0.0034	0.034	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	36.9	—	—	1	µg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	36.7	—	—	1	µg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	38.3	—	—	1	µg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	33.8	—	—	1	µg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	36.8	—	—	1	µg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	SVOC	SW-846:8270D	Bis(2-ethylhexyl)phthalate	117-81-7	Y	2.57	—	—	1.5	µg/L	Y	J	J	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	04/15/08	WG	UF	INIT	REG	SVOC	SW-846:8270C	Bis(2-ethylhexyl)phthalate	117-81-7	N	11.1	—	—	2.2	µg/L	Y	U	U	08-1002	CAAN-08-11742	GELC
R-31 S4	826.6	11/02/07	WG	UF	INIT	REG	SVOC	SW-846:8270C	Bis(2-ethylhexyl)phthalate	117-81-7	N	10.9	—	—	2.17	µg/L	Y	U	U	197215	GU07100G31R401	GELC
R-31 S4	826.6	12/06/06	WG	UF	INIT	REG	SVOC	SW-846:8270C	Bis(2-ethylhexyl)phthalate	117-81-7	N	11.1	—	—	2.22	µg/L	Y	U	U	177384	GU06110G31R401	GELC
R-31 S4	826.6	12/06/06	WG	UF	INIT	FD	SVOC	SW-846:8270C	Bis(2-ethylhexyl)phthalate	117-81-7	N	10.6	—	—	2.13	µg/L	Y	U	U	177384	GU06110G31R420	GELC
R-31 S4	826.6	08/23/05	WG	UF	INIT	REG	SVOC	SW-846:8270C	Bis(2-ethylhexyl)phthalate	117-81-7	N	10.1	—	—	—	µg/L	Y	U	U	144034	GU0508G31R401	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.23	—	—	0.05	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	9.78	—	—	0.05	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.87	—	—	0.05	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.62	—	—	0.05	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.38	—	—	0.05	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.155	1.62	6.01	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.576	1.41	4.71	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.497	1.54	5.21	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.52	1.1	3.5	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.73	1.6	5.7	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.62	—	—	0.067	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.65	—	—	0.067	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.64	—	—	0.067	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.67	—	—	0.066	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.67	—	—	0.066	mg/L	Y	—	J+	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.84	—	—	2	µg/L	Y	J	J	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.91	—	—	2	µg/L	Y	J	J	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.92	—	—	2	µg/L	Y	J	J	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.8	—	—	2	µg/L	Y	J	J	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2.5	µg/L	Y	U	U	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.23	1.7	6.89	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.0643	1.48	5.57	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.3	1.69	6.01	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.101	1.1	4.1	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.94	1.6	5.6	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.155	—	—	0.033	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.195	—	—	0.033	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.198	—	—	0.033	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.22	—	—	0.033	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.186	—	—	0.033	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.23	0.756	2.45	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.982	0.415	1.58	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.262	0.0864	1.59	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.131	0.56	2.6	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.85	0.88	2.4	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	5.95	1.13	2.91	—	pCi/L	Y	—	NQ	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2.15	0.511	1.62	—	pCi/L	Y	—	NQ	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2.86	0.338	0.938	—	pCi/L	Y	—	J	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.39	0.67	2.1	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.26	0.86	2.1	—	pCi/L	Y	—	NQ	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	32.7	—	—	0.453	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	34.2	—	—	0.453	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	35.2	—	—	0.453	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	33.7	—	—	0.45	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	33.3	—	—	0.35	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.35	—	—	0.11	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.37	—	—	0.11	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.57	—	—	0.11	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.36	—	—	0.11	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.4	—	—	0.085	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.3	—	—	0.165	µg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.23	—	—	0.165	µg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.28	—	—	0.165	µg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.22	—	—	0.17	µg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.24	—	—	0.1	µg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.23	3	10.9	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.57	2.94	8.96	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-4.3	2.52	8.35	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.58	2	7.2	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.2	3.1	11	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.338	—	—	0.017	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.413	—	—	0.017	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.327	—	—	0.017	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.347	—	—	0.05	mg/L	Y	—	NQ	12-704	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.295	—	—	0.05	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.243	—	—	0.05	µg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.23	—	—	0.05	µg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.249	—	—	0.05	µg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.244	—	—	0.05	µg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	04/22/10	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.236	—	—	0.05	µg/L	Y	—	NQ	10-2878	CAAN-10-15246	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00409	0.00765	0.0324	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00297	0.00662	0.0347	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	1.68E-09	0.00797	0.0392	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0071	0.037	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00325	0.0028	0.019	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00818	0.00708	0.0297	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.000946	0.00452	0.045	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00756	0.00836	0.0383	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00583	0.0041	0.043	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0023	0.032	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	3.25	—	—	0.05	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	3.33	—	—	0.05	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.48	—	—	0.05	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.37	—	—	0.05	mg/L	Y	—	J	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.4	—	—	0.05	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-15.8	19.1	72.4	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-21.9	14.7	58.7	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-5.66	16.2	64.4	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	23.4	14	51	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-6.96	20	69	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	77.6	—	—	0.053	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	73.1	—	—	0.53	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	78.5	—	—	0.053	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	77.6	—	—	0.053	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	82.6	—	—	0.053	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	9.83	—	—	0.1	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.2	—	—	0.1	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.4	—	—	0.1	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	9.98	—	—	0.1	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	2.93	1.73	7.46	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.787	1.21	5.04	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.36	1.27	4.28	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.608	1.1	3.8	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.304	1.4	4.7	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	121	—	—	3.63	µS/cm	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	109	—	—	3.63	µS/cm	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	118	—	—	1	µS/cm	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	119	—	—	1	µS/cm	Y	—	NQ	12-703	CAAN-12-2028	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	113	—	—	1	µS/cm	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	45.7	—	—	1	µg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	47.4	—	—	1	µg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	47.6	—	—	1	µg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.1	—	—	1	µg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48	—	—	1	µg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.278	0.127	0.479	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0336	0.138	0.489	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.476	0.152	0.484	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.136	0.14	0.48	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.038	0.11	0.4	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.47	—	—	0.133	mg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.47	—	—	0.133	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.53	—	—	0.133	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.63	—	—	0.1	mg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.68	—	—	0.1	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	Y	5.71	—	—	2.5	µg/L	Y	J	J	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	50	—	—	13	µg/L	Y	U	U	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	164	—	—	3.4	mg/L	Y	—	J	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	113	—	—	3.4	mg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	106	—	—	3.4	mg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	146	—	—	3.4	mg/L	Y	—	J	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	142	—	—	2.4	mg/L	Y	—	J	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0342	—	—	0.017	mg/L	Y	J	J	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0422	—	—	0.017	mg/L	Y	J	J	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0564	—	—	0.015	mg/L	Y	—	NQ	12-704	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.055	—	—	0.015	mg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.254	—	—	0.067	µg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.228	—	—	0.067	µg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.266	—	—	0.067	µg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.234	—	—	0.067	µg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.257	—	—	0.05	µg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.185	0.0203	0.077	—	pCi/L	Y	—	NQ	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.159	0.0193	0.0785	—	pCi/L	Y	—	NQ	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.145	0.0194	0.0563	—	pCi/L	Y	—	NQ	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.143	0.023	0.062	—	pCi/L	Y	—	NQ	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.136	0.023	0.073	—	pCi/L	Y	—	NQ	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0228	0.00841	0.0492	—	pCi/L	Y	U	U	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00503	0.00795	0.0491	—	pCi/L	Y	U	U	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0199	0.00852	0.0346	—	pCi/L	Y	U	U	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0134	0.0095	0.033	—	pCi/L	Y	U	U	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	-0.00336	0.0058	0.037	—	pCi/L	Y	U	U	10-4668	CAAN-10-25927	GELC
R-31 S4	826.6	03/09/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.117	0.0163	0.0492	—	pCi/L	Y	—	NQ	2016-866	CAAN-16-110573	GELC
R-31 S4	826.6	03/17/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0732	0.0141	0.04	—	pCi/L	Y	—	J	2015-899	CAAN-15-92885	GELC
R-31 S4	826.6	03/26/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0873	0.0149	0.0316	—	pCi/L	Y	—	NQ	2013-671	CAAN-13-28914	GELC
R-31 S4	826.6	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0867	0.016	0.047	—	pCi/L	Y	—	NQ	12-703	CAAN-12-2027	GELC
R-31 S4	826.6	09/20/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0679	0.015	0.032	—	pCi/L	Y	—	NQ	10-4668	CAAN-10-25927	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.16	—	—	1	µg/L	Y	—	NQ	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.61	—	—	1	µg/L	Y	—	NQ	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.45	—	—	1	µg/L	Y	—	NQ	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.78	—	—	1	µg/L	Y	—	NQ	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	6.43	—	—	1	µg/L	Y	—	NQ	10-4668	CAAN-10-25928	GELC
R-31 S4	826.6	03/09/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Zinc	Zn	Y	3.9	—	—	3.3	µg/L	Y	J	J	2016-866	CAAN-16-110577	GELC
R-31 S4	826.6	03/17/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Zinc	Zn	Y	6.75	—	—	3.3	µg/L	Y	J	J	2015-899	CAAN-15-92889	GELC
R-31 S4	826.6	03/26/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.54	—	—	3.3	µg/L	Y	J	J	2013-671	CAAN-13-28916	GELC
R-31 S4	826.6	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	6.53	—	—	3.3	µg/L	Y	J	J	12-703	CAAN-12-2028	GELC
R-31 S4	826.6	09/20/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.19	—	—	3.3	µg/L	Y	B	J	10-4668	CAAN-10-25928	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.31	—	—	0.01	SU	Y	H	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.24	—	—	0.01	SU	Y	H	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.57	—	—	0.01	SU	Y	H	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.57	—	—	0.01	SU	Y	H	J-	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.01	—	—	0.01	SU	Y	H	J-	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3	ALK-CO3	Y	1.04	—	—	0.725	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3	ALK-CO3	N	2	—	—	0.725	mg/L	Y	U	U	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3	ALK-CO3	Y	4.08	—	—	0.725	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3	ALK-CO3	Y	1.05	—	—	0.73	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3	ALK-CO3	Y	2.08	—	—	0.73	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.3	—	—	0.725	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.2	—	—	0.725	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54	—	—	0.725	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.4	—	—	0.73	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	51.6	—	—	0.73	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0105	0.00628	0.0375	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0285	0.0252	0.16	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00399	0.00893	0.0523	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0107	0.0048	0.043	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.0033	0.0037	0.044	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.91	—	—	1.7	µg/L	Y	J	J	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.64	—	—	1.7	µg/L	Y	J	J	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	3.01	—	—	1.7	µg/L	Y	J	J	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.5	µg/L	Y	U	U	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	29.3	—	—	1	µg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Barium	Ba	Y	27.6	—	—	1	µg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	29.1	—	—	1	µg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	25.5	—	—	1	µg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	26.8	—	—	1	µg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	8.05	—	—	0.05	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Calcium	Ca	Y	8.37	—	—	0.05	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	9.16	—	—	0.05	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	8.71	—	—	0.05	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	8.52	—	—	0.05	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-3.23	1.54	4.94	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.482	1.79	6.28	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.52	1.6	5.54	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.577	1.2	4.1	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-3.72	1.6	4.4	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.44	—	—	0.067	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.44	—	—	0.067	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.45	—	—	0.067	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.48	—	—	0.066	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	1.47	—	—	0.066	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.42	—	—	2	µg/L	Y	J	J	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.52	—	—	2	µg/L	Y	J	J	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.48	—	—	2	µg/L	Y	J	J	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.72	—	—	2	µg/L	Y	J	J	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.76	—	—	2.5	µg/L	Y	J	J	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.25	1.58	5.7	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.81	1.19	5.09	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.684	1.31	4.89	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.63	1.2	4.1	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	2.91	1.9	7.1	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.145	—	—	0.033	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.173	—	—	0.033	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.16	—	—	0.033	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.18	—	—	0.033	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.156	—	—	0.033	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.0124	0.551	2.74	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.275	0.599	2.92	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.02	0.698	2.32	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.397	0.35	2.6	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.367	0.53	2.1	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.12	0.959	2.89	—	pCi/L	Y	—	NQ	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.89	0.341	1.1	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	4.64	0.372	0.939	—	pCi/L	Y	—	NQ	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.26	0.65	2	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.07	0.84	2.8	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	29.9	—	—	0.453	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	30.7	—	—	0.453	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	34	—	—	0.453	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	32.2	—	—	0.45	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	31.4	—	—	0.35	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.38	—	—	0.11	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Magnesium	Mg	Y	2.37	—	—	0.11	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.71	—	—	0.11	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.53	—	—	0.11	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	2.46	—	—	0.085	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.08	—	—	0.165	µg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.09	—	—	0.165	µg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.799	—	—	0.165	µg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.02	—	—	0.17	µg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.01	—	—	0.1	µg/L	Y	—	J	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.3	2.76	9.62	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.803	3.53	12.1	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.239	2.85	10.4	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.944	2.2	7.5	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.73	2.9	9.6	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.32	—	—	0.017	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.334	—	—	0.017	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.285	—	—	0.017	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.328	—	—	0.05	mg/L	Y	—	NQ	12-704	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.3	—	—	0.05	mg/L	Y	—	J	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.228	—	—	0.05	µg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.214	—	—	0.05	µg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.233	—	—	0.05	µg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.22	—	—	0.05	µg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	04/22/10	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.227	—	—	0.05	µg/L	Y	—	NQ	10-2878	CAAN-10-15248	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00934	0.0062	0.0296	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00843	0.0189	0.159	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00683	0.00683	0.044	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00593	0.01	0.037	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-2.03E-09	0.0074	0.024	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00187	0.00418	0.0272	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00843	0.0189	0.206	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.00483	0.0488	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00296	0.0066	0.044	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00213	0.0064	0.035	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	2.41	—	—	0.05	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Potassium	K	Y	2.33	—	—	0.05	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.9	—	—	0.05	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.85	—	—	0.05	mg/L	Y	—	J	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.79	—	—	0.05	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	14.1	20.6	85.9	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	8.88	24.9	54.4	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	0.787	20.2	58.6	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	4.26	15	61	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	16.5	25	89	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	84.3	—	—	0.053	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Silicon Dioxide	SiO2	Y	77.6	—	—	0.53	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	84.7	—	—	0.053	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	83.7	—	—	0.053	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	84.2	—	—	0.053	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	12	—	—	0.1	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Sodium	Na	Y	10.9	—	—	0.1	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.4	—	—	0.1	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.8	—	—	0.1	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.6	—	—	0.1	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.715	1.41	5.32	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.751	1.86	6.82	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.00488	1.51	5.87	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.548	1.1	4.1	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.28	1.7	6	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	117	—	—	3.63	µS/cm	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	105	—	—	3.63	µS/cm	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	116	—	—	1	µS/cm	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	115	—	—	1	µS/cm	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	115	—	—	1	µS/cm	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	43	—	—	1	µg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Strontium	Sr	Y	43.7	—	—	1	µg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	46.2	—	—	1	µg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	46.2	—	—	1	µg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	44.2	—	—	1	µg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.317	0.129	0.494	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.126	0.104	0.453	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.064	0.14	0.481	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.163	0.14	0.48	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0754	0.13	0.49	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.27	—	—	0.133	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.25	—	—	0.133	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.37	—	—	0.133	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.41	—	—	0.1	mg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	1.4	—	—	0.1	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	Y	6.99	—	—	2.5	µg/L	Y	J	J	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Tin	Sn	N	10	—	—	2.5	µg/L	Y	U	U	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	140	—	—	3.4	mg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	101	—	—	3.4	mg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	141	—	—	3.4	mg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	126	—	—	3.4	mg/L	Y	—	J	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	144	—	—	2.4	mg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0365	—	—	0.017	mg/L	Y	J	J	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0418	—	—	0.017	mg/L	Y	J	J	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0761	—	—	0.015	mg/L	Y	—	NQ	12-704	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.071	—	—	0.015	mg/L	Y	—	U	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.121	—	—	0.067	µg/L	Y	J	J	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.115	—	—	0.067	µg/L	Y	J	J	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.103	—	—	0.067	µg/L	Y	J	J	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.117	—	—	0.067	µg/L	Y	J	J	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.135	—	—	0.05	µg/L	Y	J	J	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.0994	0.0158	0.0777	—	pCi/L	Y	—	NQ	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.125	0.0459	0.284	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.0537	0.0182	0.0731	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.0686	0.018	0.071	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.0814	0.015	0.054	—	pCi/L	Y	—	NQ	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0205	0.00809	0.0496	—	pCi/L	Y	U	U	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	-0.0182	0.0314	0.178	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00392	0.00877	0.0424	—	pCi/L	Y	U	U	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	-0.00382	0.0066	0.038	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0124	0.0056	0.027	—	pCi/L	Y	U	U	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0621	0.0124	0.0496	—	pCi/L	Y	—	NQ	2016-876	CAAN-16-110574	GELC
R-31 S5	1007.1	03/18/15	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	N	0.125	0.0352	0.145	—	pCi/L	Y	U	U	2015-903	CAAN-15-92886	GELC
R-31 S5	1007.1	03/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0635	0.0162	0.0396	—	pCi/L	Y	—	J	2013-659	CAAN-13-28915	GELC
R-31 S5	1007.1	02/01/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	N	0.0433	0.014	0.054	—	pCi/L	Y	U	U	12-703	CAAN-12-2035	GELC
R-31 S5	1007.1	09/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0422	0.011	0.024	—	pCi/L	Y	—	NQ	10-4600	CAAN-10-25931	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.35	—	—	1	µg/L	Y	—	NQ	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Vanadium	V	Y	6.64	—	—	1	µg/L	Y	—	NQ	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.9	—	—	1	µg/L	Y	—	NQ	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.87	—	—	1	µg/L	Y	—	NQ	12-703	CAAN-12-2036	GELC

Table C-2 MDA AB Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	6.32	—	—	1	µg/L	Y	—	NQ	10-4600	CAAN-10-25932	GELC
R-31 S5	1007.1	03/10/16	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Zinc	Zn	Y	8.19	—	—	3.3	µg/L	Y	J	J	2016-876	CAAN-16-110578	GELC
R-31 S5	1007.1	03/18/15	WG	F	INIT	REG	INORGANIC	SW-846:6010C	Zinc	Zn	Y	4.86	—	—	3.3	µg/L	Y	J	J	2015-903	CAAN-15-92890	GELC
R-31 S5	1007.1	03/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	7.76	—	—	3.3	µg/L	Y	J	J	2013-659	CAAN-13-28917	GELC
R-31 S5	1007.1	02/01/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.43	—	—	3.3	µg/L	Y	J	J	12-703	CAAN-12-2036	GELC
R-31 S5	1007.1	09/09/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.08	—	—	3.3	µg/L	Y	J	J	10-4600	CAAN-10-25932	GELC

Appendix D

Groundwater Results Greater Than Half of Screening Levels

There are no results for this periodic monitoring event.

Appendix E

Analytical Chemistry Graphs of Screening-Level Exceedances

There are no results for this periodic monitoring event.

Appendix F

Analytical Reports
(on CD included with this document)

CD Table of Contents

Chain of Custody	Category	Lab	Sample	Date	Location	Screen Top Depth (ft)	Screen Bottom Depth (ft)
2015-2362	Inorganic	GELC[a]	CAAN-15-104027	09/21/15	R-29	1170	1180
2015-2362	Inorganic	GELC	CAAN-15-104028	09/21/15	R-29	1170	1180
2015-2362	Inorganic	GELC	CAAN-15-104033	09/21/15	R-29	1170	1180
2015-2362	Inorganic	GELC	CAAN-15-104031	09/21/15	R-29	1170	1180
2015-2362	Organic	GELC	CAAN-15-104027	09/21/15	R-29	1170	1180
2015-2362	Organic	GELC	CAAN-15-104031	09/21/15	R-29	1170	1180
2015-2362	Rad[b]	GELC	CAAN-15-104027	09/21/15	R-29	1170	1180
2015-2362	Rad	GELC	CAAN-15-104031	09/21/15	R-29	1170	1180
2015-2366	Inorganic	GELC	CAAN-15-104032	09/22/15	R-30	1140	1160.9
2015-2366	Inorganic	GELC	CAAN-15-104034	09/22/15	R-30	1140	1160.9
2015-2366	Organic	GELC	CAAN-15-104032	09/22/15	R-30	1140	1160.9
2015-2366	Rad	GELC	CAAN-15-104032	09/22/15	R-30	1140	1160.9
2015-2371	Rad	ARSL[c]	CAAN-15-104027	09/21/15	R-29	1170	1180
2015-2371	Rad	ARSL	CAAN-15-104032	09/22/15	R-30	1140	1160.9
2015-2371	Rad	ARSL	CAAN-15-104031	09/21/15	R-29	1170	1180
2016-846	Rad	ARSL	CAAN-16-110571	03/03/16	R-29	1170	1180
2016-846	Rad	ARSL	CAAN-16-110565	03/03/16	R-29	1170	1180
2016-856	Inorganic	GELC	CAAN-16-110572	03/04/16	R-30	1140	1160.9
2016-856	Inorganic	GELC	CAAN-16-110571	03/03/16	R-29	1170	1180
2016-856	Inorganic	GELC	CAAN-16-110575	03/03/16	R-29	1170	1180
2016-856	Inorganic	GELC	CAAN-16-110576	03/04/16	R-30	1140	1160.9
2016-856	Inorganic	GELC	CAAN-16-110565	03/03/16	R-29	1170	1180
2016-856	Inorganic	GELC	CAAN-16-110566	03/03/16	R-29	1170	1180
2016-856	Organic	GELC	CAAN-16-110565	03/03/16	R-29	1170	1180
2016-856	Organic	GELC	CAAN-16-110572	03/04/16	R-30	1140	1160.9
2016-856	Organic	GELC	CAAN-16-110571	03/03/16	R-29	1170	1180
2016-856	Rad	GELC	CAAN-16-110565	03/03/16	R-29	1170	1180
2016-856	Rad	GELC	CAAN-16-110572	03/04/16	R-30	1140	1160.9
2016-856	Rad	GELC	CAAN-16-110571	03/03/16	R-29	1170	1180
2016-866	Inorganic	GELC	CAAN-16-110573	03/09/16	R-31 S4	826.6	836.6
2016-866	Inorganic	GELC	CAAN-16-110577	03/09/16	R-31 S4	826.6	836.6
2016-866	Organic	GELC	CAAN-16-110573	03/09/16	R-31 S4	826.6	836.6
2016-866	Rad	GELC	CAAN-16-110573	03/09/16	R-31 S4	826.6	836.6
2016-871	Rad	ARSL	CAAN-16-110572	03/04/16	R-30	1140	1160.9
2016-876	Inorganic	GELC	CAAN-16-110574	03/10/16	R-31 S5	1007.1	1017.1
2016-876	Inorganic	GELC	CAAN-16-110578	03/10/16	R-31 S5	1007.1	1017.1
2016-876	Organic	GELC	CAAN-16-110574	03/10/16	R-31 S5	1007.1	1017.1
2016-876	Rad	GELC	CAAN-16-110574	03/10/16	R-31 S5	1007.1	1017.1

Chain of Custody	Category	Lab	Sample	Date	Location	Screen Top Depth (ft)	Screen Bottom Depth (ft)
2016-929	Inorganic	GELC	CAWA-16-110697	03/18/16	R-27	852	875
2016-929	Inorganic	GELC	CAWA-16-110784	03/18/16	R-27i	619	629
2016-929	Inorganic	GELC	CAWA-16-110752	03/18/16	R-27	852	875
2016-929	Inorganic	GELC	CAWA-16-110700	03/18/16	R-27	852	875
2016-929	Inorganic	GELC	CAWA-16-110753	03/18/16	R-27i	619	629
2016-929	Inorganic	GELC	CAWA-16-110783	03/18/16	R-27	852	875
2016-929	Organic	GELC	CAWA-16-110697	03/18/16	R-27	852	875
2016-929	Organic	GELC	CAWA-16-110752	03/18/16	R-27	852	875
2016-929	Organic	GELC	CAWA-16-110753	03/18/16	R-27i	619	629
2016-929	Rad	GELC	CAWA-16-110697	03/18/16	R-27	852	875
2016-929	Rad	GELC	CAWA-16-110752	03/18/16	R-27	852	875
2016-929	Rad	GELC	CAWA-16-110753	03/18/16	R-27i	619	629
2016-946	Rad	ARSL	CAWA-16-110752	03/18/16	R-27	852	875
2016-946	Rad	ARSL	CAWA-16-110697	03/18/16	R-27	852	875
2016-946	Rad	ARSL	CAWA-16-110753	03/18/16	R-27i	619	629

[a] GELC = General Engineering Laboratories, Inc., Charleston, SC.

[b] Rad = Radiochemistry (not gamma).

[c] ARSL = American Radiation Services, Inc.