LA-UR-09-4934
August 2009
EP2009-0364

Periodic Monitoring Report for Mortandad Watershed, February 2–February 22, 2009

Los Alamos
NATIONAL LABORATORY
EST.1943

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

LA-UR-09-4934
EP2009-0364

Periodic Monitoring Report for Mortandad Watershed February 2–February 22, 2009

August 2009

Responsible project leader:

Printed Name	Signature	Title	Organization	Date
Ardyth Simmons	Ardyth M. Simmons	Program Manager	Environmental Programs	8-26-09

Responsible LANS representative:

Printed Name	Signature	Title	Organization	Date
Michael J. Graham	Paul R. Watson	Associate Director	Environmental Programs	8.26.09

Responsible DOE representative:

Printed Name	Signature	Title	Organization	Date
David R. Gregory	David B. Gregory	Project Director	DOE-LASO	8/31/09

EXECUTIVE SUMMARY

This report provides the results of the periodic monitoring event (PME) conducted by Los Alamos National Laboratory in the Mortandad Watershed. This PME was conducted pursuant to the 2008 Interim Facility-Wide Groundwater Monitoring Plan, prepared in accordance with the Compliance Order on Consent.

The PME documented in this report occurred from February 2 to February 22, 2009, and included the sampling of base-flow stations and groundwater wells or well ports. There were no unreported results from previous monitoring events to include in this report.

Water samples collected from various locations during this PME were analyzed for target analyte list metals, volatile organic compounds, cyanide, semivolatile organic compounds, pesticides, polychlorinated biphenyls, high explosives, radionuclides, low-level tritium, inorganics, perchlorate, stable isotopes, and field parameters (alkalinity, dissolved oxygen, pH, specific conductance, temperature, and turbidity).

A total of 22 results exceeded screening levels for the current PME: 1 result was from base flow, 11 were from the alluvial aquifer, 5 were from the intermediate aquifer, and 5 were from the regional aquifer. The five regional aquifer exceedances include filtered chromium results from R-42 of 830 µg/L and 380 µg/L at R-28. The perchlorate concentration was 7.06 µg/L in R-15. Bis(2-ethylhexyl)phthalate and benzene were present at values of 7.33 µg/L and 23.8 µg/L, respectively, in R-38.

CONTENTS

1.0 INTRODUCTION 1
1.1 Background 1
1.2 Conceptual Model 2
2.0 SCOPE OF ACTIVITIES 2
3.0 MONITORING RESULTS 2
3.1 Methods and Procedures 2
3.2 Field Parameter Results 2
3.3 Water-Level Observations 2
3.4 Deviations from Planned Scope 2
4.0 ANALYTICAL DATA RESULTS 2
4.1 Methods and Procedures 2
4.2 Analytical Data 3
4.2.1 Surface Water (Base Flow) 5
4.2.2 Groundwater 6
4.3 Sampling Program Modifications 6
5.0 INVESTIGATION-DERIVED WASTE 7
6.0 SUMMARY AND INTERPRETATIONS 7
6.1 Monitoring Results 7
6.2 Analytical Results 7
6.2.1 Surface Water (Base Flow) 7
6.2.2 Groundwater 7
6.3 Data Gaps 7
7.0 REFERENCES 7

Figures

Figure 2.0-1 Watershed monitoring locations 9
Figure 3.3-1 Alluvial groundwater elevations 10
Figure 3.3.2 Intermediate and regional groundwater elevations 11
Figure 4.2-1 Analytical results 12

Tables

Table 2.0-1 Monitoring Locations and General Information 13
Table 3.4-1 Observations and Deviations 16
Table 4.2-1 Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory 16
Table 4.2-2 Results above Screening Levels for Surface Water and Groundwater 17

Appendixes

Appendix A	Conceptual Model
Appendix B	Field Parameter Results
Appendix C	Groundwater-Level Measurements (on CD included with this document)
Appendix D	Analytical Results
Appendix E	Screening Results
Appendix F	Investigation-Derived Waste Management
Appendix G	Analytical Reports (on CD included with this document)

Acronyms and Abbreviations

AK	acceptable knowledge
amsl	above mean sea level
AQA	Analytical Quality Associates, Inc.
BCG	Biota Concentration Guide (DOE)
bgs	below ground surface
C	cancer
Consent Order	Compliance Order on Consent
DCGs	Derived Concentration Guidelines (DOE)
DOE	Department of Energy (U.S.)
DOT	Department of Transportation (U.S.)
EPA	Environmental Protection Agency (U.S.)
F	filtered
IDW	investigation-derived waste
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory
MCL	maximum contaminant level (EPA)
N	noncancer
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
NOI	notice of intent
PME	periodic monitoring event
PPE	personal protective equipment
QA	quality assurance

QC	quality control
RCRA	Resource Conservation and Recovery Act
RLWTF	Radioactive Liquid Waste Treatment Facility
RPF	Records Processing Facility
SOP	standard operating procedure
TA	technical area
TSD	treatment, storage, and disposal
UF	unfiltered
WAC	waste acceptance criteria
WCSF	waste characterization strategy form
WPF	waste profile form

1.0 INTRODUCTION

This report documents quarterly groundwater monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Mortandad Watershed pursuant to the Interim Facility-Wide Groundwater Monitoring Plan (IFGMP) (LANL 2008, 101897), prepared in accordance with the Compliance Order on Consent (Consent Order). The periodic monitoring event (PME) occurred from February 2 to February 22, 2009, and included sampling at base-flow stations and groundwater wells or well ports.

The Consent Order identifies New Mexico Water Quality Control Commission (NMWQCC) groundwater standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA tap water screening levels are used as screening levels for monitoring data and are provided in this report.

This report presents the following information:

- general background information on the watershed
- the watershed conceptual model
- field-measurement monitoring results
- water-quality monitoring results
- results of the screening analysis (comparing these PME results with regulatory standards and results from previous reports)
- a summary based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy.

1.1 Background

Mortandad Watershed is an east-to-southeast trending drainage that heads on the Pajarito Plateau near the main Laboratory complex at Technical Area 03 (TA-03) at an elevation of 7380 ft (2249 m). The drainage extends about 9.6 mi (15.5 km) from its headwaters to its confluence with the Rio Grande at an elevation of 5440 ft (1658 m). The watershed crosses San Ildefonso Pueblo land for several miles before joining the Rio Grande.

Mortandad Watershed is located in the central portion of the Laboratory and covers approximately 10 mi^2 (25.9 km^2). San Ildefonso Pueblo is directly adjacent to a portion of the Laboratory's eastern boundary and includes the eastern end of Mortandad Watershed. The watershed contains several tributary canyons that have received contaminants released during historic Laboratory operations. The most prominent tributary canyons include Ten Site Canyon, Pratt Canyon, Effluent Canyon, and Cañada del Buey. Current and former TAs located in the Mortandad Watershed include TA-03, TA-04, TA-05, TA-18, TA-35, TA-42, TA-46, TA-48, TA-50, TA-51, TA-52, TA-54, TA-55, and TA-59. The primary sources of contamination in this watershed are attributed to past releases of contaminants from outfalls and spills at TA-35 and TA-50, including the Radioactive Liquid Waste Treatment Facility (RLWTF) at TA-50. Metals and volatile organic compounds have historically been released into the canyon. Nitrate, perchlorate, fluoride, molybdenum, and radionuclides are some of the contaminants that have been detected in Mortandad Canyon alluvial groundwater. Contamination from perchlorate and nitrate is present in the

vadose zone beneath the portion of Mortandad below the confluence of Ten Site Canyon. Nitrate, perchlorate, chromium, and tritium are detected in both intermediate and regional groundwater.

1.2 Conceptual Model

The conceptual model for the Mortandad Watershed is presented in Appendix A of this document.

2.0 SCOPE OF ACTIVITIES

The PME for the Mortandad Watershed was conducted pursuant to the 2008 IFGMP.

Table 2.0-1 provides the location name, sample collection date, port name, port depth, screened interval, top and bottom screen depths, base flow, water level, and the water-level method for each of the monitored locations. These locations are shown in Figure 2.0-1.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2008 IFGMP.

3.2 Field Parameter Results

Appendix B contains the field parameter results for this PME and the three previous PMEs.

3.3 Water-Level Observations

The periodic monitoring water-level data for this event and the previous three monitoring events are presented in Appendix C. For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements are recorded immediately before sampling. The groundwater-level measurements taken during this PME are shown graphically in Figures 3.3-1 and 3.3-2.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the deviations from the planned scope of the PME. Most deviations noted during this PME were because the sampling locations were dry.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2008 IFGMP.

All sampling, data reviews, and data package validations were conducted using standard operating procedures (SOPs) that are part of a comprehensive quality assurance program. The quality program and procedures are available at http://www.lanl.gov/environment/all/qa.shtml. Completed chain-of-custody

forms serve as an analytical request form and include the requester or owner, sample number, program code, date and time of sample collection, total number of bottles, list of analytes to be measured, bottle sizes, and preservatives for each analysis required.

The required analytical laboratory batch quality control (QC) is defined by the analytical method, the analytical statement of work, and generally accepted laboratory practices. The analytical laboratory assigns qualifiers to the data to indicate the quality of the analytical results. The laboratory batch QC is used in the secondary data-validation process to evaluate the quality of individual analytical results, evaluate the appropriateness of the analytical methodologies, and measure the routine performance of the analytical laboratory.

In addition to batch QC performed by laboratories, the Laboratory submitted field QC samples to test the overall sampling and analytical laboratory process and to spot-check for analytical problems. These results are used in secondary validation along with information provided by the analytical laboratory.

After the Laboratory receives the analytical laboratory data packages, the packages receive secondary validation by an independent contractor, Analytical Quality Associates, Inc. (AQA). The reviews by AQA follow the guidelines set in the DOE model SOP for data validation, which includes reviewing the data quality and the documentation's correctness and completeness; verifying that holding times were met; and ensuring that analytical laboratory QC measures were applied, documented, and kept within contract requirements. As a result of secondary validation, a second set of qualifiers is assigned to the analytical results.

The Laboratory assigns detection status to the analytical result based on the analytical laboratory and secondary validation qualifiers. A "<" symbol indicates that based on the qualifiers the result was a nondetection.

4.2 Analytical Data

Appendix D presents the analytical data from the PME and from the three sampling events immediately before the February 2009 sampling event. The screening levels with which the results are compared are presented in Table 4.2-1. The analytical laboratory reports (including chain-of-custody forms, data validation, etc.) are provided in Appendix G.

Appendix D contains all data collected during the PME (i.e., all data that have been independently reviewed for conformance with Laboratory requirements), with the following constraints.

- All data
    - ❖ Data that are R-qualified (rejected because of noncompliance regarding QC acceptance criteria) during independent validation are considered "not detected" but are still reported. Analytical laboratory QC results, including matrix spike and matrix spike duplicates, are not included in the data set.
- Radionuclides
    - ❖ All low-detection-limit tritium data are reported. Results greater than 3 times the 1 standard deviation total propagated analytical uncertainty (or 3σ) are considered to be detections.
    - ❖ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.

- ❖ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
- ❖ Otherwise, all detections are reported at all locations, that is, results without a laboratory qualifier of U or X (abbreviations that indicate that the analyte was not detected).

- Nonradionuclides
  - ❖ All results, excluding nondetections, are reported. Field duplicates, reanalyses, field blanks, trip blanks, equipment blanks, and different analytical methods are also reported.


The screening levels applied to all media and their sources are listed in Table 4.2-1.

Data for periodic monitoring reports are evaluated using the following screening process.

- Surface-water and groundwater perchlorate data were compared with the screening level of 4 µg/L established in Section VIII.A.1.a of the Consent Order. Surface-water sampling results were compared with all surface-water standards without consideration of the designated use for the particular reach. The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous-phase liquids apply to the total unfiltered concentrations of the contaminants.
- As required by the Consent Order, EPA Region 6 tap water screening levels are used for constituents having no other regulatory standard and for which toxicological information is published. For these screening levels, the tables indicate a risk type of C (cancer) or N (noncancer). For the cancer-risk type, the risk levels are for 10^{-6} excess cancer risk. The Consent Order specifies screening with these values at a risk level of 10^{-5} (rather than 10^{-6}) excess cancer risk. Therefore, data must exceed the 10^{-6} screening values by a factor of 10 or more to be above a risk level of 10^{-5} excess cancer risk.
- The analytical results for radioactivity are compared with the DOE Biota Concentration Guide (BCG) for surface water and Derived Concentration Guidelines (DCGs) for groundwater.

Tables E-1 through E-8 in Appendix E show all analytical results for perchlorate, radioactivity, and organic compounds and all values greater than half the lowest applicable screening-level values for metals and general inorganic compounds.

Analytical results are presented graphically in Figure 4.2-1. Figure 4.2-1 contains diagrams displaying a series of select analytes. An example of a diagram displaying groundwater perchlorate concentrations is shown below.



Perchlorate concentrations

The analytes shown in Figure 4.2-1 were selected from data collected during the PMEs. The analytes shown in the figure were chosen because of their historical presence in surface water and groundwater in this watershed.

Radionuclides are not shown in the diagrams. When shown, the solid red lines depict applicable screening levels. Some screening levels may exceed the highest concentration displayed but may not appear in the diagram.

Tables E-1 through E-8 (Appendix E) summarize the results from comparing the surface-water and groundwater analytical data with screening levels. Table 4.2-2 shows results for surface water and groundwater (by hydrogeologic zone for a specific analytical suite) that are above a screening level. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a screening level in both a primary sample and a field duplicate, only one result is shown. Graphical representations of select surface-water analytical results are shown in Figure 4.2-1.

4.2.1 Surface Water (Base Flow)

There were no unreported results from previous monitoring events to include in this report.

The filtered zinc concentration of 148 µg/L at location M-1W was above the New Mexico aquatic life acute screening level (at 100 mg hardness) of 117.2 µg/L, which applies in this ephemeral reach. This result of 148 µg/L is the fourth highest of 12 results from 10 sampling events since 2005 and the fourth above the screening level.

4.2.2 Groundwater

No groundwater results were unreported from previous monitoring events.

The perchlorate concentrations at five alluvial wells (MCO-4B, MCO-5, MCO-6, MCO-7, and MCO-7.5) ranged from 5.7 µg/L to 13.8 µg/L and were above the Consent Order screening level for perchlorate of 4 µg/L. Alluvial groundwater concentrations of perchlorate have decreased, especially near the outfall, following the removal of perchlorate from RLWTF effluent in March 2002.

The chloride concentrations at alluvial wells MCO-0.6 and MCO-2 were above the NMWQCC groundwater standard screening level of 250 mg/L. Numerous measurements since 2005 at each location have been above the standard.

The filtered iron and manganese results at alluvial wells MCO-0.6 and MCO-2 were above the respective NMWQCC groundwater standard screening levels of 1000 µg/L and 200 µg/L. The iron and manganese results at MCO-0.6 (since 2005) and MCO-2 (most samples since 2007) have usually been above screening levels.

The nitrate (plus nitrite as nitrogen) concentrations of 10.5 mg/L and 15.1 mg/L in intermediate groundwater wells MCOI-4 and MCOI-6 were above the 10 mg/L NMWQCC groundwater standard screening level. The concentrations at MCOI-4 have fluctuated between 10.5 mg/L and 17.7 mg/L since 2005 and have decreased during the past 2 yr; the recent value is the lowest. The concentrations at MCOI-6 have fluctuated between 13.7 mg/L and 20.4 mg/L since 2005.

Perchlorate concentrations at three intermediate groundwater wells ranged from 64 µg/L to 91 µg/L, above the Consent Order perchlorate screening level of 4 µg/L. Results in MCOI-4 have decreased during 2007 and 2008 from earlier values of 134 µg/L to 166 µg/L, measured since 2005. MCOI-5 concentrations have shown some variability since this well was first sampled in 2005 but are trending lower since 2006 from130 µg/L to the most recent value of 69 µg/L. Since 2005, the results at MCOI-6 have generally fluctuated between about 160 µg/L and 210 µg/L; the recent result of 91 µg/L is the lowest.

The perchlorate concentration in regional well R-15 was 7.06 µg/L, above the Consent Order screening level of 4 µg/L. This value is the highest measured by the liquid chromatography/mass spectrometry method since 2003; the values ranged from 4.7 µg/L to 7.0 µg/L.

In regional well R-28, the filtered chromium concentration was 380 µg/L, compared with the NMWQCC groundwater standard screening level of 50 µg/L. Over the last two and a half years, the values have ranged from 310 µg/L to 468 µg/ L and show no particular trend with time. In regional well R-42, the filtered chromium concentration was 830 µg/L. The well was first sampled in October 2008, and the values ranged from 744 µg/L to 848 µg/L.

Bis(2-ethylhexyl)phthalate was detected in R-38 at 7.3 µg/L, compared with the EPA MCL screening level of 6 µg/L. This was the first sample from the well. Benzene was also detected in R-38 at 23.8 µg/L, compared with the EPA MCL screening level of 5 µg/L; the benzene concentration in a field duplicate sample was 6.3 µg/L.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Mortandad Watershed are proposed at this time.

5.0 INVESTIGATION-DERIVED WASTE

Appendix F discusses the management of wastes produced during the PME.

6.0 SUMMARY AND INTERPRETATIONS

6.1 Monitoring Results

An evaluation of the field parameter monitoring results is presented in Appendix B. Results of full parameters in subsequent monitoring events will be provided in the annual update to the IFGMP.

6.2 Analytical Results

6.2.1 Surface Water (Base Flow)

One result from surface-water samples collected during this PME from Mortandad Canyon exceeded a screening level (Table 4.2-2).

6.2.2 Groundwater

Except for bis(2-ethylhexyl)phthalate and benzene in R-38, the types of contaminants detected and their concentrations are consistent with data reported from previous monitoring events in this watershed.

Overall, 22 results from groundwater samples collected during this PME from Mortandad Canyon exceeded screening levels (Table 4.2-2).

6.3 Data Gaps

Table 3.4-1 summarizes the field parameter data gaps encountered during the PME. The table provides a detailed account of sampling event deviations.

7.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), November 2006. "Periodic Monitoring Report for Mortandad Watershed Sampled June 26 through July 17, 2006," Los Alamos National Laboratory document LA-UR-06-7708, Los Alamos, New Mexico. (LANL 2006, 094412)

LANL (Los Alamos National Laboratory), May 2008. "2008 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-08-3273, Los Alamos, New Mexico. (LANL 2008, 101897)




Figure 2.0-1 Watershed monitoring locations




Figure 3.3-1 Alluvial groundwater elevations




Figure 3.3.2 Intermediate and regional groundwater elevations




Figure 4.2-1 Analytical results

Table 2.0-1
Monitoring Locations and General Information

Location	Sample Collection Date	Port Name	Port ID	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft^3/s)	Groundwater Elevation (ft amsl[a])	Water-Level Method
Base Flow										
E-1FW	12-Feb-09	n/a[b]	n/a	n/a	n/a	n/a	n/a	0	n/a	n/a
M-1E	12-Feb-09	n/a	n/a	n/a	n/a	n/a	n/a	0	n/a	n/a
M-1W	12-Feb-09	n/a	n/a	n/a	n/a	n/a	n/a	0	n/a	n/a
TS-1W	12-Feb-09	n/a	n/a	n/a	n/a	n/a	n/a	0	n/a	n/a
TS-2E	12-Feb-09	n/a	n/a	n/a	n/a	n/a	n/a	0	n/a	n/a
M-2E	12-Feb-09	n/a	n/a	n/a	n/a	n/a	n/a	0	n/a	n/a
Mortandad below Effluent Canyon (E200)	12-Feb-09	n/a	n/a	n/a	n/a	n/a	n/a	0.0002	n/a	n/a
Springs										
Pine Rock Spring	Not scheduled	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Alluvial										
CDBO-1	5-Feb-09	Single	6751	5.1	8	5.1	13.1	n/a	Dry[c]	n/a
CDBO-2	5-Feb-09	Single	6761	5.9	12	5.9	17.9	n/a	Dry	n/a
CDBO-3	5-Feb-09	Single	6771	4.4	8	4.4	12.4	n/a	Dry	n/a
CDBO-4	5-Feb-09	Single	6781	4.1	8	4.1	12.1	n/a	Dry	n/a
CDBO-5	5-Feb-09	Single	6791	7	10	7	17	n/a	Dry	n/a
CDBO-6	11-Feb-09	Single	5281	34	10	34	44	n/a	6784.29	Manual
CDBO-7	11-Feb-09	Single	5291	29	10	29	39	n/a	6738.52	Manual
CDBO-8	5-Feb-09	Single	5671	3	10	3	13	n/a	Dry	n/a
CDBO-9	5-Feb-09	Single	5691	19	10	19	29	n/a	Dry	n/a
MCA-1	5-Feb-09	Single	5601	2.4	3	2.4	5.4	n/a	Dry	n/a
MCA-5	5-Feb-09	Single	5631	1.75	4	1.75	5.75	n/a	Dry	n/a
MCO-0.6	5-Feb-09	Single	5641	1.05	2	1.05	3.05	n/a	7187.68	Manual
MCO-2	10-Feb-09	Single	4551	2	7	2	9	n/a	7133.73	Manual

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port ID	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft^3/s)	Groundwater Elevation (ft amsl[a])	Water-Level Method
MCO-3	11-Feb-09	Single	4561	2	10	2	12	n/a	7047.40	Manual
MCO-4B	4-Feb-09	Single	4581	8.9	20	8.9	28.9	n/a	6858.53	Manual
MCO-5	11-Feb-09	Single	4591	21	25	21	46	n/a	6847.24	Manual
MCO-6	4-Feb-09	Single	4601	27	20	27	47	n/a	6809.64	Manual
MCO-7	3-Feb-09	Single	4631	39	30	39	69	n/a	6787.28	Manual
MCO-7.5	3-Feb-09	Single	4661	35	25	35	60	n/a	6764.46	Manual
MT-2	5-Feb-09	Single	5251	44	20	44	64	n/a	Dry	n/a
TSCA-6	5-Feb-09	Single	6091	16.2	4.7	16.2	20.9	n/a	Dry	n/a
Intermediate										
MCOI-4	11-Feb-09	Single	5981	499	23.1	498.9	522	n/a	6318.47	Manual
MCOI-5	9-Feb-09	Single	5721	689	9.96	689.04	699	n/a	6137.93	Manual
MCOI-6	10-Feb-09	Single	5731	686	22.3	686	708.3	n/a	6156.68	Manual
MCOI-8	4-Feb-09	Single	5991	665	9.96	665	674.96	n/a	Dry	n/a
Regional										
R-1	17-Feb-09	Single	1701	1031.1	26.3	1031.12	1057.42	n/a	5877.65	Manual
R-13	10-Feb-09	Single	1741	958.3	60.39	958.33	1018.72	n/a	5835.87	Manual
R-14	18-Feb-09	MP1A	411	1204.5	32.6	1200.6	1233.2	n/a	5879.32	Manual
R-15	17-Feb-09	Single	1751	958.6	61.7	958.6	1020.3	n/a	5849.20	Manual
R-16	3-Feb-09	MP2A	541	866.1	7.5	863.4	870.9	n/a	5641.52	Transducer
R-16	3-Feb-09	MP3A	591	1018.4	7.6	1014.8	1022.4	n/a	5557.22	Transducer
R-16	3-Feb-09	MP4A	641	1238	7.6	1237	1244.6	n/a	5546.61	Transducer
R-16r	13-Feb-09	Single	6341	600	17.6	600	617.6	n/a	5692.31	Manual
R-21	18-Feb-09	Single	1761	888.8	18	888.8	906.8	n/a	5854.33	Manual
R-28	10-Feb-09	Single	1781	934.3	23.8	934.3	958.1	n/a	5838.07	Manual
R-33	19-Feb-09	P1A	5491	995.5	23	995.5	1018.5	n/a	5870.89	Manual
R-33	3-Feb-09	P2A	5501	1112.4	9.9	1112.4	1122.3	n/a	5842.71	Manual
R-34	12-Feb-09	Single	1791	895.15	22.9	883.7	906.6	n/a	5834.12	Manual

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port ID	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft^3/s)	Groundwater Elevation (ft amsl[a])	Water-Level Method
R-38	6-Feb-09	Single	8631	821.2	10	821.2	831.2	n/a	5858.46	Manual
R-42	20-Feb-09	Single	8591	931.8	21.1	931.8	952.9	n/a	5839.98	Manual
R-44	14-Feb-09	P1A	8671	895	10	895	905	n/a	5836.11	Manual
R-44	14-Feb-09	P2A	8681	985.3	9.9	985.3	995.2	n/a	5835.91	Manual

[a] amsl = Above mean sea level.

[b] n/a = Not applicable.

[c] See Table.3.4-1 for explanation.

Table 3.4-1
Observations and Deviations

Location	Deviation	Cause	Comment
CDBO-1, CDBO-2, CDBO-3, CDBO-4, CDBO-5, CDBO-8, CDBO-9, MCA-1, MCA-5, MT-2, TSCA-6	No data are included in this report for these locations.	These locations were not sampled on 02/05/09 because they were dry.	Locations will be sampled when sufficient water is present.
MCOI-8	No data are included in this report for this location.	This location was not sampled on 02/04/09 because the well was dry.	Location will be sampled when sufficient water is present.
M-1E	No data are included in this report for this location.	This location was not sampled on 02/12/09 because the well was dry.	Location will be sampled when sufficient water is present.
M-2E, TS-1W, TS-2E	No data are included in this report for these locations.	This location was not sampled on 02/12/09 because it was frozen.	Locations will be sampled when sufficient water is present.

Table 4.2-1
Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory

Standard Type	Groundwater	Surface Water
DOE BCG	n/a[a]	X[b]
DOE 100 mrem Public Dose DCGs	X	n/a
DOE 4 mrem Drinking Water DCGs	X	n/a
EPA Primary Drinking Water Standard	X	n/a
EPA Region 6 Tap Water Screening Level	X	n/a
New Mexico Environmental Improvement Board Radiation Protection Standards	X	X
NMWQCC Groundwater Standard	X	n/a
NMWQCC Irrigation Standard	n/a	X
NMQCC Livestock Watering Standard	n/a	X
NMWQCC Wildlife Habitat Standard	n/a	X
NMWQCC Aquatic Life Standards Acute	n/a	X
NMWQCC Aquatic Life Standards Chronic	n/a	X
NMWQCC Human Health Standard	n/a	X

[a] n/a = Not applicable.

[b] X = Standard applied to data screen for this report.

Table 4.2-2
Results above Screening Levels for Surface Water and Groundwater

Location	Date	Analyte	Field Prep	Result	Units	Screening-Level Value	Screening-Level Source
Surface Water							
M-1W	02/12/09	Zn	F[a]	148	µg/L	117.2	NM Aquatic Acute 100 mg
Alluvial Groundwater							
MCO-0.6	02/05/09	Cl	F	329	mg/L	250	NMWQCC GW STD
MCO-2	02/10/09	Cl	F	444	mg/L	250	NMWQCC GW STD
MCO-4B	02/04/09	ClO_4	F	5.68	µg/L	4	Consent Order
MCO-5	02/11/09	ClO_4	F	6.76	µg/L	4	Consent Order
MCO-6	02/04/09	ClO_4	F	7.82	µg/L	4	Consent Order
MCO-7	02/03/09	ClO_4	F	10.4	µg/L	4	Consent Order
MCO-7.5	02/03/09	ClO_4	F	13.8	µg/L	4	Consent Order
MCO-0.6	02/05/09	Fe	F	2960	µg/L	1000	NMWQCC GW STD
MCO-0.6	02/05/09	Mn	F	1840	µg/L	200	NMWQCC GW STD
MCO-2	02/10/09	Fe	F	3450	µg/L	1000	NMWQCC GW STD
MCO-2	02/10/09	Mn	F	462	µg/L	200	NMWQCC GW STD
Intermediate Groundwater							
MCOI-4	02/11/09	NO_3+NO_2-N	F	10.5	mg/L	10	NMWQCC GW STD
MCOI-6	02/10/09	NO_3+NO_2-N	F	15.1	mg/L	10	NMWQCC GW STD
MCOI-4	02/11/09	ClO_4	F	63.8	µg/L	9	Consent Order
MCOI-5	02/09/09	ClO_4	F	68.7	µg/L	10	Consent Order
MCOI-6	02/10/09	ClO_4	F	90.9	µg/L	11	Consent Order
Regional Groundwater							
R-15	02/17/09	ClO_4	F	7.06	µg/L	4	Consent Order
R-42	02/20/09	Cr	F	830	µg/L	50	NMWQCC GW STD
R-28	02/10/09	Cr	F	380	µg/L	50	NMWQCC GW STD
R-38	02/06/09	Bis(2-ethylhexyl)phthalate	UF[b]	7.33	µg/L	6	EPA MCL
R-38	02/06/09	Benzene	UF	23.8	µg/L	5	EPA MCL

[a] F = Filtered.

[b] UF = Unfiltered.

Appendix A

Conceptual Model

Canyon	Contaminant Sources	Groundwater Contaminants		
		Alluvial	Intermediate	Regional
Mortandad and Ten Site Canyons	Multiple past and current effluent discharges	Chloride, fluoride, total dissolved solids (TDS), and mercury above New Mexico groundwater standards; strontium-90, arsenic, beryllium, chromium, and lead above U.S. Environmental Protection Agency (EPA) maximum contaminant level (MCL) screening levels; gross beta and perchlorate above screening levels	Uranium, hexavalent chromium, and nitrate above fluoride at 88%, and TDS at 55% of groundwater standards; bis(2 ethylhexyl)phthalate above and tritium at 65% of EPA MCL screening level; dioxane[1,4-] and perchlorate above screening level	Hexavalent chromium above and nitrate at 55% of New Mexico groundwater standards; trace perchlorate
Cañada del Buey	Major dry, minor liquid sources	None, little alluvial groundwater	No intermediate groundwater	None

Appendix B

Field Parameter Results

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CDBO-6	5281	34	02/11/09	WG	Dissolved Oxygen	4.54	mg/L	CAMO-09-2410
CDBO-6	5281	34	11/13/08	WG	Dissolved Oxygen	5.6	mg/L	CAMO-09-753
CDBO-6	5281	34	08/18/08	WG	Dissolved Oxygen	6.94	mg/L	CAMO-08-14436
CDBO-6	5281	34	05/22/08	WG	Dissolved Oxygen	7	mg/L	CAMO-08-12721
CDBO-6	5281	34	02/11/08	WG	Dissolved Oxygen	6.95	mg/L	CAMO-08-10634
CDBO-6	5281	34	02/11/09	WG	Oxidation Reduction Potential	402.1	mV	CAMO-09-2410
CDBO-6	5281	34	11/13/08	WG	Oxidation Reduction Potential	426	mV	CAMO-09-753
CDBO-6	5281	34	08/18/08	WG	Oxidation Reduction Potential	316	mV	CAMO-08-14436
CDBO-6	5281	34	05/22/08	WG	Oxidation Reduction Potential	400	mV	CAMO-08-12721
CDBO-6	5281	34	02/11/08	WG	Oxidation Reduction Potential	294	mV	CAMO-08-10634
CDBO-6	5281	34	02/11/09	WG	Specific Conductance	177	µS/cm	CAMO-09-2410
CDBO-6	5281	34	11/13/08	WG	Specific Conductance	220	µS/cm	CAMO-09-753
CDBO-6	5281	34	08/18/08	WG	Specific Conductance	215	µS/cm	CAMO-08-14436
CDBO-6	5281	34	05/22/08	WG	Specific Conductance	216	µS/cm	CAMO-08-12721
CDBO-6	5281	34	02/11/08	WG	Specific Conductance	191.1	µS/cm	CAMO-08-10634
CDBO-6	5281	34	02/11/09	WG	Temperature	11.12	deg C	CAMO-09-2410
CDBO-6	5281	34	11/13/08	WG	Temperature	13.3	deg C	CAMO-09-753
CDBO-6	5281	34	08/18/08	WG	Temperature	12.7	deg C	CAMO-08-14436
CDBO-6	5281	34	05/22/08	WG	Temperature	12.7	deg C	CAMO-08-12721
CDBO-6	5281	34	02/11/08	WG	Temperature	17.5	deg C	CAMO-08-10634
CDBO-6	5281	34	02/11/09	WG	Turbidity	6.64	NTU	CAMO-09-2410
CDBO-6	5281	34	11/13/08	WG	Turbidity	25.4	NTU	CAMO-09-753
CDBO-6	5281	34	08/18/08	WG	Turbidity	43.5	NTU	CAMO-08-14436
CDBO-6	5281	34	05/22/08	WG	Turbidity	64.6	NTU	CAMO-08-12721
CDBO-6	5281	34	02/11/08	WG	Turbidity	66	NTU	CAMO-08-10634
CDBO-6	5281	34	02/11/09	WG	pH	6.56	SU	CAMO-09-2410
CDBO-6	5281	34	11/13/08	WG	pH	6.71	SU	CAMO-09-753
CDBO-6	5281	34	08/18/08	WG	pH	6.73	SU	CAMO-08-14436

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CDBO-6	5281	34	05/22/08	WG	pH	6.58	SU	CAMO-08-12721
CDBO-6	5281	34	02/11/08	WG	pH	6.8	SU	CAMO-08-10634
CDBO-7	5291	29	02/11/09	WG	Dissolved Oxygen	6.3	mg/L	CAMO-09-2391
CDBO-7	5291	29	11/13/08	WG	Dissolved Oxygen	7.4	mg/L	CAMO-09-734
CDBO-7	5291	29	02/11/09	WG	Oxidation Reduction Potential	424	mV	CAMO-09-2391
CDBO-7	5291	29	11/13/08	WG	Oxidation Reduction Potential	489	mV	CAMO-09-734
CDBO-7	5291	29	02/11/09	WG	Specific Conductance	218	µS/cm	CAMO-09-2391
CDBO-7	5291	29	11/13/08	WG	Specific Conductance	276	µS/cm	CAMO-09-734
CDBO-7	5291	29	02/11/09	WG	Temperature	11.16	deg C	CAMO-09-2391
CDBO-7	5291	29	11/13/08	WG	Temperature	10.6	deg C	CAMO-09-734
CDBO-7	5291	29	02/11/09	WG	Turbidity	1.46	NTU	CAMO-09-2391
CDBO-7	5291	29	11/13/08	WG	Turbidity	10.6	NTU	CAMO-09-734
CDBO-7	5291	29	02/11/09	WG	pH	6.53	SU	CAMO-09-2391
CDBO-7	5291	29	11/13/08	WG	pH	6.15	SU	CAMO-09-734
E-1FW	—	—	02/12/09	WS	Dissolved Oxygen	1.76	mg/L	CAMO-09-2372
E-1FW	—	—	11/17/08	WS	Dissolved Oxygen	1.84	mg/L	CAMO-09-713
E-1FW	—	—	08/13/08	WS	Dissolved Oxygen	1.08	mg/L	CAMO-08-14406
E-1FW	—	—	02/20/08	WS	Dissolved Oxygen	2.6	mg/L	CAMO-08-10862
E-1FW	—	—	03/01/07	WS	Dissolved Oxygen	1.65	mg/L	FU07020PWF1E01
E-1FW	—	—	02/12/09	WS	Specific Conductance	482	µS/cm	CAMO-09-2372
E-1FW	—	—	11/17/08	WS	Specific Conductance	500	µS/cm	CAMO-09-713
E-1FW	—	—	08/13/08	WS	Specific Conductance	597	µS/cm	CAMO-08-14406
E-1FW	—	—	02/20/08	WS	Specific Conductance	829	µS/cm	CAMO-08-10862
E-1FW	—	—	03/01/07	WS	Specific Conductance	878	µS/cm	FU07020PWF1E01
E-1FW	—	—	02/12/09	WS	Temperature	2.82	deg C	CAMO-09-2372
E-1FW	—	—	11/17/08	WS	Temperature	6.1	deg C	CAMO-09-713
E-1FW	—	—	08/13/08	WS	Temperature	16.4	deg C	CAMO-08-14406
E-1FW	—	—	02/20/08	WS	Temperature	2.7	deg C	CAMO-08-10862

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
E-1FW	—	—	03/01/07	WS	Temperature	2.8	deg C	FU07020PWF1E01
E-1FW	—	—	02/12/09	WS	Turbidity	29.5	NTU	CAMO-09-2372
E-1FW	—	—	11/17/08	WS	Turbidity	13.5	NTU	CAMO-09-713
E-1FW	—	—	02/20/08	WS	Turbidity	6.04	NTU	CAMO-08-10862
E-1FW	—	—	03/01/07	WS	Turbidity	1.43	NTU	FU07020PWF1E01
E-1FW	—	—	10/25/06	WS	Turbidity	35.6	NTU	FU06090PWF1E01
E-1FW	—	—	02/12/09	WS	pH	5.8	SU	CAMO-09-2372
E-1FW	—	—	11/17/08	WS	pH	5.56	SU	CAMO-09-713
E-1FW	—	—	08/13/08	WS	pH	5.9	SU	CAMO-08-14406
E-1FW	—	—	02/20/08	WS	pH	5.8	SU	CAMO-08-10862
E-1FW	—	—	03/01/07	WS	pH	4.88	SU	FU07020PWF1E01
M-1W	—	—	02/12/09	WS	Dissolved Oxygen	13.25	mg/L	CAMO-09-2379
M-1W	—	—	08/13/08	WS	Dissolved Oxygen	4.67	mg/L	CAMO-08-14416
M-1W	—	—	02/14/08	WS	Dissolved Oxygen	9.4	mg/L	CAMO-08-10880
M-1W	—	—	08/20/07	WS	Dissolved Oxygen	6.6	mg/L	FU070800PW1M01
M-1W	—	—	06/18/07	WS	Dissolved Oxygen	110.6	mg/L	FU070600PW1M01
M-1W	—	—	02/12/09	WS	Specific Conductance	2519	µS/cm	CAMO-09-2379
M-1W	—	—	08/13/08	WS	Specific Conductance	487	µS/cm	CAMO-08-14416
M-1W	—	—	02/14/08	WS	Specific Conductance	3.59	µS/cm	CAMO-08-10880
M-1W	—	—	08/20/07	WS	Specific Conductance	229	µS/cm	FU070800PW1M01
M-1W	—	—	06/18/07	WS	Specific Conductance	478	µS/cm	FU070600PW1M01
M-1W	—	—	02/12/09	WS	Temperature	2.36	deg C	CAMO-09-2379
M-1W	—	—	08/13/08	WS	Temperature	19.6	deg C	CAMO-08-14416
M-1W	—	—	02/14/08	WS	Temperature	1.3	deg C	CAMO-08-10880
M-1W	—	—	08/20/07	WS	Temperature	19.3	deg C	FU070800PW1M01
M-1W	—	—	06/18/07	WS	Temperature	20.4	deg C	FU070600PW1M01
M-1W	—	—	02/12/09	WS	Turbidity	2.78	NTU	CAMO-09-2379
M-1W	—	—	08/13/08	WS	Turbidity	222	NTU	CAMO-08-14416

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
M-1W	—	—	02/14/08	WS	Turbidity	48.3	NTU	CAMO-08-10880
M-1W	—	—	08/20/07	WS	Turbidity	177	NTU	FU070800PW1M01
M-1W	—	—	06/18/07	WS	Turbidity	273	NTU	FU070600PW1M01
M-1W	—	—	02/12/09	WS	pH	7.31	SU	CAMO-09-2379
M-1W	—	—	08/13/08	WS	pH	6.83	SU	CAMO-08-14416
M-1W	—	—	02/14/08	WS	pH	6.47	SU	CAMO-08-10880
M-1W	—	—	08/20/07	WS	pH	7.33	SU	FU070800PW1M01
M-1W	—	—	06/18/07	WS	pH	7.61	SU	FU070600PW1M01
MCO-0.6	5641	1.05	02/05/09	WG	Dissolved Oxygen	7.28	mg/L	CAMO-09-2412
MCO-0.6	5641	1.05	11/05/08	WG	Dissolved Oxygen	2.72	mg/L	CAMO-09-755
MCO-0.6	5641	1.05	08/12/08	WG	Dissolved Oxygen	2.6	mg/L	CAMO-08-14442
MCO-0.6	5641	1.05	05/29/08	WG	Dissolved Oxygen	3.7	mg/L	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	WG	Dissolved Oxygen	4.73	mg/L	CAMO-08-10646
MCO-0.6	5641	1.05	02/05/09	WG	Oxidation Reduction Potential	345.8	mV	CAMO-09-2412
MCO-0.6	5641	1.05	11/05/08	WG	Oxidation Reduction Potential	399	mV	CAMO-09-755
MCO-0.6	5641	1.05	08/12/08	WG	Oxidation Reduction Potential	66	mV	CAMO-08-14442
MCO-0.6	5641	1.05	05/29/08	WG	Oxidation Reduction Potential	24	mV	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	WG	Oxidation Reduction Potential	187	mV	CAMO-08-10646
MCO-0.6	5641	1.05	02/05/09	WG	Specific Conductance	897	µS/cm	CAMO-09-2412
MCO-0.6	5641	1.05	11/05/08	WG	Specific Conductance	1136	µS/cm	CAMO-09-755
MCO-0.6	5641	1.05	08/12/08	WG	Specific Conductance	253	µS/cm	CAMO-08-14442
MCO-0.6	5641	1.05	02/05/09	WG	Temperature	4.15	deg C	CAMO-09-2412
MCO-0.6	5641	1.05	11/05/08	WG	Temperature	10.7	deg C	CAMO-09-755
MCO-0.6	5641	1.05	08/12/08	WG	Temperature	20.3	deg C	CAMO-08-14442
MCO-0.6	5641	1.05	05/29/08	WG	Temperature	14.4	deg C	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	WG	Temperature	3.3	deg C	CAMO-08-10646
MCO-0.6	5641	1.05	02/05/09	WG	Turbidity	40.2	NTU	CAMO-09-2412
MCO-0.6	5641	1.05	11/05/08	WG	Turbidity	77.2	NTU	CAMO-09-755

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-0.6	5641	1.05	08/12/08	WG	Turbidity	8.95	NTU	CAMO-08-14442
MCO-0.6	5641	1.05	05/29/08	WG	Turbidity	71.3	NTU	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	WG	Turbidity	42.7	NTU	CAMO-08-10646
MCO-0.6	5641	1.05	02/05/09	WG	pH	6.02	SU	CAMO-09-2412
MCO-0.6	5641	1.05	11/05/08	WG	pH	5.91	SU	CAMO-09-755
MCO-0.6	5641	1.05	08/12/08	WG	pH	5.63	SU	CAMO-08-14442
MCO-2	4551	2	02/10/09	WG	Dissolved Oxygen	0.9	mg/L	CAMO-09-2508
MCO-2	4551	2	08/13/08	WG	Dissolved Oxygen	0.8	mg/L	CAMO-08-14460
MCO-2	4551	2	05/28/08	WG	Dissolved Oxygen	3.5	mg/L	CAMO-08-12715
MCO-2	4551	2	02/06/08	WG	Dissolved Oxygen	1.57	mg/L	CAMO-08-10494
MCO-2	4551	2	06/14/07	WG	Dissolved Oxygen	0.47	mg/L	FU070500G2CM01
MCO-2	4551	2	02/10/09	WG	Oxidation Reduction Potential	273.1	mV	CAMO-09-2508
MCO-2	4551	2	11/05/08	WG	Oxidation Reduction Potential	329	mV	CAMO-09-762
MCO-2	4551	2	08/13/08	WG	Oxidation Reduction Potential	81	mV	CAMO-08-14460
MCO-2	4551	2	05/28/08	WG	Oxidation Reduction Potential	101	mV	CAMO-08-12715
MCO-2	4551	2	02/06/08	WG	Oxidation Reduction Potential	230	mV	CAMO-08-10494
MCO-2	4551	2	02/10/09	WG	Specific Conductance	1199	µS/cm	CAMO-09-2508
MCO-2	4551	2	11/05/08	WG	Specific Conductance	545	µS/cm	CAMO-09-762
MCO-2	4551	2	08/13/08	WG	Specific Conductance	687	µS/cm	CAMO-08-14460
MCO-2	4551	2	05/28/08	WG	Specific Conductance	1138	µS/cm	CAMO-08-12715
MCO-2	4551	2	02/06/08	WG	Specific Conductance	6.91	µS/cm	CAMO-08-10494
MCO-2	4551	2	02/10/09	WG	Temperature	4.06	deg C	CAMO-09-2508
MCO-2	4551	2	11/05/08	WG	Temperature	9.9	deg C	CAMO-09-762
MCO-2	4551	2	08/13/08	WG	Temperature	17.8	deg C	CAMO-08-14460
MCO-2	4551	2	05/28/08	WG	Temperature	11.1	deg C	CAMO-08-12715
MCO-2	4551	2	02/06/08	WG	Temperature	5.6	deg C	CAMO-08-10494
MCO-2	4551	2	02/10/09	WG	Turbidity	28.5	NTU	CAMO-09-2508
MCO-2	4551	2	11/05/08	WG	Turbidity	86	NTU	CAMO-09-762

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-2	4551	2	08/13/08	WG	Turbidity	189	NTU	CAMO-08-14460
MCO-2	4551	2	05/28/08	WG	Turbidity	277	NTU	CAMO-08-12715
MCO-2	4551	2	02/06/08	WG	Turbidity	6.42	NTU	CAMO-08-10494
MCO-2	4551	2	02/10/09	WG	pH	6.02	SU	CAMO-09-2508
MCO-2	4551	2	11/05/08	WG	pH	6.22	SU	CAMO-09-762
MCO-2	4551	2	08/13/08	WG	pH	5.99	SU	CAMO-08-14460
MCO-2	4551	2	05/28/08	WG	pH	6.1	SU	CAMO-08-12715
MCO-2	4551	2	02/06/08	WG	pH	5.43	SU	CAMO-08-10494
MCO-3	4561	2	02/11/09	WG	Dissolved Oxygen	10.54	mg/L	CAMO-09-4069
MCO-3	4561	2	11/06/08	WG	Dissolved Oxygen	4.11	mg/L	CAMO-09-913
MCO-3	4561	2	08/15/08	WG	Dissolved Oxygen	3.49	mg/L	CAMO-08-14868
MCO-3	4561	2	05/20/08	WG	Dissolved Oxygen	6.7	mg/L	CAMO-08-12976
MCO-3	4561	2	03/05/08	WG	Dissolved Oxygen	6.95	mg/L	CAMO-08-11144
MCO-3	4561	2	02/11/09	WG	Oxidation Reduction Potential	473	mV	CAMO-09-4069
MCO-3	4561	2	11/06/08	WG	Oxidation Reduction Potential	597	mV	CAMO-09-913
MCO-3	4561	2	08/15/08	WG	Oxidation Reduction Potential	20	mV	CAMO-08-14868
MCO-3	4561	2	05/20/08	WG	Oxidation Reduction Potential	216	mV	CAMO-08-12976
MCO-3	4561	2	03/05/08	WG	Oxidation Reduction Potential	351	mV	CAMO-08-11144
MCO-3	4561	2	02/11/09	WG	Specific Conductance	450	µS/cm	CAMO-09-4069
MCO-3	4561	2	11/06/08	WG	Specific Conductance	379	µS/cm	CAMO-09-913
MCO-3	4561	2	08/15/08	WG	Specific Conductance	514	µS/cm	CAMO-08-14868
MCO-3	4561	2	05/20/08	WG	Specific Conductance	542	µS/cm	CAMO-08-12976
MCO-3	4561	2	02/11/09	WG	Temperature	1.37	deg C	CAMO-09-4069
MCO-3	4561	2	11/06/08	WG	Temperature	6.9	deg C	CAMO-09-913
MCO-3	4561	2	08/15/08	WG	Temperature	14.6	deg C	CAMO-08-14868
MCO-3	4561	2	05/20/08	WG	Temperature	9.1	deg C	CAMO-08-12976
MCO-3	4561	2	03/05/08	WG	Temperature	1.7	deg C	CAMO-08-11144
MCO-3	4561	2	02/11/09	WG	Turbidity	0.8	NTU	CAMO-09-4069

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-3	4561	2	11/06/08	WG	Turbidity	59.5	NTU	CAMO-09-913
MCO-3	4561	2	08/15/08	WG	Turbidity	85.5	NTU	CAMO-08-14868
MCO-3	4561	2	05/20/08	WG	Turbidity	25.5	NTU	CAMO-08-12976
MCO-3	4561	2	03/05/08	WG	Turbidity	21.3	NTU	CAMO-08-11144
MCO-3	4561	2	02/11/09	WG	pH	7.11	SU	CAMO-09-4069
MCO-3	4561	2	11/06/08	WG	pH	7.41	SU	CAMO-09-913
MCO-3	4561	2	08/15/08	WG	pH	7.52	SU	CAMO-08-14868
MCO-3	4561	2	05/20/08	WG	pH	7.31	SU	CAMO-08-12976
MCO-4B	4581	8.9	02/04/09	WG	Dissolved Oxygen	8.77	mg/L	CAMO-09-2582
MCO-4B	4581	8.9	11/10/08	WG	Dissolved Oxygen	8.6	mg/L	CAMO-09-765
MCO-4B	4581	8.9	08/18/08	WG	Dissolved Oxygen	8.82	mg/L	CAMO-08-14471
MCO-4B	4581	8.9	05/21/08	WG	Dissolved Oxygen	5.1	mg/L	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	WG	Dissolved Oxygen	102	mg/L	CAMO-08-10476
MCO-4B	4581	8.9	02/04/09	WG	Oxidation Reduction Potential	190	mV	CAMO-09-2582
MCO-4B	4581	8.9	11/10/08	WG	Oxidation Reduction Potential	377	mV	CAMO-09-765
MCO-4B	4581	8.9	08/18/08	WG	Oxidation Reduction Potential	135	mV	CAMO-08-14471
MCO-4B	4581	8.9	05/21/08	WG	Oxidation Reduction Potential	136	mV	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	WG	Oxidation Reduction Potential	214	mV	CAMO-08-10476
MCO-4B	4581	8.9	02/04/09	WG	Specific Conductance	316	µS/cm	CAMO-09-2582
MCO-4B	4581	8.9	11/10/08	WG	Specific Conductance	478	µS/cm	CAMO-09-765
MCO-4B	4581	8.9	08/18/08	WG	Specific Conductance	564	µS/cm	CAMO-08-14471
MCO-4B	4581	8.9	05/21/08	WG	Specific Conductance	487	µS/cm	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	WG	Specific Conductance	3.54	µS/cm	CAMO-08-10476
MCO-4B	4581	8.9	02/04/09	WG	Temperature	8	deg C	CAMO-09-2582
MCO-4B	4581	8.9	11/10/08	WG	Temperature	8	deg C	CAMO-09-765
MCO-4B	4581	8.9	08/18/08	WG	Temperature	9.1	deg C	CAMO-08-14471
MCO-4B	4581	8.9	05/21/08	WG	Temperature	8	deg C	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	WG	Temperature	10.3	deg C	CAMO-08-10476

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-4B	4581	8.9	02/04/09	WG	Turbidity	66.8	NTU	CAMO-09-2582
MCO-4B	4581	8.9	11/10/08	WG	Turbidity	1.2	NTU	CAMO-09-765
MCO-4B	4581	8.9	08/18/08	WG	Turbidity	13.2	NTU	CAMO-08-14471
MCO-4B	4581	8.9	05/21/08	WG	Turbidity	49.1	NTU	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	WG	Turbidity	6.67	NTU	CAMO-08-10476
MCO-4B	4581	8.9	02/04/09	WG	pH	6.84	SU	CAMO-09-2582
MCO-4B	4581	8.9	11/10/08	WG	pH	6.53	SU	CAMO-09-765
MCO-4B	4581	8.9	08/18/08	WG	pH	6.74	SU	CAMO-08-14471
MCO-4B	4581	8.9	05/21/08	WG	pH	6.73	SU	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	WG	pH	6.86	SU	CAMO-08-10476
MCO-5	4591	21	02/11/09	WG	Dissolved Oxygen	8.83	mg/L	CAMO-09-2593
MCO-5	4591	21	11/10/08	WG	Dissolved Oxygen	9.4	mg/L	CAMO-09-775
MCO-5	4591	21	08/15/08	WG	Dissolved Oxygen	10.38	mg/L	CAMO-08-14474
MCO-5	4591	21	02/07/08	WG	Dissolved Oxygen	5.48	mg/L	CAMO-08-10473
MCO-5	4591	21	08/21/07	WG	Dissolved Oxygen	116.6	mg/L	FU070800G5CM01
MCO-5	4591	21	02/11/09	WG	Oxidation Reduction Potential	435.4	mV	CAMO-09-2593
MCO-5	4591	21	11/10/08	WG	Oxidation Reduction Potential	418	mV	CAMO-09-775
MCO-5	4591	21	08/15/08	WG	Oxidation Reduction Potential	203	mV	CAMO-08-14474
MCO-5	4591	21	02/07/08	WG	Oxidation Reduction Potential	297	mV	CAMO-08-10473
MCO-5	4591	21	08/21/07	WG	Oxidation Reduction Potential	365	mV	FU070800G5CM01
MCO-5	4591	21	02/11/09	WG	Specific Conductance	375	µS/cm	CAMO-09-2593
MCO-5	4591	21	11/10/08	WG	Specific Conductance	498	µS/cm	CAMO-09-775
MCO-5	4591	21	08/15/08	WG	Specific Conductance	542	µS/cm	CAMO-08-14474
MCO-5	4591	21	02/07/08	WG	Specific Conductance	367	µS/cm	CAMO-08-10473
MCO-5	4591	21	08/21/07	WG	Specific Conductance	582	µS/cm	FU070800G5CM01
MCO-5	4591	21	02/11/09	WG	Temperature	7.69	deg C	CAMO-09-2593
MCO-5	4591	21	11/10/08	WG	Temperature	8.9	deg C	CAMO-09-775
MCO-5	4591	21	08/15/08	WG	Temperature	11.6	deg C	CAMO-08-14474

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-5	4591	21	02/07/08	WG	Temperature	10.4	deg C	CAMO-08-10473
MCO-5	4591	21	08/21/07	WG	Temperature	12	deg C	FU070800G5CM01
MCO-5	4591	21	02/11/09	WG	Turbidity	14	NTU	CAMO-09-2593
MCO-5	4591	21	11/10/08	WG	Turbidity	3.76	NTU	CAMO-09-775
MCO-5	4591	21	08/15/08	WG	Turbidity	4.12	NTU	CAMO-08-14474
MCO-5	4591	21	02/07/08	WG	Turbidity	4.87	NTU	CAMO-08-10473
MCO-5	4591	21	08/21/07	WG	Turbidity	4.56	NTU	FU070800G5CM01
MCO-5	4591	21	02/11/09	WG	pH	6.83	SU	CAMO-09-2593
MCO-5	4591	21	11/10/08	WG	pH	6.72	SU	CAMO-09-775
MCO-5	4591	21	08/15/08	WG	pH	6.8	SU	CAMO-08-14474
MCO-5	4591	21	02/07/08	WG	pH	6.81	SU	CAMO-08-10473
MCO-5	4591	21	08/21/07	WG	pH	6.97	SU	FU070800G5CM01
MCO-6	4601	27	02/04/09	WG	Dissolved Oxygen	8.52	mg/L	CAMO-09-2585
MCO-6	4601	27	11/11/08	WG	Dissolved Oxygen	9.6	mg/L	CAMO-09-768
MCO-6	4601	27	08/19/08	WG	Dissolved Oxygen	10.88	mg/L	CAMO-08-14478
MCO-6	4601	27	05/21/08	WG	Dissolved Oxygen	6.3	mg/L	CAMO-08-12978
MCO-6	4601	27	02/21/08	WG	Dissolved Oxygen	7.68	mg/L	CAMO-08-10882
MCO-6	4601	27	02/04/09	WG	Oxidation Reduction Potential	402	mV	CAMO-09-2585
MCO-6	4601	27	11/11/08	WG	Oxidation Reduction Potential	520	mV	CAMO-09-768
MCO-6	4601	27	08/19/08	WG	Oxidation Reduction Potential	362	mV	CAMO-08-14478
MCO-6	4601	27	05/21/08	WG	Oxidation Reduction Potential	184	mV	CAMO-08-12978
MCO-6	4601	27	02/21/08	WG	Oxidation Reduction Potential	344	mV	CAMO-08-10882
MCO-6	4601	27	02/04/09	WG	Specific Conductance	343	µS/cm	CAMO-09-2585
MCO-6	4601	27	11/11/08	WG	Specific Conductance	527	µS/cm	CAMO-09-768
MCO-6	4601	27	08/19/08	WG	Specific Conductance	572	µS/cm	CAMO-08-14478
MCO-6	4601	27	05/21/08	WG	Specific Conductance	441	µS/cm	CAMO-08-12978
MCO-6	4601	27	02/21/08	WG	Specific Conductance	426	µS/cm	CAMO-08-10882
MCO-6	4601	27	02/04/09	WG	Temperature	9	deg C	CAMO-09-2585

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-6	4601	27	11/11/08	WG	Temperature	9.4	deg C	CAMO-09-768
MCO-6	4601	27	08/19/08	WG	Temperature	10.7	deg C	CAMO-08-14478
MCO-6	4601	27	05/21/08	WG	Temperature	11.5	deg C	CAMO-08-12978
MCO-6	4601	27	02/21/08	WG	Temperature	10.5	deg C	CAMO-08-10882
MCO-6	4601	27	02/04/09	WG	Turbidity	4.9	NTU	CAMO-09-2585
MCO-6	4601	27	11/11/08	WG	Turbidity	1.23	NTU	CAMO-09-768
MCO-6	4601	27	08/19/08	WG	Turbidity	4.64	NTU	CAMO-08-14478
MCO-6	4601	27	05/21/08	WG	Turbidity	4.76	NTU	CAMO-08-12978
MCO-6	4601	27	02/21/08	WG	Turbidity	1.47	NTU	CAMO-08-10882
MCO-6	4601	27	02/04/09	WG	pH	6.68	SU	CAMO-09-2585
MCO-6	4601	27	11/11/08	WG	pH	6.58	SU	CAMO-09-768
MCO-6	4601	27	08/19/08	WG	pH	6.82	SU	CAMO-08-14478
MCO-6	4601	27	05/21/08	WG	pH	6.9	SU	CAMO-08-12978
MCO-6	4601	27	02/21/08	WG	pH	6.71	SU	CAMO-08-10882
MCO-7	4631	39	02/03/09	WG	Dissolved Oxygen	8.18	mg/L	CAMO-09-2587
MCO-7	4631	39	11/11/08	WG	Dissolved Oxygen	8.1	mg/L	CAMO-09-769
MCO-7	4631	39	08/19/08	WG	Dissolved Oxygen	9.69	mg/L	CAMO-08-14483
MCO-7	4631	39	05/21/08	WG	Dissolved Oxygen	8.8	mg/L	CAMO-08-12981
MCO-7	4631	39	02/25/08	WG	Dissolved Oxygen	7.16	mg/L	CAMO-08-10481
MCO-7	4631	39	02/03/09	WG	Oxidation Reduction Potential	400	mV	CAMO-09-2587
MCO-7	4631	39	11/11/08	WG	Oxidation Reduction Potential	458	mV	CAMO-09-769
MCO-7	4631	39	08/19/08	WG	Oxidation Reduction Potential	541	mV	CAMO-08-14483
MCO-7	4631	39	05/21/08	WG	Oxidation Reduction Potential	309	mV	CAMO-08-12981
MCO-7	4631	39	08/28/07	WG	Oxidation Reduction Potential	368	mV	FU070800G7CM01
MCO-7	4631	39	02/03/09	WG	Specific Conductance	323	µS/cm	CAMO-09-2587
MCO-7	4631	39	11/11/08	WG	Specific Conductance	422	µS/cm	CAMO-09-769
MCO-7	4631	39	08/19/08	WG	Specific Conductance	399	µS/cm	CAMO-08-14483
MCO-7	4631	39	05/21/08	WG	Specific Conductance	334	µS/cm	CAMO-08-12981

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-7	4631	39	02/03/09	WG	Temperature	9.7	deg C	CAMO-09-2587
MCO-7	4631	39	11/11/08	WG	Temperature	10.7	deg C	CAMO-09-769
MCO-7	4631	39	08/19/08	WG	Temperature	10.7	deg C	CAMO-08-14483
MCO-7	4631	39	05/21/08	WG	Temperature	11.8	deg C	CAMO-08-12981
MCO-7	4631	39	02/25/08	WG	Temperature	11.4	deg C	CAMO-08-10481
MCO-7	4631	39	02/03/09	WG	Turbidity	2.8	NTU	CAMO-09-2587
MCO-7	4631	39	11/11/08	WG	Turbidity	22.1	NTU	CAMO-09-769
MCO-7	4631	39	08/19/08	WG	Turbidity	4.09	NTU	CAMO-08-14483
MCO-7	4631	39	05/21/08	WG	Turbidity	17.4	NTU	CAMO-08-12981
MCO-7	4631	39	02/25/08	WG	Turbidity	4.71	NTU	CAMO-08-10481
MCO-7	4631	39	02/03/09	WG	pH	6.67	SU	CAMO-09-2587
MCO-7	4631	39	11/11/08	WG	pH	6.83	SU	CAMO-09-769
MCO-7	4631	39	08/19/08	WG	pH	6.83	SU	CAMO-08-14483
MCO-7	4631	39	05/21/08	WG	pH	6.98	SU	CAMO-08-12981
MCO-7.5	4661	35	02/03/09	WG	Dissolved Oxygen	7.04	mg/L	CAMO-09-2589
MCO-7.5	4661	35	11/12/08	WG	Dissolved Oxygen	7.6	mg/L	CAMO-09-772
MCO-7.5	4661	35	05/28/08	WG	Dissolved Oxygen	10.5	mg/L	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	WG	Dissolved Oxygen	6.21	mg/L	CAMO-08-10483
MCO-7.5	4661	35	08/29/07	WG	Dissolved Oxygen	5.65	mg/L	FU070800G57M01
MCO-7.5	4661	35	02/03/09	WG	Oxidation Reduction Potential	318.5	mV	CAMO-09-2589
MCO-7.5	4661	35	11/12/08	WG	Oxidation Reduction Potential	472	mV	CAMO-09-772
MCO-7.5	4661	35	08/14/08	WG	Oxidation Reduction Potential	14	mV	CAMO-08-14486
MCO-7.5	4661	35	05/28/08	WG	Oxidation Reduction Potential	189	mV	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	WG	Oxidation Reduction Potential	388	mV	CAMO-08-10483
MCO-7.5	4661	35	02/03/09	WG	Specific Conductance	329	µS/cm	CAMO-09-2589
MCO-7.5	4661	35	11/12/08	WG	Specific Conductance	417	µS/cm	CAMO-09-772
MCO-7.5	4661	35	08/14/08	WG	Specific Conductance	438	µS/cm	CAMO-08-14486
MCO-7.5	4661	35	05/28/08	WG	Specific Conductance	450	µS/cm	CAMO-08-12726

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCO-7.5	4661	35	02/06/08	WG	Specific Conductance	4.49	µS/cm	CAMO-08-10483
MCO-7.5	4661	35	02/03/09	WG	Temperature	10.01	deg C	CAMO-09-2589
MCO-7.5	4661	35	11/12/08	WG	Temperature	10.3	deg C	CAMO-09-772
MCO-7.5	4661	35	08/14/08	WG	Temperature	11.1	deg C	CAMO-08-14486
MCO-7.5	4661	35	05/28/08	WG	Temperature	12.2	deg C	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	WG	Temperature	11.8	deg C	CAMO-08-10483
MCO-7.5	4661	35	02/03/09	WG	Turbidity	1.68	NTU	CAMO-09-2589
MCO-7.5	4661	35	11/12/08	WG	Turbidity	1.01	NTU	CAMO-09-772
MCO-7.5	4661	35	08/14/08	WG	Turbidity	1.11	NTU	CAMO-08-14486
MCO-7.5	4661	35	05/28/08	WG	Turbidity	2.79	NTU	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	WG	Turbidity	1.72	NTU	CAMO-08-10483
MCO-7.5	4661	35	02/03/09	WG	pH	6.8	SU	CAMO-09-2589
MCO-7.5	4661	35	11/12/08	WG	pH	6.67	SU	CAMO-09-772
MCO-7.5	4661	35	08/14/08	WG	pH	6.9	SU	CAMO-08-14486
MCO-7.5	4661	35	05/28/08	WG	pH	6.89	SU	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	WG	pH	6.86	SU	CAMO-08-10483
MCOI-4	5981	499	02/11/09	WG	Dissolved Oxygen	9.34	mg/L	CAMO-09-2595
MCOI-4	5981	499	11/18/08	WG	Dissolved Oxygen	8.56	mg/L	CAMO-09-777
MCOI-4	5981	499	08/19/08	WG	Dissolved Oxygen	6.68	mg/L	CAMO-08-14496
MCOI-4	5981	499	05/29/08	WG	Dissolved Oxygen	6.41	mg/L	CAMO-08-12734
MCOI-4	5981	499	11/12/07	WG	Dissolved Oxygen	7.05	mg/L	CAMO-08-8616
MCOI-4	5981	499	02/11/09	WG	Oxidation Reduction Potential	322	mV	CAMO-09-2595
MCOI-4	5981	499	11/18/08	WG	Oxidation Reduction Potential	455	mV	CAMO-09-777
MCOI-4	5981	499	08/19/08	WG	Oxidation Reduction Potential	310	mV	CAMO-08-14496
MCOI-4	5981	499	05/29/08	WG	Oxidation Reduction Potential	258	mV	CAMO-08-12734
MCOI-4	5981	499	11/12/07	WG	Oxidation Reduction Potential	367	mV	CAMO-08-8616
MCOI-4	5981	499	02/11/09	WG	Specific Conductance	214	µS/cm	CAMO-09-2595
MCOI-4	5981	499	11/18/08	WG	Specific Conductance	253	µS/cm	CAMO-09-777

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCOI-4	5981	499	08/19/08	WG	Specific Conductance	173	µS/cm	CAMO-08-14496
MCOI-4	5981	499	05/29/08	WG	Specific Conductance	298	µS/cm	CAMO-08-12734
MCOI-4	5981	499	11/12/07	WG	Specific Conductance	302	µS/cm	CAMO-08-8616
MCOI-4	5981	499	02/11/09	WG	Temperature	9.28	deg C	CAMO-09-2595
MCOI-4	5981	499	11/18/08	WG	Temperature	11.4	deg C	CAMO-09-777
MCOI-4	5981	499	08/19/08	WG	Temperature	17.4	deg C	CAMO-08-14496
MCOI-4	5981	499	05/29/08	WG	Temperature	17.3	deg C	CAMO-08-12734
MCOI-4	5981	499	11/12/07	WG	Temperature	10.1	deg C	CAMO-08-8616
MCOI-4	5981	499	02/11/09	WG	Turbidity	43.7	NTU	CAMO-09-2595
MCOI-4	5981	499	11/18/08	WG	Turbidity	2.61	NTU	CAMO-09-777
MCOI-4	5981	499	08/19/08	WG	Turbidity	3.41	NTU	CAMO-08-14496
MCOI-4	5981	499	05/29/08	WG	Turbidity	2.05	NTU	CAMO-08-12734
MCOI-4	5981	499	11/12/07	WG	Turbidity	1.51	NTU	CAMO-08-8616
MCOI-4	5981	499	02/11/09	WG	pH	6.67	SU	CAMO-09-2595
MCOI-4	5981	499	11/18/08	WG	pH	7.03	SU	CAMO-09-777
MCOI-4	5981	499	08/19/08	WG	pH	7.4	SU	CAMO-08-14496
MCOI-4	5981	499	05/29/08	WG	pH	7	SU	CAMO-08-12734
MCOI-4	5981	499	11/12/07	WG	pH	7.42	SU	CAMO-08-8616
MCOI-5	5721	689	02/09/09	WG	Dissolved Oxygen	6.45	mg/L	CAMO-09-2599
MCOI-5	5721	689	11/11/08	WG	Dissolved Oxygen	6.45	mg/L	CAMO-09-782
MCOI-5	5721	689	08/18/08	WG	Dissolved Oxygen	5.52	mg/L	CAMO-08-14497
MCOI-5	5721	689	05/20/08	WG	Dissolved Oxygen	6.2	mg/L	CAMO-08-12737
MCOI-5	5721	689	02/13/08	WG	Dissolved Oxygen	5.9	mg/L	CAMO-08-10424
MCOI-5	5721	689	02/09/09	WG	Oxidation Reduction Potential	171.9	mV	CAMO-09-2599
MCOI-5	5721	689	11/11/08	WG	Oxidation Reduction Potential	525	mV	CAMO-09-782
MCOI-5	5721	689	08/18/08	WG	Oxidation Reduction Potential	372	mV	CAMO-08-14497
MCOI-5	5721	689	05/20/08	WG	Oxidation Reduction Potential	252	mV	CAMO-08-12737
MCOI-5	5721	689	02/13/08	WG	Oxidation Reduction Potential	251	mV	CAMO-08-10424

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCOI-5	5721	689	02/09/09	WG	Specific Conductance	150	µS/cm	CAMO-09-2599
MCOI-5	5721	689	11/11/08	WG	Specific Conductance	153.2	µS/cm	CAMO-09-782
MCOI-5	5721	689	08/18/08	WG	Specific Conductance	152.4	µS/cm	CAMO-08-14497
MCOI-5	5721	689	05/20/08	WG	Specific Conductance	169.9	µS/cm	CAMO-08-12737
MCOI-5	5721	689	02/13/08	WG	Specific Conductance	158.6	µS/cm	CAMO-08-10424
MCOI-5	5721	689	02/09/09	WG	Temperature	13.35	deg C	CAMO-09-2599
MCOI-5	5721	689	11/11/08	WG	Temperature	11.8	deg C	CAMO-09-782
MCOI-5	5721	689	08/18/08	WG	Temperature	13.8	deg C	CAMO-08-14497
MCOI-5	5721	689	05/20/08	WG	Temperature	14.5	deg C	CAMO-08-12737
MCOI-5	5721	689	02/13/08	WG	Temperature	13.9	deg C	CAMO-08-10424
MCOI-5	5721	689	02/09/09	WG	Turbidity	3.81	NTU	CAMO-09-2599
MCOI-5	5721	689	11/11/08	WG	Turbidity	5.9	NTU	CAMO-09-782
MCOI-5	5721	689	08/18/08	WG	Turbidity	3.71	NTU	CAMO-08-14497
MCOI-5	5721	689	05/20/08	WG	Turbidity	0.45	NTU	CAMO-08-12737
MCOI-5	5721	689	02/13/08	WG	Turbidity	1.29	NTU	CAMO-08-10424
MCOI-5	5721	689	02/09/09	WG	pH	7.75	SU	CAMO-09-2599
MCOI-5	5721	689	11/11/08	WG	pH	8.23	SU	CAMO-09-782
MCOI-5	5721	689	08/18/08	WG	pH	8.28	SU	CAMO-08-14497
MCOI-5	5721	689	05/20/08	WG	pH	8.44	SU	CAMO-08-12737
MCOI-5	5721	689	02/13/08	WG	pH	8.36	SU	CAMO-08-10424
MCOI-6	5731	686	08/12/08	WG	Dissolved Oxygen	6.9	mg/L	CAMO-08-14501
MCOI-6	5731	686	02/10/09	WG	Dissolved Oxygen	5.82	mg/L	CAMO-09-2600
MCOI-6	5731	686	11/10/08	WG	Dissolved Oxygen	6.75	mg/L	CAMO-09-784
MCOI-6	5731	686	05/20/08	WG	Dissolved Oxygen	6.95	mg/L	CAMO-08-12739
MCOI-6	5731	686	02/22/08	WG	Dissolved Oxygen	7.2	mg/L	CAMO-08-10427
MCOI-6	5731	686	08/12/08	WG	Oxidation Reduction Potential	46	mV	CAMO-08-14501
MCOI-6	5731	686	02/10/09	WG	Oxidation Reduction Potential	377.1	mV	CAMO-09-2600
MCOI-6	5731	686	11/10/08	WG	Oxidation Reduction Potential	428	mV	CAMO-09-784

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MCOI-6	5731	686	05/20/08	WG	Oxidation Reduction Potential	168	mV	CAMO-08-12739
MCOI-6	5731	686	02/22/08	WG	Oxidation Reduction Potential	405	mV	CAMO-08-10427
MCOI-6	5731	686	08/12/08	WG	Specific Conductance	486	µS/cm	CAMO-08-14501
MCOI-6	5731	686	02/10/09	WG	Specific Conductance	473	µS/cm	CAMO-09-2600
MCOI-6	5731	686	11/10/08	WG	Specific Conductance	473	µS/cm	CAMO-09-784
MCOI-6	5731	686	05/20/08	WG	Specific Conductance	504	µS/cm	CAMO-08-12739
MCOI-6	5731	686	02/22/08	WG	Specific Conductance	498	µS/cm	CAMO-08-10427
MCOI-6	5731	686	08/12/08	WG	Temperature	16	deg C	CAMO-08-14501
MCOI-6	5731	686	02/10/09	WG	Temperature	12.53	deg C	CAMO-09-2600
MCOI-6	5731	686	11/10/08	WG	Temperature	15.3	deg C	CAMO-09-784
MCOI-6	5731	686	05/20/08	WG	Temperature	16.5	deg C	CAMO-08-12739
MCOI-6	5731	686	02/22/08	WG	Temperature	15.4	deg C	CAMO-08-10427
MCOI-6	5731	686	08/12/08	WG	Turbidity	0.49	NTU	CAMO-08-14501
MCOI-6	5731	686	02/10/09	WG	Turbidity	0.55	NTU	CAMO-09-2600
MCOI-6	5731	686	11/10/08	WG	Turbidity	0.41	NTU	CAMO-09-784
MCOI-6	5731	686	05/20/08	WG	Turbidity	0.53	NTU	CAMO-08-12739
MCOI-6	5731	686	02/22/08	WG	Turbidity	0.76	NTU	CAMO-08-10427
MCOI-6	5731	686	08/12/08	WG	pH	7.19	SU	CAMO-08-14501
MCOI-6	5731	686	02/10/09	WG	pH	7.12	SU	CAMO-09-2600
MCOI-6	5731	686	11/10/08	WG	pH	7.17	SU	CAMO-09-784
MCOI-6	5731	686	05/20/08	WG	pH	7.08	SU	CAMO-08-12739
MCOI-6	5731	686	02/22/08	WG	pH	7.17	SU	CAMO-08-10427
Mortandad below Effluent Canyon	—	—	02/12/09	WS	Dissolved Oxygen	11.93	mg/L	CAMO-09-2375
Mortandad below Effluent Canyon	—	—	11/18/08	WS	Dissolved Oxygen	7.66	mg/L	CAMO-09-716
Mortandad below Effluent Canyon	—	—	08/20/08	WS	Dissolved Oxygen	3.9	mg/L	CAMO-08-14433
Mortandad below Effluent Canyon	—	—	02/21/08	WS	Dissolved Oxygen	8.84	mg/L	CAMO-08-10875
Mortandad below Effluent Canyon	—	—	08/22/07	WP	Dissolved Oxygen	4.87	mg/L	FU070800P20001
Mortandad below Effluent Canyon	—	—	02/12/09	WS	Specific Conductance	476	µS/cm	CAMO-09-2375

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Mortandad below Effluent Canyon	—	—	11/18/08	WS	Specific Conductance	410	µS/cm	CAMO-09-716
Mortandad below Effluent Canyon	—	—	08/20/08	WS	Specific Conductance	427	µS/cm	CAMO-08-14433
Mortandad below Effluent Canyon	—	—	02/21/08	WS	Specific Conductance	535	µS/cm	CAMO-08-10875
Mortandad below Effluent Canyon	—	—	02/12/09	WS	Temperature	1.09	deg C	CAMO-09-2375
Mortandad below Effluent Canyon	—	—	11/18/08	WS	Temperature	3.7	deg C	CAMO-09-716
Mortandad below Effluent Canyon	—	—	08/20/08	WS	Temperature	16.9	deg C	CAMO-08-14433
Mortandad below Effluent Canyon	—	—	02/21/08	WS	Temperature	1.7	deg C	CAMO-08-10875
Mortandad below Effluent Canyon	—	—	08/22/07	WP	Temperature	22.8	deg C	FU070800P20001
Mortandad below Effluent Canyon	—	—	02/12/09	WS	Turbidity	7.42	NTU	CAMO-09-2375
Mortandad below Effluent Canyon	—	—	11/18/08	WS	Turbidity	23.4	NTU	CAMO-09-716
Mortandad below Effluent Canyon	—	—	08/20/08	WS	Turbidity	86.9	NTU	CAMO-08-14433
Mortandad below Effluent Canyon	—	—	02/21/08	WS	Turbidity	22.5	NTU	CAMO-08-10875
Mortandad below Effluent Canyon	—	—	08/22/07	WP	Turbidity	39.6	NTU	FU070800P20001
Mortandad below Effluent Canyon	—	—	02/12/09	WS	pH	7.78	SU	CAMO-09-2375
Mortandad below Effluent Canyon	—	—	11/18/08	WS	pH	7.1	SU	CAMO-09-716
Mortandad below Effluent Canyon	—	—	08/20/08	WS	pH	7.1	SU	CAMO-08-14433
Mortandad below Effluent Canyon	—	—	02/21/08	WS	pH	6.5	SU	CAMO-08-10875
R-1	1701	1031.1	02/17/09	WG	Dissolved Oxygen	5.59	mg/L	CAMO-09-2607
R-1	1701	1031.1	11/18/08	WG	Dissolved Oxygen	5.07	mg/L	CAMO-09-789
R-1	1701	1031.1	08/15/08	WG	Dissolved Oxygen	4.57	mg/L	CAMO-08-14505
R-1	1701	1031.1	05/20/08	WG	Dissolved Oxygen	4.2	mg/L	CAMO-08-12744
R-1	1701	1031.1	02/22/08	WG	Dissolved Oxygen	5.4	mg/L	CAMO-08-10452
R-1	1701	1031.1	02/17/09	WG	Oxidation Reduction Potential	126.2	mV	CAMO-09-2607
R-1	1701	1031.1	11/18/08	WG	Oxidation Reduction Potential	313	mV	CAMO-09-789
R-1	1701	1031.1	08/15/08	WG	Oxidation Reduction Potential	175	mV	CAMO-08-14505
R-1	1701	1031.1	05/20/08	WG	Oxidation Reduction Potential	119	mV	CAMO-08-12744
R-1	1701	1031.1	02/22/08	WG	Oxidation Reduction Potential	260	mV	CAMO-08-10452
R-1	1701	1031.1	02/17/09	WG	Specific Conductance	140	µS/cm	CAMO-09-2607

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-1	1701	1031.1	11/18/08	WG	Specific Conductance	119.5	µS/cm	CAMO-09-789
R-1	1701	1031.1	08/15/08	WG	Specific Conductance	121.3	µS/cm	CAMO-08-14505
R-1	1701	1031.1	05/20/08	WG	Specific Conductance	131.7	µS/cm	CAMO-08-12744
R-1	1701	1031.1	02/22/08	WG	Specific Conductance	136	µS/cm	CAMO-08-10452
R-1	1701	1031.1	02/17/09	WG	Temperature	19.71	deg C	CAMO-09-2607
R-1	1701	1031.1	11/18/08	WG	Temperature	22.4	deg C	CAMO-09-789
R-1	1701	1031.1	08/15/08	WG	Temperature	22.2	deg C	CAMO-08-14505
R-1	1701	1031.1	05/20/08	WG	Temperature	22.9	deg C	CAMO-08-12744
R-1	1701	1031.1	02/22/08	WG	Temperature	21.4	deg C	CAMO-08-10452
R-1	1701	1031.1	02/17/09	WG	Turbidity	0.54	NTU	CAMO-09-2607
R-1	1701	1031.1	11/18/08	WG	Turbidity	0.66	NTU	CAMO-09-789
R-1	1701	1031.1	08/15/08	WG	Turbidity	0.39	NTU	CAMO-08-14505
R-1	1701	1031.1	05/20/08	WG	Turbidity	0.37	NTU	CAMO-08-12744
R-1	1701	1031.1	02/22/08	WG	Turbidity	0.23	NTU	CAMO-08-10452
R-1	1701	1031.1	02/17/09	WG	pH	7.68	SU	CAMO-09-2607
R-1	1701	1031.1	11/18/08	WG	pH	7.67	SU	CAMO-09-789
R-1	1701	1031.1	08/15/08	WG	pH	7.75	SU	CAMO-08-14505
R-1	1701	1031.1	05/20/08	WG	pH	7.78	SU	CAMO-08-12744
R-1	1701	1031.1	02/22/08	WG	pH	7.76	SU	CAMO-08-10452
R-13	1741	958.3	02/10/09	WG	Dissolved Oxygen	4.81	mg/L	CAMO-09-2628
R-13	1741	958.3	11/10/08	WG	Dissolved Oxygen	5.1	mg/L	CAMO-09-811
R-13	1741	958.3	08/14/08	WG	Dissolved Oxygen	7.27	mg/L	CAMO-08-14532
R-13	1741	958.3	05/14/08	WG	Dissolved Oxygen	6	mg/L	CAMO-08-12771
R-13	1741	958.3	02/14/08	WG	Dissolved Oxygen	6.2	mg/L	CAMO-08-10443
R-13	1741	958.3	02/10/09	WG	Oxidation Reduction Potential	330.3	mV	CAMO-09-2628
R-13	1741	958.3	11/10/08	WG	Oxidation Reduction Potential	265	mV	CAMO-09-811
R-13	1741	958.3	08/14/08	WG	Oxidation Reduction Potential	274	mV	CAMO-08-14532
R-13	1741	958.3	05/14/08	WG	Oxidation Reduction Potential	274	mV	CAMO-08-12771

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-13	1741	958.3	02/14/08	WG	Oxidation Reduction Potential	275	mV	CAMO-08-10443
R-13	1741	958.3	02/10/09	WG	Specific Conductance	142	µS/cm	CAMO-09-2628
R-13	1741	958.3	11/10/08	WG	Specific Conductance	135.5	µS/cm	CAMO-09-811
R-13	1741	958.3	08/14/08	WG	Specific Conductance	132	µS/cm	CAMO-08-14532
R-13	1741	958.3	05/14/08	WG	Specific Conductance	356	µS/cm	CAMO-08-12771
R-13	1741	958.3	02/10/09	WG	Temperature	20.03	deg C	CAMO-09-2628
R-13	1741	958.3	11/10/08	WG	Temperature	16.9	deg C	CAMO-09-811
R-13	1741	958.3	08/14/08	WG	Temperature	22.1	deg C	CAMO-08-14532
R-13	1741	958.3	05/14/08	WG	Temperature	21.4	deg C	CAMO-08-12771
R-13	1741	958.3	02/14/08	WG	Temperature	21.1	deg C	CAMO-08-10443
R-13	1741	958.3	02/10/09	WG	Turbidity	0.71	NTU	CAMO-09-2628
R-13	1741	958.3	11/10/08	WG	Turbidity	0.28	NTU	CAMO-09-811
R-13	1741	958.3	08/14/08	WG	Turbidity	0.5	NTU	CAMO-08-14532
R-13	1741	958.3	05/14/08	WG	Turbidity	0.32	NTU	CAMO-08-12771
R-13	1741	958.3	02/14/08	WG	Turbidity	0.23	NTU	CAMO-08-10443
R-13	1741	958.3	02/10/09	WG	pH	8.14	SU	CAMO-09-2628
R-13	1741	958.3	11/10/08	WG	pH	8.22	SU	CAMO-09-811
R-13	1741	958.3	08/14/08	WG	pH	8.05	SU	CAMO-08-14532
R-13	1741	958.3	05/14/08	WG	pH	7.86	SU	CAMO-08-12771
R-14	8571	1200.6	02/18/09	WG	Dissolved Oxygen	211	mg/L	CAMO-09-2863
R-14	8571	1200.6	08/20/08	WG	Dissolved Oxygen	3	mg/L	CAMO-08-14507
R-14	8571	1200.6	11/13/08	WG	Dissolved Oxygen	6.07	mg/L	CAMO-09-791
R-14	8571	1200.6	05/14/08	WG	Dissolved Oxygen	2.7	mg/L	GW14-08-12941
R-14	8571	1200.6	02/18/09	WG	Oxidation Reduction Potential	246	mV	CAMO-09-2863
R-14	8571	1200.6	08/20/08	WG	Oxidation Reduction Potential	6	mV	CAMO-08-14507
R-14	8571	1200.6	11/13/08	WG	Oxidation Reduction Potential	150	mV	CAMO-09-791
R-14	8571	1200.6	05/14/08	WG	Oxidation Reduction Potential	109	mV	GW14-08-12941
R-14	8571	1200.6	02/18/09	WG	Specific Conductance	140	µS/cm	CAMO-09-2863

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-14	8571	1200.6	08/20/08	WG	Specific Conductance	128.2	µS/cm	CAMO-08-14507
R-14	8571	1200.6	11/13/08	WG	Specific Conductance	130.9	µS/cm	CAMO-09-791
R-14	8571	1200.6	05/14/08	WG	Specific Conductance	120	µS/cm	GW14-08-12941
R-14	8571	1200.6	02/18/09	WG	Temperature	23.03	deg C	CAMO-09-2863
R-14	8571	1200.6	08/20/08	WG	Temperature	23.5	deg C	CAMO-08-14507
R-14	8571	1200.6	11/13/08	WG	Temperature	22.5	deg C	CAMO-09-791
R-14	8571	1200.6	05/14/08	WG	Temperature	24.1	deg C	GW14-08-12941
R-14	8571	1200.6	02/18/09	WG	Turbidity	1.17	NTU	CAMO-09-2863
R-14	8571	1200.6	08/20/08	WG	Turbidity	2.65	NTU	CAMO-08-14507
R-14	8571	1200.6	11/13/08	WG	Turbidity	1.34	NTU	CAMO-09-791
R-14	8571	1200.6	05/14/08	WG	Turbidity	1.62	NTU	GW14-08-12941
R-14	8571	1200.6	02/18/09	WG	pH	8.97	SU	CAMO-09-2863
R-14	8571	1200.6	08/20/08	WG	pH	8.12	SU	CAMO-08-14507
R-14	8571	1200.6	11/13/08	WG	pH	8.29	SU	CAMO-09-791
R-14	8571	1200.6	05/14/08	WG	pH	7.75	SU	GW14-08-12941
R-15	1751	958.6	02/17/09	WG	Dissolved Oxygen	7.28	mg/L	CAMO-09-2615
R-15	1751	958.6	11/10/08	WG	Dissolved Oxygen	5.56	mg/L	CAMO-09-798
R-15	1751	958.6	08/15/08	WG	Dissolved Oxygen	6.03	mg/L	CAMO-08-14541
R-15	1751	958.6	05/20/08	WG	Dissolved Oxygen	6.3	mg/L	CAMO-08-12753
R-15	1751	958.6	02/25/08	WG	Dissolved Oxygen	5.47	mg/L	CAMO-08-10434
R-15	1751	958.6	02/17/09	WG	Oxidation Reduction Potential	231.9	mV	CAMO-09-2615
R-15	1751	958.6	11/10/08	WG	Oxidation Reduction Potential	445	mV	CAMO-09-798
R-15	1751	958.6	08/15/08	WG	Oxidation Reduction Potential	224	mV	CAMO-08-14541
R-15	1751	958.6	05/20/08	WG	Oxidation Reduction Potential	273	mV	CAMO-08-12753
R-15	1751	958.6	02/25/08	WG	Oxidation Reduction Potential	322	mV	CAMO-08-10434
R-15	1751	958.6	02/17/09	WG	Specific Conductance	156	µS/cm	CAMO-09-2615
R-15	1751	958.6	11/10/08	WG	Specific Conductance	139.3	µS/cm	CAMO-09-798
R-15	1751	958.6	08/15/08	WG	Specific Conductance	147.9	µS/cm	CAMO-08-14541

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-15	1751	958.6	05/20/08	WG	Specific Conductance	145.2	µS/cm	CAMO-08-12753
R-15	1751	958.6	02/17/09	WG	Temperature	19.79	deg C	CAMO-09-2615
R-15	1751	958.6	11/10/08	WG	Temperature	18.9	deg C	CAMO-09-798
R-15	1751	958.6	08/15/08	WG	Temperature	21.1	deg C	CAMO-08-14541
R-15	1751	958.6	05/20/08	WG	Temperature	19.6	deg C	CAMO-08-12753
R-15	1751	958.6	02/25/08	WG	Temperature	23.9	deg C	CAMO-08-10434
R-15	1751	958.6	02/17/09	WG	Turbidity	2.76	NTU	CAMO-09-2615
R-15	1751	958.6	11/10/08	WG	Turbidity	2.1	NTU	CAMO-09-798
R-15	1751	958.6	08/15/08	WG	Turbidity	2.81	NTU	CAMO-08-14541
R-15	1751	958.6	05/20/08	WG	Turbidity	0.7	NTU	CAMO-08-12753
R-15	1751	958.6	02/25/08	WG	Turbidity	1.01	NTU	CAMO-08-10434
R-15	1751	958.6	02/17/09	WG	pH	8.09	SU	CAMO-09-2615
R-15	1751	958.6	11/10/08	WG	pH	8.59	SU	CAMO-09-798
R-15	1751	958.6	08/15/08	WG	pH	8.08	SU	CAMO-08-14541
R-15	1751	958.6	05/20/08	WG	pH	8.22	SU	CAMO-08-12753
R-16	541	866.1	02/03/09	WG	Dissolved Oxygen	4.33	mg/L	CAMO-09-2637
R-16	541	866.1	08/12/08	WG	Dissolved Oxygen	4.41	mg/L	CAMO-08-14842
R-16	541	866.1	05/13/08	WG	Dissolved Oxygen	3.84	mg/L	CAMO-08-12783
R-16	541	866.1	02/13/08	WG	Dissolved Oxygen	4.7	mg/L	CAMO-08-10469
R-16	541	866.1	11/09/07	WG	Dissolved Oxygen	7.25	mg/L	CASA-08-8142
R-16	541	866.1	02/03/09	WG	Specific Conductance	168	µS/cm	CAMO-09-2637
R-16	541	866.1	08/12/08	WG	Specific Conductance	175.9	µS/cm	CAMO-08-14842
R-16	541	866.1	05/13/08	WG	Specific Conductance	97.9	µS/cm	CAMO-08-12783
R-16	541	866.1	02/13/08	WG	Specific Conductance	154.8	µS/cm	CAMO-08-10469
R-16	541	866.1	11/09/07	WG	Specific Conductance	169.9	µS/cm	CASA-08-8142
R-16	541	866.1	02/03/09	WG	Temperature	20.31	deg C	CAMO-09-2637
R-16	541	866.1	08/12/08	WG	Temperature	26.3	deg C	CAMO-08-14842
R-16	541	866.1	05/13/08	WG	Temperature	25	deg C	CAMO-08-12783

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-16	541	866.1	02/13/08	WG	Temperature	21.3	deg C	CAMO-08-10469
R-16	541	866.1	11/09/07	WG	Temperature	23.5	deg C	CASA-08-8142
R-16	541	866.1	02/03/09	WG	Turbidity	0.46	NTU	CAMO-09-2637
R-16	541	866.1	08/12/08	WG	Turbidity	0.59	NTU	CAMO-08-14842
R-16	541	866.1	05/13/08	WG	Turbidity	0.3	NTU	CAMO-08-12783
R-16	541	866.1	02/13/08	WG	Turbidity	0.34	NTU	CAMO-08-10469
R-16	541	866.1	11/09/07	WG	Turbidity	0.96	NTU	CASA-08-8142
R-16	541	866.1	02/03/09	WG	pH	8.95	SU	CAMO-09-2637
R-16	541	866.1	08/12/08	WG	pH	8.21	SU	CAMO-08-14842
R-16	541	866.1	05/13/08	WG	pH	8.73	SU	CAMO-08-12783
R-16	541	866.1	02/13/08	WG	pH	8.88	SU	CAMO-08-10469
R-16	541	866.1	11/09/07	WG	pH	8.03	SU	CASA-08-8142
R-16	591	1018.4	02/03/09	WG	Dissolved Oxygen	8.3	mg/L	CAMO-09-2623
R-16	591	1018.4	11/06/08	WG	Dissolved Oxygen	4.1	mg/L	CAMO-09-805
R-16	591	1018.4	08/11/08	WG	Dissolved Oxygen	5.4	mg/L	CAMO-08-14521
R-16	591	1018.4	02/12/08	WG	Dissolved Oxygen	4.4	mg/L	CAMO-08-10438
R-16	591	1018.4	08/28/07	WG	Dissolved Oxygen	5.2	mg/L	FU07080G16R301
R-16	591	1018.4	02/03/09	WG	Specific Conductance	190	µS/cm	CAMO-09-2623
R-16	591	1018.4	11/06/08	WG	Specific Conductance	287	µS/cm	CAMO-09-805
R-16	591	1018.4	08/11/08	WG	Specific Conductance	215	µS/cm	CAMO-08-14521
R-16	591	1018.4	02/12/08	WG	Specific Conductance	190.7	µS/cm	CAMO-08-10438
R-16	591	1018.4	02/03/09	WG	Temperature	19.29	deg C	CAMO-09-2623
R-16	591	1018.4	11/06/08	WG	Temperature	20.8	deg C	CAMO-09-805
R-16	591	1018.4	08/11/08	WG	Temperature	27.8	deg C	CAMO-08-14521
R-16	591	1018.4	02/12/08	WG	Temperature	20.3	deg C	CAMO-08-10438
R-16	591	1018.4	08/28/07	WG	Temperature	21.8	deg C	FU07080G16R301
R-16	591	1018.4	02/03/09	WG	Turbidity	0.36	NTU	CAMO-09-2623
R-16	591	1018.4	11/06/08	WG	Turbidity	0.7	NTU	CAMO-09-805

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-16	591	1018.4	08/11/08	WG	Turbidity	0.83	NTU	CAMO-08-14521
R-16	591	1018.4	02/12/08	WG	Turbidity	0.5	NTU	CAMO-08-10438
R-16	591	1018.4	08/28/07	WG	Turbidity	0.59	NTU	FU07080G16R301
R-16	591	1018.4	02/03/09	WG	pH	8.99	SU	CAMO-09-2623
R-16	591	1018.4	11/06/08	WG	pH	9.06	SU	CAMO-09-805
R-16	591	1018.4	08/11/08	WG	pH	8.79	SU	CAMO-08-14521
R-16	591	1018.4	02/12/08	WG	pH	8.9	SU	CAMO-08-10438
R-16	641	1238	02/03/09	WG	Dissolved Oxygen	7.06	mg/L	CAMO-09-2641
R-16	641	1238	11/03/08	WG	Dissolved Oxygen	3.5	mg/L	CAMO-09-823
R-16	641	1238	05/12/08	WG	Dissolved Oxygen	98.2	mg/L	CAMO-08-12809
R-16	641	1238	02/12/08	WG	Dissolved Oxygen	5.4	mg/L	CAMO-08-10470
R-16	641	1238	11/09/07	WG	Dissolved Oxygen	4.79	mg/L	CASA-08-8145
R-16	641	1238	02/03/09	WG	Specific Conductance	214	µS/cm	CAMO-09-2641
R-16	641	1238	11/03/08	WG	Specific Conductance	312	µS/cm	CAMO-09-823
R-16	641	1238	05/12/08	WG	Specific Conductance	250	µS/cm	CAMO-08-12809
R-16	641	1238	02/12/08	WG	Specific Conductance	220	µS/cm	CAMO-08-10470
R-16	641	1238	02/03/09	WG	Temperature	20.81	deg C	CAMO-09-2641
R-16	641	1238	11/03/08	WG	Temperature	20.5	deg C	CAMO-09-823
R-16	641	1238	05/12/08	WG	Temperature	25.7	deg C	CAMO-08-12809
R-16	641	1238	02/12/08	WG	Temperature	21	deg C	CAMO-08-10470
R-16	641	1238	11/09/07	WG	Temperature	25	deg C	CASA-08-8145
R-16	641	1238	02/03/09	WG	Turbidity	0.41	NTU	CAMO-09-2641
R-16	641	1238	11/03/08	WG	Turbidity	1.34	NTU	CAMO-09-823
R-16	641	1238	05/12/08	WG	Turbidity	0.55	NTU	CAMO-08-12809
R-16	641	1238	02/12/08	WG	Turbidity	0.53	NTU	CAMO-08-10470
R-16	641	1238	11/09/07	WG	Turbidity	0.65	NTU	CASA-08-8145
R-16	641	1238	02/03/09	WG	pH	9.26	SU	CAMO-09-2641
R-16	641	1238	11/03/08	WG	pH	9.26	SU	CAMO-09-823

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-16	641	1238	05/12/08	WG	pH	9.02	SU	CAMO-08-12809
R-16	641	1238	02/12/08	WG	pH	9.11	SU	CAMO-08-10470
R-16r	6341	600	02/13/09	WG	Dissolved Oxygen	5.94	mg/L	CAMO-09-2619
R-16r	6341	600	11/04/08	WG	Dissolved Oxygen	5.37	mg/L	CAMO-09-801
R-16r	6341	600	08/11/08	WG	Dissolved Oxygen	5.52	mg/L	CAMO-08-14516
R-16r	6341	600	05/19/08	WG	Dissolved Oxygen	5.03	mg/L	CAMO-08-12759
R-16r	6341	600	02/06/08	WG	Dissolved Oxygen	7.09	mg/L	CAMO-08-10465
R-16r	6341	600	02/13/09	WG	Oxidation Reduction Potential	25.12	mV	CAMO-09-2619
R-16r	6341	600	11/04/08	WG	Oxidation Reduction Potential	211	mV	CAMO-09-801
R-16r	6341	600	08/11/08	WG	Oxidation Reduction Potential	223	mV	CAMO-08-14516
R-16r	6341	600	05/19/08	WG	Oxidation Reduction Potential	153	mV	CAMO-08-12759
R-16r	6341	600	02/06/08	WG	Oxidation Reduction Potential	278	mV	CAMO-08-10465
R-16r	6341	600	02/13/09	WG	Specific Conductance	174	µS/cm	CAMO-09-2619
R-16r	6341	600	11/04/08	WG	Specific Conductance	161.2	µS/cm	CAMO-09-801
R-16r	6341	600	08/11/08	WG	Specific Conductance	169.9	µS/cm	CAMO-08-14516
R-16r	6341	600	05/19/08	WG	Specific Conductance	167.8	µS/cm	CAMO-08-12759
R-16r	6341	600	02/13/09	WG	Temperature	20.23	deg C	CAMO-09-2619
R-16r	6341	600	11/04/08	WG	Temperature	21.2	deg C	CAMO-09-801
R-16r	6341	600	08/11/08	WG	Temperature	20.8	deg C	CAMO-08-14516
R-16r	6341	600	05/19/08	WG	Temperature	21.1	deg C	CAMO-08-12759
R-16r	6341	600	02/06/08	WG	Temperature	20.6	deg C	CAMO-08-10465
R-16r	6341	600	02/13/09	WG	Turbidity	0.56	NTU	CAMO-09-2619
R-16r	6341	600	11/04/08	WG	Turbidity	0.8	NTU	CAMO-09-801
R-16r	6341	600	08/11/08	WG	Turbidity	0.35	NTU	CAMO-08-14516
R-16r	6341	600	05/19/08	WG	Turbidity	0.71	NTU	CAMO-08-12759
R-16r	6341	600	02/06/08	WG	Turbidity	0.47	NTU	CAMO-08-10465
R-16r	6341	600	02/13/09	WG	pH	7.84	SU	CAMO-09-2619
R-16r	6341	600	11/04/08	WG	pH	8.13	SU	CAMO-09-801

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-16r	6341	600	08/11/08	WG	pH	8.26	SU	CAMO-08-14516
R-16r	6341	600	05/19/08	WG	pH	7.5	SU	CAMO-08-12759
R-21	1761	888.8	02/18/09	WG	Dissolved Oxygen	6.31	mg/L	CAMO-09-2631
R-21	1761	888.8	11/07/08	WG	Dissolved Oxygen	6.47	mg/L	CAMO-09-814
R-21	1761	888.8	08/14/08	WG	Dissolved Oxygen	4.79	mg/L	CAMO-08-14524
R-21	1761	888.8	05/23/08	WG	Dissolved Oxygen	5.06	mg/L	CAMO-08-12778
R-21	1761	888.8	02/11/08	WG	Dissolved Oxygen	5.8	mg/L	CAMO-08-10446
R-21	1761	888.8	02/18/09	WG	Oxidation Reduction Potential	130.7	mV	CAMO-09-2631
R-21	1761	888.8	11/07/08	WG	Oxidation Reduction Potential	286	mV	CAMO-09-814
R-21	1761	888.8	08/14/08	WG	Oxidation Reduction Potential	280	mV	CAMO-08-14524
R-21	1761	888.8	05/23/08	WG	Oxidation Reduction Potential	150	mV	CAMO-08-12778
R-21	1761	888.8	02/11/08	WG	Oxidation Reduction Potential	247	mV	CAMO-08-10446
R-21	1761	888.8	02/18/09	WG	Specific Conductance	135.71	µS/cm	CAMO-09-2631
R-21	1761	888.8	11/07/08	WG	Specific Conductance	111.5	µS/cm	CAMO-09-814
R-21	1761	888.8	08/14/08	WG	Specific Conductance	124.8	µS/cm	CAMO-08-14524
R-21	1761	888.8	02/18/09	WG	Temperature	20.41	deg C	CAMO-09-2631
R-21	1761	888.8	11/07/08	WG	Temperature	21.2	deg C	CAMO-09-814
R-21	1761	888.8	08/14/08	WG	Temperature	20.6	deg C	CAMO-08-14524
R-21	1761	888.8	05/23/08	WG	Temperature	20.7	deg C	CAMO-08-12778
R-21	1761	888.8	02/11/08	WG	Temperature	21.7	deg C	CAMO-08-10446
R-21	1761	888.8	02/18/09	WG	Turbidity	0.82	NTU	CAMO-09-2631
R-21	1761	888.8	11/07/08	WG	Turbidity	0.24	NTU	CAMO-09-814
R-21	1761	888.8	08/14/08	WG	Turbidity	0.51	NTU	CAMO-08-14524
R-21	1761	888.8	05/23/08	WG	Turbidity	0.33	NTU	CAMO-08-12778
R-21	1761	888.8	02/11/08	WG	Turbidity	0.2	NTU	CAMO-08-10446
R-21	1761	888.8	02/18/09	WG	pH	7.7	SU	CAMO-09-2631
R-21	1761	888.8	11/07/08	WG	pH	8.06	SU	CAMO-09-814
R-21	1761	888.8	08/14/08	WG	pH	7.87	SU	CAMO-08-14524

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-28	1781	934.3	02/10/09	WG	Dissolved Oxygen	5.49	mg/L	CAMO-09-2625
R-28	1781	934.3	11/10/08	WG	Dissolved Oxygen	7.16	mg/L	CAMO-09-808
R-28	1781	934.3	08/15/08	WG	Dissolved Oxygen	6.24	mg/L	CAMO-08-14543
R-28	1781	934.3	05/14/08	WG	Dissolved Oxygen	6	mg/L	CAMO-08-12768
R-28	1781	934.3	02/15/08	WG	Dissolved Oxygen	6.4	mg/L	CAMO-08-10442
R-28	1781	934.3	02/10/09	WG	Specific Conductance	396	µS/cm	CAMO-09-2625
R-28	1781	934.3	11/10/08	WG	Specific Conductance	382	µS/cm	CAMO-09-808
R-28	1781	934.3	08/15/08	WG	Specific Conductance	363	µS/cm	CAMO-08-14543
R-28	1781	934.3	05/14/08	WG	Specific Conductance	356	µS/cm	CAMO-08-12768
R-28	1781	934.3	02/15/08	WG	Specific Conductance	352	µS/cm	CAMO-08-10442
R-28	1781	934.3	02/10/09	WG	Temperature	20.68	deg C	CAMO-09-2625
R-28	1781	934.3	11/10/08	WG	Temperature	19	deg C	CAMO-09-808
R-28	1781	934.3	08/15/08	WG	Temperature	21.4	deg C	CAMO-08-14543
R-28	1781	934.3	05/14/08	WG	Temperature	21.4	deg C	CAMO-08-12768
R-28	1781	934.3	02/15/08	WG	Temperature	21.2	deg C	CAMO-08-10442
R-28	1781	934.3	02/10/09	WG	Turbidity	0.65	NTU	CAMO-09-2625
R-28	1781	934.3	11/10/08	WG	Turbidity	0.55	NTU	CAMO-09-808
R-28	1781	934.3	08/15/08	WG	Turbidity	0.58	NTU	CAMO-08-14543
R-28	1781	934.3	05/14/08	WG	Turbidity	0.32	NTU	CAMO-08-12768
R-28	1781	934.3	02/15/08	WG	Turbidity	0.55	NTU	CAMO-08-10442
R-28	1781	934.3	02/10/09	WG	pH	7.79	SU	CAMO-09-2625
R-28	1781	934.3	11/10/08	WG	pH	7.83	SU	CAMO-09-808
R-28	1781	934.3	08/15/08	WG	pH	7.63	SU	CAMO-08-14543
R-28	1781	934.3	05/14/08	WG	pH	7.86	SU	CAMO-08-12768
R-28	1781	934.3	02/15/08	WG	pH	7.83	SU	CAMO-08-10442
R-33	5491	995.5	02/16/06	WG	Alkalinity-CO3+HCO3	74	mg/L	FU0602G33R101
R-33	5491	995.5	02/19/09	WG	Dissolved Oxygen	5.46	mg/L	CAMO-09-2865
R-33	5491	995.5	11/11/08	WG	Dissolved Oxygen	6.79	mg/L	CAMO-09-793

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-33	5491	995.5	08/14/08	WG	Dissolved Oxygen	3.9	mg/L	CAMO-08-14509
R-33	5491	995.5	11/08/07	WG	Dissolved Oxygen	4.28	mg/L	CASA-08-8078
R-33	5491	995.5	02/16/06	WG	Dissolved Oxygen	5.52	mg/L	FU0602G33R101
R-33	5491	995.5	02/19/09	WG	Oxidation Reduction Potential	165.3	mV	CAMO-09-2865
R-33	5491	995.5	11/11/08	WG	Oxidation Reduction Potential	7	mV	CAMO-09-793
R-33	5491	995.5	08/14/08	WG	Oxidation Reduction Potential	121	mV	CAMO-08-14509
R-33	5491	995.5	11/08/07	WG	Oxidation Reduction Potential	260	mV	CASA-08-8078
R-33	5491	995.5	02/16/06	WG	Oxidation Reduction Potential	305.7	mV	FU0602G33R101
R-33	5491	995.5	02/19/09	WG	Specific Conductance	141	µS/cm	CAMO-09-2865
R-33	5491	995.5	11/11/08	WG	Specific Conductance	148.5	µS/cm	CAMO-09-793
R-33	5491	995.5	08/14/08	WG	Specific Conductance	17.2	µS/cm	CAMO-08-14509
R-33	5491	995.5	11/08/07	WG	Specific Conductance	135.2	µS/cm	CASA-08-8078
R-33	5491	995.5	06/12/07	WG	Specific Conductance	133.4	µS/cm	FU07050G33R101
R-33	5491	995.5	02/19/09	WG	Temperature	19.12	deg C	CAMO-09-2865
R-33	5491	995.5	11/11/08	WG	Temperature	20.9	deg C	CAMO-09-793
R-33	5491	995.5	08/14/08	WG	Temperature	22.4	deg C	CAMO-08-14509
R-33	5491	995.5	11/08/07	WG	Temperature	15.5	deg C	CASA-08-8078
R-33	5491	995.5	06/12/07	WG	Temperature	16	deg C	FU07050G33R101
R-33	5491	995.5	02/19/09	WG	Turbidity	1.24	NTU	CAMO-09-2865
R-33	5491	995.5	11/11/08	WG	Turbidity	1.28	NTU	CAMO-09-793
R-33	5491	995.5	08/14/08	WG	Turbidity	2.24	NTU	CAMO-08-14509
R-33	5491	995.5	11/08/07	WG	Turbidity	0.46	NTU	CASA-08-8078
R-33	5491	995.5	06/12/07	WG	Turbidity	0.44	NTU	FU07050G33R101
R-33	5491	995.5	02/19/09	WG	pH	7.31	SU	CAMO-09-2865
R-33	5491	995.5	11/11/08	WG	pH	7.37	SU	CAMO-09-793
R-33	5491	995.5	08/14/08	WG	pH	7.62	SU	CAMO-08-14509
R-33	5491	995.5	11/08/07	WG	pH	7.76	SU	CASA-08-8078
R-33	5491	995.5	06/12/07	WG	pH	7.37	SU	FU07050G33R101

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-33	5501	1112.4	02/03/09	WG	Dissolved Oxygen	5.71	mg/L	CAMO-09-2868
R-33	5501	1112.4	11/11/08	WG	Dissolved Oxygen	6.49	mg/L	CAMO-09-796
R-33	5501	1112.4	08/14/08	WG	Dissolved Oxygen	6	mg/L	CAMO-08-14514
R-33	5501	1112.4	11/19/07	WG	Dissolved Oxygen	4.28	mg/L	CASA-08-8060
R-33	5501	1112.4	08/30/07	WG	Dissolved Oxygen	1.7	mg/L	FU07080G33R201
R-33	5501	1112.4	02/03/09	WG	Oxidation Reduction Potential	131.9	mV	CAMO-09-2868
R-33	5501	1112.4	11/11/08	WG	Oxidation Reduction Potential	-36	mV	CAMO-09-796
R-33	5501	1112.4	08/14/08	WG	Oxidation Reduction Potential	124	mV	CAMO-08-14514
R-33	5501	1112.4	11/19/07	WG	Oxidation Reduction Potential	260	mV	CASA-08-8060
R-33	5501	1112.4	02/14/06	WG	Oxidation Reduction Potential	256.5	mV	FU0602G33R201
R-33	5501	1112.4	02/03/09	WG	Specific Conductance	128	µS/cm	CAMO-09-2868
R-33	5501	1112.4	11/11/08	WG	Specific Conductance	143.4	µS/cm	CAMO-09-796
R-33	5501	1112.4	08/14/08	WG	Specific Conductance	16.43	µS/cm	CAMO-08-14514
R-33	5501	1112.4	11/19/07	WG	Specific Conductance	135.2	µS/cm	CASA-08-8060
R-33	5501	1112.4	08/30/07	WG	Specific Conductance	136.7	µS/cm	FU07080G33R201
R-33	5501	1112.4	02/03/09	WG	Temperature	21.31	deg C	CAMO-09-2868
R-33	5501	1112.4	11/11/08	WG	Temperature	20.7	deg C	CAMO-09-796
R-33	5501	1112.4	08/14/08	WG	Temperature	21.9	deg C	CAMO-08-14514
R-33	5501	1112.4	11/19/07	WG	Temperature	15.5	deg C	CASA-08-8060
R-33	5501	1112.4	08/30/07	WG	Temperature	20.5	deg C	FU07080G33R201
R-33	5501	1112.4	02/03/09	WG	Turbidity	0.43	NTU	CAMO-09-2868
R-33	5501	1112.4	11/11/08	WG	Turbidity	0.37	NTU	CAMO-09-796
R-33	5501	1112.4	08/14/08	WG	Turbidity	0.74	NTU	CAMO-08-14514
R-33	5501	1112.4	11/19/07	WG	Turbidity	0.46	NTU	CASA-08-8060
R-33	5501	1112.4	08/30/07	WG	Turbidity	2.88	NTU	FU07080G33R201
R-33	5501	1112.4	02/03/09	WG	pH	7.67	SU	CAMO-09-2868
R-33	5501	1112.4	11/11/08	WG	pH	7.5	SU	CAMO-09-796
R-33	5501	1112.4	08/14/08	WG	pH	7.73	SU	CAMO-08-14514

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-33	5501	1112.4	11/19/07	WG	pH	7.76	SU	CASA-08-8060
R-33	5501	1112.4	08/30/07	WG	pH	7.81	SU	FU07080G33R201
R-34	1791	883.7	02/12/09	WG	Dissolved Oxygen	4.72	mg/L	CAMO-09-2636
R-34	1791	883.7	11/04/08	WG	Dissolved Oxygen	3.94	mg/L	CAMO-09-818
R-34	1791	883.7	08/15/08	WG	Dissolved Oxygen	4.16	mg/L	CAMO-08-14546
R-34	1791	883.7	05/28/08	WG	Dissolved Oxygen	4.5	mg/L	CAMO-08-12779
R-34	1791	883.7	02/19/08	WG	Dissolved Oxygen	5.33	mg/L	CAMO-08-10451
R-34	1791	883.7	02/12/09	WG	Oxidation Reduction Potential	497.6	mV	CAMO-09-2636
R-34	1791	883.7	11/04/08	WG	Oxidation Reduction Potential	257	mV	CAMO-09-818
R-34	1791	883.7	08/15/08	WG	Oxidation Reduction Potential	279	mV	CAMO-08-14546
R-34	1791	883.7	05/28/08	WG	Oxidation Reduction Potential	144	mV	CAMO-08-12779
R-34	1791	883.7	02/19/08	WG	Oxidation Reduction Potential	263	mV	CAMO-08-10451
R-34	1791	883.7	02/12/09	WG	Specific Conductance	154	µS/cm	CAMO-09-2636
R-34	1791	883.7	11/04/08	WG	Specific Conductance	139.3	µS/cm	CAMO-09-818
R-34	1791	883.7	08/15/08	WG	Specific Conductance	134.9	µS/cm	CAMO-08-14546
R-34	1791	883.7	05/28/08	WG	Specific Conductance	154.3	µS/cm	CAMO-08-12779
R-34	1791	883.7	02/19/08	WG	Specific Conductance	141.8	µS/cm	CAMO-08-10451
R-34	1791	883.7	02/12/09	WG	Temperature	20.64	deg C	CAMO-09-2636
R-34	1791	883.7	11/04/08	WG	Temperature	21.2	deg C	CAMO-09-818
R-34	1791	883.7	08/15/08	WG	Temperature	22.3	deg C	CAMO-08-14546
R-34	1791	883.7	05/28/08	WG	Temperature	22.5	deg C	CAMO-08-12779
R-34	1791	883.7	02/19/08	WG	Temperature	21.8	deg C	CAMO-08-10451
R-34	1791	883.7	02/12/09	WG	Turbidity	1.6	NTU	CAMO-09-2636
R-34	1791	883.7	11/04/08	WG	Turbidity	4.9	NTU	CAMO-09-818
R-34	1791	883.7	08/15/08	WG	Turbidity	4.25	NTU	CAMO-08-14546
R-34	1791	883.7	05/28/08	WG	Turbidity	2.43	NTU	CAMO-08-12779
R-34	1791	883.7	02/19/08	WG	Turbidity	2.18	NTU	CAMO-08-10451
R-34	1791	883.7	02/12/09	WG	pH	8.28	SU	CAMO-09-2636

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-34	1791	883.7	11/04/08	WG	pH	8.32	SU	CAMO-09-818
R-34	1791	883.7	08/15/08	WG	pH	8.36	SU	CAMO-08-14546
R-34	1791	883.7	05/28/08	WG	pH	8.44	SU	CAMO-08-12779
R-34	1791	883.7	02/19/08	WG	pH	8.41	SU	CAMO-08-10451
R-42	8591	931.8	02/20/09	WG	Dissolved Oxygen	4.78	mg/L	CAMO-09-2870
R-42	8591	931.8	11/20/08	WG	Dissolved Oxygen	6.27	mg/L	CAMO-09-828
R-42	8591	931.8	10/09/08	WG	Dissolved Oxygen	4.02	mg/L	CAMO-08-16440
R-42	8591	931.8	02/20/09	WG	Oxidation Reduction Potential	350.8	mV	CAMO-09-2870
R-42	8591	931.8	11/20/08	WG	Oxidation Reduction Potential	462	mV	CAMO-09-828
R-42	8591	931.8	10/09/08	WG	Oxidation Reduction Potential	332	mV	CAMO-08-16440
R-42	8591	931.8	02/20/09	WG	Specific Conductance	393	µS/cm	CAMO-09-2870
R-42	8591	931.8	11/20/08	WG	Specific Conductance	435	µS/cm	CAMO-09-828
R-42	8591	931.8	10/09/08	WG	Specific Conductance	413	µS/cm	CAMO-08-16440
R-42	8591	931.8	02/20/09	WG	Temperature	19.58	deg C	CAMO-09-2870
R-42	8591	931.8	11/20/08	WG	Temperature	19.4	deg C	CAMO-09-828
R-42	8591	931.8	10/09/08	WG	Temperature	22.7	deg C	CAMO-08-16440
R-42	8591	931.8	02/20/09	WG	Turbidity	1.67	NTU	CAMO-09-2870
R-42	8591	931.8	11/20/08	WG	Turbidity	3.02	NTU	CAMO-09-828
R-42	8591	931.8	10/09/08	WG	Turbidity	1.4	NTU	CAMO-08-16440
R-42	8591	931.8	02/20/09	WG	pH	7.6	SU	CAMO-09-2870
R-42	8591	931.8	11/20/08	WG	pH	7.92	SU	CAMO-09-828
R-42	8591	931.8	10/09/08	WG	pH	7.77	SU	CAMO-08-16440
R-44	8671	895	02/17/09	WG	Dissolved Oxygen	10.52	mg/L	CAMO-09-4437
R-44	8671	895	02/17/09	WG	Oxidation Reduction Potential	475.2	mV	CAMO-09-4437
R-44	8671	895	02/17/09	WG	Specific Conductance	135	µS/cm	CAMO-09-4437
R-44	8671	895	02/17/09	WG	Temperature	19.62	deg C	CAMO-09-4437
R-44	8671	895	02/17/09	WG	Turbidity	0.8	NTU	CAMO-09-4437
R-44	8671	895	02/17/09	WG	pH	7.5	SU	CAMO-09-4437

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-44	8681	985.3	02/22/09	WG	Dissolved Oxygen	9.54	mg/L	CAMO-09-4441
R-44	8681	985.3	02/22/09	WG	Oxidation Reduction Potential	85.7	mV	CAMO-09-4441
R-44	8681	985.3	02/22/09	WG	Specific Conductance	135	µS/cm	CAMO-09-4441
R-44	8681	985.3	02/22/09	WG	Temperature	18.58	deg C	CAMO-09-4441
R-44	8681	985.3	02/22/09	WG	Turbidity	0.59	NTU	CAMO-09-4441
R-44	8681	985.3	02/22/09	WG	pH	7.81	SU	CAMO-09-4441

— = Not applicable.
µS/cm = Microsiemens per centimeter.
mV = Millivolt.
NTU = Nephelometric turbidity unit.
SU = Standard unit.
WG = Groundwater.
WS = Surface water.
WP = Persistent water.

Appendix C

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/18/2009	6784.01	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/18/2009	6784.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/17/2009	6784.08	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/16/2009	6783.9	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/15/2009	6783.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/14/2009	6784	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/13/2009	6783.9	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/12/2009	6783.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/11/2009	6784.29	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/11/2009	6784.45	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/10/2009	6784.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/9/2009	6784.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/8/2009	6784.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/7/2009	6784.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/6/2009	6784.53	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/5/2009	6784.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/4/2009	6784.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/3/2009	6784.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/2/2009	6784.62	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/1/2009	6784.89	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/31/2009	6784.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/30/2009	6784.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/29/2009	6785	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/28/2009	6785.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/27/2009	6785.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/26/2009	6785.49	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/25/2009	6785.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/24/2009	6785.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/23/2009	6785.42	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/22/2009	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/21/2009	6785.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/20/2009	6785.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/19/2009	6785.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/18/2009	6785.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/17/2009	6785.44	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/16/2009	6785.39	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/15/2009	6785.48	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/14/2009	6785.58	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/13/2009	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/12/2009	6785.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/11/2009	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/10/2009	6785.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/9/2009	6785.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/8/2009	6785.66	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/7/2009	6785.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/6/2009	6786.04	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/5/2009	6785.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/4/2009	6785.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/3/2009	6785.92	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/2/2009	6785.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/1/2009	6785.58	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/31/2008	6785.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/30/2008	6785.32	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/29/2008	6785.17	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/28/2008	6785.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/27/2008	6785.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/26/2008	6785.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/25/2008	6785.27	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/24/2008	6785.39	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/23/2008	6785.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/22/2008	6785.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/21/2008	6785.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/20/2008	6785.12	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/19/2008	6784.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/18/2008	6785.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/17/2008	6785	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/16/2008	6784.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/15/2008	6784.89	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/14/2008	6785.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/13/2008	6784.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/12/2008	6784.59	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/11/2008	6784.45	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/10/2008	6784.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/9/2008	6784.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/8/2008	6784.62	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/7/2008	6784.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/6/2008	6784.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/5/2008	6784.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/4/2008	6784.24	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/3/2008	6784.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/2/2008	6784.13	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/1/2008	6784.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/30/2008	6784.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/29/2008	6784.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/28/2008	6784.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/27/2008	6784.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/26/2008	6783.9	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/25/2008	6783.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/24/2008	6783.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/23/2008	6783.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/22/2008	6783.66	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/21/2008	6783.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/20/2008	6783.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/19/2008	6783.38	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/18/2008	6783.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/17/2008	6783.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/16/2008	6783.12	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/15/2008	6782.93	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/14/2008	6782.97	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/13/2008	6783.46	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/13/2008	6783.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/12/2008	6783.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/11/2008	6783.42	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/10/2008	6783.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/9/2008	6783.38	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/8/2008	6783.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/7/2008	6783.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/6/2008	6783.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/5/2008	6783.51	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/4/2008	6783.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/3/2008	6783.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/2/2008	6783.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/1/2008	6782.88	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/31/2008	6782.88	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/30/2008	6782.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/29/2008	6782.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/28/2008	6782.72	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/27/2008	6782.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/26/2008	6782.93	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/25/2008	6782.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/24/2008	6782.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/23/2008	6782.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/22/2008	6783.04	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/21/2008	6782.89	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/20/2008	6782.83	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/19/2008	6782.83	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/18/2008	6782.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/17/2008	6782.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/16/2008	6782.66	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/15/2008	6782.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/14/2008	6782.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/13/2008	6782.92	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/12/2008	6783.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/11/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/10/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/9/2008	6782.9	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/8/2008	6782.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/7/2008	6782.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/6/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/5/2008	6783.04	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/4/2008	6782.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/3/2008	6782.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/2/2008	6782.79	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/1/2008	6782.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/30/2008	6782.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/29/2008	6782.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/28/2008	6782.72	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/27/2008	6782.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/26/2008	6782.75	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/25/2008	6782.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/24/2008	6782.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/23/2008	6782.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/22/2008	6782.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/21/2008	6782.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/20/2008	6782.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/19/2008	6782.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/18/2008	6782.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/17/2008	6782.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/16/2008	6782.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/15/2008	6782.74	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/14/2008	6782.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/13/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/12/2008	6783.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/11/2008	6783.03	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/10/2008	6783.01	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/9/2008	6782.93	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/8/2008	6782.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/7/2008	6783.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/6/2008	6783.07	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/5/2008	6783.12	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/4/2008	6783.07	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/3/2008	6782.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/2/2008	6783.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/1/2008	6783.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/31/2008	6783.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/30/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/29/2008	6783.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/28/2008	6783.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/27/2008	6783.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/26/2008	6783.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/25/2008	6783.1	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/24/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/23/2008	6783.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/22/2008	6783.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/21/2008	6783.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/20/2008	6783.04	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/19/2008	6783	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/19/2008	6782.61	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/18/2008	6783.47	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/18/2008	6783.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/17/2008	6783.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/16/2008	6783.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/15/2008	6783.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/14/2008	6783.72	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/13/2008	6783.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/12/2008	6783.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/11/2008	6783.89	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/10/2008	6783.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/9/2008	6783.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/8/2008	6783.97	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/7/2008	6784.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/6/2008	6784.03	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/5/2008	6784.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/4/2008	6784.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/3/2008	6784.38	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/2/2008	6784.42	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/1/2008	6784.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/31/2008	6784.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/30/2008	6784.79	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/29/2008	6784.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/28/2008	6785.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/27/2008	6785.13	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/26/2008	6785.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/25/2008	6785.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/24/2008	6785.35	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/24/2008	6785.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/23/2008	6785.47	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/22/2008	6785.59	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/21/2008	6785.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/20/2008	6785.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/19/2008	6785.9	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/18/2008	6785.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/17/2008	6786	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/16/2008	6786.07	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/15/2008	6786.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/14/2008	6786.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/13/2008	6786.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/12/2008	6786.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/11/2008	6786.32	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/10/2008	6786.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/9/2008	6786.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/8/2008	6786.39	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/7/2008	6786.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/6/2008	6786.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/5/2008	6786.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/4/2008	6786.44	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/3/2008	6786.51	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/2/2008	6786.5	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/1/2008	6786.48	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/30/2008	6786.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/29/2008	6786.47	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/28/2008	6786.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/27/2008	6786.58	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/26/2008	6786.59	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/25/2008	6786.59	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/25/2008	6786.62	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/24/2008	6786.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/23/2008	6786.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/22/2008	6786.61	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/21/2008	6786.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/20/2008	6786.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/19/2008	6786.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/18/2008	6786.66	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/17/2008	6786.62	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/16/2008	6786.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/15/2008	6786.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/14/2008	6786.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/13/2008	6786.58	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/12/2008	6786.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/11/2008	6786.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/10/2008	6786.62	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/9/2008	6786.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/8/2008	6786.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/7/2008	6786.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/6/2008	6786.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/5/2008	6786.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/4/2008	6786.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/3/2008	6786.55	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/2/2008	6786.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/1/2008	6786.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/31/2008	6786.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/30/2008	6786.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/29/2008	6786.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/28/2008	6786.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/27/2008	6786.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/26/2008	6786.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/25/2008	6786.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/24/2008	6786.13	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/23/2008	6785.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/22/2008	6786.49	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/22/2008	6786.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/21/2008	6786.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/20/2008	6785.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/19/2008	6785.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/18/2008	6785.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/17/2008	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/16/2008	6785.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/15/2008	6785.41	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/14/2008	6785.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/13/2008	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/12/2008	6785.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/11/2008	6784.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/10/2008	6784.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/9/2008	6784.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/8/2008	6784.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/7/2008	6784.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/6/2008	6784.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/5/2008	6784.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/4/2008	6784.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/3/2008	6784.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/2/2008	6784.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/1/2008	6784.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/30/2008	6784.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/29/2008	6783.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/28/2008	6783.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/27/2008	6783.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/26/2008	6783.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/25/2008	6783.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/24/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/23/2008	6782.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/22/2008	6782.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/21/2008	6782.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/20/2008	6782.61	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/19/2008	6782.32	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/18/2008	6782.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/17/2008	6782.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/16/2008	6781.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/15/2008	6781.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/14/2008	6781.27	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/13/2008	6781.11	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/12/2008	6781.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/11/2008	6781.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/10/2008	6781.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/9/2008	6781.1	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/8/2008	6780.88	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/7/2008	6780.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/6/2008	6780.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/5/2008	6780.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/4/2008	6780.38	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/3/2008	6780.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/2/2008	6780.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/1/2008	6780.12	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/31/2008	6780.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/30/2008	6780.11	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/29/2008	6779.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/28/2008	6779.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/27/2008	6779.94	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/27/2008	6779.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/26/2008	6779.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/25/2008	6779.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/24/2008	6779.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/23/2008	6779.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/22/2008	6779.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/21/2008	6779.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/20/2008	6779.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/19/2008	6779.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/18/2008	6779.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/17/2008	6779.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/16/2008	6779.37	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/15/2008	6779.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/14/2008	6779.24	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/13/2008	6779.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/12/2008	6778.85	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/11/2008	6778.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/10/2008	6778.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/9/2008	6778.92	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/8/2008	6778.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/7/2008	6778.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/6/2008	6778.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/5/2008	6778.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/4/2008	6778.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/3/2008	6778.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/2/2008	6778.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/1/2008	6778.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/29/2008	6778.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/28/2008	6778.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/27/2008	6777.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/26/2008	6778.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/25/2008	6778.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/24/2008	6777.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/23/2008	6778.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/22/2008	6778.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/21/2008	6778.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/20/2008	6777.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/19/2008	6777.93	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/18/2008	6778.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/17/2008	6778.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/16/2008	6777.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/15/2008	6777.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/14/2008	6778.03	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/13/2008	6777.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/12/2008	6776.5	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/11/2008	6777.4	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/11/2008	6777.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/10/2008	6777.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/9/2008	6777.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/8/2008	6777.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/7/2008	6777.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/6/2008	6777.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/5/2008	6778.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/4/2008	6778.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/3/2008	6777.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/2/2008	6777.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/1/2008	6777.69	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/18/2009	6738.59	Manual
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/18/2009	6738.54	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/17/2009	6738.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/16/2009	6738.47	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/15/2009	6738.43	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/14/2009	6738.45	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/13/2009	6738.41	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/12/2009	6738.36	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/11/2009	6738.52	Manual
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/11/2009	6738.36	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/10/2009	6738.41	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/9/2009	6738.37	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/8/2009	6738.31	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/7/2009	6738.26	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/6/2009	6738.23	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/5/2009	6738.18	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/4/2009	6738.15	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/3/2009	6738.14	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/2/2009	6738.11	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	2/1/2009	6738.15	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/31/2009	6738.06	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/30/2009	6738.03	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/29/2009	6738.03	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/28/2009	6737.98	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/27/2009	6737.99	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/26/2009	6737.96	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/25/2009	6737.91	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/24/2009	6737.85	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/23/2009	6737.84	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/22/2009	6737.79	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/21/2009	6737.74	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/20/2009	6737.7	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/19/2009	6737.68	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/18/2009	6737.64	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/17/2009	6737.64	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/16/2009	6737.62	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/15/2009	6737.58	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/14/2009	6737.56	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/13/2009	6737.5	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/12/2009	6737.49	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/11/2009	6737.44	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/10/2009	6737.42	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/9/2009	6737.44	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/8/2009	6737.39	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/7/2009	6737.37	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/6/2009	6737.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/5/2009	6737.28	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/4/2009	6737.26	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/3/2009	6737.24	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/2/2009	6737.18	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	1/1/2009	6737.14	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/31/2008	6737.09	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/30/2008	6737.06	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/29/2008	6737	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/28/2008	6737.01	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/27/2008	6737.05	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/26/2008	6737.02	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/25/2008	6736.95	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/24/2008	6736.94	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/23/2008	6736.92	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/22/2008	6736.85	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/21/2008	6736.83	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/20/2008	6736.82	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/19/2008	6736.78	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/18/2008	6736.78	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/17/2008	6736.77	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/16/2008	6736.75	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/15/2008	6736.72	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/14/2008	6736.74	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/13/2008	6736.68	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/12/2008	6736.63	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/11/2008	6736.6	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/10/2008	6736.6	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/9/2008	6736.66	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/8/2008	6736.6	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/7/2008	6736.55	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/6/2008	6736.55	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/5/2008	6736.54	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/4/2008	6736.55	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/3/2008	6736.58	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/2/2008	6736.55	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	12/1/2008	6736.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/30/2008	6736.58	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/29/2008	6736.58	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/28/2008	6736.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/27/2008	6736.55	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/26/2008	6736.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/25/2008	6736.52	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/24/2008	6736.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/23/2008	6736.56	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/22/2008	6736.55	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/21/2008	6736.54	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/20/2008	6736.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/19/2008	6736.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/18/2008	6736.58	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/17/2008	6736.61	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/16/2008	6736.64	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/15/2008	6736.68	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/14/2008	6736.75	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/13/2008	6736.74	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/12/2008	6736.76	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/12/2008	6736.8	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/11/2008	6736.85	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/10/2008	6736.91	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/9/2008	6736.89	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/8/2008	6736.9	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/7/2008	6736.94	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/6/2008	6737.01	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/5/2008	6737.07	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/4/2008	6737.05	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/3/2008	6737.07	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/2/2008	6737.07	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	11/1/2008	6737.08	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/31/2008	6737.13	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/30/2008	6737.19	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/29/2008	6737.21	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/28/2008	6737.23	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/27/2008	6737.26	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/26/2008	6737.37	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/25/2008	6737.4	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/24/2008	6737.43	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/23/2008	6737.44	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/22/2008	6737.48	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/21/2008	6737.47	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/20/2008	6737.47	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/19/2008	6737.51	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/18/2008	6737.49	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/17/2008	6737.51	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/16/2008	6737.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/15/2008	6737.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/14/2008	6737.58	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/13/2008	6737.61	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/12/2008	6737.68	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/11/2008	6737.65	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/10/2008	6737.66	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/9/2008	6737.65	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/8/2008	6737.63	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/7/2008	6737.61	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/6/2008	6737.68	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/5/2008	6737.67	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/4/2008	6737.65	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/3/2008	6737.65	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/2/2008	6737.6	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	10/1/2008	6737.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/30/2008	6737.54	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/29/2008	6737.54	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/28/2008	6737.52	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/27/2008	6737.52	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/26/2008	6737.49	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/25/2008	6737.44	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/24/2008	6737.43	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/23/2008	6737.42	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/22/2008	6737.4	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/21/2008	6737.36	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/20/2008	6737.32	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/19/2008	6737.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/18/2008	6737.24	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/17/2008	6737.18	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/16/2008	6737.13	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/15/2008	6737.08	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/14/2008	6737.05	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/13/2008	6737.01	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/12/2008	6736.95	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/11/2008	6736.89	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/10/2008	6736.83	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/9/2008	6736.77	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/8/2008	6736.73	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/7/2008	6736.69	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/6/2008	6736.66	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/5/2008	6736.62	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/4/2008	6736.59	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/3/2008	6736.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/2/2008	6736.5	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	9/1/2008	6736.47	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/31/2008	6736.42	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/30/2008	6736.35	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/29/2008	6736.29	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/28/2008	6736.24	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/27/2008	6736.17	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/26/2008	6736.11	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/25/2008	6736.02	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/24/2008	6735.95	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/23/2008	6735.88	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/22/2008	6735.81	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/21/2008	6735.72	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/20/2008	6735.63	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/19/2008	6735.59	Manual
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/19/2008	6735.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/18/2008	6735.42	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/17/2008	6735.25	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/16/2008	6734.95	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/15/2008	6733.75	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	8/14/2008	6732.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/3/2008	7065.51	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/2/2008	7065.53	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/1/2008	7065.54	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/30/2008	7065.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/29/2008	7065.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/28/2008	7065.65	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/27/2008	7065.68	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/26/2008	7065.73	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/25/2008	7065.77	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/24/2008	7065.8	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/23/2008	7065.87	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/22/2008	7065.92	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/21/2008	7065.94	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/20/2008	7066.03	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/19/2008	7066.09	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/18/2008	7066.14	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/17/2008	7066.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/16/2008	7066.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/15/2008	7066.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/14/2008	7066.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/13/2008	7066.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/12/2008	7066.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/11/2008	7066.61	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/10/2008	7066.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/9/2008	7066.75	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/8/2008	7066.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/7/2008	7066.84	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/6/2008	7066.84	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/6/2008	7066.85	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/5/2008	7066.9	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/4/2008	7066.94	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/3/2008	7066.95	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/2/2008	7067.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/1/2008	7067.06	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/31/2008	7067.11	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/30/2008	7067.16	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/29/2008	7067.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/28/2008	7067.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/27/2008	7067.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/26/2008	7067.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/25/2008	7067.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/24/2008	7067.37	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/23/2008	7067.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/22/2008	7067.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/21/2008	7067.37	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/20/2008	7067.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/19/2008	7067.3	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/18/2008	7067.18	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/17/2008	7067	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/16/2008	7066.64	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/15/2008	7066.31	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/14/2008	7066.12	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/13/2008	7066.11	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/12/2008	7066.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/11/2008	7065.56	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/10/2008	7065.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/9/2008	7065.68	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/8/2008	7065.73	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/7/2008	7065.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/6/2008	7065.83	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/5/2008	7065.88	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/4/2008	7065.93	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/3/2008	7066.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/2/2008	7066.1	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/1/2008	7066.14	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/30/2008	7066.22	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/29/2008	7066.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/28/2008	7066.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/27/2008	7066.55	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/26/2008	7066.61	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/25/2008	7066.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/24/2008	7066.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/23/2008	7066.88	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/22/2008	7066.94	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/21/2008	7067.08	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/20/2008	7067.16	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/19/2008	7067.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/18/2008	7067.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/17/2008	7067.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/16/2008	7067.52	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/15/2008	7067.64	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/14/2008	7067.73	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/13/2008	7067.83	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/12/2008	7067.89	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/11/2008	7067.95	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/10/2008	7068	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/9/2008	7068.05	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/8/2008	7068.09	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/7/2008	7068.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/6/2008	7068.18	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/5/2008	7068.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/4/2008	7068.31	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/3/2008	7068.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/2/2008	7068.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/1/2008	7068.8	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/31/2008	7068.07	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/30/2008	7068.13	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/29/2008	7068.18	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/28/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/27/2008	7068.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/26/2008	7067.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/25/2008	7067.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/24/2008	7067.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/23/2008	7067.51	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/22/2008	7067.59	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/21/2008	7067.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/20/2008	7067.73	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/19/2008	7067.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/18/2008	7067.87	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/18/2008	7067.91	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/17/2008	7068.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/16/2008	7067.95	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/15/2008	7068.06	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/14/2008	7068.14	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/13/2008	7068.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/12/2008	7068.37	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/12/2008	7068.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/11/2008	7068.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/10/2008	7066.64	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/4/2008	7065.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/3/2008	7065.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/2/2008	7065.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/1/2008	7065.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/31/2008	7065.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/30/2008	7065.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/29/2008	7065.45	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/28/2008	7065.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/27/2008	7065.41	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/26/2008	7065.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/25/2008	7065.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/24/2008	7065.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/23/2008	7065.52	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/22/2008	7065.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/21/2008	7065.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/20/2008	7065.56	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/20/2008	7065.62	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/19/2008	7065.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/18/2008	7065.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/17/2008	7065.69	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/16/2008	7065.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/15/2008	7065.75	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/14/2008	7065.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/13/2008	7065.84	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/12/2008	7065.9	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/11/2008	7065.92	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/10/2008	7066	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/9/2008	7066.06	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/8/2008	7066.12	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/7/2008	7066.16	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/6/2008	7066.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/5/2008	7066.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/4/2008	7066.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/3/2008	7066.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/2/2008	7066.53	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/1/2008	7066.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/30/2008	7066.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/29/2008	7066.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/28/2008	7066.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/27/2008	7066.84	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/26/2008	7066.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/25/2008	7066.95	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/24/2008	7067.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/23/2008	7067.04	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/22/2008	7067.11	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/21/2008	7067.13	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/20/2008	7067.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/19/2008	7067.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/18/2008	7067.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/17/2008	7067.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/16/2008	7067.45	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/15/2008	7067.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/14/2008	7067.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/13/2008	7067.65	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/12/2008	7067.66	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/11/2008	7067.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/10/2008	7067.81	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/9/2008	7067.82	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/8/2008	7067.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/7/2008	7067.93	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/6/2008	7067.98	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/5/2008	7068.04	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/4/2008	7068.09	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/3/2008	7068.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/2/2008	7068.18	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/1/2008	7068.19	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/31/2008	7068.22	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/30/2008	7068.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/29/2008	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/28/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/27/2008	7068.3	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/27/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/26/2008	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/25/2008	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/24/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/23/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/22/2008	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/21/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/20/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/19/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/18/2008	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/17/2008	7068.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/16/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/15/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/14/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/13/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/12/2008	7068.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/11/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/10/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/9/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/8/2008	7068.3	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/7/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/6/2008	7068.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/5/2008	7068.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/4/2008	7068.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/3/2008	7068.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/2/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/1/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/29/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/28/2008	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/27/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/26/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/25/2008	7068.56	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/24/2008	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/23/2008	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/22/2008	7068.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/21/2008	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/20/2008	7068.31	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/19/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/18/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/17/2008	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/16/2008	7068.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/15/2008	7068.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/14/2008	7068.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/13/2008	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/12/2008	7068.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/11/2008	7067.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/10/2008	7067.59	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/9/2008	7067.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/8/2008	7067.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/7/2008	7067.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/6/2008	7067.83	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/6/2008	7067.88	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/5/2008	7068.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/4/2008	7068.13	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/3/2008	7068.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/2/2008	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/1/2008	7068.26	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/15/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/11/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/4/2008	7048.12	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/2/2008	7048.17	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/1/2008	7048.37	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/31/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/28/2008	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/26/2008	7048.16	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/25/2008	7048.18	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/24/2008	7048.12	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/23/2008	7048.33	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/18/2008	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/17/2008	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/16/2008	7048.18	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/13/2008	7048.11	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/11/2008	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/10/2008	7049.24	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/9/2008	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/8/2008	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/6/2008	7048.12	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/4/2008	7048.21	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/29/2008	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/28/2008	7048.18	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/16/2008	7048.15	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/15/2008	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	4/1/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/26/2008	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/25/2008	7048.76	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/24/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/14/2008	7048.21	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/13/2008	7048.47	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/12/2008	7048.5	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/11/2008	7048.12	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/8/2008	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/7/2008	7048.29	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/6/2008	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/5/2008	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/4/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/3/2008	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/2/2008	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/1/2008	7048.36	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/19/2009	7187.69	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/19/2009	7187.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/18/2009	7187.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/17/2009	7187.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/16/2009	7187.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/15/2009	7187.71	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/14/2009	7187.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/13/2009	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/12/2009	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/11/2009	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/10/2009	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/9/2009	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/8/2009	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/7/2009	7187.8	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/6/2009	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/5/2009	7187.68	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/5/2009	7187.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/4/2009	7187.69	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/3/2009	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/2/2009	7187.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/1/2009	7187.73	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/31/2009	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/30/2009	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/29/2009	7187.85	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/28/2009	7187.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/27/2009	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/26/2009	7188.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/25/2009	7187.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/24/2009	7187.82	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/23/2009	7187.69	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/22/2009	7187.65	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/21/2009	7187.6	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/20/2009	7187.5	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/19/2009	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/18/2009	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/17/2009	7187.36	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/16/2009	7187.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/15/2009	7187.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/14/2009	7187.33	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/13/2009	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/12/2009	7187.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/11/2009	7187.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/10/2009	7187.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/9/2009	7187.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/8/2009	7187.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/7/2009	7187.32	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/6/2009	7187.39	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/5/2009	7187.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/4/2009	7187.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/3/2009	7187.31	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/2/2009	7187.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/1/2009	7187.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/31/2008	7187.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/30/2008	7187.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/29/2008	7187.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/28/2008	7187.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/27/2008	7187.33	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/26/2008	7187.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/25/2008	7187.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/24/2008	7187.34	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/23/2008	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/22/2008	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/21/2008	7187.39	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/20/2008	7187.45	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/19/2008	7187.42	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/18/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/17/2008	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/16/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/15/2008	7187.44	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/14/2008	7187.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/13/2008	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/12/2008	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/11/2008	7187.44	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/10/2008	7187.45	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/9/2008	7187.5	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/8/2008	7187.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/7/2008	7187.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/6/2008	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/5/2008	7187.57	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/4/2008	7187.61	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/3/2008	7187.65	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/2/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/1/2008	7187.71	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/30/2008	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/29/2008	7187.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/28/2008	7188.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/27/2008	7187.25	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/26/2008	7187.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/25/2008	7187.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/24/2008	7187.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/23/2008	7187.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/22/2008	7187.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/21/2008	7187.37	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/20/2008	7187.39	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/19/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/18/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/17/2008	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/16/2008	7187.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/15/2008	7187.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/14/2008	7187.49	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/13/2008	7187.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/12/2008	7187.52	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/11/2008	7187.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/10/2008	7187.57	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/9/2008	7187.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/8/2008	7187.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/7/2008	7187.57	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/6/2008	7187.6	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/5/2008	7187.45	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/5/2008	7187.49	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/4/2008	7187.5	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/3/2008	7187.52	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/2/2008	7187.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/1/2008	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/31/2008	7187.55	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/30/2008	7187.58	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/29/2008	7187.6	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/28/2008	7187.61	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/27/2008	7187.6	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/26/2008	7187.63	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/25/2008	7187.63	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/24/2008	7187.64	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/23/2008	7187.65	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/22/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/21/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/20/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/19/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/18/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/17/2008	7187.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/16/2008	7187.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/15/2008	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/14/2008	7187.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/13/2008	7187.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/12/2008	7188.11	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/11/2008	7185.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/10/2008	7186.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/9/2008	7186.11	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/8/2008	7186.17	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/7/2008	7186.23	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/6/2008	7186.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/5/2008	7186.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/4/2008	7186.31	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/3/2008	7186.4	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/2/2008	7186.47	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/1/2008	7186.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/30/2008	7186.61	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/29/2008	7186.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/28/2008	7186.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/27/2008	7186.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/26/2008	7186.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/25/2008	7186.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/24/2008	7187.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/23/2008	7187.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/22/2008	7187.11	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/21/2008	7187.17	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/20/2008	7187.21	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/19/2008	7187.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/18/2008	7187.31	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/17/2008	7187.37	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/16/2008	7187.42	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/15/2008	7187.47	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/14/2008	7187.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/13/2008	7187.61	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/12/2008	7187.64	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/11/2008	7187.71	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/10/2008	7187.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/9/2008	7187.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/8/2008	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/7/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/6/2008	7187.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/5/2008	7188.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/4/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/3/2008	7188.09	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/2/2008	7188.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/1/2008	7188.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/31/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/30/2008	7187.94	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/29/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/28/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/27/2008	7188.08	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/26/2008	7188.18	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/25/2008	7188.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/24/2008	7188.14	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/23/2008	7187.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/22/2008	7187.8	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/21/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/20/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/19/2008	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/18/2008	7187.99	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/18/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/17/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/16/2008	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/15/2008	7187.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/14/2008	7187.94	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/13/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/12/2008	7188.14	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/12/2008	7188.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/11/2008	7188.36	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/10/2008	7188.16	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/9/2008	7187.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/8/2008	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/7/2008	7187.55	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/6/2008	7187.75	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/5/2008	7188.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/4/2008	7184.45	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/30/2008	7184.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/29/2008	7184.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/28/2008	7184.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/27/2008	7185.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/26/2008	7185.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/25/2008	7185.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/24/2008	7185.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/23/2008	7185.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/22/2008	7186.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/21/2008	7188.24	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/27/2008	7184.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/26/2008	7184.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/25/2008	7184.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/24/2008	7185.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/23/2008	7185.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/23/2008	7185.04	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/22/2008	7185.24	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/21/2008	7185.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/20/2008	7185.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/19/2008	7185.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/18/2008	7185.55	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/17/2008	7185.64	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/16/2008	7185.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/15/2008	7185.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/14/2008	7185.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/13/2008	7186.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/12/2008	7186.14	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/11/2008	7186.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/10/2008	7186.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/9/2008	7186.5	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/8/2008	7186.62	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/7/2008	7186.73	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/6/2008	7186.81	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/5/2008	7186.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/4/2008	7186.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/3/2008	7187.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/2/2008	7187.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/1/2008	7187.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/31/2008	7187.39	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/30/2008	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/29/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/28/2008	7187.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/27/2008	7187	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/27/2008	7187.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/26/2008	7187.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/25/2008	7187.31	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/24/2008	7187.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/23/2008	7187.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/22/2008	7187.36	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/21/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/20/2008	7187.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/19/2008	7187.52	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/18/2008	7187.57	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/17/2008	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/16/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/15/2008	7187.25	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/14/2008	7187.24	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/13/2008	7187.25	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/12/2008	7187.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/11/2008	7187.33	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/10/2008	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/9/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/8/2008	7187.45	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/7/2008	7187.49	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/6/2008	7187.5	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/5/2008	7187.52	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/4/2008	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/3/2008	7187.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/2/2008	7187.59	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/1/2008	7187.62	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/30/2008	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/29/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/28/2008	7187.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/27/2008	7187.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/26/2008	7187.75	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/25/2008	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/24/2008	7187.8	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/23/2008	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/22/2008	7187.85	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/21/2008	7187.88	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/20/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/19/2008	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/18/2008	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/17/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/16/2008	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/15/2008	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/14/2008	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/13/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/12/2008	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/11/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/10/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/9/2008	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/8/2008	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/7/2008	7188.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/6/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/5/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/4/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/3/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/2/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/1/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/31/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/30/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/29/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/28/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/27/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/26/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/25/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/24/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/23/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/22/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/21/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/20/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/19/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/18/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/17/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/16/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/15/2008	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/14/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/13/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/12/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/11/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/10/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/9/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/8/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/7/2008	7187.99	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/7/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/6/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/5/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/4/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/3/2008	7188.06	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/2/2008	7188.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/1/2008	7188.1	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/29/2008	7188.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/28/2008	7188.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/27/2008	7188.15	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/26/2008	7188.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/25/2008	7188.62	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/24/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/23/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/22/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/21/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/20/2008	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/19/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/18/2008	7188.1	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/17/2008	7188.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/16/2008	7188.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/15/2008	7188.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/14/2008	7188.25	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/13/2008	7188.05	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/13/2008	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/12/2008	7188.14	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/11/2008	7188.15	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/10/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/9/2008	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/8/2008	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/7/2008	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/6/2008	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/5/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/4/2008	7187.88	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/3/2008	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/2/2008	7187.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/1/2008	7187.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/19/2009	7133.82	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	2/19/2009	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/18/2009	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/17/2009	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/16/2009	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/15/2009	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/14/2009	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/13/2009	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/12/2009	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/11/2009	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/10/2009	7133.73	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	2/10/2009	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/9/2009	7133.9	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/8/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/7/2009	7133.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/6/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/5/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/4/2009	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/3/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/2/2009	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/1/2009	7133.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/31/2009	7133.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/30/2009	7133.91	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	1/29/2009	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/28/2009	7133.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/27/2009	7134	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/26/2009	7134.04	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/25/2009	7134.04	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/24/2009	7133.95	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/23/2009	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/22/2009	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/21/2009	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/20/2009	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/19/2009	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/18/2009	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/17/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/16/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/15/2009	7133.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/14/2009	7133.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/13/2009	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/12/2009	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/11/2009	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/10/2009	7133.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/9/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/8/2009	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/7/2009	7133.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/6/2009	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/5/2009	7133.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/4/2009	7133.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/3/2009	7133.9	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/2/2009	7133.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/1/2009	7133.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/31/2008	7133.93	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/30/2008	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/29/2008	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/28/2008	7133.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/27/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/26/2008	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/25/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/24/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/23/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/22/2008	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/21/2008	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/20/2008	7133.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/19/2008	7133.95	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/18/2008	7134.01	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/17/2008	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/16/2008	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/15/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/14/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/13/2008	7133.43	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/12/2008	7133.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/11/2008	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/10/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/9/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/8/2008	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/7/2008	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/6/2008	7133.62	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	12/5/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/4/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/3/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/2/2008	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/1/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/30/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/29/2008	7133.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/28/2008	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/27/2008	7132.67	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/26/2008	7132.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/25/2008	7132.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/24/2008	7132.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/23/2008	7132.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/22/2008	7132.95	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/21/2008	7132.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/20/2008	7133.01	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/19/2008	7133.04	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/18/2008	7133.06	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/17/2008	7133.09	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/16/2008	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/15/2008	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/14/2008	7133.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/13/2008	7133.19	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/12/2008	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/11/2008	7133.24	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/10/2008	7133.27	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/9/2008	7133.29	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/8/2008	7133.32	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/7/2008	7133.36	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/6/2008	7133.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/5/2008	7133.38	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	11/5/2008	7133.34	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/4/2008	7133.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/3/2008	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/2/2008	7133.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/1/2008	7133.51	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/31/2008	7133.56	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/30/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/29/2008	7133.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/28/2008	7133.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/27/2008	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/26/2008	7133.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/25/2008	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/24/2008	7133.37	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/23/2008	7133.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/22/2008	7133.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/21/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/20/2008	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/19/2008	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/18/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/17/2008	7133.65	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/16/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/15/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/14/2008	7133.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/13/2008	7133.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	10/12/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/11/2008	7132.1	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/10/2008	7132.29	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/9/2008	7132.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/8/2008	7132.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/7/2008	7132.98	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/6/2008	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/5/2008	7133.32	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/4/2008	7131.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/3/2008	7132	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/2/2008	7132.15	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/1/2008	7132.33	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/30/2008	7132.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/29/2008	7132.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/28/2008	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/27/2008	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/26/2008	7133.27	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/25/2008	7133.56	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/24/2008	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/23/2008	7133.41	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/22/2008	7133.03	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/21/2008	7133.23	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/20/2008	7132.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/19/2008	7132.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/18/2008	7132.24	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/17/2008	7132.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/16/2008	7132.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/15/2008	7132.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/14/2008	7132.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/13/2008	7132.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/12/2008	7132.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/11/2008	7132.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/10/2008	7132.99	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/9/2008	7133.04	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/8/2008	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/7/2008	7133.23	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/6/2008	7133.36	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/5/2008	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/4/2008	7133.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/3/2008	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/2/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/1/2008	7134.08	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/31/2008	7133.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/30/2008	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/29/2008	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/28/2008	7133.65	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/27/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/26/2008	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/25/2008	7133.98	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/24/2008	7133.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/23/2008	7133.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/22/2008	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/21/2008	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/20/2008	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/19/2008	7133.61	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	8/18/2008	7133.69	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	8/18/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/17/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/16/2008	7133.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/15/2008	7133.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/14/2008	7133.51	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/13/2008	7133.6	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	8/13/2008	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/12/2008	7133.63	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/11/2008	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/10/2008	7134.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/9/2008	7134.46	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/8/2008	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/7/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/6/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/5/2008	7134.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/4/2008	7131.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/3/2008	7132.03	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/2/2008	7132.19	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/1/2008	7132.43	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/31/2008	7132.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/30/2008	7133.06	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/29/2008	7133.56	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/28/2008	7133.67	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/27/2008	7132.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/26/2008	7132.32	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/25/2008	7132.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/24/2008	7132.95	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/23/2008	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/22/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/21/2008	7132.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/20/2008	7132.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/19/2008	7133.18	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/18/2008	7133.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/17/2008	7133.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/16/2008	7134.19	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/15/2008	7133.23	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/14/2008	7133.35	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/13/2008	7133.45	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/12/2008	7133.96	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/11/2008	7133.65	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/10/2008	7133.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/9/2008	7134.36	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/8/2008	7134.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/7/2008	7132.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/6/2008	7133.03	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/5/2008	7133.29	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/4/2008	7133.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/3/2008	7133.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/2/2008	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/1/2008	7132.27	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/30/2008	7132.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/29/2008	7132.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/28/2008	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/27/2008	7132.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	6/26/2008	7132.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/25/2008	7132.01	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/24/2008	7132.02	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/23/2008	7132.08	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	6/23/2008	7132.09	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/22/2008	7132.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/21/2008	7132.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/20/2008	7132.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/19/2008	7132.33	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/18/2008	7132.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/17/2008	7132.51	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/16/2008	7132.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/15/2008	7132.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/14/2008	7132.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/13/2008	7132.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/12/2008	7133.04	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/11/2008	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/10/2008	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/9/2008	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/8/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/7/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/6/2008	7133.24	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/5/2008	7132.99	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/4/2008	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/3/2008	7133.23	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/2/2008	7133.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/1/2008	7133.61	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/31/2008	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/30/2008	7133.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/29/2008	7134.09	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/28/2008	7132.96	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	5/28/2008	7133.1	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/27/2008	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/26/2008	7133.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/25/2008	7133.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/24/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/23/2008	7133.33	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/22/2008	7133.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/21/2008	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/20/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/19/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/18/2008	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/17/2008	7133.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/16/2008	7134.06	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/15/2008	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/14/2008	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/13/2008	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/12/2008	7133.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/11/2008	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/10/2008	7132.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/9/2008	7132.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/8/2008	7132.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/7/2008	7132.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/6/2008	7132.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/5/2008	7132.84	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	5/4/2008	7132.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/3/2008	7132.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/2/2008	7132.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/1/2008	7133.01	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/30/2008	7133.05	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/29/2008	7133.09	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/28/2008	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/27/2008	7133.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/26/2008	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/25/2008	7133.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/24/2008	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/23/2008	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/22/2008	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/21/2008	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/20/2008	7133.61	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/19/2008	7133.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/18/2008	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/17/2008	7133.46	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/16/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/15/2008	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/14/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/13/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/12/2008	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/11/2008	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/10/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/9/2008	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/8/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/7/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/6/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/5/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/4/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/3/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/2/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/1/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/31/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/30/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/29/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/28/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/27/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/26/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/25/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/24/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/23/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/22/2008	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/21/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/20/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/19/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/18/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/17/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/16/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/15/2008	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/14/2008	7133.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/13/2008	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/12/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/11/2008	7133.82	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	3/10/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/9/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/8/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/7/2008	7133.76	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	3/7/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/6/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/5/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/4/2008	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/3/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/2/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/1/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/29/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/28/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/27/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/26/2008	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/25/2008	7133.95	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/24/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/23/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/22/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/21/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/20/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/19/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/18/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/17/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/16/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/15/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/14/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/13/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/12/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/11/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/10/2008	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/9/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/8/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/7/2008	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/6/2008	7133.6	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	2/6/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/5/2008	7133.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/4/2008	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/3/2008	7133.27	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/2/2008	7133.35	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/1/2008	7133.44	Transducer
MCO-3	2	Single	4561	10	2	12	3	3.5	2/11/2009	7047.4	Manual
MCO-3	2	Single	4561	10	2	12	3	3.5	8/15/2008	7047.93	Manual
MCO-3	2	Single	4561	10	2	12	3	3.5	5/20/2008	7047.94	Manual
MCO-3	2	Single	4561	10	2	12	3	3.5	3/5/2008	7047.99	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/19/2009	6858.46	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/19/2009	6858.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/18/2009	6858.52	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/17/2009	6858.53	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/16/2009	6858.54	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/15/2009	6858.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/14/2009	6858.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/13/2009	6858.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/12/2009	6858.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/11/2009	6858.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/10/2009	6858.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/9/2009	6858.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/8/2009	6858.6	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/7/2009	6858.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/6/2009	6858.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/5/2009	6858.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/4/2009	6858.53	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/4/2009	6858.6	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/3/2009	6858.6	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/2/2009	6858.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/1/2009	6858.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/31/2009	6858.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/30/2009	6858.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/29/2009	6858.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/28/2009	6858.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/27/2009	6858.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/26/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/25/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/24/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/23/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/22/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/21/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/20/2009	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/19/2009	6858.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/18/2009	6858.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/17/2009	6858.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/16/2009	6858.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/15/2009	6858.66	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/14/2009	6858.66	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/13/2009	6858.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/12/2009	6858.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/11/2009	6858.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/10/2009	6858.69	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/9/2009	6858.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/8/2009	6858.71	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/7/2009	6858.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/6/2009	6858.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/5/2009	6858.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/4/2009	6858.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/3/2009	6858.84	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/2/2009	6858.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/1/2009	6858.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/31/2008	6859.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/30/2008	6859.1	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/29/2008	6859.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/28/2008	6859.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/27/2008	6859.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/26/2008	6859.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/25/2008	6859.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/24/2008	6859.92	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/23/2008	6860.11	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/22/2008	6860.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/21/2008	6860.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/20/2008	6860.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/19/2008	6860.88	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/18/2008	6861.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/17/2008	6861.22	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/16/2008	6861.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/15/2008	6861.53	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/14/2008	6861.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/13/2008	6861.81	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/12/2008	6861.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/11/2008	6862.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/10/2008	6862.18	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/9/2008	6862.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/8/2008	6862.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/7/2008	6862.52	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/6/2008	6862.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/5/2008	6862.71	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/4/2008	6862.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/3/2008	6862.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/2/2008	6862.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/1/2008	6863.06	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/30/2008	6863.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/29/2008	6863.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/28/2008	6863.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/27/2008	6863.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/26/2008	6863.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/25/2008	6863.54	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/24/2008	6863.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/23/2008	6863.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/22/2008	6863.78	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/21/2008	6863.85	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/20/2008	6863.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/19/2008	6864.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/18/2008	6864.08	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/17/2008	6864.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/16/2008	6864.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/15/2008	6864.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/14/2008	6864.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/13/2008	6864.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/12/2008	6864.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/11/2008	6864.66	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/10/2008	6864.71	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/10/2008	6864.72	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/9/2008	6864.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/8/2008	6864.88	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/7/2008	6864.96	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/6/2008	6865.06	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/5/2008	6865.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/4/2008	6865.25	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/3/2008	6865.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/2/2008	6865.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/1/2008	6865.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/31/2008	6865.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/30/2008	6865.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/29/2008	6865.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/28/2008	6865.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/27/2008	6865.88	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/26/2008	6865.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/25/2008	6866.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/24/2008	6866.11	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/23/2008	6866.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/22/2008	6866.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/21/2008	6866.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/20/2008	6866.3	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/19/2008	6866.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/18/2008	6866.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/17/2008	6866.36	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/16/2008	6866.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/15/2008	6866.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/14/2008	6866.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/13/2008	6866.36	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/12/2008	6866.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/11/2008	6866.33	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/10/2008	6866.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/9/2008	6866.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/8/2008	6866.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/7/2008	6866.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/6/2008	6866.13	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/5/2008	6866.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/4/2008	6866	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/3/2008	6865.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/2/2008	6865.85	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/1/2008	6865.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/30/2008	6865.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/29/2008	6865.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/28/2008	6865.49	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/27/2008	6865.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/26/2008	6865.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/25/2008	6865.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/24/2008	6865.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/23/2008	6864.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/22/2008	6864.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/21/2008	6864.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/20/2008	6864.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/19/2008	6864.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/18/2008	6864.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/17/2008	6864.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/16/2008	6863.86	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/15/2008	6863.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/14/2008	6863.48	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/13/2008	6863.28	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/12/2008	6863.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/11/2008	6862.86	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/10/2008	6862.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/9/2008	6862.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/8/2008	6862.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/7/2008	6862	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/6/2008	6861.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/5/2008	6861.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/4/2008	6861.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/3/2008	6861.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/2/2008	6861.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/1/2008	6861.07	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/31/2008	6860.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/30/2008	6860.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/29/2008	6860.72	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/28/2008	6860.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/27/2008	6860.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/26/2008	6860.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/25/2008	6860.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/24/2008	6860.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/23/2008	6860.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/22/2008	6859.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/21/2008	6859.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/20/2008	6859.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/19/2008	6859.49	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/19/2008	6859.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/18/2008	6859.37	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/18/2008	6859.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/17/2008	6859.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/16/2008	6858.86	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/15/2008	6858.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/14/2008	6858.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/13/2008	6858.49	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/12/2008	6858.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/11/2008	6858.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/10/2008	6858.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/9/2008	6858.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/8/2008	6858.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/7/2008	6858.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/6/2008	6858.54	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/5/2008	6858.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/4/2008	6858.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/3/2008	6858.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/2/2008	6858.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/1/2008	6858.84	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/31/2008	6858.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/30/2008	6859	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/29/2008	6859.1	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/28/2008	6859.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/27/2008	6859.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/26/2008	6859.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/25/2008	6859.53	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/24/2008	6859.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/23/2008	6859.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/22/2008	6859.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/21/2008	6859.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/20/2008	6859.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/19/2008	6859.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/18/2008	6860.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/17/2008	6860.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/16/2008	6860.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/15/2008	6860.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/14/2008	6860.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/13/2008	6860.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/12/2008	6860.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/11/2008	6860.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/10/2008	6860	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/9/2008	6859.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/8/2008	6859.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/7/2008	6859.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/6/2008	6859.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/5/2008	6859.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/4/2008	6859.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/3/2008	6859.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/2/2008	6859.85	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/1/2008	6859.84	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/30/2008	6859.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/29/2008	6859.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/28/2008	6859.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/27/2008	6859.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/26/2008	6859.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/25/2008	6859.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/24/2008	6859.85	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/23/2008	6859.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/22/2008	6859.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/21/2008	6859.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/20/2008	6860	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/19/2008	6860.03	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/19/2008	6860.06	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/18/2008	6860.15	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/17/2008	6860.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/16/2008	6860.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/15/2008	6860.53	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/14/2008	6860.69	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/13/2008	6860.86	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/12/2008	6861.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/11/2008	6861.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/10/2008	6861.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/9/2008	6861.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/8/2008	6861.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/7/2008	6862.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/6/2008	6862.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/5/2008	6862.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/4/2008	6862.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/3/2008	6862.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/2/2008	6863.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/1/2008	6863.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/31/2008	6863.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/30/2008	6863.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/29/2008	6863.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/28/2008	6863.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/27/2008	6864.1	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/26/2008	6864.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/25/2008	6864.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/24/2008	6864.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/23/2008	6864.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/22/2008	6864.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/21/2008	6865	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/21/2008	6865.06	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/20/2008	6865.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/19/2008	6865.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/18/2008	6865.5	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/17/2008	6865.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/16/2008	6865.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/15/2008	6865.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/14/2008	6866.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/13/2008	6866.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/12/2008	6866.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/11/2008	6866.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/10/2008	6866.49	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/9/2008	6866.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/8/2008	6866.69	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/7/2008	6866.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/6/2008	6866.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/5/2008	6866.96	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/4/2008	6867.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/3/2008	6867.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/2/2008	6867.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/1/2008	6867.3	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/30/2008	6867.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/29/2008	6867.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/28/2008	6867.49	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/27/2008	6867.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/26/2008	6867.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/25/2008	6867.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/24/2008	6867.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/23/2008	6867.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/22/2008	6867.84	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/21/2008	6867.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/20/2008	6867.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/19/2008	6867.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/18/2008	6868.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/17/2008	6868.08	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/16/2008	6868.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/15/2008	6868.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/14/2008	6868.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/13/2008	6868.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/12/2008	6868.22	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/11/2008	6868.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/10/2008	6868.33	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/9/2008	6868.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/8/2008	6868.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/7/2008	6868.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/6/2008	6868.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/5/2008	6868.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/4/2008	6868.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/3/2008	6868.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/2/2008	6868.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/1/2008	6868.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/31/2008	6868.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/30/2008	6868.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/29/2008	6868.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/28/2008	6868.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/27/2008	6868.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/26/2008	6868.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/25/2008	6868.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/24/2008	6868.16	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/23/2008	6868.11	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/22/2008	6868.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/21/2008	6868.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/20/2008	6868.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/19/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/18/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/17/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/16/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/15/2008	6867.96	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/14/2008	6867.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/13/2008	6867.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/12/2008	6867.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/11/2008	6867.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/10/2008	6867.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/9/2008	6867.92	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/8/2008	6867.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/7/2008	6867.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/6/2008	6867.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/5/2008	6868.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/4/2008	6868.09	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/3/2008	6868.15	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/2/2008	6868.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/1/2008	6868.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/29/2008	6868.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/28/2008	6868.54	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/28/2008	6868.72	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/27/2008	6868.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/26/2008	6869.18	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/25/2008	6867.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/24/2008	6866.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/23/2008	6867.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/22/2008	6867.25	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/21/2008	6867.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/20/2008	6867.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/19/2008	6867.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/18/2008	6867.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/17/2008	6867.92	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/16/2008	6868.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/15/2008	6868.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/14/2008	6868.36	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/13/2008	6868.48	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/12/2008	6868.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/11/2008	6868.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/10/2008	6868.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/9/2008	6869.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/8/2008	6869.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/7/2008	6869.24	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/7/2008	6869.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/6/2008	6869.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/5/2008	6869.47	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/4/2008	6869.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/3/2008	6869.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/2/2008	6869.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/1/2008	6869.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/11/2009	6847.24	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	2/10/2009	6847.25	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	2/2/2009	6847.24	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	2/2/2009	6847.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/1/2009	6847.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/31/2009	6847.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/30/2009	6847.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/29/2009	6847.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/28/2009	6847.33	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/27/2009	6847.33	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/26/2009	6847.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/25/2009	6847.35	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/24/2009	6847.35	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/23/2009	6847.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/22/2009	6847.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/21/2009	6847.39	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/20/2009	6847.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/19/2009	6847.43	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/18/2009	6847.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/17/2009	6847.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/16/2009	6847.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/15/2009	6847.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/14/2009	6847.68	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/13/2009	6847.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/12/2009	6847.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/11/2009	6848.05	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/10/2009	6848.21	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/9/2009	6848.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/8/2009	6848.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/7/2009	6848.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/6/2009	6848.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/5/2009	6849.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/4/2009	6849.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/3/2009	6849.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/2/2009	6849.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/1/2009	6849.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/31/2008	6850.06	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/30/2008	6850.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/29/2008	6850.38	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/28/2008	6850.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/27/2008	6850.7	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/26/2008	6850.85	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/25/2008	6850.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/24/2008	6851.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/23/2008	6851.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/22/2008	6851.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/21/2008	6851.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/20/2008	6851.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/19/2008	6851.69	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/18/2008	6851.79	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/17/2008	6851.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/16/2008	6851.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/15/2008	6852.07	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/14/2008	6852.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/13/2008	6852.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/12/2008	6852.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	12/11/2008	6852.38	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/10/2008	6852.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/9/2008	6852.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/8/2008	6852.61	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/7/2008	6852.67	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/6/2008	6852.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/5/2008	6852.79	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/4/2008	6852.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/3/2008	6852.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/2/2008	6852.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/1/2008	6853.05	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/30/2008	6853.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/29/2008	6853.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/28/2008	6853.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/27/2008	6853.27	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/26/2008	6853.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/25/2008	6853.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/24/2008	6853.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/23/2008	6853.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/22/2008	6853.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/21/2008	6853.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/20/2008	6853.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/19/2008	6853.63	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/18/2008	6853.66	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/17/2008	6853.71	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/16/2008	6853.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/15/2008	6853.77	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/14/2008	6853.83	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/13/2008	6853.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/12/2008	6853.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/11/2008	6853.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/10/2008	6853.95	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	11/10/2008	6853.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/9/2008	6853.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/8/2008	6853.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/7/2008	6853.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/6/2008	6853.94	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/5/2008	6853.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/4/2008	6853.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/3/2008	6853.98	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	11/3/2008	6854.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/2/2008	6854.03	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/1/2008	6854.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/31/2008	6854.01	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/30/2008	6854.01	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/29/2008	6853.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/28/2008	6853.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/27/2008	6853.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/26/2008	6853.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/25/2008	6853.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/24/2008	6853.87	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/23/2008	6853.83	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/22/2008	6853.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/21/2008	6853.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/20/2008	6853.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	10/19/2008	6853.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/18/2008	6853.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/17/2008	6853.53	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/16/2008	6853.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/15/2008	6853.42	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/14/2008	6853.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/13/2008	6853.3	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/12/2008	6853.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/11/2008	6853.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/10/2008	6853.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/9/2008	6853.01	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/8/2008	6852.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/7/2008	6852.83	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/6/2008	6852.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/5/2008	6852.67	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/4/2008	6852.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/3/2008	6852.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/2/2008	6852.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/1/2008	6852.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/30/2008	6852.14	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/29/2008	6852.03	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/28/2008	6851.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/27/2008	6851.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/26/2008	6851.67	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/25/2008	6851.53	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/24/2008	6851.39	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/23/2008	6851.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/22/2008	6851.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/21/2008	6850.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/20/2008	6850.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/19/2008	6850.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/18/2008	6850.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/17/2008	6850.21	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/16/2008	6850.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/15/2008	6849.83	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/14/2008	6849.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/13/2008	6849.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/12/2008	6849.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/11/2008	6849.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/10/2008	6849.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/9/2008	6848.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/8/2008	6848.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/7/2008	6848.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/6/2008	6848.53	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/5/2008	6848.42	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/4/2008	6848.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/3/2008	6848.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/2/2008	6848.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/1/2008	6848.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/31/2008	6847.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/30/2008	6847.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/29/2008	6847.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/28/2008	6847.69	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/27/2008	6847.62	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/26/2008	6847.55	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	8/25/2008	6847.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/24/2008	6847.44	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/23/2008	6847.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/22/2008	6847.35	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/21/2008	6847.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/20/2008	6847.29	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/19/2008	6847.28	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/18/2008	6847.24	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	8/18/2008	6847.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/17/2008	6847.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/16/2008	6847.27	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/15/2008	6846.6	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	8/15/2008	6846.62	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/14/2008	6847.36	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	8/14/2008	6847.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/13/2008	6847.39	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/12/2008	6847.44	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/11/2008	6847.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/10/2008	6847.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/9/2008	6847.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/8/2008	6847.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/7/2008	6847.72	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/6/2008	6847.79	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/5/2008	6847.87	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/4/2008	6847.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/3/2008	6848.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/2/2008	6848.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/1/2008	6848.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/31/2008	6848.28	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/30/2008	6848.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/29/2008	6848.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/28/2008	6848.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/27/2008	6848.48	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/26/2008	6848.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/25/2008	6848.53	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/24/2008	6848.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/23/2008	6848.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/22/2008	6848.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/21/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/20/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/19/2008	6848.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/18/2008	6848.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/17/2008	6848.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/16/2008	6848.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/15/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/14/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/13/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/12/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/11/2008	6848.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/10/2008	6848.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/9/2008	6848.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/8/2008	6848.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/7/2008	6848.61	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/6/2008	6848.63	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/5/2008	6848.66	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	7/4/2008	6848.7	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/3/2008	6848.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/2/2008	6848.82	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/1/2008	6848.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/30/2008	6848.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/29/2008	6849.08	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/28/2008	6849.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/27/2008	6849.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/26/2008	6849.44	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/25/2008	6849.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/24/2008	6849.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/23/2008	6849.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/22/2008	6850.06	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/21/2008	6850.23	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/20/2008	6850.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/19/2008	6850.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/18/2008	6850.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/17/2008	6850.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/16/2008	6851.14	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/15/2008	6851.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/14/2008	6851.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/13/2008	6851.64	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/12/2008	6851.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/11/2008	6851.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/10/2008	6852.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/9/2008	6852.2	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	6/9/2008	6852.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/8/2008	6852.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/7/2008	6852.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/6/2008	6852.71	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/5/2008	6852.85	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/4/2008	6852.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/3/2008	6853.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/2/2008	6853.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/1/2008	6853.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/31/2008	6853.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/30/2008	6853.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/29/2008	6853.68	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/28/2008	6853.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/27/2008	6853.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/26/2008	6853.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/25/2008	6854.06	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/24/2008	6854.15	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/23/2008	6854.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/22/2008	6854.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/21/2008	6854.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/20/2008	6854.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/19/2008	6854.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/18/2008	6854.62	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/17/2008	6854.68	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/16/2008	6854.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/15/2008	6854.82	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/14/2008	6854.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/13/2008	6854.95	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/12/2008	6855	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	5/11/2008	6855.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/10/2008	6855.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/9/2008	6855.15	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/8/2008	6855.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/7/2008	6855.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/6/2008	6855.29	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/5/2008	6855.33	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/4/2008	6855.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/3/2008	6855.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/2/2008	6855.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/1/2008	6855.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/30/2008	6855.52	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/29/2008	6855.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/28/2008	6855.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/27/2008	6855.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/26/2008	6855.63	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/25/2008	6855.66	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/24/2008	6855.69	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/23/2008	6855.71	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/22/2008	6855.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/21/2008	6855.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/20/2008	6855.79	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/19/2008	6855.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/18/2008	6855.81	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/17/2008	6855.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/16/2008	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/15/2008	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/14/2008	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/13/2008	6855.87	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/12/2008	6855.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/11/2008	6855.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/10/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/9/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/8/2008	6855.95	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/7/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/6/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/5/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/4/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/3/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/2/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/1/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/31/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/30/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/29/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/28/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/27/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/26/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/25/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/24/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/23/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/22/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/21/2008	6855.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/20/2008	6856.01	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/19/2008	6856.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/18/2008	6856.05	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	3/17/2008	6856.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/16/2008	6856.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/15/2008	6856.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/14/2008	6856.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/13/2008	6856.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/12/2008	6856.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/11/2008	6856.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/10/2008	6856.3	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/9/2008	6856.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/8/2008	6856.43	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/7/2008	6856.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/6/2008	6856.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/5/2008	6856.67	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/4/2008	6856.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/3/2008	6856.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/2/2008	6856.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/1/2008	6857.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/29/2008	6857.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/28/2008	6857.24	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	2/28/2008	6857.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/27/2008	6857.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/26/2008	6856.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/25/2008	6856.18	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/24/2008	6856.18	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/23/2008	6856.3	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/22/2008	6856.38	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/21/2008	6856.48	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/20/2008	6856.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/19/2008	6856.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/18/2008	6856.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/17/2008	6856.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/16/2008	6856.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/15/2008	6856.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/14/2008	6857.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/13/2008	6857.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/12/2008	6857.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/11/2008	6857.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/10/2008	6857.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/9/2008	6857.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/8/2008	6857.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/7/2008	6857.69	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	2/7/2008	6857.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/6/2008	6857.81	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/5/2008	6857.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/4/2008	6857.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/3/2008	6858.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/2/2008	6858.08	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/1/2008	6858.13	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/19/2009	6809.32	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	2/19/2009	6809.29	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/18/2009	6809.3	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/17/2009	6809.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/16/2009	6809.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/15/2009	6809.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/14/2009	6809.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	2/13/2009	6809.34	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/12/2009	6809.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/11/2009	6809.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/10/2009	6809.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/9/2009	6809.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/8/2009	6809.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/7/2009	6809.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/6/2009	6809.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/5/2009	6809.58	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/4/2009	6809.64	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	2/4/2009	6809.65	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/3/2009	6809.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/2/2009	6809.87	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/1/2009	6810.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/31/2009	6810.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/30/2009	6810.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/29/2009	6810.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/28/2009	6810.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/27/2009	6810.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/26/2009	6810.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/25/2009	6811.06	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/24/2009	6811.16	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/23/2009	6811.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/22/2009	6811.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/21/2009	6811.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/20/2009	6811.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/19/2009	6811.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/18/2009	6811.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/17/2009	6811.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/16/2009	6811.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/15/2009	6811.87	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/14/2009	6811.93	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/13/2009	6811.98	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/12/2009	6812.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/11/2009	6812.08	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/10/2009	6812.13	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/9/2009	6812.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/8/2009	6812.23	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/7/2009	6812.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/6/2009	6812.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/5/2009	6812.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/4/2009	6812.4	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/3/2009	6812.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/2/2009	6812.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	1/1/2009	6812.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/31/2008	6812.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/30/2008	6812.56	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/29/2008	6812.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/28/2008	6812.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/27/2008	6812.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/26/2008	6812.7	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/25/2008	6812.71	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/24/2008	6812.74	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/23/2008	6812.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/22/2008	6812.78	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	12/21/2008	6812.8	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/20/2008	6812.83	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/19/2008	6812.84	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/18/2008	6812.86	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/17/2008	6812.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/16/2008	6812.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/15/2008	6812.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/14/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/13/2008	6812.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/12/2008	6812.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/11/2008	6812.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/10/2008	6812.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/9/2008	6812.99	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/8/2008	6812.98	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/7/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/6/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/5/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/4/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/3/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/2/2008	6812.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	12/1/2008	6812.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/30/2008	6812.93	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/29/2008	6812.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/28/2008	6812.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/27/2008	6812.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/26/2008	6812.87	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/25/2008	6812.84	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/24/2008	6812.82	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/23/2008	6812.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/22/2008	6812.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/21/2008	6812.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/20/2008	6812.74	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/19/2008	6812.7	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/18/2008	6812.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/17/2008	6812.65	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/16/2008	6812.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/15/2008	6812.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/14/2008	6812.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/13/2008	6812.53	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/12/2008	6812.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/11/2008	6812.52	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	11/11/2008	6812.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/10/2008	6812.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/9/2008	6812.4	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/8/2008	6812.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/7/2008	6812.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/6/2008	6812.26	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/5/2008	6812.23	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/4/2008	6812.17	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/3/2008	6812.12	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/2/2008	6812.06	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	11/1/2008	6812	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/31/2008	6811.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/30/2008	6811.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/29/2008	6811.82	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	10/28/2008	6811.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/27/2008	6811.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/26/2008	6811.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/25/2008	6811.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/24/2008	6811.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/23/2008	6811.38	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/22/2008	6811.3	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/21/2008	6811.21	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/20/2008	6811.12	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/19/2008	6811.04	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/18/2008	6810.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/17/2008	6810.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/16/2008	6810.8	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/15/2008	6810.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/14/2008	6810.65	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/13/2008	6810.58	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/12/2008	6810.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/11/2008	6810.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/10/2008	6810.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/9/2008	6810.28	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/8/2008	6810.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/7/2008	6810.13	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/6/2008	6810.07	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/5/2008	6810.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/4/2008	6809.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/3/2008	6809.9	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/2/2008	6809.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/1/2008	6809.8	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/30/2008	6809.76	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/29/2008	6809.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/28/2008	6809.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/27/2008	6809.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/26/2008	6809.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/25/2008	6809.61	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/24/2008	6809.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/23/2008	6809.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/22/2008	6809.55	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/21/2008	6809.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/20/2008	6809.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/19/2008	6809.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/18/2008	6809.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/17/2008	6809.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/16/2008	6809.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/15/2008	6809.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/14/2008	6809.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/13/2008	6809.42	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/12/2008	6809.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/11/2008	6809.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/10/2008	6809.38	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/9/2008	6809.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/8/2008	6809.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/7/2008	6809.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/6/2008	6809.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/5/2008	6809.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/4/2008	6809.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	9/3/2008	6809.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/2/2008	6809.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/1/2008	6809.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/31/2008	6809.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/30/2008	6809.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/29/2008	6809.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/28/2008	6809.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/27/2008	6809.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/26/2008	6809.55	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/25/2008	6809.58	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/24/2008	6809.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/23/2008	6809.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/22/2008	6809.7	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/21/2008	6809.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/20/2008	6809.74	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	8/20/2008	6809.76	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/19/2008	6809.8	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	8/19/2008	6809.8	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/18/2008	6809.84	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/17/2008	6809.87	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/16/2008	6809.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/15/2008	6809.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/14/2008	6809.93	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/13/2008	6809.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/12/2008	6809.97	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/11/2008	6810	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/10/2008	6810	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/9/2008	6810.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/8/2008	6810.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/7/2008	6810.04	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/6/2008	6810.05	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/5/2008	6810.06	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/4/2008	6810.07	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/3/2008	6810.08	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/2/2008	6810.09	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/1/2008	6810.1	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/31/2008	6810.11	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/30/2008	6810.13	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/29/2008	6810.15	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/28/2008	6810.17	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/27/2008	6810.19	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/26/2008	6810.22	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/25/2008	6810.26	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/24/2008	6810.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/23/2008	6810.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/22/2008	6810.42	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/21/2008	6810.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/20/2008	6810.56	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/19/2008	6810.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/18/2008	6810.72	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/17/2008	6810.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/16/2008	6810.9	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/15/2008	6810.99	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/14/2008	6811.08	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/13/2008	6811.16	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	7/12/2008	6811.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/11/2008	6811.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/10/2008	6811.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/9/2008	6811.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/8/2008	6811.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/7/2008	6811.6	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/6/2008	6811.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/5/2008	6811.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/4/2008	6811.79	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/3/2008	6811.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/2/2008	6811.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/1/2008	6811.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/30/2008	6812.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/29/2008	6812.08	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/28/2008	6812.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/27/2008	6812.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/26/2008	6812.25	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/25/2008	6812.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/24/2008	6812.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/23/2008	6812.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/22/2008	6812.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/21/2008	6812.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/20/2008	6812.55	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/19/2008	6812.57	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	6/19/2008	6812.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/18/2008	6812.61	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/17/2008	6812.65	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/16/2008	6812.7	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/15/2008	6812.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/14/2008	6812.77	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/13/2008	6812.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/12/2008	6812.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/11/2008	6812.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/10/2008	6812.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/9/2008	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/8/2008	6813	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/7/2008	6813.04	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/6/2008	6813.08	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/5/2008	6813.12	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/4/2008	6813.16	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/3/2008	6813.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/2/2008	6813.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/1/2008	6813.28	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/31/2008	6813.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/30/2008	6813.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/29/2008	6813.4	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/28/2008	6813.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/27/2008	6813.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/26/2008	6813.53	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/25/2008	6813.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/24/2008	6813.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/23/2008	6813.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/22/2008	6813.71	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/21/2008	6813.76	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	5/21/2008	6813.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	5/20/2008	6813.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/19/2008	6813.82	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/18/2008	6813.86	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/17/2008	6813.9	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/16/2008	6813.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/15/2008	6814	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/14/2008	6814.05	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/13/2008	6814.1	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/12/2008	6814.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/11/2008	6814.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/10/2008	6814.23	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/9/2008	6814.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/8/2008	6814.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/7/2008	6814.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/6/2008	6814.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/5/2008	6814.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/4/2008	6814.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/3/2008	6814.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/2/2008	6814.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/1/2008	6814.63	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/30/2008	6814.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/29/2008	6814.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/28/2008	6814.72	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/27/2008	6814.77	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/26/2008	6814.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/25/2008	6814.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/24/2008	6814.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/23/2008	6814.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/22/2008	6814.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/21/2008	6815	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/20/2008	6815.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/19/2008	6815.06	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/18/2008	6815.09	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/17/2008	6815.13	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/16/2008	6815.16	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/15/2008	6815.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/14/2008	6815.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/13/2008	6815.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/12/2008	6815.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/11/2008	6815.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/10/2008	6815.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/9/2008	6815.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/8/2008	6815.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/7/2008	6815.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/6/2008	6815.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/5/2008	6815.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/4/2008	6815.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/3/2008	6815.58	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/2/2008	6815.61	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/1/2008	6815.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/31/2008	6815.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/30/2008	6815.72	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/29/2008	6815.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/28/2008	6815.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/27/2008	6815.82	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	3/26/2008	6815.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/25/2008	6815.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/24/2008	6815.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/23/2008	6815.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/22/2008	6815.98	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/21/2008	6816.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/20/2008	6816.05	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/19/2008	6816.09	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/18/2008	6816.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/17/2008	6816.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/16/2008	6816.21	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/15/2008	6816.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/14/2008	6816.26	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/13/2008	6816.28	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/12/2008	6816.3	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/11/2008	6816.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/10/2008	6816.33	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/9/2008	6816.38	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/8/2008	6816.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/7/2008	6816.4	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/6/2008	6816.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/5/2008	6816.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/4/2008	6816.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/3/2008	6816.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/2/2008	6816.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/1/2008	6816.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/29/2008	6816.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/28/2008	6816.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/28/2008	6816.5	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	2/21/2008	6816.56	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	2/19/2009	6786.62	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	2/19/2009	6786.68	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/18/2009	6786.75	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/17/2009	6786.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/16/2009	6786.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/15/2009	6786.91	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/14/2009	6786.97	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/13/2009	6787.01	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/12/2009	6787.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/11/2009	6787.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/10/2009	6787.15	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/9/2009	6787.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/8/2009	6787.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/7/2009	6787.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/6/2009	6787.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/5/2009	6787.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/4/2009	6787.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/3/2009	6787.28	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	2/3/2009	6787.35	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/2/2009	6787.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/1/2009	6787.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/31/2009	6787.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/30/2009	6787.43	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/29/2009	6787.46	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/28/2009	6787.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	1/27/2009	6787.51	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/26/2009	6787.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/25/2009	6787.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/24/2009	6787.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/23/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/22/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/21/2009	6787.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/20/2009	6787.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/19/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/18/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/17/2009	6787.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/16/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/15/2009	6787.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/14/2009	6787.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/13/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/12/2009	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/11/2009	6787.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/10/2009	6787.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/9/2009	6787.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/8/2009	6787.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/7/2009	6787.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/6/2009	6787.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/5/2009	6787.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/4/2009	6787.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/3/2009	6787.48	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/2/2009	6787.46	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/1/2009	6787.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/31/2008	6787.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/30/2008	6787.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/29/2008	6787.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/28/2008	6787.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/27/2008	6787.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/26/2008	6787.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/25/2008	6787.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/24/2008	6787.29	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/23/2008	6787.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/22/2008	6787.23	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/21/2008	6787.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/20/2008	6787.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/19/2008	6787.15	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/18/2008	6787.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/17/2008	6787.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/16/2008	6787.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/15/2008	6787.04	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/14/2008	6787.03	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/13/2008	6786.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/12/2008	6786.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/11/2008	6786.92	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/10/2008	6786.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/9/2008	6786.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/8/2008	6786.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/7/2008	6786.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/6/2008	6786.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/5/2008	6786.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/4/2008	6786.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	12/3/2008	6786.67	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/2/2008	6786.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/1/2008	6786.6	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/30/2008	6786.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/29/2008	6786.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/28/2008	6786.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/27/2008	6786.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/26/2008	6786.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/25/2008	6786.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/24/2008	6786.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/23/2008	6786.35	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/22/2008	6786.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/21/2008	6786.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/20/2008	6786.23	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/19/2008	6786.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/18/2008	6786.15	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/17/2008	6786.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/16/2008	6786.09	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/15/2008	6786.04	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/14/2008	6786.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/13/2008	6786.01	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/12/2008	6785.97	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/11/2008	6785.9	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	11/11/2008	6785.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/10/2008	6785.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/9/2008	6785.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/8/2008	6785.8	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/7/2008	6785.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/6/2008	6785.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/5/2008	6785.72	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/4/2008	6785.68	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/3/2008	6785.65	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/2/2008	6785.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/1/2008	6785.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/31/2008	6785.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/30/2008	6785.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/29/2008	6785.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/28/2008	6785.43	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/27/2008	6785.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/26/2008	6785.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/25/2008	6785.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/24/2008	6785.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/23/2008	6785.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/22/2008	6785.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/21/2008	6785.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/20/2008	6785.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/19/2008	6785.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/18/2008	6785.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/17/2008	6785.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/16/2008	6785.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/15/2008	6785.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/14/2008	6785.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/13/2008	6785.04	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/12/2008	6785.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/11/2008	6785.03	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	10/10/2008	6785.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/9/2008	6785	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/8/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/7/2008	6784.97	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/6/2008	6785	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/5/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/4/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/3/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/2/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/1/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/30/2008	6784.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/29/2008	6785.01	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/28/2008	6785.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/27/2008	6785.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/26/2008	6785.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/25/2008	6785.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/24/2008	6785.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/23/2008	6785.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/22/2008	6785.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/21/2008	6785.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/20/2008	6785.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/19/2008	6785.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/18/2008	6785.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/17/2008	6785.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/16/2008	6785.39	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/15/2008	6785.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/14/2008	6785.51	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/13/2008	6785.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/12/2008	6785.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/11/2008	6785.71	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/10/2008	6785.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/9/2008	6785.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/8/2008	6785.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/7/2008	6786.04	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/6/2008	6786.14	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/5/2008	6786.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/4/2008	6786.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/3/2008	6786.39	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/2/2008	6786.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/1/2008	6786.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/31/2008	6786.72	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/30/2008	6786.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/29/2008	6786.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/28/2008	6787.07	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/27/2008	6787.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/26/2008	6787.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/25/2008	6787.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/24/2008	6787.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/23/2008	6787.72	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/22/2008	6787.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/21/2008	6788.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/20/2008	6788.14	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	8/20/2008	6788.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/19/2008	6788.42	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	8/19/2008	6788.46	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	8/18/2008	6788.71	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/17/2008	6788.97	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/16/2008	6789.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/15/2008	6789.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/14/2008	6790.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/13/2008	6790.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/12/2008	6791.66	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/11/2008	6787.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/10/2008	6786.96	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/9/2008	6787.03	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/8/2008	6787.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/7/2008	6787.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/6/2008	6787.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/5/2008	6787.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/4/2008	6787.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/3/2008	6787.48	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/2/2008	6787.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/1/2008	6787.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/31/2008	6787.7	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/30/2008	6787.78	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/29/2008	6787.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/28/2008	6787.93	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/27/2008	6788.01	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/26/2008	6788.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/25/2008	6788.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/24/2008	6788.23	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/23/2008	6788.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/22/2008	6788.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/21/2008	6788.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/20/2008	6788.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/19/2008	6788.59	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/18/2008	6788.65	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/17/2008	6788.71	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/16/2008	6788.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/15/2008	6788.83	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/14/2008	6788.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/13/2008	6788.94	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/12/2008	6789.01	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/11/2008	6789.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/10/2008	6789.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/9/2008	6789.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/8/2008	6789.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/7/2008	6789.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/6/2008	6789.29	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/5/2008	6789.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/4/2008	6789.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/3/2008	6789.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/2/2008	6789.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/1/2008	6789.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/30/2008	6789.51	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/29/2008	6789.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/28/2008	6789.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/27/2008	6789.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/26/2008	6789.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/25/2008	6789.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	6/24/2008	6789.71	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/23/2008	6789.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/22/2008	6789.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/21/2008	6789.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/20/2008	6789.83	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/19/2008	6789.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/18/2008	6789.88	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	6/18/2008	6789.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/17/2008	6789.92	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/16/2008	6789.96	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/15/2008	6789.98	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/14/2008	6790	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/13/2008	6790.04	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/12/2008	6790.07	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/11/2008	6790.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/10/2008	6790.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/9/2008	6790.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/8/2008	6790.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/7/2008	6790.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/6/2008	6790.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/5/2008	6790.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/4/2008	6790.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/3/2008	6790.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/2/2008	6790.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/1/2008	6790.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/31/2008	6790.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/30/2008	6790.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/29/2008	6790.46	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/28/2008	6790.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/27/2008	6790.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/26/2008	6790.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/25/2008	6790.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/24/2008	6790.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/23/2008	6790.67	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/22/2008	6790.69	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/21/2008	6790.73	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	5/21/2008	6790.7	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/20/2008	6790.72	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/19/2008	6790.75	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/18/2008	6790.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/17/2008	6790.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/16/2008	6790.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/15/2008	6790.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/14/2008	6790.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/13/2008	6790.92	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/12/2008	6790.94	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/11/2008	6790.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/10/2008	6791	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/9/2008	6791.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/8/2008	6791.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/7/2008	6791.09	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/6/2008	6791.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/5/2008	6791.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/4/2008	6791.14	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/3/2008	6791.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	5/2/2008	6791.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/1/2008	6791.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/30/2008	6791.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/29/2008	6791.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/28/2008	6791.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/27/2008	6791.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/26/2008	6791.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/25/2008	6791.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/24/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/23/2008	6791.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/22/2008	6791.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/21/2008	6791.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/20/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/19/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/18/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/17/2008	6791.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/16/2008	6791.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/15/2008	6791.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/14/2008	6791.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/13/2008	6791.51	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/12/2008	6791.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/11/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/10/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/9/2008	6791.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/8/2008	6791.6	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/7/2008	6791.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/6/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/5/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/4/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/3/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/2/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/1/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/31/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/30/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/29/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/28/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/27/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/26/2008	6791.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/25/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/24/2008	6791.59	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/23/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/22/2008	6791.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/21/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/20/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/19/2008	6791.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/18/2008	6791.53	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	3/18/2008	6791.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/17/2008	6791.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/16/2008	6791.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/15/2008	6791.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/14/2008	6791.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/13/2008	6791.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/12/2008	6791.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/11/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/10/2008	6791.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	3/9/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/8/2008	6791.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/7/2008	6791.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/6/2008	6791.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/5/2008	6791.43	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/4/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/3/2008	6791.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/2/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/1/2008	6791.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/29/2008	6791.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/28/2008	6791.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/27/2008	6791.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/26/2008	6791.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/25/2008	6791.4	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	2/25/2008	6791.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/24/2008	6791.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/23/2008	6791.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/22/2008	6791.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/21/2008	6791.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/20/2008	6791.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/19/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/18/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/17/2008	6791.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/16/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/15/2008	6791.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/14/2008	6791.23	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/13/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/12/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/11/2008	6791.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/10/2008	6791.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/9/2008	6791.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/8/2008	6791.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/7/2008	6791.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/6/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/5/2008	6791.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/4/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/3/2008	6791.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/2/2008	6791.96	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/1/2008	6792.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/18/2009	6764.61	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/18/2009	6764.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/17/2009	6764.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/16/2009	6764.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/15/2009	6764.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/14/2009	6764.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/13/2009	6764.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/12/2009	6764.51	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/11/2009	6764.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/10/2009	6764.51	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/9/2009	6764.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/8/2009	6764.48	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/7/2009	6764.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/6/2009	6764.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/5/2009	6764.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/4/2009	6764.43	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/3/2009	6764.46	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/3/2009	6764.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/2/2009	6764.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/1/2009	6764.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/31/2009	6764.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/30/2009	6764.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/29/2009	6764.4	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/28/2009	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/27/2009	6764.38	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/26/2009	6764.37	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/25/2009	6764.35	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/24/2009	6764.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/23/2009	6764.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/22/2009	6764.3	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/21/2009	6764.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/20/2009	6764.26	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/19/2009	6764.25	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/18/2009	6764.23	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/17/2009	6764.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/16/2009	6764.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/15/2009	6764.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/14/2009	6764.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/13/2009	6764.16	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/12/2009	6764.15	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/11/2009	6764.14	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/10/2009	6764.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/9/2009	6764.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/8/2009	6764.1	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/7/2009	6764.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/6/2009	6764.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/5/2009	6764.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/4/2009	6764.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/3/2009	6764.05	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/2/2009	6764.03	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/1/2009	6764.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/31/2008	6764	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/30/2008	6763.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/29/2008	6763.97	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/28/2008	6763.97	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/27/2008	6763.98	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/26/2008	6763.96	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/25/2008	6763.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/24/2008	6763.93	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/23/2008	6763.93	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/22/2008	6763.9	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/21/2008	6763.89	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/20/2008	6763.88	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/19/2008	6763.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/18/2008	6763.86	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/17/2008	6763.85	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/16/2008	6763.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/15/2008	6763.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/14/2008	6763.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/13/2008	6763.81	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/12/2008	6763.79	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/11/2008	6763.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/10/2008	6763.76	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/9/2008	6763.79	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/8/2008	6763.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/7/2008	6763.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/6/2008	6763.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/5/2008	6763.72	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/4/2008	6763.72	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/3/2008	6763.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/2/2008	6763.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/1/2008	6763.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/30/2008	6763.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/29/2008	6763.72	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/28/2008	6763.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/27/2008	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/26/2008	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/25/2008	6763.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/24/2008	6763.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/23/2008	6763.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/22/2008	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/21/2008	6763.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/20/2008	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/19/2008	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/18/2008	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/17/2008	6763.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/16/2008	6763.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/15/2008	6763.72	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/14/2008	6763.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/13/2008	6763.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/12/2008	6763.73	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/12/2008	6763.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/11/2008	6763.75	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/10/2008	6763.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/9/2008	6763.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/8/2008	6763.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/7/2008	6763.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/6/2008	6763.8	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/5/2008	6763.82	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/4/2008	6763.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/3/2008	6763.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/2/2008	6763.86	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/1/2008	6763.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/31/2008	6763.89	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/30/2008	6763.92	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/29/2008	6763.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/28/2008	6763.96	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/27/2008	6763.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/26/2008	6764.03	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/25/2008	6764.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/24/2008	6764.1	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/23/2008	6764.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/22/2008	6764.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/21/2008	6764.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/20/2008	6764.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/19/2008	6764.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/18/2008	6764.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/17/2008	6764.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/16/2008	6764.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/15/2008	6764.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/14/2008	6764.51	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/13/2008	6764.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/12/2008	6764.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/11/2008	6764.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/10/2008	6764.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/9/2008	6764.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/8/2008	6764.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/7/2008	6764.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/6/2008	6764.89	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/5/2008	6764.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/4/2008	6764.98	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/3/2008	6765.02	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/2/2008	6765.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/1/2008	6765.1	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/30/2008	6765.15	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/29/2008	6765.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/28/2008	6765.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/27/2008	6765.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/26/2008	6765.33	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/25/2008	6765.37	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/24/2008	6765.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/23/2008	6765.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/22/2008	6765.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/21/2008	6765.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/20/2008	6765.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/19/2008	6765.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/18/2008	6765.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/17/2008	6765.67	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/16/2008	6765.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/15/2008	6765.74	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/14/2008	6765.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/13/2008	6765.82	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/12/2008	6765.85	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/11/2008	6765.88	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/10/2008	6765.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/9/2008	6765.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/8/2008	6765.97	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/7/2008	6766	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/6/2008	6766.03	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/5/2008	6766.05	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/4/2008	6766.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/3/2008	6766.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/2/2008	6766.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/1/2008	6766.14	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/31/2008	6766.15	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/30/2008	6766.16	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/29/2008	6766.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/28/2008	6766.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/27/2008	6766.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/26/2008	6766.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/25/2008	6766.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/24/2008	6766.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/23/2008	6766.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/22/2008	6766.23	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/21/2008	6766.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/20/2008	6766.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/19/2008	6766.2	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/19/2008	6766.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/18/2008	6766.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/17/2008	6766.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/16/2008	6766.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/15/2008	6766.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/14/2008	6766.26	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/14/2008	6766.25	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/13/2008	6766.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/12/2008	6766.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/11/2008	6766.35	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/10/2008	6766.38	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/9/2008	6766.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/8/2008	6766.43	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/7/2008	6766.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/6/2008	6766.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/5/2008	6766.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/4/2008	6766.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/3/2008	6766.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/2/2008	6766.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/1/2008	6766.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/31/2008	6766.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/30/2008	6766.68	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/29/2008	6766.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/28/2008	6766.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/27/2008	6766.75	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/26/2008	6766.76	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/25/2008	6766.79	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/24/2008	6766.81	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/23/2008	6766.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/22/2008	6766.85	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/21/2008	6766.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/20/2008	6766.88	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/19/2008	6766.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/18/2008	6766.93	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/17/2008	6766.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/16/2008	6766.95	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/15/2008	6766.98	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/14/2008	6766.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/13/2008	6767.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/12/2008	6767.03	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/11/2008	6767.04	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/10/2008	6767.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/9/2008	6767.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/8/2008	6767.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/7/2008	6767.11	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/6/2008	6767.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/5/2008	6767.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/4/2008	6767.14	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/3/2008	6767.16	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/2/2008	6767.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/1/2008	6767.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/30/2008	6767.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/29/2008	6767.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/28/2008	6767.23	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/27/2008	6767.25	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/26/2008	6767.26	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/25/2008	6767.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/24/2008	6767.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/23/2008	6767.29	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/22/2008	6767.3	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/21/2008	6767.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/20/2008	6767.33	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/19/2008	6767.35	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/18/2008	6767.37	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/18/2008	6767.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/17/2008	6767.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/16/2008	6767.38	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/15/2008	6767.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/14/2008	6767.4	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/13/2008	6767.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/12/2008	6767.43	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/11/2008	6767.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/10/2008	6767.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/9/2008	6767.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/8/2008	6767.48	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/7/2008	6767.48	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/6/2008	6767.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/5/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/4/2008	6767.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/3/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/2/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/1/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/31/2008	6767.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/30/2008	6767.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/29/2008	6767.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/28/2008	6767.57	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/28/2008	6767.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/27/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/26/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/25/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/24/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/23/2008	6767.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/22/2008	6767.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/21/2008	6767.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/20/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/19/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/18/2008	6767.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/17/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/16/2008	6767.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/15/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/14/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/13/2008	6767.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/12/2008	6767.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/11/2008	6767.61	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/10/2008	6767.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/9/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/8/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/7/2008	6767.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/6/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/5/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/4/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/3/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/2/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/1/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/30/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/29/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/28/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/27/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/26/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/25/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/24/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/23/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/22/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/21/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/20/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/19/2008	6767.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/18/2008	6767.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/17/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/16/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/15/2008	6767.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/14/2008	6767.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/13/2008	6767.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/12/2008	6767.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/11/2008	6767.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/10/2008	6767.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/9/2008	6767.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/8/2008	6767.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/7/2008	6767.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/6/2008	6767.4	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/5/2008	6767.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/4/2008	6767.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/3/2008	6767.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/2/2008	6767.34	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/1/2008	6767.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/31/2008	6767.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/30/2008	6767.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/29/2008	6767.29	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/28/2008	6767.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/27/2008	6767.28	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/27/2008	6767.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/26/2008	6767.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/25/2008	6767.23	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/24/2008	6767.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/23/2008	6767.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/22/2008	6767.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/21/2008	6767.16	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/20/2008	6767.15	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/19/2008	6767.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/18/2008	6767.13	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/17/2008	6767.11	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/16/2008	6767.11	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/15/2008	6767.08	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/14/2008	6767.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/13/2008	6767.05	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/12/2008	6767.02	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/11/2008	6766.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/10/2008	6766.96	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/9/2008	6766.97	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/8/2008	6766.95	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/7/2008	6766.92	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/6/2008	6766.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/5/2008	6766.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/4/2008	6766.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/3/2008	6766.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/2/2008	6766.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/1/2008	6766.79	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/29/2008	6766.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/28/2008	6766.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/27/2008	6766.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/26/2008	6766.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/25/2008	6766.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/24/2008	6766.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/23/2008	6766.67	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/22/2008	6766.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/21/2008	6766.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/20/2008	6766.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/19/2008	6766.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/18/2008	6766.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/17/2008	6766.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/16/2008	6766.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/15/2008	6766.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/14/2008	6766.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/13/2008	6766.35	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/12/2008	6766.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/11/2008	6766.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/10/2008	6766.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/9/2008	6766.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/8/2008	6766.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/7/2008	6766.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/6/2008	6766.11	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/6/2008	6766.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/5/2008	6766.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/4/2008	6766.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/3/2008	6766.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/2/2008	6765.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/1/2008	6765.96	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	6/5/2008	6313.43	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	6/4/2008	6313.43	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	5/22/2008	6313.46	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	5/21/2008	6313.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/22/2009	6316.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/21/2009	6317.06	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/20/2009	6316.49	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/19/2009	6316.8	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/18/2009	6317.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/17/2009	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/16/2009	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/15/2009	6317.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/14/2009	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/13/2009	6317.28	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/12/2009	6316.26	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/11/2009	6316.63	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/10/2009	6317.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/9/2009	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/8/2009	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/7/2009	6317.13	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/6/2009	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/5/2009	6316.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/4/2009	6316.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/3/2009	6316.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/2/2009	6316.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/1/2009	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/31/2009	6316.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/30/2009	6316.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/29/2009	6316.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/28/2009	6316.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/27/2009	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/26/2009	6317.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/25/2009	6317.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/24/2009	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/23/2009	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/22/2009	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/21/2009	6316.49	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/20/2009	6316.51	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/19/2009	6316.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/18/2009	6316.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/17/2009	6316.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/16/2009	6316.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/15/2009	6316.53	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/14/2009	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/13/2009	6316.38	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/12/2009	6316.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/11/2009	6316.09	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/10/2009	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/9/2009	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/8/2009	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/7/2009	6317.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/6/2009	6317.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/5/2009	6316.64	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/4/2009	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/3/2009	6317.48	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/2/2009	6317.09	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/1/2009	6316.91	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/31/2008	6316.63	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/30/2008	6316.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/29/2008	6316.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/28/2008	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/27/2008	6317.51	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/26/2008	6317.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/25/2008	6316.68	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/24/2008	6317.64	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/23/2008	6317.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/22/2008	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/21/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/20/2008	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/19/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/18/2008	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/17/2008	6317.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/16/2008	6317.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/15/2008	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/14/2008	6318.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/13/2008	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/12/2008	6316.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/11/2008	6316.67	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/10/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/9/2008	6318.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/8/2008	6317.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/7/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/6/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/5/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/4/2008	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/3/2008	6317.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/2/2008	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/1/2008	6317.47	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/30/2008	6317.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/29/2008	6317.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/28/2008	6317.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/27/2008	6317.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/26/2008	6317.29	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/25/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/24/2008	6317.28	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/23/2008	6317.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/22/2008	6317.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/21/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/20/2008	6317.26	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/19/2008	6316.51	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/18/2008	6316.19	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/17/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/16/2008	6316.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/15/2008	6316.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/14/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/13/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/12/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/11/2008	6317.28	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/10/2008	6317.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/9/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/8/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/7/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/6/2008	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/5/2008	6317.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/4/2008	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/3/2008	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/2/2008	6316.9	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/1/2008	6316.56	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/31/2008	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/30/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/29/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/28/2008	6316.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/27/2008	6316.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/26/2008	6316.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/25/2008	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/24/2008	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/23/2008	6316.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/22/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/21/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/20/2008	6316.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/19/2008	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/18/2008	6316.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/17/2008	6316.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/16/2008	6316.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/15/2008	6316.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/14/2008	6316.55	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/13/2008	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/12/2008	6317.48	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/11/2008	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/10/2008	6317.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/9/2008	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/8/2008	6316.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/7/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/6/2008	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/5/2008	6317.44	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/4/2008	6317.28	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/3/2008	6317.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/2/2008	6316.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/1/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/30/2008	6316.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/29/2008	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/28/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/27/2008	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/26/2008	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/25/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/24/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/23/2008	6317.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/22/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/21/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/20/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/19/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/18/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/17/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/16/2008	6316.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/15/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/14/2008	6317.24	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/13/2008	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/12/2008	6317.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/11/2008	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/10/2008	6317.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/9/2008	6317.17	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/8/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/7/2008	6317.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/6/2008	6317.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/5/2008	6317.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/4/2008	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/3/2008	6317.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/2/2008	6317.51	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/1/2008	6317.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/31/2008	6317.44	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/30/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/29/2008	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/28/2008	6317.53	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/27/2008	6317.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/26/2008	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/25/2008	6317.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/24/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/23/2008	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/22/2008	6317.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/21/2008	6317.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/20/2008	6316.94	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/20/2008	6315.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/19/2008	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/18/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/17/2008	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/16/2008	6316.67	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/15/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/14/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/13/2008	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/12/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/11/2008	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/10/2008	6316.93	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/9/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/8/2008	6316.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/7/2008	6316.68	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/6/2008	6316.55	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/5/2008	6316.63	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/4/2008	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/3/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/2/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/1/2008	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/31/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/30/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/29/2008	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/28/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/27/2008	6316.86	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/26/2008	6316.64	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/25/2008	6316.8	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/24/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/23/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/22/2008	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/21/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/20/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/19/2008	6317.02	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/18/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/17/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/16/2008	6316.91	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/15/2008	6317.06	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/14/2008	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/13/2008	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/12/2008	6317.02	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/11/2008	6317.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/10/2008	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/9/2008	6317.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/8/2008	6317.23	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/7/2008	6317.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/6/2008	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/5/2008	6317.21	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/4/2008	6317.13	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/3/2008	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/2/2008	6317.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/1/2008	6317.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/30/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/29/2008	6317.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/28/2008	6317.38	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/27/2008	6317.48	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/26/2008	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/25/2008	6317.26	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/24/2008	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/23/2008	6317.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/22/2008	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/21/2008	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/20/2008	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/19/2008	6317.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/18/2008	6317.26	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/17/2008	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/16/2008	6317.47	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/15/2008	6317.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/14/2008	6317.15	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/13/2008	6317.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/12/2008	6317.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/11/2008	6317.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/10/2008	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/9/2008	6317.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/8/2008	6317.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/7/2008	6317.68	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/6/2008	6317.9	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/5/2008	6318.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/4/2008	6318.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/3/2008	6317.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/2/2008	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/1/2008	6317.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/31/2008	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/30/2008	6316	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/29/2008	6317.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/28/2008	6316.37	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/27/2008	6316.48	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/27/2008	6316.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/26/2008	6316.8	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/25/2008	6316.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/24/2008	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/23/2008	6317.53	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/22/2008	6318.07	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/21/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/20/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/19/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/18/2008	6316.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/17/2008	6316.27	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/16/2008	6316.16	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/15/2008	6316.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/14/2008	6316.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/13/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/12/2008	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/11/2008	6316.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/10/2008	6316.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/9/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/8/2008	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/7/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/6/2008	6316.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/5/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/4/2008	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/3/2008	6316.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/2/2008	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/1/2008	6317.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/30/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/29/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/28/2008	6316.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/27/2008	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/26/2008	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/25/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/24/2008	6317.06	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/23/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/22/2008	6316.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/21/2008	6317.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/20/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/19/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/18/2008	6316.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/17/2008	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/16/2008	6317.44	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/15/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/14/2008	6316.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/13/2008	6316.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/12/2008	6316.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/11/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/10/2008	6317.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/9/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/8/2008	6317.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/7/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/6/2008	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/5/2008	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/4/2008	6316.9	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/3/2008	6317.15	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/2/2008	6316.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/1/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/31/2008	6317.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/30/2008	6317.23	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/29/2008	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/28/2008	6317.25	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/27/2008	6317.27	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/27/2008	6317.27	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/26/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/25/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/24/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/23/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/22/2008	6316.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/21/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/20/2008	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/19/2008	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/18/2008	6317.21	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/17/2008	6317.86	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/16/2008	6317.68	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/15/2008	6317.75	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/14/2008	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/13/2008	6317.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/12/2008	6317.21	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/11/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/10/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/9/2008	6317.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/8/2008	6317.2	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/7/2008	6317.29	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/6/2008	6317.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/5/2008	6318.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/4/2008	6317.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/3/2008	6318.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/2/2008	6318.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/1/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/29/2008	6317.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/28/2008	6317.57	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/27/2008	6317.02	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/26/2008	6317.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/25/2008	6317.48	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/24/2008	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/23/2008	6317.91	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/22/2008	6317.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/21/2008	6317.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/20/2008	6317.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/19/2008	6317.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/18/2008	6317.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/17/2008	6318.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/16/2008	6317.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/15/2008	6318.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/14/2008	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/13/2008	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/12/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/11/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/10/2008	6316.38	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/9/2008	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/8/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/7/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/6/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/5/2008	6317.56	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/4/2008	6317.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/3/2008	6317.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/2/2008	6317.16	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/1/2008	6316.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/22/2009	6138.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/21/2009	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/20/2009	6138.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/19/2009	6138.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/18/2009	6138.8	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/17/2009	6138.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/16/2009	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/15/2009	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/14/2009	6138.78	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/13/2009	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/12/2009	6138.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/11/2009	6138.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/10/2009	6137.98	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/9/2009	6137.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/8/2009	6137.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/7/2009	6137.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/6/2009	6137.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/5/2009	6137.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/4/2009	6137.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/3/2009	6137.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/2/2009	6137.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/1/2009	6137.8	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/31/2009	6137.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/30/2009	6137.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/29/2009	6137.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/28/2009	6137.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/27/2009	6137.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/26/2009	6137.22	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/25/2009	6136.93	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/24/2009	6136.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/23/2009	6136.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/22/2009	6136.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/21/2009	6136.59	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/20/2009	6136.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/19/2009	6136.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/18/2009	6136.79	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/17/2009	6137.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/16/2009	6137.06	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/15/2009	6137.24	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/14/2009	6137.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/13/2009	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/12/2009	6137.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/11/2009	6137.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/10/2009	6137.8	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/9/2009	6138.02	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/8/2009	6137.9	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/7/2009	6137.96	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/6/2009	6138.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/5/2009	6137.75	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/4/2009	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/3/2009	6138	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/2/2009	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	1/1/2009	6137.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/31/2008	6137.91	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/30/2008	6138.1	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/29/2008	6138.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/28/2008	6138.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/27/2008	6138.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/26/2008	6138.68	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/25/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/24/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/23/2008	6138.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/22/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/21/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/20/2008	6138.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/19/2008	6138.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/18/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/17/2008	6138.55	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/16/2008	6138.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/15/2008	6138.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/14/2008	6138.55	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/13/2008	6138.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/12/2008	6137.93	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/11/2008	6137.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/10/2008	6137.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/9/2008	6138.29	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/8/2008	6138.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/7/2008	6137.77	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/6/2008	6137.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/5/2008	6137.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/4/2008	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/3/2008	6138.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/2/2008	6137.68	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	12/1/2008	6137.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/30/2008	6137.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/29/2008	6137.47	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/28/2008	6137.3	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/27/2008	6137.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/26/2008	6137.1	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/25/2008	6136.98	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/24/2008	6137.07	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/23/2008	6137.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/22/2008	6137.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/21/2008	6137.22	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/20/2008	6137.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/19/2008	6137.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/18/2008	6137.61	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/17/2008	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/16/2008	6138	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/15/2008	6138.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/14/2008	6138.37	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/13/2008	6138.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/12/2008	6137.88	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/11/2008	6138.15	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/10/2008	6138.22	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/9/2008	6137.92	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/8/2008	6137.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/7/2008	6137.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/6/2008	6137.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/5/2008	6137.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/4/2008	6137.06	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/3/2008	6136.99	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/2/2008	6136.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/1/2008	6136.75	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/31/2008	6136.83	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/30/2008	6137.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/29/2008	6137.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/28/2008	6137.03	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/27/2008	6136.99	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/26/2008	6137.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/25/2008	6137.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/24/2008	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/23/2008	6137.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/22/2008	6137.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/21/2008	6137.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/20/2008	6137.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/19/2008	6137.68	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/18/2008	6137.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/17/2008	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/16/2008	6137.95	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/15/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/14/2008	6138.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/13/2008	6138.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/12/2008	6138.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/11/2008	6138.03	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/10/2008	6137.96	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/9/2008	6137.76	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/8/2008	6137.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/7/2008	6137.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/6/2008	6137.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/5/2008	6137.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/4/2008	6137.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/3/2008	6137.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/2/2008	6137	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/1/2008	6136.97	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/30/2008	6136.94	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/29/2008	6137.05	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/28/2008	6137.09	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/27/2008	6137.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/26/2008	6137.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/25/2008	6137.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/24/2008	6137.24	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/23/2008	6137.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/22/2008	6137.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/21/2008	6137.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/20/2008	6137.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/19/2008	6137.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/18/2008	6137.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/17/2008	6137.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/16/2008	6137.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/15/2008	6137.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/14/2008	6137.83	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/13/2008	6137.9	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/12/2008	6137.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/11/2008	6137.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/10/2008	6137.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/9/2008	6137.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/8/2008	6137.79	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/7/2008	6137.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/6/2008	6137.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/5/2008	6137.88	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/4/2008	6137.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/3/2008	6137.72	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/2/2008	6137.85	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/1/2008	6137.89	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/31/2008	6137.8	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/30/2008	6137.71	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/29/2008	6137.75	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/28/2008	6137.8	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/27/2008	6137.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/26/2008	6137.83	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/25/2008	6137.72	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/24/2008	6137.71	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/23/2008	6137.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/22/2008	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/21/2008	6137.78	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/20/2008	6137.83	Manual
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/20/2008	6137.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/19/2008	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/18/2008	6137.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/17/2008	6137.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/16/2008	6137.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/15/2008	6137.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/14/2008	6137.7	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/13/2008	6137.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/12/2008	6137.63	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/11/2008	6137.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/10/2008	6137.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/9/2008	6137.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/8/2008	6137.59	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/7/2008	6137.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/6/2008	6137.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/5/2008	6137.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/4/2008	6137.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/3/2008	6137.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/2/2008	6137.68	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/1/2008	6137.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/31/2008	6137.71	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/30/2008	6137.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/29/2008	6137.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/28/2008	6137.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/27/2008	6137.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/26/2008	6137.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/25/2008	6137.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/24/2008	6137.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/23/2008	6137.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/22/2008	6137.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/21/2008	6137.53	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/20/2008	6137.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/19/2008	6137.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/18/2008	6137.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/17/2008	6137.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/16/2008	6137.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/15/2008	6137.59	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/14/2008	6137.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/13/2008	6137.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/12/2008	6137.61	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/11/2008	6137.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/10/2008	6137.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/9/2008	6137.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/8/2008	6137.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/7/2008	6137.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/6/2008	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/5/2008	6137.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/4/2008	6137.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/3/2008	6137.27	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/2/2008	6137.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/1/2008	6137.19	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/30/2008	6137.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/29/2008	6137.15	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/28/2008	6137.3	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/27/2008	6137.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/26/2008	6137.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/25/2008	6137.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/24/2008	6137.32	Manual
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/24/2008	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/23/2008	6137.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/22/2008	6137.44	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/21/2008	6137.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/20/2008	6137.71	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/19/2008	6137.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/18/2008	6137.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/17/2008	6137.9	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/16/2008	6138.08	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/15/2008	6138.15	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/14/2008	6138.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/13/2008	6138.3	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/12/2008	6138.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/11/2008	6138.63	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/10/2008	6138.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/9/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/8/2008	6138.61	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/7/2008	6138.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/6/2008	6138.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/5/2008	6138.63	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/4/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/3/2008	6138.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/2/2008	6138.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/1/2008	6138.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/31/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/30/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/29/2008	6138.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/28/2008	6138.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/27/2008	6138.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/26/2008	6138.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/25/2008	6138.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/24/2008	6138.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/23/2008	6138.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/22/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/21/2008	6137.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/20/2008	6138.09	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/19/2008	6138.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/18/2008	6138.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/17/2008	6138.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/16/2008	6138.29	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/15/2008	6138.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/14/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/13/2008	6138.75	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/12/2008	6138.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/11/2008	6138.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/10/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/9/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/8/2008	6138.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/7/2008	6138.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/6/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/5/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/4/2008	6138.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/3/2008	6138.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/2/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/1/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/30/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/29/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/28/2008	6138.1	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/27/2008	6138.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/26/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/25/2008	6138.47	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/24/2008	6138.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/23/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/22/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/21/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/20/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/19/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/18/2008	6138.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/17/2008	6138.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/16/2008	6138.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/15/2008	6138.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/14/2008	6138.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/13/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/12/2008	6138.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/11/2008	6138.88	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/10/2008	6139.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/9/2008	6138.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/8/2008	6138.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/7/2008	6138.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/6/2008	6138.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/5/2008	6138.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/4/2008	6138.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/3/2008	6138.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/2/2008	6138.34	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/1/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/31/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/30/2008	6138.3	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/29/2008	6138.18	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/28/2008	6138.19	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/27/2008	6138.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/26/2008	6138.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/25/2008	6138.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/24/2008	6138.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/23/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/22/2008	6138.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/21/2008	6138.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/20/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/19/2008	6138.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/18/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/17/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/16/2008	6138.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/15/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/14/2008	6138.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/13/2008	6138.18	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/12/2008	6138.05	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/11/2008	6137.99	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/10/2008	6137.99	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/9/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/8/2008	6138.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/7/2008	6138.08	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/6/2008	6138.13	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/5/2008	6138.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/4/2008	6137.91	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/3/2008	6137.94	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/2/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/1/2008	6137.74	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/29/2008	6137.98	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/28/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/27/2008	6138.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/26/2008	6138.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/25/2008	6138.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/24/2008	6138.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/23/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/22/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/21/2008	6138.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/20/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/19/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/18/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/17/2008	6138.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/16/2008	6138.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/15/2008	6138.19	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/14/2008	6138.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/13/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/13/2008	6138.34	Manual
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/22/2009	6155.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/21/2009	6155.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/20/2009	6155.79	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/19/2009	6156.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/18/2009	6156.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/17/2009	6156.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/16/2009	6156.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/15/2009	6156.57	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/14/2009	6156.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/13/2009	6156.84	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/12/2009	6156.79	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/11/2009	6156.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/10/2009	6156.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/9/2009	6155.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/8/2009	6155.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/7/2009	6155.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/6/2009	6154.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/5/2009	6154.85	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/4/2009	6155.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/3/2009	6155.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/2/2009	6155.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/1/2009	6155.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/31/2009	6155.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/30/2009	6155.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/29/2009	6156.02	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/28/2009	6156.02	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/27/2009	6156.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/26/2009	6155.58	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/25/2009	6155.05	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/24/2009	6154.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/23/2009	6154.43	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/22/2009	6154.13	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/21/2009	6153.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/20/2009	6153.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/19/2009	6153.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/18/2009	6153.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/17/2009	6154.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/16/2009	6154.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/15/2009	6154.31	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/14/2009	6154.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/13/2009	6154.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/12/2009	6154.67	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/11/2009	6154.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/10/2009	6155.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/9/2009	6155.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/8/2009	6155.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/7/2009	6155.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/6/2009	6155.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/5/2009	6155.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/4/2009	6155.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/3/2009	6155.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/2/2009	6154.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	1/1/2009	6154.67	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/31/2008	6154.66	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/30/2008	6154.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/29/2008	6155.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/28/2008	6155.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/27/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/26/2008	6155.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/25/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/24/2008	6155.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/23/2008	6155.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/22/2008	6155.35	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/21/2008	6155.5	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/20/2008	6155.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/19/2008	6155.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/18/2008	6156.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/17/2008	6156.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/16/2008	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/15/2008	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/14/2008	6156.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/13/2008	6155.56	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/12/2008	6155.31	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/11/2008	6155.43	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/10/2008	6155.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/9/2008	6155.88	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/8/2008	6155.3	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/7/2008	6155.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/6/2008	6155.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/5/2008	6155.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/4/2008	6155.64	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/3/2008	6155.8	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/2/2008	6155.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/1/2008	6155.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/30/2008	6155.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/29/2008	6155.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/28/2008	6155.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/27/2008	6154.68	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/26/2008	6154.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/25/2008	6154.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/24/2008	6154.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/23/2008	6154.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/22/2008	6154.21	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/21/2008	6154.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/20/2008	6154.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/19/2008	6154.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/18/2008	6154.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/17/2008	6154.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/16/2008	6155.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/15/2008	6155.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/14/2008	6156.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/13/2008	6155.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/12/2008	6156.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/11/2008	6156.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/10/2008	6156.04	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/9/2008	6155.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/8/2008	6155.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/7/2008	6155.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/6/2008	6155.62	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/5/2008	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/4/2008	6154.66	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/3/2008	6154.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/2/2008	6153.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/1/2008	6153.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/31/2008	6153.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/30/2008	6153.99	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/29/2008	6153.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/28/2008	6154.05	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/27/2008	6154.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/26/2008	6154.66	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/25/2008	6154.67	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/24/2008	6154.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/23/2008	6154.52	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/22/2008	6154.55	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/21/2008	6154.31	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/20/2008	6154.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/19/2008	6154.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/18/2008	6154.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/17/2008	6154.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/16/2008	6155.04	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/15/2008	6155.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/14/2008	6155.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/13/2008	6155.95	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/12/2008	6156.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/11/2008	6155.79	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/10/2008	6155.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/9/2008	6155.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/8/2008	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/7/2008	6155.5	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/6/2008	6155.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/5/2008	6155.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/4/2008	6154.84	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/3/2008	6154.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/2/2008	6154.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/1/2008	6154.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/30/2008	6154.2	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/29/2008	6154.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/28/2008	6154.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/27/2008	6154.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/26/2008	6154.45	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/25/2008	6154.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/24/2008	6154.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/23/2008	6154.73	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/22/2008	6154.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/21/2008	6154.62	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/20/2008	6154.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/19/2008	6154.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/18/2008	6154.52	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/17/2008	6154.57	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/16/2008	6154.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/15/2008	6155	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/14/2008	6155.3	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/13/2008	6155.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/12/2008	6155.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/11/2008	6155.2	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/10/2008	6155.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/9/2008	6155.1	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/8/2008	6155.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/7/2008	6155.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/6/2008	6155.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/5/2008	6155.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/4/2008	6155.2	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/3/2008	6155.2	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/2/2008	6155.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/1/2008	6155.35	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/31/2008	6155.21	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/30/2008	6155.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/29/2008	6155.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/28/2008	6155.28	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/27/2008	6155.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/26/2008	6155.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/25/2008	6155.1	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/24/2008	6155.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/23/2008	6155.43	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/22/2008	6155.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/21/2008	6155.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/20/2008	6155.45	Manual
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/20/2008	6155.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/19/2008	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/18/2008	6155.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/17/2008	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/16/2008	6155.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/15/2008	6155.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/14/2008	6155.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/13/2008	6155.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/12/2008	6155.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/11/2008	6155.04	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/10/2008	6154.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/9/2008	6154.86	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/8/2008	6154.81	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/7/2008	6154.86	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/6/2008	6154.93	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/5/2008	6155.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/4/2008	6155.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/3/2008	6155.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/2/2008	6155.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/1/2008	6155.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/31/2008	6155.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/30/2008	6155.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/29/2008	6155.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/28/2008	6155.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/27/2008	6155.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/26/2008	6154.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/25/2008	6155.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/24/2008	6155.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/23/2008	6155.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/22/2008	6155.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/21/2008	6155.07	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/20/2008	6155.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/19/2008	6155.13	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/18/2008	6155.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/17/2008	6155.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/16/2008	6155.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/15/2008	6155.13	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/14/2008	6155.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/13/2008	6155.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/12/2008	6155.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/11/2008	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/10/2008	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/9/2008	6155.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/8/2008	6155.43	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/7/2008	6155.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/6/2008	6155.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/5/2008	6155.05	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/4/2008	6155	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/3/2008	6155.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/2/2008	6154.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/1/2008	6154.81	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/30/2008	6154.82	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/29/2008	6154.95	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/28/2008	6155.07	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/27/2008	6154.96	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/26/2008	6154.79	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/25/2008	6154.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/24/2008	6154.77	Manual
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/24/2008	6154.76	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/23/2008	6154.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/22/2008	6154.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/21/2008	6154.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/20/2008	6155.07	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/19/2008	6155.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/18/2008	6155.02	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/17/2008	6155.07	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/16/2008	6155.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/15/2008	6155.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/14/2008	6155.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/13/2008	6155.68	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/12/2008	6155.9	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/11/2008	6155.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/10/2008	6155.93	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/9/2008	6156.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/8/2008	6156.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/7/2008	6156.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/6/2008	6156.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/5/2008	6156.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/4/2008	6155.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/3/2008	6155.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/2/2008	6155.45	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/1/2008	6155.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/31/2008	6155.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/30/2008	6155.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/29/2008	6155.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/28/2008	6156.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/27/2008	6156.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/26/2008	6156.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/25/2008	6156.88	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/24/2008	6157.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/23/2008	6156.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/22/2008	6156.4	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/21/2008	6155.57	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/20/2008	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/19/2008	6155.35	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/18/2008	6155.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/17/2008	6155.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/16/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/15/2008	6156.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/14/2008	6156.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/13/2008	6156.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/12/2008	6156.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/11/2008	6156.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/10/2008	6156.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/9/2008	6156.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/8/2008	6156.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/7/2008	6156.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/6/2008	6156.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/5/2008	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/4/2008	6156.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/3/2008	6156.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/2/2008	6156.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/1/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/30/2008	6155.67	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/29/2008	6155.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/28/2008	6155.46	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/27/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/26/2008	6155.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/25/2008	6156.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/24/2008	6156.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/23/2008	6156.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/22/2008	6156.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/21/2008	6156.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/20/2008	6156.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/19/2008	6156.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/18/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/17/2008	6156.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/16/2008	6155.93	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/15/2008	6155.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/14/2008	6155.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/13/2008	6156.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/12/2008	6156.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/11/2008	6156.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/10/2008	6157	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/9/2008	6156.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/8/2008	6156.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/7/2008	6156.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/6/2008	6156.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/5/2008	6156.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/4/2008	6156.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/3/2008	6156.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/2/2008	6156.28	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/1/2008	6156.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/31/2008	6156.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/30/2008	6156.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/29/2008	6156.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/28/2008	6156	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/27/2008	6155.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/26/2008	6155.56	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/25/2008	6155.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/24/2008	6155.5	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/23/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/22/2008	6156.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/21/2008	6156.31	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/20/2008	6156.52	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/19/2008	6156.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/18/2008	6157.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/17/2008	6157.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/16/2008	6156.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/15/2008	6156.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/14/2008	6156.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/13/2008	6155.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/12/2008	6155.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/11/2008	6155.73	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/10/2008	6155.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/9/2008	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/8/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/7/2008	6156.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/6/2008	6156.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/5/2008	6156.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/4/2008	6155.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/3/2008	6155.9	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/2/2008	6155.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/1/2008	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/29/2008	6155.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/28/2008	6155.57	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/27/2008	6155.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/26/2008	6155.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/25/2008	6156.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/24/2008	6155.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/23/2008	6156.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/22/2008	6156.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/21/2008	6155.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/20/2008	6155.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/19/2008	6155.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/19/2008	6155.9	Manual
MT-2	44	Single	5251	20	44	64	2	2.25	2/2/2009	6732.87	Manual
MT-2	44	Single	5251	20	44	64	2	2.25	2/2/2009	6732.85	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	2/1/2009	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/31/2009	6732.84	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/30/2009	6732.84	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/29/2009	6732.85	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/28/2009	6732.85	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/27/2009	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/26/2009	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/25/2009	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/24/2009	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/23/2009	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/22/2009	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/21/2009	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/20/2009	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/19/2009	6732.9	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	1/18/2009	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/17/2009	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/16/2009	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/15/2009	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/14/2009	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/13/2009	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/12/2009	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/11/2009	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/10/2009	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/9/2009	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/8/2009	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/7/2009	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/6/2009	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/5/2009	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/4/2009	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/3/2009	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/2/2009	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	1/1/2009	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/31/2008	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/30/2008	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/29/2008	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/28/2008	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/27/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/26/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/25/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/24/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/23/2008	6732.98	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/22/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/21/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/20/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/19/2008	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/18/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/17/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/16/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/15/2008	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/14/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/13/2008	6732.99	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/12/2008	6732.99	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/11/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/10/2008	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/9/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/8/2008	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/7/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/6/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/5/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/4/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/3/2008	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/2/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	12/1/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/30/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/29/2008	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/28/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/27/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/26/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/25/2008	6732.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	11/24/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/23/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/22/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/21/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/20/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/19/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/18/2008	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/17/2008	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/16/2008	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/15/2008	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/14/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/13/2008	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/12/2008	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/11/2008	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/10/2008	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/9/2008	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/8/2008	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/7/2008	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/6/2008	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/5/2008	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/4/2008	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/3/2008	6732.95	Manual
MT-2	44	Single	5251	20	44	64	2	2.25	11/3/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/2/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/1/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/31/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/30/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/29/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/28/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/27/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/26/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/25/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/24/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/23/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/22/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/21/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/20/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/19/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/18/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/17/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/16/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/15/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/14/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/13/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/12/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/11/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/10/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/9/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/8/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/7/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/6/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/5/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/4/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/3/2008	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/2/2008	6732.94	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	10/1/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/30/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/29/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/28/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/27/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/26/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/25/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/24/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/23/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/22/2008	6732.98	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/21/2008	6732.98	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/20/2008	6732.99	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/19/2008	6732.99	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/18/2008	6733	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/17/2008	6733	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/16/2008	6733.01	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/15/2008	6733.03	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/14/2008	6733.04	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/13/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/12/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/11/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/10/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/9/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/8/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/7/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/6/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/5/2008	6733.06	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/4/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/3/2008	6733.05	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/2/2008	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/1/2008	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/31/2008	6732.97	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/30/2008	6733	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/29/2008	6733.02	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/28/2008	6733.02	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/27/2008	6733.03	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/26/2008	6733.03	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/25/2008	6733.01	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/24/2008	6733.02	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/23/2008	6733.02	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/22/2008	6733.16	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/21/2008	6733.18	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/20/2008	6733.19	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/19/2008	6733.26	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/19/2008	6733.21	Manual
MT-2	44	Single	5251	20	44	64	2	2.25	8/15/2008	6733.31	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	2/18/2009	6750.95	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	2/18/2009	6750.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/17/2009	6750.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/16/2009	6750.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/15/2009	6750.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/14/2009	6750.94	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/13/2009	6750.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/12/2009	6750.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/11/2009	6750.91	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	2/10/2009	6750.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/9/2009	6750.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/8/2009	6750.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/7/2009	6750.87	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/6/2009	6750.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/5/2009	6750.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/4/2009	6750.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/3/2009	6750.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/2/2009	6750.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/1/2009	6750.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/31/2009	6750.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/30/2009	6750.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/29/2009	6750.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/28/2009	6750.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/27/2009	6750.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/26/2009	6750.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/25/2009	6750.7	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/24/2009	6750.61	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/23/2009	6750.6	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/22/2009	6750.52	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/21/2009	6750.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/20/2009	6750.3	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/19/2009	6750.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/18/2009	6750.21	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/17/2009	6750.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/16/2009	6750.2	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/15/2009	6750.22	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/14/2009	6750.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/13/2009	6750.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/12/2009	6750.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/11/2009	6750.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/10/2009	6750.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/9/2009	6750.32	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/8/2009	6750.27	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/7/2009	6750.3	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/6/2009	6750.36	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/5/2009	6750.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/4/2009	6750.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/3/2009	6750.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/2/2009	6749.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/1/2009	6749.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/31/2008	6749.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/30/2008	6749.71	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/29/2008	6749.71	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/28/2008	6749.94	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/27/2008	6750.21	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/26/2008	6750.17	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/25/2008	6749.94	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/24/2008	6750.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/23/2008	6750.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/22/2008	6749.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/21/2008	6749.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/20/2008	6749.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/19/2008	6749.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/18/2008	6750	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	12/17/2008	6750.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/16/2008	6750.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/15/2008	6750.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/14/2008	6750.33	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/13/2008	6750.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/12/2008	6749.9	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/11/2008	6749.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/10/2008	6750.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/9/2008	6750.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/8/2008	6750.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/7/2008	6750.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/6/2008	6750.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/5/2008	6750.31	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/4/2008	6750.46	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/3/2008	6750.56	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/2/2008	6750.52	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/1/2008	6750.66	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/30/2008	6750.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/29/2008	6750.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/28/2008	6750.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/27/2008	6750.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/26/2008	6750.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/25/2008	6750.66	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/24/2008	6750.69	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/23/2008	6750.71	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/22/2008	6750.71	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/21/2008	6750.71	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/20/2008	6750.74	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/19/2008	6750.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/18/2008	6750.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/17/2008	6750.7	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/16/2008	6750.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/15/2008	6750.73	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/14/2008	6750.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/13/2008	6750.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/12/2008	6750.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/11/2008	6750.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/10/2008	6750.83	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/9/2008	6750.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/8/2008	6750.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/7/2008	6750.83	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/6/2008	6750.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/5/2008	6750.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/4/2008	6750.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/3/2008	6750.87	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/2/2008	6750.87	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/1/2008	6750.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/31/2008	6750.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/30/2008	6750.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/29/2008	6750.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/28/2008	6750.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/27/2008	6750.94	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/26/2008	6750.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/25/2008	6750.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/24/2008	6751.01	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	10/23/2008	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/22/2008	6751.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/21/2008	6751.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/20/2008	6751.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/19/2008	6751.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/18/2008	6751.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/17/2008	6751.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/16/2008	6751.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/15/2008	6751.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/14/2008	6751.2	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/13/2008	6751.23	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/12/2008	6751.26	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/11/2008	6751.27	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/10/2008	6751.29	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/9/2008	6751.31	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/8/2008	6751.32	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/7/2008	6751.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/6/2008	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/5/2008	6751.4	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/4/2008	6751.41	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/3/2008	6751.43	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/2/2008	6751.45	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/1/2008	6751.46	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/30/2008	6751.48	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/29/2008	6751.5	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/28/2008	6751.52	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/27/2008	6751.54	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/26/2008	6751.55	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/25/2008	6751.57	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/24/2008	6751.59	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/23/2008	6751.6	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/22/2008	6751.62	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/21/2008	6751.63	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/20/2008	6751.64	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/19/2008	6751.66	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/18/2008	6751.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/17/2008	6751.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/16/2008	6751.69	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/15/2008	6751.7	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/14/2008	6751.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/13/2008	6751.73	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/12/2008	6751.74	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/11/2008	6751.75	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/10/2008	6751.75	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/9/2008	6751.75	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/8/2008	6751.76	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/7/2008	6751.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/6/2008	6751.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/5/2008	6751.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/4/2008	6751.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/3/2008	6751.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/2/2008	6751.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/1/2008	6751.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/31/2008	6751.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/30/2008	6751.79	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	8/29/2008	6751.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/28/2008	6751.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/27/2008	6751.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/26/2008	6751.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/25/2008	6751.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/24/2008	6751.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/23/2008	6751.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/22/2008	6751.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/21/2008	6751.83	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/20/2008	6751.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/19/2008	6751.87	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	8/19/2008	6751.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/18/2008	6751.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/17/2008	6751.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/16/2008	6751.87	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/15/2008	6751.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/14/2008	6751.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/13/2008	6751.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/12/2008	6751.9	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/11/2008	6751.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/10/2008	6751.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/9/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/8/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/7/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/6/2008	6751.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/5/2008	6751.94	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/4/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/3/2008	6751.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/2/2008	6751.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/1/2008	6751.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/31/2008	6751.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/30/2008	6751.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/29/2008	6751.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/28/2008	6751.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/27/2008	6751.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/26/2008	6751.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/25/2008	6752	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/24/2008	6752	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/23/2008	6752.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/22/2008	6752.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/21/2008	6752.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/20/2008	6752.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/19/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/18/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/17/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/16/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/15/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/14/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/13/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/12/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/11/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/10/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/9/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/8/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/7/2008	6752.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	7/6/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/5/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/4/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/3/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/2/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/1/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/30/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/29/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/28/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/27/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/26/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/25/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/24/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/23/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/22/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/21/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/20/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/19/2008	6752.13	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	6/19/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/18/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/17/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/16/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/15/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/14/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/13/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/12/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/11/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/10/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/9/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/8/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/7/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/6/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/5/2008	6752.19	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/4/2008	6752.17	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/3/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/2/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/1/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/31/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/30/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/29/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/28/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/27/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/26/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/25/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/24/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/23/2008	6752.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/22/2008	6752.19	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/21/2008	6752.17	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/20/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/19/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/18/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/17/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/16/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/15/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/14/2008	6752.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	5/13/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/12/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/11/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/10/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/9/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/8/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/7/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/6/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/5/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/4/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/3/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/2/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/1/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/30/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/29/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/28/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/27/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/26/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/25/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/24/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/23/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/22/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/21/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/20/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/19/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/18/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/17/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/16/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/15/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/14/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/13/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/12/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/11/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/10/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/9/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/8/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/7/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/6/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/5/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/4/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/3/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/2/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/1/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/31/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/30/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/29/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/28/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/27/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/26/2008	6752.04	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	3/26/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/25/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/24/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/23/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/22/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/21/2008	6752.05	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	3/20/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/19/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/18/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/17/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/16/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/15/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/14/2008	6752.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/13/2008	6752.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/12/2008	6751.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/11/2008	6751.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/10/2008	6751.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/9/2008	6751.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/8/2008	6751.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/7/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/6/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/5/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/4/2008	6751.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/3/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/2/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/1/2008	6751.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/29/2008	6751.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/28/2008	6751.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/27/2008	6751.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/26/2008	6751.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/25/2008	6751.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/24/2008	6751.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/23/2008	6751.83	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/22/2008	6751.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/21/2008	6751.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/20/2008	6751.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/19/2008	6751.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/18/2008	6751.76	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/17/2008	6751.75	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/16/2008	6751.73	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/15/2008	6751.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/14/2008	6751.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/13/2008	6751.69	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/12/2008	6751.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/11/2008	6751.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/10/2008	6751.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/9/2008	6751.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/8/2008	6751.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/7/2008	6751.63	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/6/2008	6751.61	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	2/6/2008	6751.58	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/5/2008	6751.58	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/4/2008	6751.57	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/3/2008	6751.55	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/2/2008	6751.54	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/1/2008	6751.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/18/2009	6725.37	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	2/18/2009	6725.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/17/2009	6725.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/16/2009	6725.34	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/15/2009	6725.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	2/14/2009	6725.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/13/2009	6725.32	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/12/2009	6725.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/11/2009	6725.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/10/2009	6725.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/9/2009	6725.29	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/8/2009	6725.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/7/2009	6725.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/6/2009	6725.25	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/5/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/4/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/3/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/2/2009	6725.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/1/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/31/2009	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/30/2009	6725.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/29/2009	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/28/2009	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/27/2009	6725.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/26/2009	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/25/2009	6725.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/24/2009	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/23/2009	6725.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/22/2009	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/21/2009	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/20/2009	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/19/2009	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/18/2009	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/17/2009	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/16/2009	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/15/2009	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/14/2009	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/13/2009	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/12/2009	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/11/2009	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/10/2009	6725.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/9/2009	6725.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/8/2009	6725.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/7/2009	6725.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/6/2009	6725.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/5/2009	6725.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/4/2009	6725.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/3/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/2/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/1/2009	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/31/2008	6725.24	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/30/2008	6725.25	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/29/2008	6725.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/28/2008	6725.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/27/2008	6725.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/26/2008	6725.29	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/25/2008	6725.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/24/2008	6725.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/23/2008	6725.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/22/2008	6725.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	12/21/2008	6725.34	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/20/2008	6725.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/19/2008	6725.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/18/2008	6725.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/17/2008	6725.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/16/2008	6725.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/15/2008	6725.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/14/2008	6725.44	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/13/2008	6725.44	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/12/2008	6725.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/11/2008	6725.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/10/2008	6725.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/9/2008	6725.51	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/8/2008	6725.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/7/2008	6725.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/6/2008	6725.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/5/2008	6725.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/4/2008	6725.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/3/2008	6725.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/2/2008	6725.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/1/2008	6725.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/30/2008	6725.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/29/2008	6725.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/28/2008	6725.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/27/2008	6725.75	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/26/2008	6725.77	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/25/2008	6725.79	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/24/2008	6725.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/23/2008	6725.84	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/22/2008	6725.86	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/21/2008	6725.88	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/20/2008	6725.91	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/19/2008	6725.93	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	11/19/2008	6725.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/18/2008	6725.91	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/17/2008	6725.94	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/16/2008	6725.97	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/15/2008	6725.99	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/14/2008	6726.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/13/2008	6726.05	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/12/2008	6726.07	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/11/2008	6726.1	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/10/2008	6726.14	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/9/2008	6726.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/8/2008	6726.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/7/2008	6726.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/6/2008	6726.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/5/2008	6726.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/4/2008	6726.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/3/2008	6726.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/2/2008	6726.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/1/2008	6726.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/31/2008	6726.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/30/2008	6726.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/29/2008	6726.41	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	10/28/2008	6726.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/27/2008	6726.46	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/26/2008	6726.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/25/2008	6726.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/24/2008	6726.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/23/2008	6726.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/22/2008	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/21/2008	6726.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/20/2008	6726.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/19/2008	6726.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/18/2008	6726.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/17/2008	6726.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/16/2008	6726.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/15/2008	6726.75	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/14/2008	6726.77	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/13/2008	6726.8	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/12/2008	6726.83	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/11/2008	6726.84	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/10/2008	6726.86	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/9/2008	6726.86	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/8/2008	6726.87	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/7/2008	6726.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/6/2008	6726.92	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/5/2008	6726.94	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/4/2008	6726.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/3/2008	6726.96	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/2/2008	6726.96	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/1/2008	6726.97	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/30/2008	6726.98	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/29/2008	6727	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/28/2008	6727.01	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/27/2008	6727.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/26/2008	6727.04	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/25/2008	6727.05	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/24/2008	6727.06	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/23/2008	6727.08	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/22/2008	6727.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/21/2008	6727.1	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/20/2008	6727.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/19/2008	6727.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/18/2008	6727.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/17/2008	6727.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/16/2008	6727.13	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/15/2008	6727.14	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/14/2008	6727.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/13/2008	6727.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/12/2008	6727.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/11/2008	6727.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/10/2008	6727.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/9/2008	6727.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/8/2008	6727.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/7/2008	6727.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/6/2008	6727.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/5/2008	6727.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/4/2008	6727.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	9/3/2008	6727.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/2/2008	6727.25	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/1/2008	6727.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/31/2008	6727.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/30/2008	6727.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/29/2008	6727.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/28/2008	6727.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/27/2008	6727.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/26/2008	6727.32	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/25/2008	6727.32	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/24/2008	6727.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/23/2008	6727.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/22/2008	6727.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/21/2008	6727.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/20/2008	6727.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/19/2008	6727.4	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	8/19/2008	6727.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/18/2008	6727.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/17/2008	6727.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/16/2008	6727.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/15/2008	6727.44	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/14/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/13/2008	6727.46	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/12/2008	6727.46	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/11/2008	6727.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/10/2008	6727.48	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/9/2008	6727.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/8/2008	6727.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/7/2008	6727.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/6/2008	6727.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/5/2008	6727.52	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/4/2008	6727.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/3/2008	6727.54	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/2/2008	6727.54	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/1/2008	6727.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/31/2008	6727.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/30/2008	6727.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/29/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/28/2008	6727.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/27/2008	6727.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/26/2008	6727.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/25/2008	6727.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/24/2008	6727.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/23/2008	6727.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/22/2008	6727.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/21/2008	6727.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/20/2008	6727.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/19/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/18/2008	6727.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/17/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/16/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/15/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/14/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/13/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/12/2008	6727.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	7/11/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/10/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/9/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/8/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/7/2008	6727.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/6/2008	6727.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/5/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/4/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/3/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/2/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/1/2008	6727.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/30/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/29/2008	6727.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/28/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/27/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/26/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/25/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/24/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/23/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/22/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/21/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/20/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/19/2008	6727.75	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	6/19/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/18/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/17/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/16/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/15/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/14/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/13/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/12/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/11/2008	6727.74	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/10/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/9/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/8/2008	6727.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/7/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/6/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/5/2008	6727.75	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/4/2008	6727.74	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/3/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/2/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/1/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/31/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/30/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/29/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/28/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/27/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/26/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/25/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/24/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/23/2008	6727.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/22/2008	6727.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/21/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/20/2008	6727.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/19/2008	6727.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	5/18/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/17/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/16/2008	6727.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/15/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/14/2008	6727.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/13/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/12/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/11/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/10/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/9/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/8/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/7/2008	6727.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/6/2008	6727.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/5/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/4/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/3/2008	6727.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/2/2008	6727.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/1/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/30/2008	6727.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/29/2008	6727.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/28/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/27/2008	6727.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/26/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/25/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/24/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/23/2008	6727.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/22/2008	6727.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/21/2008	6727.54	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/20/2008	6727.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/19/2008	6727.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/18/2008	6727.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/17/2008	6727.52	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/16/2008	6727.51	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/15/2008	6727.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/14/2008	6727.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/13/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/12/2008	6727.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/11/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/10/2008	6727.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/9/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/8/2008	6727.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/7/2008	6727.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/6/2008	6727.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/5/2008	6727.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/4/2008	6727.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/3/2008	6727.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/2/2008	6727.34	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/1/2008	6727.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/31/2008	6727.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/30/2008	6727.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/29/2008	6727.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/28/2008	6727.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/27/2008	6727.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/26/2008	6727.28	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	3/26/2008	6727.24	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	3/25/2008	6727.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/24/2008	6727.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/23/2008	6727.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/22/2008	6727.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/21/2008	6727.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/20/2008	6727.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/19/2008	6727.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/18/2008	6727.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/17/2008	6727.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/16/2008	6727.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/15/2008	6727.07	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/14/2008	6727.06	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/13/2008	6727.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/12/2008	6727	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/11/2008	6726.97	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/10/2008	6726.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/9/2008	6726.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/8/2008	6726.93	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/7/2008	6726.9	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/6/2008	6726.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/5/2008	6726.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/4/2008	6726.85	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/3/2008	6726.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/2/2008	6726.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/1/2008	6726.78	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/29/2008	6726.77	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/28/2008	6726.76	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/27/2008	6726.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/26/2008	6726.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/25/2008	6726.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/24/2008	6726.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/23/2008	6726.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/22/2008	6726.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/21/2008	6726.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/20/2008	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/19/2008	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/18/2008	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/17/2008	6726.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/16/2008	6726.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/15/2008	6726.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/14/2008	6726.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/13/2008	6726.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/12/2008	6726.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/11/2008	6726.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/10/2008	6726.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/9/2008	6726.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/8/2008	6726.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/7/2008	6726.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/6/2008	6726.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/5/2008	6726.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/4/2008	6726.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/3/2008	6726.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/2/2008	6726.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/1/2008	6726.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/22/2009	5877.71	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/21/2009	5877.94	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/20/2009	5877.81	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/19/2009	5877.85	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/18/2009	5878.07	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/17/2009	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/16/2009	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/15/2009	5877.91	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/14/2009	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/13/2009	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/12/2009	5877.95	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/11/2009	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/10/2009	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/9/2009	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/8/2009	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/7/2009	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/6/2009	5877.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/5/2009	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/4/2009	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/3/2009	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/2/2009	5877.73	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/1/2009	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/31/2009	5877.73	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/30/2009	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/29/2009	5877.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/28/2009	5877.84	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/27/2009	5878.08	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/26/2009	5878.12	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/25/2009	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/24/2009	5877.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/23/2009	5877.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/22/2009	5877.82	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/21/2009	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/20/2009	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/19/2009	5877.6	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/18/2009	5877.56	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/17/2009	5877.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/16/2009	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/15/2009	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/14/2009	5877.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/13/2009	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/12/2009	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/11/2009	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/10/2009	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/9/2009	5877.95	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/8/2009	5877.84	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/7/2009	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/6/2009	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/5/2009	5877.85	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/4/2009	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/3/2009	5878.17	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/2/2009	5877.94	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	1/1/2009	5877.91	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/31/2008	5877.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/30/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/29/2008	5877.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/28/2008	5877.82	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/27/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/26/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/25/2008	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/24/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/23/2008	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/22/2008	5877.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/21/2008	5877.78	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/20/2008	5877.91	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/19/2008	5877.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/18/2008	5877.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/17/2008	5877.93	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/16/2008	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/15/2008	5877.9	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/14/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/13/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/12/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/11/2008	5877.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/10/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/9/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/8/2008	5877.97	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/7/2008	5877.69	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/6/2008	5877.73	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/5/2008	5877.69	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/4/2008	5877.78	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/3/2008	5878	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/2/2008	5877.76	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	12/1/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/30/2008	5877.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/29/2008	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/28/2008	5877.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/27/2008	5877.78	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/26/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/25/2008	5877.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/24/2008	5877.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/23/2008	5877.69	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/22/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/21/2008	5877.5	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/20/2008	5877.63	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/19/2008	5877.54	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/18/2008	5877.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/17/2008	5877.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/16/2008	5877.52	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/15/2008	5877.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/14/2008	5877.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/13/2008	5877.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/12/2008	5877.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/11/2008	5877.85	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/10/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/9/2008	5877.84	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/8/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/7/2008	5877.63	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/6/2008	5877.8	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/5/2008	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/4/2008	5877.82	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/3/2008	5877.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/2/2008	5877.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	11/1/2008	5877.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/31/2008	5877.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/30/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/29/2008	5877.53	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/28/2008	5877.42	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/27/2008	5877.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/26/2008	5877.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/25/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/24/2008	5877.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/23/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/22/2008	5877.8	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/21/2008	5877.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/20/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/19/2008	5877.6	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/18/2008	5877.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/17/2008	5877.5	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/16/2008	5877.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/15/2008	5877.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/14/2008	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/13/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/12/2008	5878.02	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/11/2008	5877.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/10/2008	5877.91	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/9/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/8/2008	5877.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/7/2008	5877.57	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/6/2008	5877.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/5/2008	5877.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/4/2008	5877.84	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/3/2008	5877.81	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/2/2008	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	10/1/2008	5877.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/30/2008	5877.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/29/2008	5877.5	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/28/2008	5877.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/27/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/26/2008	5877.53	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/25/2008	5877.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/24/2008	5877.51	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/23/2008	5877.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/22/2008	5877.67	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/21/2008	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/20/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/19/2008	5877.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/18/2008	5877.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/17/2008	5877.5	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/16/2008	5877.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/15/2008	5877.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/14/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/13/2008	5877.78	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/12/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/11/2008	5877.76	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/10/2008	5877.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/9/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/8/2008	5877.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/7/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/6/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/5/2008	5877.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/4/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/3/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/2/2008	5877.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	9/1/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/31/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/30/2008	5877.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/29/2008	5877.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/28/2008	5877.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/27/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/26/2008	5877.8	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/25/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/24/2008	5877.67	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/23/2008	5877.78	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/22/2008	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/21/2008	5877.5	Manual
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/21/2008	5877.8	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/20/2008	5877.78	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/19/2008	5877.76	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/18/2008	5877.76	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/17/2008	5877.67	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/16/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/15/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/14/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/13/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/12/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/11/2008	5877.73	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/10/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/9/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/8/2008	5877.67	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/7/2008	5877.63	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/6/2008	5877.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/5/2008	5877.62	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/4/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/3/2008	5877.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/2/2008	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	8/1/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/31/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/30/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/29/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/28/2008	5877.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/27/2008	5877.73	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/26/2008	5877.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/25/2008	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/24/2008	5877.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/23/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/22/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/21/2008	5877.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/20/2008	5877.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/19/2008	5877.76	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/18/2008	5877.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/17/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/16/2008	5877.63	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/15/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/14/2008	5877.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/13/2008	5877.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/12/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/11/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/10/2008	5877.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/9/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/8/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/7/2008	5877.82	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/6/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/5/2008	5877.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/4/2008	5877.7	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/3/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/2/2008	5877.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	7/1/2008	5877.69	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/30/2008	5877.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/29/2008	5877.63	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/28/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/27/2008	5877.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/26/2008	5877.8	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/25/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/24/2008	5877.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/23/2008	5877.74	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/22/2008	5877.64	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/21/2008	5877.66	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/20/2008	5877.84	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/19/2008	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/18/2008	5877.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/17/2008	5877.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/16/2008	5877.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/15/2008	5877.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/14/2008	5877.8	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/13/2008	5877.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/12/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/11/2008	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/10/2008	5877.94	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/9/2008	5877.97	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/8/2008	5878.13	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/7/2008	5878.06	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/6/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/5/2008	5878.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/4/2008	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/3/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/2/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	6/1/2008	5877.99	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/31/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/30/2008	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/29/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/28/2008	5877.97	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/27/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/26/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/25/2008	5878.11	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/24/2008	5878.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/23/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/22/2008	5878.6	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/21/2008	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/20/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/19/2008	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/18/2008	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/17/2008	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/16/2008	5877.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/15/2008	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/14/2008	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/13/2008	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/12/2008	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/11/2008	5878.08	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/10/2008	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/9/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/8/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/7/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/6/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/5/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/4/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/3/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/2/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	5/1/2008	5878.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/30/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/29/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/28/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/27/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/26/2008	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/25/2008	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/24/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/23/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/22/2008	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/21/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/20/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/19/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/18/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/17/2008	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/16/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/15/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/14/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/13/2008	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/12/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/11/2008	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/10/2008	5878.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/9/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/8/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/7/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/6/2008	5878.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/5/2008	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/4/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/3/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/2/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	4/1/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/31/2008	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/30/2008	5878.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/29/2008	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/28/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/27/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/26/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/25/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/24/2008	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/23/2008	5878	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/22/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/21/2008	5878.17	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/20/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/19/2008	5878.12	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/18/2008	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/17/2008	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/16/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/15/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/14/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/13/2008	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/12/2008	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/11/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/10/2008	5878	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/9/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/8/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/7/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/6/2008	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/5/2008	5878.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/4/2008	5878.43	Manual
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/4/2008	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/3/2008	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/2/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	3/1/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/29/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/28/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/27/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/26/2008	5878.12	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/25/2008	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/24/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/23/2008	5878.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/22/2008	5878.36	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/21/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/20/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/19/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/18/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/17/2008	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/16/2008	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/15/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/14/2008	5878.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/13/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/12/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/11/2008	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/10/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/9/2008	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/8/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/7/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/6/2008	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/5/2008	5878.59	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/4/2008	5878.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/3/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/2/2008	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.1	1057.4	4.5	5.27	2/1/2008	5878.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/22/2009	5834.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/21/2009	5835.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/20/2009	5835.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/19/2009	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/18/2009	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/17/2009	5835.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/16/2009	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/15/2009	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/14/2009	5835.48	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/13/2009	5835.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/12/2009	5835.46	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/11/2009	5835.59	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/10/2009	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/9/2009	5835.73	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/8/2009	5835.54	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/7/2009	5835.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/6/2009	5835.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/5/2009	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/4/2009	5835.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/3/2009	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/2/2009	5835.29	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/1/2009	5835.5	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/31/2009	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/30/2009	5835.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/29/2009	5835.38	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/28/2009	5835.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/27/2009	5835.62	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/26/2009	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/25/2009	5835.51	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/24/2009	5835.33	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/23/2009	5835.44	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/22/2009	5835.38	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/21/2009	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/20/2009	5835.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/19/2009	5835.16	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/18/2009	5835.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/17/2009	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/16/2009	5835.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/15/2009	5835.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/14/2009	5835.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/13/2009	5835.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/12/2009	5835.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/11/2009	5835.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/10/2009	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/9/2009	5835.4	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/8/2009	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/7/2009	5835.44	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/6/2009	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/5/2009	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/4/2009	5835.5	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/3/2009	5835.62	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/2/2009	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	1/1/2009	5835.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/31/2008	5835.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/30/2008	5835.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/29/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/28/2008	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/27/2008	5835.56	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/26/2008	5835.62	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/25/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/24/2008	5835.48	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/23/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/22/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/21/2008	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/20/2008	5835.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/19/2008	5835.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/18/2008	5835.35	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/17/2008	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/16/2008	5835.43	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/15/2008	5835.38	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/14/2008	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/13/2008	5835.5	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/12/2008	5835.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/11/2008	5835.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/10/2008	5835.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/9/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/8/2008	5835.45	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/7/2008	5835.16	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/6/2008	5835.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/5/2008	5835.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/4/2008	5835.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/3/2008	5835.43	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/2/2008	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	12/1/2008	5835.33	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/30/2008	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/29/2008	5835.45	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/28/2008	5835.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/27/2008	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/26/2008	5835.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/25/2008	5835.03	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/24/2008	5835.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/23/2008	5835.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/22/2008	5835.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/21/2008	5834.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/20/2008	5835.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/19/2008	5834.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/18/2008	5834.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/17/2008	5834.89	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/16/2008	5834.89	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/15/2008	5834.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/14/2008	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/13/2008	5835.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/12/2008	5835.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/11/2008	5835.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/10/2008	5835.38	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/9/2008	5835.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/8/2008	5835.03	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/7/2008	5834.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/6/2008	5835.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/5/2008	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/4/2008	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/3/2008	5835.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/2/2008	5834.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	11/1/2008	5834.82	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/31/2008	5834.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/30/2008	5834.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/29/2008	5834.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/28/2008	5834.73	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/27/2008	5834.63	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/26/2008	5834.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/25/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/24/2008	5835.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/23/2008	5835	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/22/2008	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/21/2008	5834.99	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/20/2008	5834.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/19/2008	5834.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/18/2008	5834.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/17/2008	5834.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/16/2008	5834.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/15/2008	5834.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/14/2008	5834.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/13/2008	5835.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/12/2008	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/11/2008	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/10/2008	5835.29	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/9/2008	5835.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/8/2008	5835	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/7/2008	5835	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/6/2008	5835.35	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/5/2008	5835.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/4/2008	5835.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/3/2008	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/2/2008	5835.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	10/1/2008	5835.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/30/2008	5834.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/29/2008	5835.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/28/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/27/2008	5835.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/26/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/25/2008	5834.92	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/24/2008	5834.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/23/2008	5835.04	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/22/2008	5835.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/21/2008	5835.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/20/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/19/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/18/2008	5835	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/17/2008	5834.91	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/16/2008	5834.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/15/2008	5834.88	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/14/2008	5835.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/13/2008	5835.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/12/2008	5835.16	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/11/2008	5835.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/10/2008	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/9/2008	5835.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/8/2008	5835.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/7/2008	5835.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/6/2008	5835.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/5/2008	5835.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/4/2008	5835.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/3/2008	5835.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/2/2008	5835.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	9/1/2008	5835.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/31/2008	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/30/2008	5835.06	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/29/2008	5835.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/28/2008	5835.26	Manual
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/28/2008	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/27/2008	5835.29	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/26/2008	5835.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/25/2008	5835.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/24/2008	5835.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/23/2008	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/22/2008	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/21/2008	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/20/2008	5835.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/19/2008	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/18/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/17/2008	5835.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/16/2008	5835.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/15/2008	5835.38	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/14/2008	5835.35	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/13/2008	5835.36	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/12/2008	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/11/2008	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/10/2008	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/9/2008	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/8/2008	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/7/2008	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/6/2008	5835.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/5/2008	5835.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/4/2008	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/3/2008	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/2/2008	5835.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	8/1/2008	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/31/2008	5835.29	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/30/2008	5835.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/29/2008	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/28/2008	5835.35	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/27/2008	5835.29	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/26/2008	5835.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/25/2008	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/24/2008	5835.26	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/23/2008	5835.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/22/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/21/2008	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/20/2008	5835.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/19/2008	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/18/2008	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/17/2008	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/16/2008	5835.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/15/2008	5835.33	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/14/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/13/2008	5835.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/12/2008	5835.33	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/11/2008	5835.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/10/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/9/2008	5835.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/8/2008	5835.36	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/7/2008	5835.43	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/6/2008	5835.43	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/5/2008	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/4/2008	5835.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/3/2008	5835.4	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/2/2008	5835.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	7/1/2008	5835.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/30/2008	5835.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/29/2008	5835.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/28/2008	5835.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/27/2008	5835.46	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/26/2008	5835.4	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/25/2008	5835.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/24/2008	5835.35	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/23/2008	5835.33	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/22/2008	5835.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/21/2008	5835.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/20/2008	5835.38	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/19/2008	5835.46	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/18/2008	5835.36	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/17/2008	5835.33	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/16/2008	5835.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/15/2008	5835.39	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/14/2008	5835.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/13/2008	5835.4	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/12/2008	5835.56	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/11/2008	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/10/2008	5835.49	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/9/2008	5835.53	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/8/2008	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/7/2008	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/6/2008	5835.73	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/5/2008	5836.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/4/2008	5835.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/3/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/2/2008	5835.66	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	6/1/2008	5835.61	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/31/2008	5835.6	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/30/2008	5835.63	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/29/2008	5835.57	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/28/2008	5835.57	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/27/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/26/2008	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/25/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/24/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/23/2008	5836.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/22/2008	5836.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/21/2008	5835.84	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/20/2008	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/19/2008	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/18/2008	5835.54	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/17/2008	5835.46	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/16/2008	5835.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/15/2008	5835.62	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/14/2008	5835.58	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/13/2008	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/12/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/11/2008	5835.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/10/2008	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/9/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/8/2008	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/7/2008	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/6/2008	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/5/2008	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/4/2008	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/3/2008	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/2/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	5/1/2008	5836.26	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/30/2008	5836.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/29/2008	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/28/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/27/2008	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/26/2008	5835.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/25/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/24/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/23/2008	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/22/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/21/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/20/2008	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/19/2008	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/18/2008	5835.92	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/17/2008	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/16/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/15/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/14/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/13/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/12/2008	5835.75	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/11/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/10/2008	5836.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/9/2008	5836.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/8/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/7/2008	5836.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/6/2008	5836.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/5/2008	5836.06	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/4/2008	5835.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/3/2008	5836.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/2/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	4/1/2008	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/31/2008	5836.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/30/2008	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/29/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/28/2008	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/27/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/26/2008	5836.04	Manual
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/26/2008	5836.03	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/25/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/24/2008	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/23/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/22/2008	5835.87	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/21/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/20/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/19/2008	5835.91	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/18/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/17/2008	5836.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/16/2008	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/15/2008	5836.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/14/2008	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/13/2008	5836.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/12/2008	5835.99	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/11/2008	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/10/2008	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/9/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/8/2008	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/7/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/6/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/5/2008	5836.26	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/4/2008	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/3/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/2/2008	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	3/1/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/29/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/28/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/27/2008	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/26/2008	5835.88	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/25/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/24/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/23/2008	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/22/2008	5836.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/21/2008	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/20/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/19/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/18/2008	5836.04	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/17/2008	5836.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/16/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/15/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/14/2008	5836.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/13/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/12/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/11/2008	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/10/2008	5835.8	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/9/2008	5835.92	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/8/2008	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/7/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/6/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/5/2008	5836.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/4/2008	5836.41	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/3/2008	5836.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/2/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.7	4.5	5.56	2/1/2008	5835.97	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/22/2009	5879.09	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/21/2009	5879.35	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/20/2009	5879.2	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/19/2009	5879.26	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/18/2009	5879.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/17/2009	5879.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/16/2009	5879.37	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/15/2009	5879.39	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/14/2009	5879.5	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/13/2009	5879.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/12/2009	5879.42	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/11/2009	5879.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/10/2009	5879.74	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/9/2009	5879.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/8/2009	5879.4	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/7/2009	5879.4	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/6/2009	5879.29	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/5/2009	5879.1	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/4/2009	5879.06	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/3/2009	5879.13	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/2/2009	5879.13	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	2/1/2009	5879.36	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/31/2009	5879.11	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/30/2009	5879.09	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/29/2009	5879.27	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/28/2009	5879.25	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/27/2009	5879.49	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/26/2009	5879.51	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/25/2009	5879.33	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/24/2009	5879.13	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/23/2009	5879.24	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/22/2009	5879.17	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/21/2009	5878.99	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/20/2009	5878.97	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/19/2009	5878.93	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/18/2009	5878.91	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/17/2009	5879.01	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/16/2009	5878.96	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/15/2009	5879.03	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/14/2009	5879.11	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/13/2009	5878.94	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/12/2009	5879.01	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/11/2009	5878.93	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/10/2009	5879.08	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/9/2009	5879.28	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/8/2009	5879.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/7/2009	5879.3	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/6/2009	5879.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/5/2009	5879.15	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/4/2009	5879.32	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/3/2009	5879.46	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/2/2009	5879.21	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	1/1/2009	5879.16	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/31/2008	5878.95	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/30/2008	5878.97	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/29/2008	5878.87	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/28/2008	5879.06	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/27/2008	5879.46	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/26/2008	5879.51	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/25/2008	5879.19	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/24/2008	5879.36	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/23/2008	5879.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/22/2008	5879.11	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/21/2008	5879.02	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/20/2008	5879.15	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/19/2008	5879.01	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/18/2008	5879.12	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/17/2008	5879.15	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/16/2008	5879.19	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/15/2008	5879.12	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/14/2008	5879.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/13/2008	5879.22	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/12/2008	5878.88	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/11/2008	5878.8	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/10/2008	5878.83	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/9/2008	5879.42	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/8/2008	5879.1	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/7/2008	5878.81	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/6/2008	5878.85	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/5/2008	5878.82	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/4/2008	5878.9	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/3/2008	5879.1	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/2/2008	5878.84	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	12/1/2008	5878.92	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/30/2008	5878.98	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/29/2008	5879.05	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/28/2008	5878.94	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/27/2008	5878.83	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/26/2008	5878.73	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/25/2008	5878.56	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/24/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/23/2008	5878.69	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/22/2008	5878.65	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/21/2008	5878.47	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/20/2008	5878.6	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/19/2008	5878.49	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/18/2008	5878.35	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/17/2008	5878.43	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/16/2008	5878.44	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/15/2008	5878.42	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/14/2008	5878.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/13/2008	5878.75	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/12/2008	5878.76	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/11/2008	5878.84	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/10/2008	5879.03	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/9/2008	5878.82	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/8/2008	5878.68	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/7/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/6/2008	5878.81	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/5/2008	5879.02	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/4/2008	5878.79	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/3/2008	5878.73	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/2/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	11/1/2008	5878.41	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/31/2008	5878.43	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/30/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/29/2008	5878.47	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/28/2008	5878.36	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/27/2008	5878.32	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/26/2008	5878.58	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/25/2008	5878.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/24/2008	5878.69	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/23/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/22/2008	5878.77	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/21/2008	5878.6	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/20/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/19/2008	5878.55	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/18/2008	5878.42	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/17/2008	5878.46	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/16/2008	5878.47	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/15/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/14/2008	5878.6	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/13/2008	5878.71	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/12/2008	5879	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/11/2008	5878.87	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/10/2008	5878.87	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/9/2008	5878.69	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/8/2008	5878.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/7/2008	5878.51	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/6/2008	5878.81	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/5/2008	5878.81	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/4/2008	5878.73	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/3/2008	5878.67	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/2/2008	5878.48	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	10/1/2008	5878.38	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/30/2008	5878.29	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/29/2008	5878.31	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/28/2008	5878.31	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/27/2008	5878.39	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/26/2008	5878.32	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/25/2008	5878.26	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/24/2008	5878.31	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/23/2008	5878.4	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/22/2008	5878.44	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/21/2008	5878.43	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/20/2008	5878.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/19/2008	5878.37	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/18/2008	5878.37	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/17/2008	5878.28	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/16/2008	5878.24	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/15/2008	5878.31	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/14/2008	5878.51	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/13/2008	5878.58	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/12/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/11/2008	5878.56	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/10/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/9/2008	5878.45	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/8/2008	5878.49	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/7/2008	5878.51	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/6/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/5/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/4/2008	5878.56	Manual
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/4/2008	5878.56	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/3/2008	5878.48	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/2/2008	5878.6	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	9/1/2008	5878.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/31/2008	5878.58	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/30/2008	5878.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/29/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/28/2008	5878.66	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/27/2008	5878.68	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/26/2008	5878.67	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/25/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/24/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/23/2008	5878.67	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/22/2008	5878.78	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/21/2008	5878.69	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/20/2008	5878.68	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/19/2008	5878.71	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/18/2008	5878.69	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/17/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/16/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/15/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/14/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/13/2008	5878.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/12/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/11/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/10/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/9/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/8/2008	5878.52	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/7/2008	5878.45	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/6/2008	5878.41	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/5/2008	5878.48	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/4/2008	5878.5	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/3/2008	5878.52	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/2/2008	5878.51	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	8/1/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/31/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/30/2008	5878.58	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/29/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/28/2008	5878.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/27/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/26/2008	5878.49	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/25/2008	5878.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/24/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/23/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/22/2008	5878.63	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/21/2008	5878.57	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/20/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/19/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/18/2008	5878.6	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/17/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/16/2008	5878.53	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/15/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/14/2008	5878.59	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/13/2008	5878.54	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/12/2008	5878.63	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/11/2008	5878.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/10/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/9/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/8/2008	5878.67	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/7/2008	5878.73	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/6/2008	5878.74	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/5/2008	5878.65	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/4/2008	5878.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/3/2008	5878.74	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/2/2008	5878.71	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	7/1/2008	5878.62	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/30/2008	5878.55	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/29/2008	5878.61	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/28/2008	5878.81	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/27/2008	5878.85	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/26/2008	5878.79	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/25/2008	5878.74	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/24/2008	5878.74	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/23/2008	5878.73	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/22/2008	5878.64	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/21/2008	5878.7	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/20/2008	5878.93	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/19/2008	5879.01	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/18/2008	5878.92	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/17/2008	5878.9	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/16/2008	5879	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/15/2008	5879	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/14/2008	5878.95	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/13/2008	5879.04	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/12/2008	5879.22	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/11/2008	5879.34	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/10/2008	5879.14	Transducer
R-14	1200.6	Single	8571	32.6	1200.6	1233.2	4.5	5.56	6/10/2008	5879.16	Manual
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/22/2009	5848.49	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/21/2009	5848.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/20/2009	5848.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/19/2009	5848.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/18/2009	5849.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/17/2009	5849.16	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/16/2009	5849.04	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/15/2009	5849.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/14/2009	5849.31	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/13/2009	5849.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/12/2009	5849.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/11/2009	5849.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/10/2009	5849.85	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/9/2009	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/8/2009	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/7/2009	5849.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/6/2009	5849.36	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/5/2009	5849.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/4/2009	5849.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/3/2009	5849.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/2/2009	5849.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/1/2009	5849.39	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/31/2009	5849.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/30/2009	5849.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/29/2009	5849.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/28/2009	5849.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/27/2009	5849.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/26/2009	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/25/2009	5849.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/24/2009	5849.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/23/2009	5849.18	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/22/2009	5849.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/21/2009	5848.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/20/2009	5848.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/19/2009	5848.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/18/2009	5848.77	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/17/2009	5848.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/16/2009	5848.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/15/2009	5848.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/14/2009	5848.96	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/13/2009	5848.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/12/2009	5848.83	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/11/2009	5848.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/10/2009	5848.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/9/2009	5849.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/8/2009	5848.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/7/2009	5849.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/6/2009	5849.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/5/2009	5848.89	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/4/2009	5849.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/3/2009	5849.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/2/2009	5848.92	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/1/2009	5848.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/31/2008	5848.63	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/30/2008	5848.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/29/2008	5848.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/28/2008	5848.71	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/27/2008	5849.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/26/2008	5849.14	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/25/2008	5848.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/24/2008	5848.95	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/23/2008	5849.14	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/22/2008	5848.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/21/2008	5848.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/20/2008	5848.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/19/2008	5848.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/18/2008	5848.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/17/2008	5848.67	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/16/2008	5848.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/15/2008	5848.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/14/2008	5849.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/13/2008	5848.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/12/2008	5848.32	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/11/2008	5848.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/10/2008	5848.23	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/9/2008	5848.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/8/2008	5848.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/7/2008	5848.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/6/2008	5848.18	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/5/2008	5848.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/4/2008	5848.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/3/2008	5848.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/2/2008	5848.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/1/2008	5848.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/30/2008	5848.26	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/29/2008	5848.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/28/2008	5848.18	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/27/2008	5848.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/26/2008	5847.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/25/2008	5847.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/24/2008	5847.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/23/2008	5847.79	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/22/2008	5847.72	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/21/2008	5847.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/20/2008	5847.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/19/2008	5847.46	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/18/2008	5847.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/17/2008	5847.35	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/16/2008	5847.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/15/2008	5847.26	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/14/2008	5847.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/13/2008	5847.43	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/12/2008	5847.32	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/11/2008	5847.26	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/10/2008	5847.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/9/2008	5847.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/8/2008	5847.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/7/2008	5846.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/6/2008	5847.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/5/2008	5847.43	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/4/2008	5847.21	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/3/2008	5847.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/2/2008	5846.96	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/1/2008	5846.83	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/31/2008	5846.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/30/2008	5847.01	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/29/2008	5846.92	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/28/2008	5846.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/27/2008	5846.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/26/2008	5847.09	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/25/2008	5847.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/24/2008	5847.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/23/2008	5847.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/22/2008	5847.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/21/2008	5847.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/20/2008	5847.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/19/2008	5847.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/18/2008	5847	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/17/2008	5847.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/16/2008	5847.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/15/2008	5847.25	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/14/2008	5847.32	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/13/2008	5847.45	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/12/2008	5847.79	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/11/2008	5847.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/10/2008	5847.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/9/2008	5847.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/8/2008	5847.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/7/2008	5847.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/6/2008	5847.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/5/2008	5847.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/4/2008	5848.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/3/2008	5848.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/2/2008	5847.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/1/2008	5847.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/30/2008	5847.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/29/2008	5847.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/28/2008	5847.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/27/2008	5847.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/26/2008	5847.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/25/2008	5847.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/24/2008	5847.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/23/2008	5847.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/22/2008	5847.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/21/2008	5847.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/20/2008	5847.26	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/19/2008	5847.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/18/2008	5847.25	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/17/2008	5847.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/16/2008	5847.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/15/2008	5847.18	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/14/2008	5847.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/13/2008	5847.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/12/2008	5847.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/11/2008	5847.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/10/2008	5847.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/9/2008	5847.43	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/8/2008	5847.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/7/2008	5847.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/6/2008	5847.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/5/2008	5847.65	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/4/2008	5847.58	Manual
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/4/2008	5847.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/3/2008	5847.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/2/2008	5847.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/1/2008	5847.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/31/2008	5847.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/30/2008	5847.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/29/2008	5847.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/28/2008	5847.78	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/27/2008	5847.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/26/2008	5847.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/25/2008	5847.67	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/24/2008	5847.67	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/23/2008	5847.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/22/2008	5847.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/21/2008	5847.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/20/2008	5847.96	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/19/2008	5847.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/18/2008	5848.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/17/2008	5848.01	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/16/2008	5848.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/15/2008	5848.25	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/14/2008	5848.27	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/13/2008	5848.25	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/12/2008	5848.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/11/2008	5848.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/10/2008	5848.05	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/9/2008	5847.91	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/8/2008	5847.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/7/2008	5847.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/6/2008	5847.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/5/2008	5847.77	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/4/2008	5847.85	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/3/2008	5847.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/2/2008	5847.85	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/1/2008	5847.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/31/2008	5847.98	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/30/2008	5847.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/29/2008	5848.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/28/2008	5848.09	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/27/2008	5848.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/26/2008	5847.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/25/2008	5847.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/24/2008	5848.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/23/2008	5848.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/22/2008	5848.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/21/2008	5848.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/20/2008	5848.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/19/2008	5848.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/18/2008	5848.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/17/2008	5848.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/16/2008	5848.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/15/2008	5848.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/14/2008	5848.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/13/2008	5848.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/12/2008	5848.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/11/2008	5848.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/10/2008	5848.27	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/9/2008	5848.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/8/2008	5848.36	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/7/2008	5848.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/6/2008	5848.46	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/5/2008	5848.37	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/4/2008	5848.37	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/3/2008	5848.49	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/2/2008	5848.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/1/2008	5848.39	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/30/2008	5848.31	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/29/2008	5848.39	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/28/2008	5848.63	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/27/2008	5848.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/26/2008	5848.66	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/25/2008	5848.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/24/2008	5848.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/23/2008	5848.67	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/22/2008	5848.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/21/2008	5848.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/20/2008	5848.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/19/2008	5849.05	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/18/2008	5848.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/17/2008	5849	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/16/2008	5849.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/15/2008	5849.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/14/2008	5849.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/13/2008	5849.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/12/2008	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/11/2008	5849.67	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/10/2008	5849.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/9/2008	5849.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/8/2008	5849.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/7/2008	5849.91	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/6/2008	5850.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/5/2008	5850.56	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/4/2008	5850.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/3/2008	5850.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/2/2008	5850.05	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/1/2008	5850	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/31/2008	5850	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/30/2008	5850.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/29/2008	5849.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/28/2008	5849.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/27/2008	5850.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/26/2008	5850.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/25/2008	5850.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/24/2008	5850.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/23/2008	5850.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/22/2008	5850.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/21/2008	5850.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/20/2008	5849.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/19/2008	5849.97	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/18/2008	5849.77	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/17/2008	5849.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/16/2008	5849.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/15/2008	5849.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/14/2008	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/13/2008	5849.98	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/12/2008	5849.92	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/11/2008	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/10/2008	5850.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/9/2008	5850.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/8/2008	5850.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/7/2008	5850.31	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/6/2008	5850.21	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/5/2008	5850.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/4/2008	5850.27	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/3/2008	5850.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/2/2008	5850.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/1/2008	5851.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/30/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/29/2008	5850.63	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/28/2008	5850.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/27/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/26/2008	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/25/2008	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/24/2008	5850.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/23/2008	5850.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/22/2008	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/21/2008	5850.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/20/2008	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/19/2008	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/18/2008	5850.66	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/17/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/16/2008	5850.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/15/2008	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/14/2008	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/13/2008	5850.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/12/2008	5850.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/11/2008	5850.83	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/10/2008	5851.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/9/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/8/2008	5850.79	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/7/2008	5850.78	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/6/2008	5850.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/5/2008	5850.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/4/2008	5850.66	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/3/2008	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/2/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/1/2008	5850.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/31/2008	5850.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/30/2008	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/29/2008	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/28/2008	5850.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/27/2008	5850.78	Manual
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/27/2008	5850.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/26/2008	5850.61	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/25/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/24/2008	5850.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/23/2008	5850.39	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/22/2008	5850.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/21/2008	5850.56	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/20/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/19/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/18/2008	5850.71	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/17/2008	5850.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/16/2008	5850.85	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/15/2008	5850.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/14/2008	5850.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/13/2008	5850.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/12/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/11/2008	5850.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/10/2008	5850.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/9/2008	5850.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/8/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/7/2008	5850.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/6/2008	5850.64	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/5/2008	5850.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/4/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/3/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/2/2008	5850.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/1/2008	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/29/2008	5850.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/28/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/27/2008	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/26/2008	5850.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/25/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/24/2008	5850.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/23/2008	5850.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/22/2008	5850.57	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/21/2008	5850.57	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/20/2008	5850.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/19/2008	5850.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/18/2008	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/17/2008	5850.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/16/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/15/2008	5850.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/14/2008	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/13/2008	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/12/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/11/2008	5850.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/10/2008	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/9/2008	5850.43	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/8/2008	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/7/2008	5850.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/6/2008	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/5/2008	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/4/2008	5850.91	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/3/2008	5850.58	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/2/2008	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/1/2008	5850.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/22/2009	5641.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/21/2009	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/20/2009	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/19/2009	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/18/2009	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/17/2009	5641.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/16/2009	5641.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/15/2009	5641.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/14/2009	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/13/2009	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/12/2009	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/11/2009	5641.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/10/2009	5640.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/9/2009	5640.97	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/8/2009	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/7/2009	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/6/2009	5641.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/3/2009	5641.52	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/2/2009	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/1/2009	5641.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/31/2009	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/30/2009	5641.41	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/29/2009	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/28/2009	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/27/2009	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/26/2009	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/25/2009	5641.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/24/2009	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/23/2009	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/22/2009	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/21/2009	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/20/2009	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/19/2009	5641.5	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/18/2009	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/17/2009	5641.41	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/16/2009	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/15/2009	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/14/2009	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/13/2009	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/12/2009	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/11/2009	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/10/2009	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/9/2009	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/8/2009	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/7/2009	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/6/2009	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/5/2009	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/4/2009	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/3/2009	5641.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/2/2009	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/1/2009	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/31/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/30/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/29/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/28/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/27/2008	5641.07	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/26/2008	5641.04	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/25/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/24/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/23/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/22/2008	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/21/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/20/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/19/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/18/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/17/2008	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/16/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/15/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/14/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/13/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/12/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/11/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/10/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/9/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/8/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/7/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/6/2008	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/5/2008	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/4/2008	5641.27	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/3/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/2/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/1/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/30/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/29/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/28/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/27/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/26/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/25/2008	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/24/2008	5641.27	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/23/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/22/2008	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/21/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/20/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/19/2008	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/18/2008	5641.43	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/17/2008	5641.34	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/16/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/15/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/14/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/13/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/12/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/11/2008	5641.04	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/10/2008	5640.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/3/2008	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/31/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/30/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/29/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/28/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/27/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/26/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/25/2008	5641.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/24/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/23/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/22/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/21/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/20/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/19/2008	5641.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/18/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/17/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/16/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/15/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/14/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/13/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/12/2008	5640.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/11/2008	5640.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/10/2008	5640.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/9/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/8/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/7/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/6/2008	5640.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/5/2008	5640.97	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/4/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/3/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/2/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/1/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/30/2008	5641.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/29/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/28/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/27/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/26/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/25/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/24/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/23/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/22/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/21/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/20/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/19/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/18/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/17/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/16/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/15/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/14/2008	5641.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/13/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/12/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/11/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/10/2008	5641.04	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/9/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/8/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/7/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/6/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/5/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/4/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/3/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/2/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/1/2008	5640.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/31/2008	5641	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/30/2008	5641.04	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/29/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/28/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/27/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/26/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/25/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/24/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/23/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/22/2008	5640.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/21/2008	5640.97	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/20/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/19/2008	5641	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/18/2008	5640.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/17/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/16/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/15/2008	5640.97	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/14/2008	5640.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/13/2008	5640.9	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/12/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/11/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/10/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/9/2008	5641.04	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/8/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/7/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/6/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/5/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/4/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/3/2008	5641.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/2/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/1/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/31/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/30/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/29/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/28/2008	5641.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/27/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/26/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/25/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/24/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/23/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/22/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/21/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/20/2008	5641.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/19/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/18/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/17/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/16/2008	5641.12	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/15/2008	5641.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/14/2008	5641.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/13/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/12/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/11/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/10/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/9/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/8/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/7/2008	5641.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/6/2008	5641.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/5/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/4/2008	5641.19	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/3/2008	5641.16	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/2/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/1/2008	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/30/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/29/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/28/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/27/2008	5641.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/26/2008	5641.23	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/25/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/24/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/23/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/22/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/21/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/20/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/19/2008	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/18/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/17/2008	5641.33	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/16/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/15/2008	5641.33	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/14/2008	5641.41	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/13/2008	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/12/2008	5641.26	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/11/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/10/2008	5641.33	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/9/2008	5641.32	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/8/2008	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/7/2008	5641.28	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/6/2008	5641.3	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/5/2008	5641.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/4/2008	5641.25	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/3/2008	5641.33	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/2/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/1/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/31/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/30/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/29/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/28/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/27/2008	5641.41	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/26/2008	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/25/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/24/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/23/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/22/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/21/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/20/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/19/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/18/2008	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/17/2008	5641.67	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/16/2008	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/15/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/14/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/13/2008	5641.73	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/9/2008	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/8/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/7/2008	5641.61	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/6/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/5/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/4/2008	5641.65	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/3/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/2/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/1/2008	5641.33	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/30/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/29/2008	5641.59	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/28/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/27/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/26/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/25/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/24/2008	5641.47	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/23/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/22/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/21/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/20/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/19/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/18/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/17/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/16/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/15/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/14/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/13/2008	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/12/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/11/2008	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/10/2008	5641.31	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/9/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/8/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/7/2008	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/6/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/5/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/4/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/3/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/2/2008	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/1/2008	5641.55	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/31/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/30/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/29/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/28/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/27/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/26/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/25/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/24/2008	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/23/2008	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/22/2008	5641.73	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/21/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/20/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/19/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/18/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/17/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/16/2008	5641.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/15/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/14/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/13/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/12/2008	5641.8	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/11/2008	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/10/2008	5641.87	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/9/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/8/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/7/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/6/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/5/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/4/2008	5641.65	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/3/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/2/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/1/2008	5641.82	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/29/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/28/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/27/2008	5641.82	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/26/2008	5641.75	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/25/2008	5641.63	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/24/2008	5641.8	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/23/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/22/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/21/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/20/2008	5641.63	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/19/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/18/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/17/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/16/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/15/2008	5641.65	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/14/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/13/2008	5641.5	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/12/2008	5641.69	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/6/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/5/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/4/2008	5641.47	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/3/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/2/2008	5641.73	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/1/2008	5641.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/22/2009	5556.8	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/21/2009	5556.63	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/20/2009	5556.77	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/19/2009	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/18/2009	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/17/2009	5556.56	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/16/2009	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/15/2009	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/14/2009	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/13/2009	5556.56	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/12/2009	5556.63	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/11/2009	5556.54	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/10/2009	5556.39	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/9/2009	5556.44	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/8/2009	5556.56	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/7/2009	5556.56	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/6/2009	5556.48	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/3/2009	5557.36	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/2/2009	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/1/2009	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/31/2009	5557.02	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/30/2009	5557.02	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/29/2009	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/28/2009	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/27/2009	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/26/2009	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/25/2009	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/24/2009	5556.95	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/23/2009	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/22/2009	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/21/2009	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/20/2009	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/19/2009	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/18/2009	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/17/2009	5557.02	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/16/2009	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/15/2009	5557	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/14/2009	5556.95	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/13/2009	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/12/2009	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/11/2009	5557.02	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/10/2009	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/9/2009	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/8/2009	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/7/2009	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/6/2009	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/5/2009	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/4/2009	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/3/2009	5556.61	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/2/2009	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/1/2009	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/31/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/30/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/29/2008	5557	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/28/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/27/2008	5556.63	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/26/2008	5556.59	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/25/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/24/2008	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/23/2008	5556.61	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/22/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/21/2008	5556.95	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/20/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/19/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/18/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/17/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/16/2008	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/15/2008	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/14/2008	5556.49	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/13/2008	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/12/2008	5556.9	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/11/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/10/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/9/2008	5556.49	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/8/2008	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/7/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/6/2008	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/5/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/4/2008	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/3/2008	5556.61	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/2/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/1/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/30/2008	5556.65	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/29/2008	5556.56	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/28/2008	5556.61	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/27/2008	5556.63	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/26/2008	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/25/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/24/2008	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/23/2008	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/22/2008	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/21/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/20/2008	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/19/2008	5556.8	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/18/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/17/2008	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/16/2008	5556.74	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/15/2008	5556.75	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/14/2008	5556.42	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/13/2008	5556.48	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/12/2008	5556.51	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/11/2008	5556.47	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/10/2008	5556.39	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/6/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/31/2008	5556.77	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/30/2008	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/29/2008	5556.75	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/28/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/27/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/26/2008	5556.65	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/25/2008	5556.65	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/24/2008	5556.62	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/23/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/22/2008	5556.54	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/21/2008	5556.66	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/20/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/19/2008	5556.66	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/18/2008	5556.77	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/17/2008	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/16/2008	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/15/2008	5556.64	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/14/2008	5556.59	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/13/2008	5556.53	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/12/2008	5556.33	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/11/2008	5556.41	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/10/2008	5556.41	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/9/2008	5556.56	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/8/2008	5556.66	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/7/2008	5556.67	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/6/2008	5556.48	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/5/2008	5556.48	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/4/2008	5556.5	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/3/2008	5556.51	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/2/2008	5556.64	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/1/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/30/2008	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/29/2008	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/28/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/27/2008	5556.62	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/26/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/25/2008	5556.74	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/24/2008	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/23/2008	5556.65	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/22/2008	5556.64	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/21/2008	5556.65	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/20/2008	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/19/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/18/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/17/2008	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/16/2008	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/15/2008	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/14/2008	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/13/2008	5556.52	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/12/2008	5556.55	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/11/2008	5556.53	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/10/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/9/2008	5556.64	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/8/2008	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/7/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/6/2008	5556.53	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/5/2008	5556.52	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/4/2008	5556.55	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/3/2008	5556.64	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/2/2008	5556.53	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/1/2008	5556.52	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/31/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/30/2008	5556.62	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/29/2008	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/28/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/27/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/26/2008	5556.58	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/25/2008	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/24/2008	5556.65	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/23/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/22/2008	5556.52	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/21/2008	5556.53	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/20/2008	5556.55	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/19/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/18/2008	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/17/2008	5556.6	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/16/2008	5556.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/15/2008	5556.55	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/14/2008	5556.56	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/13/2008	5556.54	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/11/2008	5556.77	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/10/2008	5556.77	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/9/2008	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/8/2008	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/7/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/6/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/5/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/4/2008	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/3/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/2/2008	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/1/2008	5556.86	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/31/2008	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/30/2008	5556.86	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/29/2008	5556.86	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/28/2008	5556.8	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/27/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/26/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/25/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/24/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/23/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/22/2008	5556.93	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/21/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/20/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/19/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/18/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/17/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/16/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/15/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/14/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/13/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/12/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/11/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/10/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/9/2008	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/8/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/7/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/6/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/5/2008	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/4/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/3/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/2/2008	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/1/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/30/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/29/2008	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/28/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/27/2008	5557.04	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/26/2008	5557.09	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/25/2008	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/24/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/23/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/22/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/21/2008	5557.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/20/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/19/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/18/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/17/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/16/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/15/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/14/2008	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/13/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/12/2008	5557.04	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/11/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/10/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/9/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/8/2008	5557	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/7/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/6/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/5/2008	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/4/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/3/2008	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/2/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/1/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/31/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/30/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/29/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/28/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/27/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/26/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/25/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/24/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/23/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/22/2008	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/21/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/20/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/19/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/18/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/17/2008	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/16/2008	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/15/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/14/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/13/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/9/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/8/2008	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/7/2008	5557.09	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/6/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/5/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/4/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/3/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/2/2008	5556.93	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/1/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/30/2008	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/29/2008	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/28/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/27/2008	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/26/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/25/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/24/2008	5556.94	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/23/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/22/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/21/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/20/2008	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/19/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/18/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/17/2008	5556.8	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/16/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/15/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/14/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/13/2008	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/12/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/11/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/10/2008	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/9/2008	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/8/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/7/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/6/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/5/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/4/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/3/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/2/2008	5557.03	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/1/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/31/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/30/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/29/2008	5556.93	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/28/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/27/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/26/2008	5557.04	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/25/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/24/2008	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/23/2008	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/22/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/21/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/20/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/19/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/18/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/17/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/16/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/15/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/14/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/13/2008	5557.03	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/12/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/11/2008	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/10/2008	5557.2	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/9/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/8/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/7/2008	5557.02	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/6/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/5/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/4/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/3/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/2/2008	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/1/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/29/2008	5557.01	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/28/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/27/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/26/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/25/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/24/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/23/2008	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/22/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/21/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/20/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/19/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/18/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/17/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/16/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/15/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/14/2008	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/13/2008	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/12/2008	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/6/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/5/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/4/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/3/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/2/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/1/2008	5557.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/22/2009	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/21/2009	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/20/2009	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/19/2009	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/18/2009	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/17/2009	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/16/2009	5546.01	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/15/2009	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/14/2009	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/13/2009	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/12/2009	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/11/2009	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/10/2009	5545.71	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/9/2009	5545.78	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/8/2009	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/7/2009	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/6/2009	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/3/2009	5546.61	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/2/2009	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/1/2009	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/31/2009	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/30/2009	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/29/2009	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/28/2009	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/27/2009	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/26/2009	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/25/2009	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/24/2009	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/23/2009	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/22/2009	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/21/2009	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/20/2009	5546.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/19/2009	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/18/2009	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/17/2009	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/16/2009	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/15/2009	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/14/2009	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/13/2009	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/12/2009	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/11/2009	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/10/2009	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/9/2009	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/8/2009	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/7/2009	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/6/2009	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/5/2009	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/4/2009	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/3/2009	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/2/2009	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/1/2009	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/31/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/30/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/29/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/28/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/27/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/26/2008	5545.78	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/25/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/24/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/23/2008	5545.78	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/22/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/21/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/20/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/19/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/18/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/17/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/16/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/15/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/14/2008	5545.72	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/13/2008	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/12/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/11/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/10/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/9/2008	5545.71	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/8/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/7/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/6/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/5/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/4/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/3/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/2/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/1/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/30/2008	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/29/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/28/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/27/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/26/2008	5545.92	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/25/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/24/2008	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/23/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/22/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/21/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/20/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/19/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/18/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/17/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/16/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/15/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/14/2008	5545.71	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/13/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/12/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/11/2008	5545.74	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/10/2008	5545.67	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/3/2008	5546.15	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/31/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/30/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/29/2008	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/28/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/27/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/26/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/25/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/24/2008	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/23/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/22/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/21/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/20/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/19/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/18/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/17/2008	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/16/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/15/2008	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/14/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/13/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/12/2008	5545.61	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/11/2008	5545.71	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/10/2008	5545.72	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/9/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/8/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/7/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/6/2008	5545.72	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/5/2008	5545.79	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/4/2008	5545.78	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/3/2008	5545.78	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/2/2008	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/1/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/30/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/29/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/28/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/27/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/26/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/25/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/24/2008	5545.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/23/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/22/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/21/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/20/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/19/2008	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/18/2008	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/17/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/16/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/15/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/14/2008	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/13/2008	5545.81	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/12/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/11/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/10/2008	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/9/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/8/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/7/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/6/2008	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/5/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/4/2008	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/3/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/2/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/1/2008	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/31/2008	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/30/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/29/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/28/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/27/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/26/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/25/2008	5546.06	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/24/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/23/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/22/2008	5545.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/21/2008	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/20/2008	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/19/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/18/2008	5545.95	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/17/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/16/2008	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/15/2008	5545.94	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/14/2008	5545.91	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/13/2008	5545.94	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/12/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/11/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/10/2008	5545.93	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/9/2008	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/8/2008	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/7/2008	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/6/2008	5546.07	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/5/2008	5546.07	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/4/2008	5546.04	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/3/2008	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/2/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/1/2008	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/31/2008	5546	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/30/2008	5546.07	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/29/2008	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/28/2008	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/27/2008	5546.1	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/26/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/25/2008	5546.17	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/24/2008	5546.11	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/23/2008	5546.11	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/22/2008	5546.07	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/21/2008	5546.14	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/20/2008	5546.14	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/19/2008	5546.14	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/18/2008	5546.11	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/17/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/16/2008	5546.21	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/15/2008	5546.13	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/14/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/13/2008	5546.24	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/12/2008	5546.17	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/11/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/10/2008	5546.24	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/9/2008	5546.24	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/8/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/7/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/6/2008	5546.21	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/5/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/4/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/3/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/2/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/1/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/30/2008	5546.45	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/29/2008	5546.42	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/28/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/27/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/26/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/25/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/24/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/23/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/22/2008	5546.45	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/21/2008	5546.44	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/20/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/19/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/18/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/17/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/16/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/15/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/14/2008	5546.42	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/13/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/12/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/11/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/10/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/9/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/8/2008	5546.24	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/7/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/6/2008	5546.24	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/5/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/4/2008	5546.21	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/3/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/2/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/1/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/31/2008	5546.42	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/30/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/29/2008	5546.42	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/28/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/27/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/26/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/25/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/24/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/23/2008	5546.13	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/22/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/21/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/20/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/19/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/18/2008	5546.49	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/17/2008	5546.55	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/16/2008	5546.55	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/15/2008	5546.41	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/14/2008	5546.39	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/12/2008	5546.77	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/9/2008	5546.54	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/8/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/7/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/6/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/5/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/4/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/3/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/2/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/1/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/30/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/29/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/28/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/27/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/26/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/25/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/24/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/23/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/22/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/21/2008	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/20/2008	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/19/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/18/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/17/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/16/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/15/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/14/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/13/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/12/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/11/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/10/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/9/2008	5546.16	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/8/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/7/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/6/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/5/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/4/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/3/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/2/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/1/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/31/2008	5546.13	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/30/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/29/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/28/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/27/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/26/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/25/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/24/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/23/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/22/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/21/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/20/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/19/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/18/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/17/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/16/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/15/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/14/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/13/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/12/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/11/2008	5546.49	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/10/2008	5546.5	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/9/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/8/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/7/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/6/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/5/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/4/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/3/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/2/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/1/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/29/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/28/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/27/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/26/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/25/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/24/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/23/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/22/2008	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/21/2008	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/20/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/19/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/18/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/17/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/16/2008	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/15/2008	5546.22	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/14/2008	5546.05	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/13/2008	5546.17	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/12/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/6/2008	5546.37	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/5/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/4/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/3/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/2/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/1/2008	5546.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/22/2009	5692.17	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/21/2009	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/20/2009	5692.19	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/19/2009	5692.21	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/18/2009	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/17/2009	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/16/2009	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/15/2009	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/14/2009	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/13/2009	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/12/2009	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/11/2009	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/10/2009	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/9/2009	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/8/2009	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/7/2009	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/6/2009	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/5/2009	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/4/2009	5692.24	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/3/2009	5692.27	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/2/2009	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/1/2009	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/31/2009	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/30/2009	5692.19	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/29/2009	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/28/2009	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/27/2009	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/26/2009	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/25/2009	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/24/2009	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/23/2009	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/22/2009	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/21/2009	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/20/2009	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/19/2009	5692.27	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/18/2009	5692.22	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/17/2009	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/16/2009	5692.21	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/15/2009	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/14/2009	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/13/2009	5692.17	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/12/2009	5692.24	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/11/2009	5692.11	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/10/2009	5692.21	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/9/2009	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/8/2009	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/7/2009	5692.37	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/6/2009	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/5/2009	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/4/2009	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/3/2009	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/2/2009	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/1/2009	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/31/2008	5692.24	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/30/2008	5692.22	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/29/2008	5692.06	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/28/2008	5692.14	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/27/2008	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/26/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/25/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/24/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/23/2008	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/22/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/21/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/20/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/19/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/18/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/17/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/16/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/15/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/14/2008	5692.83	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/13/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/12/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/11/2008	5692.21	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/10/2008	5692.18	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/9/2008	5692.79	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/8/2008	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/7/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/6/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/5/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/4/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/3/2008	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/2/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/1/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/30/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/29/2008	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/28/2008	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/27/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/26/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/25/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/24/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/23/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/22/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/21/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/20/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/19/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/18/2008	5692.16	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/17/2008	5692.22	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/16/2008	5692.18	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/15/2008	5692.1	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/14/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/13/2008	5692.39	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/12/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/11/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/10/2008	5692.72	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/9/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/8/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/7/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/6/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/5/2008	5692.72	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/4/2008	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/3/2008	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/2/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/1/2008	5692.27	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/31/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/30/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/29/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/28/2008	5692.19	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/27/2008	5692.06	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/26/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/25/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/24/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/23/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/22/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/21/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/20/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/19/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/18/2008	5692.22	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/17/2008	5692.23	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/16/2008	5692.18	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/15/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/14/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/13/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/12/2008	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/11/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/10/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/9/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/8/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/7/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/6/2008	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/5/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/4/2008	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/3/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/2/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/1/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/30/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/29/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/28/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/27/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/26/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/25/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/24/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/23/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/22/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/21/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/20/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/19/2008	5692.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/18/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/17/2008	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/16/2008	5692.19	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/15/2008	5692.18	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/14/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/13/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/12/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/11/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/10/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/9/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/8/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/7/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/6/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/5/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/4/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/3/2008	5692.27	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/2/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/1/2008	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/31/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/30/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/29/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/28/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/27/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/26/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/25/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/24/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/23/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/22/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/21/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/20/2008	5692.42	Manual
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/20/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/19/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/18/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/17/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/16/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/15/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/14/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/13/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/12/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/11/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/10/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/9/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/8/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/7/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/6/2008	5692.28	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/5/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/4/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/3/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/2/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/1/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/31/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/30/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/29/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/28/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/27/2008	5692.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/26/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/25/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/24/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/23/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/22/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/21/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/20/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/19/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/18/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/17/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/16/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/15/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/14/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/13/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/12/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/11/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/10/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/9/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/8/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/7/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/6/2008	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/5/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/4/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/3/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/2/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/1/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/30/2008	5692.24	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/29/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/28/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/27/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/26/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/25/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/24/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/23/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/22/2008	5692.25	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/21/2008	5692.23	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/20/2008	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/19/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/18/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/17/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/16/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/15/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/14/2008	5692.23	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/13/2008	5692.26	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/12/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/11/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/10/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/9/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/8/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/7/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/6/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/5/2008	5692.77	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/4/2008	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/3/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/2/2008	5692.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/1/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/31/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/30/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/29/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/28/2008	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/27/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/26/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/25/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/24/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/23/2008	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/22/2008	5692.88	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/21/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/20/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/19/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/18/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/17/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/16/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/15/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/14/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/13/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/12/2008	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/11/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/10/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/9/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/8/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/7/2008	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/6/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/5/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/4/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/3/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/2/2008	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/1/2008	5692.87	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/30/2008	5692.78	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/29/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/28/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/27/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/26/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/25/2008	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/24/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/23/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/22/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/21/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/20/2008	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/19/2008	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/18/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/17/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/16/2008	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/15/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/14/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/13/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/12/2008	5692.27	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/11/2008	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/10/2008	5692.81	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/9/2008	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/8/2008	5692.61	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/7/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/6/2008	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/5/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/4/2008	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/3/2008	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/2/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/1/2008	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/31/2008	5692.69	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/30/2008	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/29/2008	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/28/2008	5692.68	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/27/2008	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/26/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/25/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/24/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/23/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/22/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/21/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/20/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/19/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/18/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/17/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/16/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/15/2008	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/14/2008	5692.81	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/13/2008	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/12/2008	5692.61	Manual
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/12/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/11/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/10/2008	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/9/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/8/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/7/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/6/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/5/2008	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/4/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/3/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/2/2008	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/1/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/29/2008	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/28/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/27/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/26/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/25/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/24/2008	5692.26	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/23/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/22/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/21/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/20/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/19/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/18/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/17/2008	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/16/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/15/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/14/2008	5692.87	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/13/2008	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/12/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/11/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/10/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/9/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/8/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/7/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/6/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/5/2008	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/4/2008	5692.83	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/3/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/2/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/1/2008	5692.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/22/2009	5853.97	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/21/2009	5854.23	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/20/2009	5854.1	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/19/2009	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/18/2009	5854.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/17/2009	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/16/2009	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/15/2009	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/14/2009	5854.57	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/13/2009	5854.64	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/12/2009	5854.57	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/11/2009	5854.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/10/2009	5854.87	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/9/2009	5854.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/8/2009	5854.57	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/7/2009	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/6/2009	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/5/2009	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/4/2009	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/3/2009	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/2/2009	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/1/2009	5854.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/31/2009	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/30/2009	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/29/2009	5854.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/28/2009	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/27/2009	5854.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/26/2009	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/25/2009	5854.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/24/2009	5854.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/23/2009	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/22/2009	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/21/2009	5854.15	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/20/2009	5854.15	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/19/2009	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/18/2009	5854.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/17/2009	5854.16	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/16/2009	5854.11	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/15/2009	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/14/2009	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/13/2009	5854.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/12/2009	5854.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/11/2009	5854.06	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/10/2009	5854.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/9/2009	5854.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/8/2009	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/7/2009	5854.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/6/2009	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/5/2009	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/4/2009	5854.51	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/3/2009	5854.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/2/2009	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/1/2009	5854.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/31/2008	5854.09	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/30/2008	5854.09	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/29/2008	5854.01	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/28/2008	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/27/2008	5854.57	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/26/2008	5854.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/25/2008	5854.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/24/2008	5854.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/23/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/22/2008	5854.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/21/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/20/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/19/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/18/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/17/2008	5854.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/16/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/15/2008	5854.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/14/2008	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/13/2008	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/12/2008	5854.04	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/11/2008	5853.97	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/10/2008	5854	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/9/2008	5854.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/8/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/7/2008	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/6/2008	5854.05	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/5/2008	5854	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/4/2008	5854.07	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/3/2008	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/2/2008	5854.04	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/1/2008	5854.15	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/30/2008	5854.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/29/2008	5854.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/28/2008	5854.14	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/27/2008	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/26/2008	5853.94	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/25/2008	5854.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/24/2008	5853.92	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/23/2008	5853.96	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/22/2008	5853.9	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/21/2008	5853.71	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/20/2008	5853.84	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/19/2008	5853.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/18/2008	5853.53	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/17/2008	5853.64	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/16/2008	5853.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/15/2008	5853.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/14/2008	5853.83	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/13/2008	5853.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/12/2008	5853.64	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/11/2008	5853.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/10/2008	5853.91	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/9/2008	5853.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/8/2008	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/7/2008	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/6/2008	5853.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/5/2008	5853.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/4/2008	5853.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/3/2008	5853.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/2/2008	5853.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/1/2008	5853.17	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/31/2008	5853.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/30/2008	5853.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/29/2008	5853.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/28/2008	5853.13	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/27/2008	5853.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/26/2008	5853.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/25/2008	5853.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/24/2008	5853.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/23/2008	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/22/2008	5853.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/21/2008	5853.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/20/2008	5853.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/19/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/18/2008	5853.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/17/2008	5853.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/16/2008	5853.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/15/2008	5853.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/14/2008	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/13/2008	5853.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/12/2008	5853.99	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/11/2008	5853.88	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/10/2008	5853.89	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/9/2008	5853.73	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/8/2008	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/7/2008	5853.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/6/2008	5853.97	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/5/2008	5853.98	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/4/2008	5853.92	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/3/2008	5853.86	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/2/2008	5853.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/1/2008	5853.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/30/2008	5853.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/29/2008	5853.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/28/2008	5853.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/27/2008	5853.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/26/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/25/2008	5853.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/24/2008	5853.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/23/2008	5853.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/22/2008	5853.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/21/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/20/2008	5853.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/19/2008	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/18/2008	5853.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/17/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/16/2008	5853.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/15/2008	5853.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/14/2008	5853.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/13/2008	5853.64	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/12/2008	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/11/2008	5853.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/10/2008	5853.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/9/2008	5853.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/8/2008	5853.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/7/2008	5853.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/6/2008	5853.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/5/2008	5853.67	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/4/2008	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/3/2008	5853.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/2/2008	5853.67	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/1/2008	5853.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/31/2008	5853.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/30/2008	5853.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/29/2008	5853.57	Manual
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/29/2008	5853.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/28/2008	5853.73	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/27/2008	5853.75	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/26/2008	5853.76	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/25/2008	5853.64	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/24/2008	5853.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/23/2008	5853.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/22/2008	5853.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/21/2008	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/20/2008	5853.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/19/2008	5853.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/18/2008	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/17/2008	5853.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/16/2008	5853.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/15/2008	5853.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/14/2008	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/13/2008	5853.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/12/2008	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/11/2008	5853.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/10/2008	5853.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/9/2008	5853.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/8/2008	5853.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/7/2008	5853.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/6/2008	5853.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/5/2008	5853.14	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/4/2008	5853.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/3/2008	5853.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/2/2008	5853.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/1/2008	5853.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/31/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/30/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/29/2008	5853.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/28/2008	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/27/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/26/2008	5853.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/25/2008	5853.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/24/2008	5853.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/23/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/22/2008	5853.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/21/2008	5853.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/20/2008	5853.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/19/2008	5853.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/18/2008	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/17/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/16/2008	5853.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/15/2008	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/14/2008	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/13/2008	5853.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/12/2008	5853.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/11/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/10/2008	5853.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/9/2008	5853.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/8/2008	5853.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/7/2008	5853.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/6/2008	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/5/2008	5853.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/4/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/3/2008	5853.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/2/2008	5853.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/1/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/30/2008	5853.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/29/2008	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/28/2008	5853.62	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/27/2008	5853.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/26/2008	5853.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/25/2008	5853.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/24/2008	5853.58	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/23/2008	5853.57	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/22/2008	5853.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/21/2008	5853.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/20/2008	5853.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/19/2008	5853.78	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/18/2008	5853.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/17/2008	5853.71	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/16/2008	5853.81	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/15/2008	5853.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/14/2008	5853.76	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/13/2008	5853.89	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/12/2008	5854.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/11/2008	5854.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/10/2008	5854.05	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/9/2008	5854.13	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/8/2008	5854.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/7/2008	5854.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/6/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/5/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/4/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/3/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/2/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/1/2008	5854.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/31/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/30/2008	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/29/2008	5854.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/28/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/27/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/26/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/25/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/24/2008	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/23/2008	5854.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/22/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/21/2008	5854.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/20/2008	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/19/2008	5854.15	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/18/2008	5853.99	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/17/2008	5853.91	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/16/2008	5853.88	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/15/2008	5854.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/14/2008	5854.07	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/13/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/12/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/11/2008	5854.04	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/10/2008	5854.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/9/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/8/2008	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/7/2008	5854.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/6/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/5/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/4/2008	5854.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/3/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/2/2008	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/1/2008	5854.91	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/30/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/29/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/28/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/27/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/26/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/25/2008	5854.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/24/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/23/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/22/2008	5854.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/21/2008	5854.67	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/20/2008	5854.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/19/2008	5854.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/18/2008	5854.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/17/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/16/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/15/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/14/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/13/2008	5854.34	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/12/2008	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/11/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/10/2008	5854.96	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/9/2008	5854.8	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/8/2008	5854.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/7/2008	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/6/2008	5854.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/5/2008	5854.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/4/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/3/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/2/2008	5854.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/1/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/31/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/30/2008	5854.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/29/2008	5854.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/28/2008	5854.56	Manual
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/28/2008	5854.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/27/2008	5854.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/26/2008	5854.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/25/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/24/2008	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/23/2008	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/22/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/21/2008	5854.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/20/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/19/2008	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/18/2008	5854.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/17/2008	5854.81	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/16/2008	5854.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/15/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/14/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/13/2008	5854.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/12/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/11/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/10/2008	5854.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/9/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/8/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/7/2008	5854.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/6/2008	5854.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/5/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/4/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/3/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/2/2008	5854.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/1/2008	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/29/2008	5854.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/28/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/27/2008	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/26/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/25/2008	5854.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/24/2008	5854.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/23/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/22/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/21/2008	5854.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/20/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/19/2008	5854.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/18/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/17/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/16/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/15/2008	5854.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/14/2008	5854.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/13/2008	5854.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/12/2008	5854.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/11/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/10/2008	5854.16	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/9/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/8/2008	5854.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/7/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/6/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/5/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/4/2008	5854.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/3/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/2/2008	5854.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/1/2008	5854.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/22/2009	5837.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/21/2009	5837.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/20/2009	5837.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/19/2009	5837.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/18/2009	5837.63	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/17/2009	5837.66	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/16/2009	5837.49	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/15/2009	5837.53	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/14/2009	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/13/2009	5837.73	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/12/2009	5837.65	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/11/2009	5837.78	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/10/2009	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/9/2009	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/8/2009	5837.73	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/7/2009	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/6/2009	5837.59	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/5/2009	5837.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/4/2009	5837.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/3/2009	5837.43	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/2/2009	5837.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/1/2009	5837.68	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/31/2009	5837.4	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/30/2009	5837.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/29/2009	5837.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/28/2009	5837.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/27/2009	5837.83	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/26/2009	5837.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/25/2009	5837.71	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/24/2009	5837.51	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/23/2009	5837.63	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/22/2009	5837.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/21/2009	5837.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/20/2009	5837.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/19/2009	5837.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/18/2009	5837.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/17/2009	5837.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/16/2009	5837.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/15/2009	5837.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/14/2009	5837.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/13/2009	5837.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/12/2009	5837.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/11/2009	5837.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/10/2009	5837.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/9/2009	5837.58	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/8/2009	5837.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/7/2009	5837.61	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/6/2009	5837.86	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/5/2009	5837.48	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/4/2009	5837.68	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/3/2009	5837.81	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/2/2009	5837.57	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/1/2009	5837.5	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/31/2008	5837.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/30/2008	5837.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/29/2008	5837.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/28/2008	5837.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/27/2008	5837.76	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/26/2008	5837.82	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/25/2008	5837.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/24/2008	5837.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/23/2008	5837.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/22/2008	5837.46	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/21/2008	5837.41	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/20/2008	5837.54	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/19/2008	5837.41	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/18/2008	5837.53	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/17/2008	5837.57	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/16/2008	5837.62	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/15/2008	5837.58	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/14/2008	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/13/2008	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/12/2008	5837.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/11/2008	5837.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/10/2008	5837.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/9/2008	5837.93	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/8/2008	5837.64	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/7/2008	5837.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/6/2008	5837.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/5/2008	5837.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/4/2008	5837.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/3/2008	5837.65	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/2/2008	5837.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/1/2008	5837.53	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/30/2008	5837.6	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/29/2008	5837.66	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/28/2008	5837.59	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/27/2008	5837.48	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/26/2008	5837.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/25/2008	5837.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/24/2008	5837.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/23/2008	5837.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/22/2008	5837.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/21/2008	5837.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/20/2008	5837.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/19/2008	5837.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/18/2008	5836.98	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/17/2008	5837.08	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/16/2008	5837.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/15/2008	5837.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/14/2008	5837.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/13/2008	5837.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/12/2008	5837.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/11/2008	5837.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/10/2008	5837.68	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/9/2008	5837.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/8/2008	5837.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/7/2008	5837.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/6/2008	5837.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/5/2008	5837.68	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/4/2008	5837.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/3/2008	5837.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/2/2008	5837.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/1/2008	5837.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/31/2008	5837.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/30/2008	5837.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/29/2008	5837.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/28/2008	5836.97	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/27/2008	5836.87	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/26/2008	5837.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/25/2008	5837.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/24/2008	5837.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/23/2008	5837.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/22/2008	5837.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/21/2008	5837.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/20/2008	5837.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/19/2008	5837.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/18/2008	5837.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/17/2008	5837.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/16/2008	5837.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/15/2008	5837.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/14/2008	5837.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/13/2008	5837.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/12/2008	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/11/2008	5837.57	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/10/2008	5837.59	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/9/2008	5837.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/8/2008	5837.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/7/2008	5837.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/6/2008	5837.63	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/5/2008	5837.64	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/4/2008	5837.58	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/3/2008	5837.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/2/2008	5837.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/1/2008	5837.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/30/2008	5837.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/29/2008	5837.25	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/28/2008	5837.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/27/2008	5837.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/26/2008	5837.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/25/2008	5837.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/24/2008	5837.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/23/2008	5837.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/22/2008	5837.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/21/2008	5837.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/20/2008	5837.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/19/2008	5837.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/18/2008	5837.3	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/17/2008	5837.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/16/2008	5837.12	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/15/2008	5837.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/14/2008	5837.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/13/2008	5837.49	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/12/2008	5837.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/11/2008	5837.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/10/2008	5837.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/9/2008	5837.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/8/2008	5837.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/7/2008	5837.41	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/6/2008	5837.46	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/5/2008	5837.5	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/4/2008	5837.43	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/3/2008	5837.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/2/2008	5837.48	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/1/2008	5837.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/31/2008	5837.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/30/2008	5837.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/29/2008	5837.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/28/2008	5837.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/28/2008	5837.59	Manual
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/17/2008	5837.92	Manual
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/17/2008	5837.64	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/16/2008	5837.73	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/15/2008	5837.69	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/14/2008	5837.61	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/13/2008	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/12/2008	5837.87	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/11/2008	5837.98	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/10/2008	5837.79	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/9/2008	5837.83	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/8/2008	5837.98	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/7/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/6/2008	5838	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/5/2008	5838.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/4/2008	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/3/2008	5837.97	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/2/2008	5837.92	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/1/2008	5837.86	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/31/2008	5837.85	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/30/2008	5837.87	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/29/2008	5837.82	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/28/2008	5837.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/27/2008	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/26/2008	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/25/2008	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/24/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/23/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/22/2008	5838.51	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/21/2008	5838.11	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/20/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/19/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/18/2008	5837.78	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/17/2008	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/16/2008	5837.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/15/2008	5837.91	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/14/2008	5837.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/13/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/12/2008	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/11/2008	5837.81	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/10/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/9/2008	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/8/2008	5838.11	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/7/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/6/2008	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/5/2008	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/4/2008	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/3/2008	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/2/2008	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/1/2008	5838.54	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/30/2008	5838.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/29/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/28/2008	5837.93	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/27/2008	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/26/2008	5838.08	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/25/2008	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/24/2008	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/23/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/22/2008	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/21/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/20/2008	5838.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/19/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/18/2008	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/17/2008	5838.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/16/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/15/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/14/2008	5837.92	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/13/2008	5837.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/12/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/11/2008	5838.3	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/10/2008	5838.6	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/9/2008	5838.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/8/2008	5838.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/7/2008	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/6/2008	5838.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/5/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/4/2008	5838.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/3/2008	5838.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/2/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/1/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/31/2008	5838.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/30/2008	5838.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/29/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/28/2008	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/27/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/26/2008	5838.31	Manual
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/26/2008	5838.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/25/2008	5838.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/24/2008	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/23/2008	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/22/2008	5838.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/21/2008	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/20/2008	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/19/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/18/2008	5838.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/17/2008	5838.57	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/16/2008	5838.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/15/2008	5838.52	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/14/2008	5838.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/13/2008	5838.43	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/12/2008	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/11/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/10/2008	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/9/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/8/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/7/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/6/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/5/2008	5838.5	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/4/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/3/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/2/2008	5838.49	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/1/2008	5838.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/29/2008	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/28/2008	5838.24	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/27/2008	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/26/2008	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/25/2008	5838.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/24/2008	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/23/2008	5838.41	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/22/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/21/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/20/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/19/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/18/2008	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/17/2008	5838.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/16/2008	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/15/2008	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/14/2008	5838.61	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/13/2008	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/12/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/11/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/10/2008	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/9/2008	5838.12	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/8/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/7/2008	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/6/2008	5838.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/5/2008	5838.59	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/4/2008	5838.66	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/3/2008	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/2/2008	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/1/2008	5838.18	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/22/2009	5870.69	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/21/2009	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/20/2009	5870.8	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/19/2009	5871.05	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/18/2009	5871.28	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/17/2009	5871.3	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/16/2009	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/15/2009	5871.17	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/14/2009	5871.3	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/13/2009	5871.34	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/12/2009	5871.28	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/11/2009	5871.4	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/10/2009	5871.63	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/9/2009	5871.52	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/8/2009	5871.29	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/7/2009	5871.3	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/6/2009	5871.2	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/5/2009	5871.01	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/4/2009	5870.97	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/3/2009	5871.02	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/2/2009	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	2/1/2009	5871.25	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/31/2009	5871	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/30/2009	5871.01	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/29/2009	5871.17	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/28/2009	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/27/2009	5871.41	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/26/2009	5871.44	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/25/2009	5871.25	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/24/2009	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/23/2009	5871.18	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/22/2009	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/21/2009	5870.92	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/20/2009	5870.91	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/19/2009	5870.86	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/18/2009	5870.82	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/17/2009	5870.95	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/16/2009	5870.89	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/15/2009	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/14/2009	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/13/2009	5870.87	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/12/2009	5870.95	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/11/2009	5870.86	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/10/2009	5871.03	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/9/2009	5871.24	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/8/2009	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/7/2009	5871.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/6/2009	5871.52	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/5/2009	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/4/2009	5871.3	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/3/2009	5871.47	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/2/2009	5871.22	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	1/1/2009	5871.18	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/31/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/30/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/29/2008	5870.86	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/28/2008	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/27/2008	5871.49	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/26/2008	5871.56	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/25/2008	5871.24	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/24/2008	5871.42	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/23/2008	5871.62	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/22/2008	5871.19	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/21/2008	5871.09	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/20/2008	5871.24	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/19/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/18/2008	5871.21	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/17/2008	5871.25	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/16/2008	5871.32	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/15/2008	5871.23	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/14/2008	5871.68	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/13/2008	5871.37	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/12/2008	5871.05	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/11/2008	5870.97	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/10/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/9/2008	5871.59	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/8/2008	5871.28	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/7/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/6/2008	5871.05	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/5/2008	5871.02	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/4/2008	5871.1	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/3/2008	5871.31	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/2/2008	5871.1	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	12/1/2008	5871.17	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/30/2008	5871.24	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/29/2008	5871.31	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/28/2008	5871.23	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/27/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/26/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/25/2008	5870.88	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/24/2008	5870.92	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/23/2008	5871.01	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/22/2008	5870.99	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/21/2008	5870.83	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/20/2008	5870.97	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/19/2008	5870.86	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/18/2008	5870.71	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/17/2008	5870.81	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/16/2008	5870.83	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/15/2008	5870.83	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/14/2008	5871.23	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/13/2008	5871.13	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/12/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/11/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/10/2008	5871.35	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/9/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/8/2008	5871	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/7/2008	5870.93	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/6/2008	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/5/2008	5871.35	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/4/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/3/2008	5871.05	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/2/2008	5870.86	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	11/1/2008	5870.72	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/31/2008	5870.76	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/30/2008	5870.91	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/29/2008	5870.81	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/28/2008	5870.69	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/27/2008	5870.61	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/26/2008	5870.9	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/25/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/24/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/23/2008	5870.97	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/22/2008	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/21/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/20/2008	5870.93	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/19/2008	5870.9	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/18/2008	5870.75	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/17/2008	5870.82	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/16/2008	5870.83	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/15/2008	5870.95	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/14/2008	5870.99	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/13/2008	5871.08	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/12/2008	5871.37	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/11/2008	5871.26	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/10/2008	5871.29	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/9/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/8/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/7/2008	5870.94	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/6/2008	5871.25	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/5/2008	5871.26	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/4/2008	5871.25	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/3/2008	5871.23	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/2/2008	5871.05	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	10/1/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/30/2008	5870.85	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/29/2008	5870.91	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/28/2008	5870.89	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/27/2008	5871.03	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/26/2008	5870.91	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/25/2008	5870.82	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/24/2008	5870.85	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/23/2008	5870.94	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/22/2008	5871.02	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/21/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/20/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/19/2008	5870.92	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/18/2008	5870.94	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/17/2008	5870.82	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/16/2008	5870.77	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/15/2008	5870.8	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/14/2008	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/13/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/12/2008	5871.09	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/11/2008	5871.1	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/10/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/9/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/8/2008	5871.02	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/7/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/6/2008	5871.09	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/5/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/4/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/3/2008	5870.95	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/2/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	9/1/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/31/2008	5871.09	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/30/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/29/2008	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/28/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/27/2008	5871.18	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/26/2008	5871.07	Manual
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/26/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/25/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/24/2008	5870.96	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/23/2008	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/22/2008	5871.21	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/21/2008	5871.17	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/20/2008	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/19/2008	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/18/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/17/2008	5871.05	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/16/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/15/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/14/2008	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/13/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/12/2008	5871.13	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/11/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/10/2008	5871.1	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/9/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/8/2008	5871.01	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/7/2008	5870.94	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/6/2008	5870.91	Manual
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/6/2008	5870.95	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/5/2008	5871.02	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/4/2008	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/3/2008	5871.08	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/2/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	8/1/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/31/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/30/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/29/2008	5871.16	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/28/2008	5871.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/27/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/26/2008	5870.98	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/25/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/24/2008	5871.08	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/23/2008	5871.1	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/22/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/21/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/20/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/19/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/18/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/17/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/16/2008	5871.02	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/15/2008	5871.12	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/14/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/13/2008	5871.01	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/12/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/11/2008	5871.11	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/10/2008	5871.06	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/9/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/8/2008	5871.1	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/7/2008	5871.16	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/6/2008	5871.16	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/5/2008	5871.04	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/4/2008	5871.01	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/3/2008	5871.14	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/2/2008	5871.07	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	7/2/2008	5871.07	Manual
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	6/26/2008	5871.19	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	6/25/2008	5871.16	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	6/24/2008	5871.15	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	6/23/2008	5871.23	Transducer
R-33	995.5	P1A	5491	23	995.5	1018.5	4.46	5.27	6/23/2008	5871.2	Manual
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/22/2009	5842.55	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/21/2009	5844.47	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/20/2009	5844.21	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/19/2009	5841.18	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/18/2009	5840.83	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/17/2009	5840.64	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/16/2009	5841.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/15/2009	5841.53	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/14/2009	5841.12	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/13/2009	5842.05	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/12/2009	5844.25	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/11/2009	5846.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/10/2009	5846.1	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/9/2009	5844.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/8/2009	5844.35	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/7/2009	5845.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/6/2009	5845.93	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/5/2009	5845.82	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/4/2009	5845.64	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/3/2009	5845.94	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/2/2009	5844.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	2/1/2009	5844.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/31/2009	5846.02	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/30/2009	5846.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/29/2009	5846.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/28/2009	5846.22	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/27/2009	5846.21	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/26/2009	5844.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/25/2009	5844.72	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/24/2009	5846.07	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/23/2009	5846.19	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/22/2009	5846.06	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/21/2009	5845.94	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/20/2009	5845.78	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/19/2009	5844.23	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/18/2009	5844.37	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/17/2009	5846.01	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/16/2009	5845.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/15/2009	5846.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/14/2009	5846.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/13/2009	5845.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/12/2009	5844.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/11/2009	5844.39	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/10/2009	5846.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/9/2009	5846.13	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/8/2009	5846.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/7/2009	5846.14	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/6/2009	5846.01	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/5/2009	5844.35	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/4/2009	5844.6	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/3/2009	5846.18	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/2/2009	5846.05	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	1/1/2009	5845.92	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/31/2008	5845.79	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/30/2008	5845.62	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/29/2008	5844.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/28/2008	5844.41	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/27/2008	5846.32	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/26/2008	5846.32	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/25/2008	5847.36	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/24/2008	5847.47	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/23/2008	5847.35	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/22/2008	5846.92	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/21/2008	5845.69	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/20/2008	5845.96	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/19/2008	5845.91	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/18/2008	5845.87	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/17/2008	5845.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/16/2008	5845.74	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/15/2008	5844.25	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/14/2008	5844.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/13/2008	5845.81	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/12/2008	5845.53	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/11/2008	5845.51	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/10/2008	5845.38	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/9/2008	5845.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/8/2008	5843.83	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/7/2008	5843.91	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/6/2008	5845.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/5/2008	5845.27	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/4/2008	5844.91	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/3/2008	5843.74	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/2/2008	5845.24	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	12/1/2008	5844.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/30/2008	5844.09	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/29/2008	5845.66	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/28/2008	5845.41	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/27/2008	5845.4	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/26/2008	5845.28	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/25/2008	5844.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/24/2008	5843.52	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/23/2008	5843.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/22/2008	5845.23	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/21/2008	5845.09	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/20/2008	5845.12	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/19/2008	5844.93	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/18/2008	5844.78	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/17/2008	5843.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/16/2008	5843.16	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/15/2008	5844.72	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/14/2008	5844.64	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/13/2008	5844.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/12/2008	5842.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/11/2008	5845.04	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/10/2008	5842.89	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/9/2008	5842.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/8/2008	5844.35	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/7/2008	5844.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/6/2008	5844.22	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/5/2008	5844.38	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/4/2008	5844.19	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/3/2008	5842.56	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/2/2008	5842.4	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/1/2008	5843.8	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/31/2008	5843.22	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/30/2008	5843.36	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/29/2008	5843.28	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/28/2008	5843.41	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/27/2008	5843.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/26/2008	5842.51	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/25/2008	5843.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/24/2008	5843.65	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/23/2008	5843.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/22/2008	5843.57	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/21/2008	5843.54	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/20/2008	5843.87	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/19/2008	5842.53	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/18/2008	5843.55	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/17/2008	5842.92	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/16/2008	5842.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/15/2008	5842.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/14/2008	5843.15	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/13/2008	5842.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/12/2008	5842.83	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/11/2008	5844.15	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/10/2008	5843.6	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/9/2008	5843.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/8/2008	5843.27	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/7/2008	5843.27	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/6/2008	5840.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/5/2008	5844.1	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/4/2008	5847.3	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/3/2008	5848.24	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/2/2008	5847.92	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/1/2008	5847.93	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/30/2008	5847.86	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/29/2008	5846.07	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/28/2008	5841.82	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/27/2008	5843.26	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/26/2008	5840.19	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/25/2008	5839.28	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/24/2008	5837.71	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/23/2008	5836.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/22/2008	5839.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/21/2008	5837.53	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/20/2008	5840.31	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/19/2008	5836.09	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/18/2008	5838.01	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/17/2008	5836.05	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/16/2008	5836	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/15/2008	5836.25	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/14/2008	5839.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/13/2008	5836.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/12/2008	5836.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/11/2008	5836.17	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/10/2008	5839.7	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/9/2008	5836.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/8/2008	5836.32	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/7/2008	5836.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/6/2008	5835.84	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/5/2008	5836.06	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/4/2008	5836.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/3/2008	5836.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/2/2008	5839.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/1/2008	5835.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/31/2008	5835.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/30/2008	5835.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/29/2008	5836.68	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/28/2008	5836.87	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/27/2008	5839.79	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/26/2008	5838.64	Manual
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/26/2008	5835.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/25/2008	5835.38	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/24/2008	5840.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/23/2008	5835.77	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/22/2008	5837.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/21/2008	5842.61	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/20/2008	5836.72	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/19/2008	5843.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/18/2008	5843.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/17/2008	5838.93	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/16/2008	5843.49	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/15/2008	5838.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/14/2008	5843.49	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/13/2008	5844.14	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/12/2008	5844.13	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/11/2008	5848.54	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/10/2008	5841.8	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/9/2008	5840.52	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/8/2008	5842.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/7/2008	5844.31	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/6/2008	5842.09	Manual
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/6/2008	5838.32	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/5/2008	5839.58	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/4/2008	5837.74	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/3/2008	5837.52	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/2/2008	5838.97	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/1/2008	5838.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/31/2008	5839.25	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/30/2008	5838.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/29/2008	5839.32	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/28/2008	5839.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/27/2008	5839.13	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/26/2008	5838.23	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/25/2008	5838.23	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/24/2008	5839.06	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/23/2008	5839.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/22/2008	5839.26	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/21/2008	5839.19	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/20/2008	5842.55	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/19/2008	5842.37	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/18/2008	5838.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/17/2008	5838.52	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/16/2008	5838.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/15/2008	5838.15	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/14/2008	5837.64	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/13/2008	5837.4	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/12/2008	5837.88	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/11/2008	5837.37	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/10/2008	5837.12	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/9/2008	5836.89	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/8/2008	5836.19	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/7/2008	5835.88	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/6/2008	5836.14	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/5/2008	5836.26	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/4/2008	5836.37	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/3/2008	5839.01	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/2/2008	5837.86	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/26/2008	5836.66	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/25/2008	5835.98	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/24/2008	5831.56	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/23/2008	5834.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/23/2008	5834.68	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/22/2009	5833.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/21/2009	5833.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/20/2009	5833.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/19/2009	5833.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/18/2009	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/17/2009	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/16/2009	5833.94	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/15/2009	5833.99	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/14/2009	5834.13	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/13/2009	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/12/2009	5834.02	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/11/2009	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/10/2009	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/9/2009	5834.27	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/8/2009	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/7/2009	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/6/2009	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/5/2009	5833.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/4/2009	5833.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/3/2009	5833.84	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/2/2009	5833.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/1/2009	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/31/2009	5833.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/30/2009	5833.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/29/2009	5833.97	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/28/2009	5833.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/27/2009	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/26/2009	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/25/2009	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/24/2009	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/23/2009	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/22/2009	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/21/2009	5833.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/20/2009	5833.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/19/2009	5833.71	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/18/2009	5833.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/17/2009	5833.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/16/2009	5833.71	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/15/2009	5833.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/14/2009	5833.85	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/13/2009	5833.68	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/12/2009	5833.73	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/11/2009	5833.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/10/2009	5833.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/9/2009	5833.97	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/8/2009	5833.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/7/2009	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/6/2009	5834.28	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/5/2009	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/4/2009	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/3/2009	5834.22	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/2/2009	5833.99	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/1/2009	5833.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/31/2008	5833.73	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/30/2008	5833.73	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/29/2008	5833.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/28/2008	5833.82	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/27/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/26/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/25/2008	5833.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/24/2008	5834.15	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/23/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/22/2008	5833.94	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/21/2008	5833.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/20/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/19/2008	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/18/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/17/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/16/2008	5834.12	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/15/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/14/2008	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/13/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/12/2008	5833.85	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/11/2008	5833.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/10/2008	5833.87	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/9/2008	5834.45	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/8/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/7/2008	5833.89	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/6/2008	5833.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/5/2008	5833.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/4/2008	5834	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/3/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/2/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/1/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/30/2008	5834.17	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/29/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/28/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/27/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/26/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/25/2008	5833.81	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/24/2008	5833.89	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/23/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/22/2008	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/21/2008	5833.75	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/20/2008	5833.88	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/19/2008	5833.75	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/18/2008	5833.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/17/2008	5833.73	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/16/2008	5833.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/15/2008	5833.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/14/2008	5834.13	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/13/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/12/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/11/2008	5834.17	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/10/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/9/2008	5834.15	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/8/2008	5834	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/7/2008	5833.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/6/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/5/2008	5834.39	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/4/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/3/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/2/2008	5833.89	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/1/2008	5833.75	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/31/2008	5833.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/30/2008	5833.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/29/2008	5833.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/28/2008	5833.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/27/2008	5833.59	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/26/2008	5833.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/25/2008	5833.97	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/24/2008	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/23/2008	5833.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/22/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/21/2008	5833.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/20/2008	5833.87	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/19/2008	5833.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/18/2008	5833.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/17/2008	5833.73	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/16/2008	5833.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/15/2008	5833.85	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/14/2008	5833.88	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/13/2008	5834.04	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/12/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/11/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/10/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/9/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/8/2008	5833.89	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/7/2008	5833.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/6/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/5/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/4/2008	5834.15	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/3/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/2/2008	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/1/2008	5833.87	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/30/2008	5833.8	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/29/2008	5833.85	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/28/2008	5833.87	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/27/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/26/2008	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/25/2008	5833.83	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/24/2008	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/23/2008	5833.99	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/22/2008	5834.04	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/21/2008	5834	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/20/2008	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/19/2008	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/18/2008	5833.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/17/2008	5833.82	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/16/2008	5833.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/15/2008	5833.81	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/14/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/13/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/12/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/11/2008	5834.12	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/10/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/9/2008	5833.99	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/8/2008	5834.04	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/7/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/6/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/5/2008	5834.13	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/4/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/3/2008	5833.94	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/2/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/1/2008	5834.17	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/31/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/30/2008	5833.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/29/2008	5834.04	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/28/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/27/2008	5834.12	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/26/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/25/2008	5833.95	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/24/2008	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/23/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/22/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/21/2008	5834.14	Manual
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/21/2008	5834.12	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/20/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/19/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/18/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/17/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/16/2008	5834.04	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/15/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/14/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/13/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/12/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/11/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/10/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/9/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/8/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/7/2008	5833.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/6/2008	5833.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/5/2008	5833.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/4/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/3/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/2/2008	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/1/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/31/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/30/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/29/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/28/2008	5834.17	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/27/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/26/2008	5833.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/25/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/24/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/23/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/22/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/21/2008	5834.02	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/20/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/19/2008	5834.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/18/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/17/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/16/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/15/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/14/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/13/2008	5834.02	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/12/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/11/2008	5834.12	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/10/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/9/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/8/2008	5834.15	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/7/2008	5834.2	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/6/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/5/2008	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/4/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/3/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/2/2008	5834.12	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/1/2008	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/30/2008	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/29/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/28/2008	5834.15	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/27/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/26/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/25/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/24/2008	5834.06	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/23/2008	5834.02	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/22/2008	5833.88	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/21/2008	5833.91	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/20/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/19/2008	5834.13	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/18/2008	5834.02	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/17/2008	5834	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/16/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/15/2008	5834.03	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/14/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/13/2008	5834.05	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/12/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/11/2008	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/10/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/9/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/8/2008	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/7/2008	5834.22	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/6/2008	5834.28	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/5/2008	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/4/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/3/2008	5834.22	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/2/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/1/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/31/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/30/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/29/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/28/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/27/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/26/2008	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/25/2008	5834.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/24/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/23/2008	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/22/2008	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/21/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/20/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/19/2008	5834.2	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/18/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/17/2008	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/16/2008	5834	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/15/2008	5834.2	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/14/2008	5834.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/13/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/12/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/11/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/10/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/9/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/8/2008	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/7/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/6/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/5/2008	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/4/2008	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/3/2008	5834.25	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/2/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/1/2008	5834.68	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/30/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/29/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/28/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/27/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/26/2008	5834.25	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/25/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/24/2008	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/23/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/22/2008	5834.34	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/21/2008	5834.48	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/20/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/19/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/18/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/17/2008	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/16/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/15/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/14/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/13/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/12/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/11/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/10/2008	5834.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/9/2008	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/8/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/7/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/6/2008	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/5/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/4/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/3/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/2/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/1/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/31/2008	5834.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/30/2008	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/29/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/28/2008	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/27/2008	5834.53	Manual
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/27/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/26/2008	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/25/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/24/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/23/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/22/2008	5834.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/21/2008	5834.34	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/20/2008	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/19/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/18/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/17/2008	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/16/2008	5834.71	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/15/2008	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/14/2008	5834.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/13/2008	5834.59	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/12/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/11/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/10/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/9/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/8/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/7/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/6/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/5/2008	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/4/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/3/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/2/2008	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/1/2008	5834.19	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/29/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/28/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/27/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/26/2008	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/25/2008	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/24/2008	5834.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/23/2008	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/22/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/21/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/20/2008	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/19/2008	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/18/2008	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/17/2008	5834.6	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/16/2008	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/15/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/14/2008	5834.75	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/13/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/12/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/11/2008	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/10/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/9/2008	5834.3	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/8/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/7/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/6/2008	5834.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/5/2008	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/4/2008	5834.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/3/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/2/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/1/2008	5834.36	Transducer
R-38	821.2	Single	8631	10	821.2	831.2	5	5.6	2/11/2009	5858.42	Manual
R-38	821.2	Single	8631	10	821.2	831.2	5	5.6	2/6/2009	5858.46	Manual
R-38	821.2	Single	8631	10	821.2	831.2	5	5.6	12/13/2008	5858.73	Manual
R-38	821.2	Single	8631	10	821.2	831.2	5	5.6	12/10/2008	5857.81	Manual
R-38	821.2	Single	8631	10	821.2	831.2	5	5.6	11/7/2008	5858.38	Manual
R-42	931.8	Single	8591	21.1	931.8	952.9	5	5.6	11/12/2008	5839.22	Manual
R-42	931.8	Single	8591	21.1	931.8	952.9	5	5.6	9/6/2008	5840.22	Manual
R-44	895	P1A	8671	10	895	905	5	5.6	2/14/2009	5836.11	Manual
R-44	985.3	P2A	8681	9.9	985.3	995.2	5	5.6	2/14/2009	5835.91	Manual
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/21/2008	5874.39	Manual
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/19/2008	5874.32	Manual
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/19/2008	5874.46	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/18/2008	5874.38	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/17/2008	5874.35	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/16/2008	5874.43	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/15/2008	5874.41	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/14/2008	5874.36	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/13/2008	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/12/2008	5874.57	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/11/2008	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/10/2008	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/9/2008	5874.52	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/8/2008	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/7/2008	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/6/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/5/2008	5875	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/4/2008	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/3/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/2/2008	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/1/2008	5874.52	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/31/2008	5874.53	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/30/2008	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/29/2008	5874.52	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/28/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/27/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/26/2008	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/25/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/24/2008	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/23/2008	5874.99	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/22/2008	5875.1	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/21/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/20/2008	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/19/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/18/2008	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/17/2008	5874.42	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/16/2008	5874.41	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/15/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/14/2008	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/13/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/12/2008	5874.78	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/11/2008	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/10/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/9/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/8/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/7/2008	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/6/2008	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/5/2008	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/4/2008	5874.7	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/3/2008	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/2/2008	5874.9	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/1/2008	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/30/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/29/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/28/2008	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/27/2008	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/26/2008	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/25/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/24/2008	5874.83	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/23/2008	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/22/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/21/2008	5874.83	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/20/2008	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/19/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/18/2008	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/17/2008	5874.94	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/16/2008	5874.89	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/15/2008	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/14/2008	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/13/2008	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/12/2008	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/11/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/10/2008	5875.09	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/9/2008	5874.93	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/8/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/7/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/6/2008	5874.92	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/5/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/4/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/3/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/2/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/1/2008	5874.69	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/31/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/30/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/29/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/28/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/27/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/26/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/25/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/24/2008	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/23/2008	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/22/2008	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/21/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/20/2008	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/19/2008	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/18/2008	5874.78	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/17/2008	5874.95	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/16/2008	5874.91	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/15/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/14/2008	5874.92	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/13/2008	5874.81	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/12/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/11/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/10/2008	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/9/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/8/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/7/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/6/2008	5874.77	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/5/2008	5874.89	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/4/2008	5874.8	Manual
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/4/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/3/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/2/2008	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/1/2008	5874.47	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/29/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/28/2008	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/27/2008	5874.47	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/26/2008	5874.57	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/25/2008	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/24/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/23/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/22/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/21/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/20/2008	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/19/2008	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/18/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/17/2008	5874.9	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/16/2008	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/15/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/14/2008	5875.01	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/13/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/12/2008	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/11/2008	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/10/2008	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/9/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/8/2008	5874.81	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/7/2008	5875.02	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/6/2008	5874.97	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/5/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/4/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/3/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/2/2008	5874.81	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/1/2008	5875.23	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/28/2008	6842.3	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/27/2008	6842.3	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/26/2008	6842.31	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/25/2008	6842.32	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/24/2008	6842.33	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/23/2008	6842.33	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/22/2008	6842.34	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/21/2008	6842.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/20/2008	6842.36	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/19/2008	6842.36	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/18/2008	6842.37	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/17/2008	6842.39	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/16/2008	6842.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/15/2008	6842.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/14/2008	6842.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/13/2008	6842.41	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/12/2008	6842.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/11/2008	6842.44	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/10/2008	6842.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/9/2008	6842.49	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/8/2008	6842.48	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/7/2008	6842.5	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/6/2008	6842.52	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/5/2008	6842.54	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/4/2008	6842.57	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/3/2008	6842.59	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/2/2008	6842.61	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/1/2008	6842.65	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/31/2008	6842.69	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/30/2008	6842.73	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/29/2008	6842.78	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/28/2008	6842.83	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/27/2008	6842.9	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/26/2008	6842.93	Manual
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/26/2008	6842.99	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/25/2008	6843.07	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/24/2008	6843.16	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/23/2008	6843.26	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/22/2008	6843.37	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/21/2008	6843.45	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/20/2008	6843.48	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/19/2008	6843.57	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/18/2008	6843.67	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/17/2008	6843.86	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/16/2008	6843.85	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/15/2008	6844.04	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/14/2008	6843.92	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/13/2008	6843.81	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/12/2008	6843.7	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/11/2008	6843.71	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/10/2008	6843.73	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/9/2008	6843.8	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/8/2008	6843.84	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/7/2008	6843.89	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/6/2008	6843.95	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/5/2008	6844.01	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/4/2008	6844.05	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/3/2008	6844.16	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/2/2008	6844.29	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/1/2008	6844.23	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/29/2008	6844.34	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/28/2008	6844.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/27/2008	6844.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/26/2008	6844.27	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/25/2008	6843.35	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/24/2008	6843.08	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/23/2008	6843.18	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/22/2008	6843.29	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/21/2008	6843.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/20/2008	6843.56	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/19/2008	6843.64	Manual
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/19/2008	6843.69	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/18/2008	6843.8	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/17/2008	6843.76	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/16/2008	6843.64	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/15/2008	6843.55	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/14/2008	6843.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/13/2008	6843.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/12/2008	6843.59	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/11/2008	6843.75	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/10/2008	6843.9	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/9/2008	6844.07	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/8/2008	6844.24	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/7/2008	6844.38	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/6/2008	6844.54	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/5/2008	6844.71	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/4/2008	6844.84	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/3/2008	6844.91	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/2/2008	6845	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/1/2008	6845.06	Transducer

Appendix D

Analytical Results

The following symbols, abbreviations, and acronyms are used throughout Appendix D.

<	Based on qualifiers, the result was a nondetection.
—	none
*	(Inorganic) The result for this analyte in the Los Alamos National Laboratory (Laboratory) replicate analysis was outside acceptance criteria.
B	(Organic) This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic) The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
CS	client sample
CST	control sample triplicate
DUP	duplicate sample
E	(Organic) The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma–atomic emission spectroscopy). The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption) The result for this analyte failed one or more Contract Laboratory Program acceptance criteria as explained in the case narrative.
EES6	The Laboratory's Earth and Environmental Sciences Division (Hydrology, Geochemistry, and Geology Group)
EPA	U.S. Environmental Protection Agency
F	filtered
FD	field duplicate
FTB	field trip blank
GELC	General Engineering Laboratories
GEO	Geochron Analytical Laboratory
H	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
HUFFMAN	Huffman Analytical Laboratory
Inorg	inorganic
J	(Organic/General Inorganics) The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit.
J-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.

J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
LLEE	low-level electrolytic extraction
LT	(Rad) The result for this analyte is affected by spectral interference.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
MDA	minimum detectable activity
MDL	method detection limit
Met	metals
mV	millivolt
n/a	not applicable
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PARA	Paragon Analytical Laboratory
R	rejected
Rad	radionuclides
STSL	Severn Trent St. Louis Analytical Laboratory
SV	semivolatile organics
TPU	total propagated uncertainty
U	not detected
UF	unfiltered
UMTL	University of Miami Tritium Laboratory
VOA	volatile organic analysis
WG	groundwater
WM	snowmelt
WP	persistent water
WS	surface water

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58	—	—	7.30E-01	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.9	—	—	7.30E-01	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.7	—	—	7.30E-01	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.9	—	—	7.30E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.2	—	—	7.30E-01	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	09-884	CAMO-09-4311	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.5	—	—	3.00E-02	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.9	—	—	3.00E-02	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.3	—	—	3.00E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.7	—	—	3.00E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.8	—	—	3.00E-02	mg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.8	—	—	3.00E-02	mg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.6	—	—	3.00E-02	mg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15	—	—	3.00E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.2	—	—	3.00E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	23.4	—	—	1.30E-01	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22	—	—	1.30E-01	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	21.1	—	—	1.30E-01	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.9	—	—	3.30E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.233	—	—	3.30E-02	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.156	—	—	3.30E-02	mg/L	—	J-	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.218	—	—	3.30E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.191	—	—	3.30E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	56.4	—	—	3.50E-01	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.8	—	—	3.50E-01	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	49.2	—	—	3.50E-01	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47.3	—	—	3.50E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.6	—	—	4.30E-01	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.6	—	—	3.50E-01	mg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	58.4	—	—	3.50E-01	mg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	50.7	—	—	3.50E-01	mg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.4	—	—	3.50E-01	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	84.8	—	—	4.30E-01	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.71	—	—	8.50E-02	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.67	—	—	8.50E-02	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.26	—	—	8.50E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.06	—	—	8.50E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.66	—	—	8.50E-02	mg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.98	—	—	8.50E-02	mg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.9	—	—	8.50E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.92	—	—	8.50E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.305	—	—	5.00E-02	µg/L	—	J	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.411	—	—	5.00E-02	µg/L	—	J+	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.346	—	—	5.00E-02	µg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.349	—	—	5.00E-02	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.08	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.03	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.96	—	—	5.00E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.8	—	—	5.00E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.94	—	—	5.00E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.07	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.3	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-753	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.32	—	—	5.00E-02	mg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.91	—	—	5.00E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.14	—	—	5.00E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	22.2	—	—	4.50E-02	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	21.4	—	—	4.50E-02	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	21.7	—	—	4.50E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	22	—	—	4.50E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.6	—	—	4.50E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	21.4	—	—	4.50E-02	mg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	22	—	—	4.50E-02	mg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.2	—	—	4.50E-02	mg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.1	—	—	4.50E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.3	—	—	4.50E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	219	—	—	1.00E+00	µS/cm	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	216	—	—	1.00E+00	µS/cm	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	219	—	—	1.00E+00	µS/cm	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	219	—	—	1.00E+00	µS/cm	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	190	—	—	1.00E+00	µS/cm	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	5.6	—	—	1.00E+00	µS/cm	—	—	09-884	CAMO-09-4311	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.5	—	—	1.00E-01	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.9	—	—	1.00E-01	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.2	—	—	1.00E-01	mg/L	—	J-	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.5	—	—	1.00E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	173	—	—	2.40E+00	mg/L	—	J	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	173	—	—	2.40E+00	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	167	—	—	2.40E+00	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	172	—	—	2.40E+00	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.035	—	—	2.90E-02	mg/L	J	J	09-883	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-1703	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.191	—	—	2.90E-02	mg/L	—	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.34	—	—	3.30E-01	mg/L	—	—	09-883	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.27	—	—	3.30E-01	mg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.04	—	—	3.30E-01	mg/L	—	—	08-1703	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.76	—	—	3.30E-01	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.44	—	—	3.30E-01	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.197	—	—	2.40E-02	mg/L	—	J	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.209	—	—	2.40E-02	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.054	—	—	2.40E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.197	—	—	2.40E-02	mg/L	—	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.89	—	—	1.00E-02	SU	H	J-	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.83	—	—	1.00E-02	SU	H	J-	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.1	—	—	1.00E-02	SU	H	J-	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.97	—	—	1.00E-02	SU	H	J-	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.13	—	—	1.00E-02	SU	H	J-	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	7.06	—	—	1.00E-02	SU	H	J-	09-884	CAMO-09-4311	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	247	—	—	6.80E+01	µg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	150	—	—	6.80E+01	µg/L	J	J	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	155	—	—	6.80E+01	µg/L	J	J	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	278	—	—	6.80E+01	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	133	—	—	6.80E+01	µg/L	J	J	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	697	—	—	6.80E+01	µg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1110	—	—	6.80E+01	µg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1710	—	—	6.80E+01	µg/L	—	—	08-1704	CAMO-08-14436	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	5740	—	—	6.80E+01	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	9460	—	—	6.80E+01	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	99.2	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	88.9	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	87.2	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	89.3	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	89.3	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	98.2	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	103	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	99.7	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	124	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	462	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	25	—	—	1.00E+01	µg/L	J	J	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	33.2	—	—	1.00E+01	µg/L	J	J	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	35.9	—	—	1.00E+01	µg/L	J	J	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	32.6	—	—	1.00E+01	µg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	36.6	—	—	1.00E+01	µg/L	J	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	23.2	—	—	1.00E+01	µg/L	J	J	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	34.8	—	—	1.00E+01	µg/L	J	J	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	39.5	—	—	1.00E+01	µg/L	J	J	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	34.7	—	—	1.00E+01	µg/L	J	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	36.7	—	—	1.00E+01	µg/L	J	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	122	—	—	2.50E+01	µg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	50	—	—	2.50E+01	µg/L	J	J	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	83.9	—	—	2.50E+01	µg/L	J	J	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	137	—	—	2.50E+01	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	84.2	—	—	2.50E+01	µg/L	J	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	350	—	—	2.50E+01	µg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	542	—	—	2.50E+01	µg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	914	—	—	2.50E+01	µg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	3090	—	—	2.50E+01	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	8330	—	—	2.50E+01	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	88.3	—	—	2.00E+00	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.2	—	—	2.00E+00	µg/L	J	J	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.5	—	—	2.00E+00	µg/L	J	J	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7.2	—	—	2.00E+00	µg/L	J	J	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	30.7	—	—	2.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	567	—	—	2.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.67	—	—	1.00E-01	µg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.66	—	—	1.00E-01	µg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.68	—	—	1.00E-01	µg/L	—	U	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.7	—	—	1.00E-01	µg/L	—	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.64	—	—	1.00E-01	µg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.77	—	—	1.00E-01	µg/L	—	U	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.79	—	—	1.00E-01	µg/L	—	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.68	—	—	5.00E-01	µg/L	J	J	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	10	—	—	2.50E+00	µg/L	U	U	08-1220	CAMO-08-12720	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	1.5	—	—	5.00E-01	µg/L	J	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	2.50E+00	µg/L	J	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	6.9	—	—	5.00E-01	µg/L	—	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	57.9	—	—	3.20E-02	mg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	55.6	—	—	3.20E-02	mg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	54.2	—	—	3.20E-02	mg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	53.2	—	—	3.20E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	110	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	105	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	92.2	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	87.6	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	111	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	107	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	112	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	95.3	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	97.1	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	173	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.072	—	—	5.00E-02	µg/L	J	J	09-884	CAMO-09-2409	GELC
CDBO-6	5281	34	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	09-303	CAMO-09-754	GELC
CDBO-6	5281	34	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	08-1704	CAMO-08-14437	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.057	—	—	5.00E-02	µg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.062	—	—	5.00E-02	µg/L	J	J	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	09-884	CAMO-09-2410	GELC
CDBO-6	5281	34	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.14	—	—	5.00E-02	µg/L	J	J	09-303	CAMO-09-753	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.16	—	—	5.00E-02	µg/L	J	U	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/11/09	WG	F	CS	—	Rad	EPA:900	Gross alpha/beta	<	0.519	2.20E-01	2.60E+00	—	pCi/L	U	U	09-885	CAMO-09-2409	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	<	2.65	3.33E-01	2.40E+00	—	pCi/L	—	U	09-885	CAMO-09-2410	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	—	3.7	3.67E-01	2.30E+00	—	pCi/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Rad	EPA:903.1	Radium-226	—	0.502	4.60E-02	2.46E-01	—	pCi/L	—	J	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.753	8.00E-02	5.50E-01	—	pCi/L	—	—	09-885	CAMO-09-2410	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.254	4.67E-02	4.30E-01	—	pCi/L	U	U	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.428	6.00E-02	5.20E-01	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	41.1	1.55E+00	5.81E+00	—	pCi/L	—	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Radium-226	—	32.7	1.43E+00	5.83E+00	—	pCi/L	—	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	11/07/01	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.491	4.37E-02	2.26E-01	—	pCi/L	—	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Rad	EPA:904	Radium-228	<	0.675	9.30E-02	1.01E+00	—	pCi/L	U	U	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	DUP	—	Rad	EPA:904	Radium-228	<	0.716	7.93E-02	8.68E-01	—	pCi/L	U	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.287	5.33E-02	4.80E-01	—	pCi/L	U	U	09-885	CAMO-09-2410	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.21	1.13E-01	8.80E-01	—	pCi/L	—	—	08-1704	CAMO-08-14436	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.641	7.00E-02	5.80E-01	—	pCi/L	—	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	6.22	1.19E+00	1.41E+01	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Radium-228	<	1.58	1.09E+00	1.20E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	11/07/01	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.13	1.02E-01	8.92E-01	—	pCi/L	—	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	11/07/01	WG	UF	DUP	—	Rad	EPA:904	Radium-228	<	0.746	8.13E-02	7.51E-01	—	pCi/L	U	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	02/11/09	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.309	—	—	3.00E-01	µg/L	J	J	09-883	CAMO-09-2736	GELC
CDBO-6	5281	34	08/18/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	µg/L	U	U	08-1703	CAMO-08-14436	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	µg/L	U	U	08-620	CAMO-08-10634	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	76.3	—	—	7.30E-01	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	77.4	—	—	7.30E-01	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	1.57	—	—	7.30E-01	mg/L	—	—	09-884	CAMO-09-4312	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	22	—	—	3.00E-02	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	22	—	—	3.00E-02	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.1	—	—	3.00E-02	mg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.2	—	—	3.00E-02	mg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	27.8	—	—	1.30E-01	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	28.7	—	—	1.30E-01	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.177	—	—	3.30E-02	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.11	—	—	3.30E-02	mg/L	—	J-	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	75	—	—	3.50E-01	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	75	—	—	3.50E-01	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	72.3	—	—	3.50E-01	mg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	71.9	—	—	3.50E-01	mg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.9	—	—	8.50E-02	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.89	—	—	8.50E-02	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.78	—	—	8.50E-02	mg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.59	—	—	8.50E-02	mg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.249	—	—	5.00E-02	µg/L	—	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.22	—	—	5.00E-02	µg/L	—	J+	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.69	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.78	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.69	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.67	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.3	—	—	4.50E-02	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.2	—	—	4.50E-02	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.5	—	—	4.50E-02	mg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.2	—	—	4.50E-02	mg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	270	—	—	1.00E+00	µS/cm	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	281	—	—	1.00E+00	µS/cm	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	1.83	—	—	1.00E+00	µS/cm	—	—	09-884	CAMO-09-4312	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12	—	—	1.00E-01	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.7	—	—	1.00E-01	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	196	—	—	2.40E+00	mg/L	—	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	212	—	—	2.40E+00	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.69	—	—	3.30E-01	mg/L	—	—	09-883	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.16	—	—	3.30E-01	mg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.188	—	—	2.40E-02	mg/L	—	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.197	—	—	2.40E-02	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.82	—	—	1.00E-02	SU	H	J-	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.74	—	—	1.00E-02	SU	H	J-	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.52	—	—	1.00E-02	SU	H	J-	09-884	CAMO-09-4312	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	100	—	—	6.80E+01	µg/L	J	J	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	104	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	102	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	101	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	99.6	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	33.2	—	—	1.00E+01	µg/L	J	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	38.9	—	—	1.00E+01	µg/L	J	J	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	30.6	—	—	1.00E+01	µg/L	J	J	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	37.1	—	—	1.00E+01	µg/L	J	J	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	40.5	—	—	2.50E+01	µg/L	J	J	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.32	—	—	1.00E-01	µg/L	J	J	09-884	CAMO-09-2390	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.24	—	—	1.00E-01	µg/L	J	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.29	—	—	1.00E-01	µg/L	J	J	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.3	—	—	1.00E-01	µg/L	J	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68.3	—	—	3.20E-02	mg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	65.5	—	—	3.20E-02	mg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	146	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	145	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	141	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.42	—	—	3.00E-01	µg/L	J	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.19	—	—	5.00E-02	µg/L	J	J	09-884	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.1	—	—	5.00E-02	µg/L	J	J	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.16	—	—	5.00E-02	µg/L	J	J	09-884	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00357	9.00E-04	4.50E-02	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00105	1.17E-03	2.20E-02	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00607	3.33E-03	6.50E-02	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0068	1.33E-03	2.40E-02	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-3.27	5.00E-01	4.00E+00	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.523	3.67E-01	3.80E+00	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.259	4.67E-01	4.50E+00	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.25	4.67E-01	4.20E+00	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.604	5.00E-01	4.70E+00	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.69	3.23E-01	3.90E+00	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.00487	4.33E-01	4.10E+00	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.827	4.67E-01	4.30E+00	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	50.4	1.83E+01	4.80E+01	—	pCi/L	—	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	20.7	1.47E+01	3.50E+01	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	98.7	1.87E+01	9.70E+01	—	pCi/L	—	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	9.62	3.03E+00	1.70E+01	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	9.18	4.33E+00	3.90E+01	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.5	3.13E+00	3.00E+01	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.73	3.67E+00	3.60E+01	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-6.81	3.27E+00	3.10E+01	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.57E-03	2.60E-02	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00331	9.67E-04	2.40E-02	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	2.60E-03	3.40E-02	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0159	2.50E-03	3.90E-02	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.53E-03	3.80E-02	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00496	2.13E-03	2.80E-02	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	2.00E-03	4.90E-02	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00796	2.93E-03	4.50E-02	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-9.24	5.67E+00	5.50E+01	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	11.5	5.67E+00	5.90E+01	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-13.9	6.00E+00	6.50E+01	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	32	4.67E+00	5.70E+01	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-3.04	5.00E-01	4.10E+00	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.115	3.67E-01	3.40E+00	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	2.51	4.67E-01	5.40E+00	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.978	4.67E-01	4.20E+00	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.152	4.00E-02	3.90E-01	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0741	2.07E-02	2.10E-01	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.146	4.33E-02	4.20E-01	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0645	3.33E-02	3.50E-01	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	57.474	6.39E-01	2.87E-01	—	pCi/L	—	—	09-916	CAMO-09-2391	UMTL
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	60.9863	6.39E-01	2.87E-01	—	pCi/L	—	—	09-344	CAMO-09-734	UMTL
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0585	4.00E-03	7.80E-02	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.062	3.67E-03	5.70E-02	—	pCi/L	—	—	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.044	3.67E-03	7.20E-02	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.0628	4.00E-03	5.80E-02	—	pCi/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00246	1.43E-03	4.40E-02	—	pCi/L	U	U	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00605	1.77E-03	3.00E-02	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00904	1.53E-03	4.00E-02	—	pCi/L	U	U	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00204	1.53E-03	3.10E-02	—	pCi/L	U	U	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0576	4.00E-03	4.90E-02	—	pCi/L	—	—	09-885	CAMO-09-2390	GELC
CDBO-7	5291	29	11/13/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0294	2.60E-03	3.00E-02	—	pCi/L	U	U	09-303	CAMO-09-735	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0548	3.67E-03	4.50E-02	—	pCi/L	—	—	09-885	CAMO-09-2391	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0529	3.33E-03	3.10E-02	—	pCi/L	—	—	09-303	CAMO-09-734	GELC
CDBO-7	5291	29	02/11/09	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	1.74	—	—	3.00E-01	µg/L	—	—	09-883	CAMO-09-2392	GELC
CDBO-7	5291	29	11/13/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	3.00E-01	µg/L	U	U	09-303	CAMO-09-734	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	29.8	—	—	7.30E-01	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	65.8	—	—	7.30E-01	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	50.4	—	—	7.30E-01	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	16.5	—	—	7.30E-01	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	6.07	—	—	7.25E-01	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.051	—	—	3.00E-02	mg/L	—	J-	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0419	—	—	3.00E-02	mg/L	J	U	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.05	—	—	3.00E-02	mg/L	U	U	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.1	—	—	6.00E-02	mg/L	U	U	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.041	—	—	1.00E-02	mg/L	J	JN-	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18	—	—	3.00E-02	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.4	—	—	3.00E-02	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.1	—	—	3.00E-02	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	58.4	—	—	3.00E-02	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	83.9	—	—	3.60E-02	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.5	—	—	3.00E-02	mg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21	—	—	3.00E-02	mg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.8	—	—	3.00E-02	mg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	49.3	—	—	3.00E-02	mg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	82.3	—	—	3.60E-02	mg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	152	—	—	1.30E+00	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	141	—	—	6.60E-01	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	136	—	—	6.60E-01	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	265	—	—	3.30E+00	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	227	—	—	3.30E+00	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.192	—	—	3.30E-02	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.201	—	—	3.30E-02	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.254	—	—	3.30E-02	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.118	—	—	3.30E-02	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.097	—	—	3.30E-02	mg/L	J	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	58.3	—	—	3.50E-01	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	69.3	—	—	3.50E-01	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	68.6	—	—	3.50E-01	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	188	—	—	4.30E-01	mg/L	—	—	08-675	CAMO-08-10861	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	275	—	—	4.40E-01	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	61.2	—	—	3.50E-01	mg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	67.8	—	—	3.50E-01	mg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	72.4	—	—	3.50E-01	mg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	158	—	—	4.30E-01	mg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	269	—	—	4.40E-01	mg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.21	—	—	8.50E-02	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.87	—	—	8.50E-02	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.87	—	—	8.50E-02	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.2	—	—	8.50E-02	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	15.9	—	—	8.50E-02	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.66	—	—	8.50E-02	mg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.76	—	—	8.50E-02	mg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.38	—	—	8.50E-02	mg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.57	—	—	8.50E-02	mg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	15.5	—	—	8.50E-02	mg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.74	—	—	5.00E-02	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.3	—	—	5.00E-02	mg/L	E	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	4	—	—	5.00E-02	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.81	—	—	5.00E-02	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.8	—	—	5.00E-02	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.36	—	—	5.00E-02	mg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.93	—	—	5.00E-02	mg/L	E	J	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.88	—	—	5.00E-02	mg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.61	—	—	5.00E-02	mg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.7	—	—	5.00E-02	mg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	27.7	—	—	3.20E-02	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	104	—	—	4.50E-02	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	101	—	—	4.50E-02	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	85.7	—	—	4.50E-02	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	112	—	—	4.50E-02	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	58.6	—	—	4.50E-02	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	108	—	—	4.50E-02	mg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	100	—	—	4.50E-02	mg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	87.6	—	—	4.50E-02	mg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	93.5	—	—	4.50E-02	mg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	57.8	—	—	4.50E-02	mg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	619	—	—	1.00E+00	µS/cm	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	647	—	—	1.00E+00	µS/cm	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	617	—	—	1.00E+00	µS/cm	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1060	—	—	1.00E+00	µS/cm	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	957	—	—	1.00E+00	µS/cm	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	18.4	—	—	1.00E-01	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.4	—	—	1.00E-01	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.94	—	—	1.00E-01	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.9	—	—	1.00E-01	mg/L	—	J-	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.67	—	—	1.00E-01	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	373	—	—	2.40E+00	mg/L	—	J	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	366	—	—	2.40E+00	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	406	—	—	2.40E+00	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	574	—	—	2.40E+00	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	661	—	—	2.38E+00	mg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.93	—	—	3.30E-01	mg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	12.8	—	—	3.30E-01	mg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	17.2	—	—	3.30E-01	mg/L	—	—	08-1672	CAMO-08-14406	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
E-1FW	—	—	02/20/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.75	—	—	3.30E-01	mg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.01	—	—	3.30E-01	mg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.13	—	—	1.00E-02	SU	H	J-	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.38	—	—	1.00E-02	SU	H	J-	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.65	—	—	1.00E-02	SU	H	J-	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	5.93	—	—	1.00E-02	SU	H	J-	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	5.46	—	—	1.00E-02	SU	H	J	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	588	—	—	6.80E+01	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1050	—	—	6.80E+01	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	2700	—	—	6.80E+01	µg/L	N	J+	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	4320	—	—	6.80E+01	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	131	—	—	6.80E+01	µg/L	J	J	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	6750	—	—	6.80E+01	µg/L	N	J+	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	382	—	—	6.80E+01	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	138	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	163	—	—	1.00E+00	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	162	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	447	—	—	1.00E+00	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	657	—	—	1.00E+00	µg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	151	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	155	—	—	1.00E+00	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	177	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	337	—	—	1.00E+00	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	648	—	—	1.00E+00	µg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	16.1	—	—	1.00E+01	µg/L	J	J	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	29	—	—	1.00E+01	µg/L	J	J	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	35.8	—	—	1.00E+01	µg/L	J	J	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	13.1	—	—	1.00E+01	µg/L	J	J	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	14.1	—	—	1.00E+01	µg/L	J	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	18.4	—	—	1.00E+01	µg/L	J	J	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	30.7	—	—	1.00E+01	µg/L	J	J	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	35.9	—	—	1.00E+01	µg/L	J	J	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	15.2	—	—	1.00E+01	µg/L	J	J	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	14	—	—	1.00E+01	µg/L	J	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	75.4	—	—	1.50E+00	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	14.7	—	—	1.50E+00	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	36	—	—	1.50E+00	µg/L	—	J	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	12.5	—	—	2.50E+00	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	38.8	—	—	1.00E+00	µg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	70.3	—	—	1.50E+00	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	20.6	—	—	1.50E+00	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	48.9	—	—	1.50E+00	µg/L	—	J	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	23.3	—	—	2.50E+00	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	38.9	—	—	1.00E+00	µg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	—	5.6	—	—	1.00E+00	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	—	4.1	—	—	1.00E+00	µg/L	J	J	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	—	7.8	—	—	1.00E+00	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	—	4	—	—	1.00E+00	µg/L	J	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	1.8	—	—	1.00E+00	µg/L	J	J	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	5.7	—	—	1.00E+00	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	3.7	—	—	1.00E+00	µg/L	J	J	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	1.6	—	—	1.00E+00	µg/L	J	J	08-675	CAMO-08-10862	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	4.3	—	—	1.00E+00	µg/L	J	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	5.4	—	—	3.00E+00	µg/L	J	J	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	7.9	—	—	3.00E+00	µg/L	J	J	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	49.6	—	—	3.00E+00	µg/L	—	J	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	6.1	—	—	3.00E+00	µg/L	J	J	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	3.8	—	—	3.00E+00	µg/L	J	J	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	84.6	—	—	3.00E+00	µg/L	—	J	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	344	—	—	2.50E+01	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	1980	—	—	2.50E+01	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	1400	—	—	2.50E+01	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	973	—	—	2.50E+01	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	325	—	—	1.80E+01	µg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	2860	—	—	2.50E+01	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	465	—	—	2.50E+01	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	3500	—	—	2.50E+01	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	481	—	—	2.50E+01	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	447	—	—	1.80E+01	µg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Lead	—	1.7	—	—	5.00E-01	µg/L	J	J	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Lead	—	1.3	—	—	5.00E-01	µg/L	J	J	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Lead	—	4.1	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	50.2	—	—	2.00E+00	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	741	—	—	2.00E+00	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	399	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	414	—	—	2.00E+00	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	301	—	—	2.00E+00	µg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	161	—	—	2.00E+00	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	708	—	—	2.00E+00	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	436	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	132	—	—	2.00E+00	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	307	—	—	2.00E+00	µg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	9.4	—	—	1.00E-01	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	22.5	—	—	1.00E-01	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	25.4	—	—	1.00E-01	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	3.3	—	—	1.00E-01	µg/L	—	J	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	11.4	—	—	1.00E-01	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	24.6	—	—	1.00E-01	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	26.4	—	—	1.00E-01	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	3.3	—	—	1.00E-01	µg/L	—	J	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	4	—	—	5.00E-01	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	8.1	—	—	5.00E-01	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	6.5	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	13	—	—	5.00E-01	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	15	—	—	5.00E-01	µg/L	—	—	181700	GF07020PWF1E01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.2	—	—	5.00E-01	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	8.6	—	—	5.00E-01	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	7.2	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.8	—	—	5.00E-01	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	15	—	—	5.00E-01	µg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	27.3	—	—	3.20E-02	mg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	35.3	—	—	3.20E-02	mg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.8	—	—	3.20E-02	mg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	21.2	—	—	3.20E-02	mg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	93.6	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	112	—	—	1.00E+00	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	289	—	—	1.00E+00	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	422	—	—	1.00E+00	µg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	97.3	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	113	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	240	—	—	1.00E+00	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	413	—	—	1.00E+00	µg/L	—	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.099	—	—	5.00E-02	µg/L	J	J	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	µg/L	U	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.14	—	—	5.00E-02	µg/L	J	J	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.63	—	—	5.00E-02	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	µg/L	U	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.5	—	—	1.00E+00	µg/L	J	J	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3.4	—	—	1.00E+00	µg/L	J	U	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1	—	—	1.00E+00	µg/L	U	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2.3	—	—	1.00E+00	µg/L	J	U	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	9.5	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.7	—	—	1.00E+00	µg/L	J	J	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1	—	—	1.00E+00	µg/L	U	—	181700	GU07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	11.2	—	—	2.00E+00	µg/L	—	—	09-892	CAMO-09-2373	GELC
E-1FW	—	—	11/17/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	23.9	—	—	2.00E+00	µg/L	—	—	09-317	CAMO-09-714	GELC
E-1FW	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	25.5	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14407	GELC
E-1FW	—	—	02/20/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	37.7	—	—	2.00E+00	µg/L	—	—	08-675	CAMO-08-10861	GELC
E-1FW	—	—	03/01/07	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	68.4	—	—	2.00E+00	µg/L	—	—	181700	GF07020PWF1E01	GELC
E-1FW	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	19.9	—	—	2.00E+00	µg/L	—	—	09-892	CAMO-09-2372	GELC
E-1FW	—	—	11/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	14.8	—	—	2.00E+00	µg/L	—	—	09-317	CAMO-09-713	GELC
E-1FW	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	37.8	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14406	GELC
E-1FW	—	—	02/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	36.5	—	—	2.00E+00	µg/L	—	—	08-675	CAMO-08-10862	GELC
E-1FW	—	—	03/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	69.2	—	—	2.00E+00	µg/L	—	—	181700	GU07020PWF1E01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	17.3	—	—	7.30E-01	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	86.7	—	—	7.30E-01	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	23.2	—	—	7.30E-01	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	100	—	—	7.25E-01	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	86	—	—	7.25E-01	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.049	—	—	3.00E-02	mg/L	J	J-	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.048	—	—	3.00E-02	mg/L	J	U	08-1672	CAMO-08-14415	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.071	—	—	3.00E-02	mg/L	—	J-	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.052	—	—	3.00E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.063	—	—	3.00E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.099	—	—	6.70E-02	mg/L	J	J	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.125	—	—	6.60E-02	mg/L	J	J	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	113	—	—	3.00E-02	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	4.91	—	—	3.00E-02	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	121	—	—	3.00E-02	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	3.77	—	—	3.00E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	4.91	—	—	3.60E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	111	—	—	3.00E-02	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.48	—	—	3.00E-02	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	129	—	—	3.00E-02	mg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.58	—	—	3.00E-02	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.5	—	—	3.60E-02	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1020	—	—	6.60E+00	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	82.2	—	—	6.60E-01	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1360	—	—	1.30E+01	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	23	—	—	1.32E-01	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	102	—	—	6.60E-01	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.096	—	—	3.30E-02	mg/L	J	J	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.314	—	—	3.30E-02	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.074	—	—	3.30E-02	mg/L	J	J	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.391	—	—	3.30E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.335	—	—	3.30E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	344	—	—	3.50E-01	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	19.1	—	—	3.50E-01	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	368	—	—	4.30E-01	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	14.5	—	—	4.25E-01	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	17.1	—	—	4.40E-01	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	340	—	—	3.50E-01	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	30	—	—	3.50E-01	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	391	—	—	4.30E-01	mg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	43.2	—	—	4.25E-01	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	67.4	—	—	4.40E-01	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	15	—	—	8.50E-02	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.67	—	—	8.50E-02	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	15.8	—	—	8.50E-02	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.22	—	—	8.50E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.18	—	—	8.50E-02	mg/L	—	J+	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	15.1	—	—	8.50E-02	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.15	—	—	8.50E-02	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	16.8	—	—	8.50E-02	mg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.9	—	—	8.50E-02	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.43	—	—	8.50E-02	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.377	—	—	5.00E-02	µg/L	—	J	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.2	—	—	5.00E-02	µg/L	U	U	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.217	—	—	5.00E-02	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.113	—	—	5.00E-02	µg/L	J	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.39	—	—	5.00E-02	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	75.5	—	—	5.00E-01	mg/L	—	—	09-893	CAMO-09-2378	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.9	—	—	5.00E-02	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	103	—	—	5.00E-02	mg/L	—	J	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.14	—	—	5.00E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	8.3	—	—	5.00E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	78.6	—	—	5.00E-01	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	18.4	—	—	5.00E-02	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	106	—	—	5.00E-02	mg/L	—	J	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.8	—	—	5.00E-02	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	16	—	—	5.00E-02	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	69.5	—	—	3.20E-02	mg/L	—	J	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	45.7	—	—	3.20E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	519	—	—	4.50E-01	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	86	—	—	4.50E-02	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	786	—	—	2.30E-01	mg/L	—	J	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	68.6	—	—	4.50E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	103	—	—	4.50E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	539	—	—	4.50E-01	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	87.8	—	—	4.50E-02	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	863	—	—	2.30E-01	mg/L	—	J	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	72.3	—	—	4.50E-02	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	104	—	—	4.50E-02	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	3570	—	—	1.00E+00	µS/cm	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	500	—	—	1.00E+00	µS/cm	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	4660	—	—	1.00E+00	µS/cm	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	339	—	—	1.00E+00	µS/cm	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	577	—	—	1.00E+00	µS/cm	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.5	—	—	1.00E-01	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.21	—	—	1.00E-01	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	18	—	—	1.00E-01	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	15.2	—	—	1.00E-01	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.18	—	—	1.00E-01	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	13.5	—	—	1.60E+00	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	5.4	—	—	1.10E+00	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	20.8	—	—	1.20E+00	mg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	2.6	—	—	1.14E+00	mg/L	J	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	12.8	—	—	1.14E+00	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	1970	—	—	2.40E+00	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	440	—	—	2.40E+00	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	2670	—	—	2.40E+00	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	285	—	—	2.38E+00	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	409	—	—	2.38E+00	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.749	—	—	2.90E-02	mg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.596	—	—	2.90E-02	mg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.106	—	—	2.90E-02	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.361	—	—	2.90E-02	mg/L	—	J+	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.489	—	—	2.90E-02	mg/L	—	J	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.15	—	—	2.90E-02	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.59	—	—	2.90E-02	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.43	—	—	3.30E-01	mg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	12.4	—	—	6.60E-01	mg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.7	—	—	3.30E-01	mg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	11.7	—	—	6.60E-01	mg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	15.3	—	—	1.65E+00	mg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.97	—	—	1.00E-02	SU	H	J-	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.8	—	—	1.00E-02	SU	H	J-	08-1672	CAMO-08-14415	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
M-1W	—	—	02/14/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.04	—	—	1.00E-02	SU	H	J-	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.8	—	—	1.00E-02	SU	H	J	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.62	—	—	1.00E-02	SU	H	J	188198	GF070600PW1M01	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	10300	—	—	6.80E+01	µg/L	N	J+	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	507	—	—	6.80E+01	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	7500	—	—	6.80E+01	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	5250	—	—	6.80E+01	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	423	—	—	6.80E+01	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	10600	—	—	6.80E+01	µg/L	N	J+	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	2360	—	—	6.80E+01	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	45900	—	—	6.80E+01	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	72000	—	—	6.80E+01	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	1170	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	75.9	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	1170	—	—	1.00E+00	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	52.1	—	—	1.00E+00	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	55.6	—	—	1.00E+00	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	1170	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	166	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	1190	—	—	1.00E+00	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	192	—	—	1.00E+00	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	291	—	—	1.00E+00	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.58	—	—	1.10E-01	µg/L	J	J	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6020	Cadmium	—	1.4	—	—	1.10E-01	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.18	—	—	1.10E-01	µg/L	J	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.57	—	—	1.10E-01	µg/L	J	J	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.3	—	—	1.10E-01	µg/L	J	J	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	1.7	—	—	1.10E-01	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.55	—	—	1.10E-01	µg/L	J	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.24	—	—	1.00E-01	µg/L	J	—	188198	GU070600PW1M01	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	6130	—	—	2.50E+01	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	304	—	—	2.50E+01	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	4490	—	—	2.50E+01	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	3110	—	—	1.80E+01	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	217	—	—	2.50E+01	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	6580	—	—	2.50E+01	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	1420	—	—	2.50E+01	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	28100	—	—	2.50E+01	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	44800	—	—	1.80E+01	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	13.4	—	—	2.00E+00	µg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	31.1	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	70.2	—	—	2.00E+00	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	38.8	—	—	2.00E+00	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	19.2	—	—	2.00E+00	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	16.6	—	—	2.00E+00	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	60.4	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	94.9	—	—	2.00E+00	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	138	—	—	2.00E+00	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	211	—	—	2.00E+00	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.8	—	—	1.00E-01	µg/L	—	J	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	104	—	—	1.00E-01	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	51.7	—	—	2.00E+00	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	151	—	—	2.00E+00	µg/L	—	—	192146	GF070800PW1M01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	113	—	—	2.00E+00	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.8	—	—	1.00E-01	µg/L	—	J	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	113	—	—	1.00E-01	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	33	—	—	2.00E+00	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	157	—	—	2.00E+00	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	111	—	—	2.00E+00	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	5.9	—	—	5.00E-01	µg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	5.5	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	11.7	—	—	5.00E-01	µg/L	—	J	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	5.7	—	—	5.00E-01	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	3.5	—	—	5.00E-01	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.3	—	—	5.00E-01	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	18.6	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	12.8	—	—	5.00E-01	µg/L	—	J	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	14	—	—	5.00E-01	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.6	—	—	5.00E-01	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	26.7	—	—	3.20E-02	mg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68.8	—	—	3.20E-02	mg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	14.5	—	—	3.20E-02	mg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	553	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	24.4	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	642	—	—	1.00E+00	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	18.2	—	—	1.00E+00	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	23.9	—	—	1.00E+00	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	546	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	43.5	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	688	—	—	1.00E+00	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	42.6	—	—	1.00E+00	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	65.3	—	—	1.00E+00	µg/L	—	—	188198	GU070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	148	—	—	2.00E+00	µg/L	—	—	09-893	CAMO-09-2378	GELC
M-1W	—	—	08/13/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	70.6	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14415	GELC
M-1W	—	—	02/14/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	245	—	—	2.00E+00	µg/L	—	—	08-637	CAMO-08-10878	GELC
M-1W	—	—	08/20/07	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	53.4	—	—	2.00E+00	µg/L	—	—	192146	GF070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	40.3	—	—	2.00E+00	µg/L	—	—	188198	GF070600PW1M01	GELC
M-1W	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	152	—	—	2.00E+00	µg/L	—	—	09-893	CAMO-09-2379	GELC
M-1W	—	—	08/13/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	209	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14416	GELC
M-1W	—	—	02/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	275	—	—	2.00E+00	µg/L	—	—	08-637	CAMO-08-10880	GELC
M-1W	—	—	08/20/07	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	279	—	—	2.00E+00	µg/L	—	—	192146	GU070800PW1M01	GELC
M-1W	—	—	06/18/07	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	447	—	—	2.00E+00	µg/L	—	—	188198	GU070600PW1M01	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	70.6	—	—	7.30E-01	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	90.9	—	—	7.30E-01	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	24.7	—	—	7.30E-01	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	184	—	—	7.30E-01	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	09-815	CAMO-09-2413	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.139	—	—	3.00E-02	mg/L	—	J-	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.127	—	—	3.00E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.032	—	—	3.00E-02	mg/L	J	J	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.209	—	—	3.00E-02	mg/L	—	J-	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.119	—	—	3.00E-02	mg/L	—	J-	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.6	—	—	3.00E-02	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.8	—	—	3.00E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	55	—	—	3.00E-02	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.0622	—	—	3.00E-02	mg/L	J	J	09-815	CAMO-09-2413	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.7	—	—	3.00E-02	mg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.8	—	—	3.00E-02	mg/L	—	—	09-217	CAMO-09-755	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	59.6	—	—	3.00E-02	mg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	329	—	—	3.30E+00	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	248	—	—	3.30E+00	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	625	—	—	6.60E+00	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	155	—	—	3.30E+00	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.163	—	—	3.30E-02	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.155	—	—	3.30E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.085	—	—	3.30E-02	mg/L	J	J	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.288	—	—	3.30E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	82.4	—	—	3.50E-01	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	72.2	—	—	3.50E-01	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	181	—	—	3.50E-01	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	82.6	—	—	3.50E-01	mg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	77.2	—	—	3.50E-01	mg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	195	—	—	3.50E-01	mg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.09	—	—	8.50E-02	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.29	—	—	8.50E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.7	—	—	8.50E-02	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.07	—	—	8.50E-02	mg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.5	—	—	8.50E-02	mg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.1	—	—	8.50E-02	mg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.6	—	—	5.00E-02	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.2	—	—	5.00E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	24.2	—	—	5.00E-02	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.8	—	—	5.00E-02	mg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.4	—	—	5.00E-02	mg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	24.8	—	—	5.00E-02	mg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	216	—	—	4.50E-02	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	183	—	—	4.50E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	352	—	—	4.50E-02	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	218	—	—	4.50E-02	mg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	174	—	—	4.50E-02	mg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	356	—	—	4.50E-02	mg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1290	—	—	1.00E+00	µS/cm	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1120	—	—	1.00E+00	µS/cm	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	2370	—	—	1.00E+00	µS/cm	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance	—	2.56	—	—	1.00E+00	µS/cm	—	—	09-815	CAMO-09-2413	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.8	—	—	1.00E-01	mg/L	—	J-	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	15.2	—	—	1.00E-01	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	26.4	—	—	1.00E-01	mg/L	—	J-	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.17	—	—	1.00E-01	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	714	—	—	2.40E+00	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	621	—	—	2.40E+00	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	1280	—	—	2.40E+00	mg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	590	—	—	2.40E+00	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	2.09	—	—	2.90E-02	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.745	—	—	2.90E-02	mg/L	—	J+	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.08	—	—	2.90E-02	mg/L	—	J-	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.16	—	—	2.90E-02	mg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.52	—	—	2.90E-02	mg/L	—	J-	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.99	—	—	2.90E-02	mg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	FB	Geninorg	SW-846:9060	Total Organic Carbon	—	0.761	—	—	3.30E-01	mg/L	J	J	09-815	CAMO-09-2413	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	15.3	—	—	3.30E-01	mg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	20.9	—	—	1.70E+00	mg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.94	—	—	3.30E-01	mg/L	—	—	08-1657	CAMO-08-14442	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	49.3	—	—	1.70E+00	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.2	—	—	1.00E-02	SU	H	J-	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.54	—	—	1.00E-02	SU	H	J-	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	5.95	—	—	1.00E-02	SU	H	J-	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	FB	Geninorg	EPA:150.1	pH	—	6.24	—	—	1.00E-02	SU	H	J-	09-815	CAMO-09-2413	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	156	—	—	6.80E+01	µg/L	J	J	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	259	—	—	6.80E+01	µg/L	N	J+	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	467	—	—	6.80E+01	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	347	—	—	6.80E+01	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	12600	—	—	6.80E+01	µg/L	N	J+	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	231	—	—	6.80E+01	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	219	—	—	1.00E+00	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	207	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	694	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	226	—	—	1.00E+00	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	245	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	724	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	9.6	—	—	1.00E+00	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	6.3	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	9.5	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	8.5	—	—	1.00E+00	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	6.8	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	10.1	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	2960	—	—	2.50E+01	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	1080	—	—	2.50E+01	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	364	—	—	2.50E+01	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	3240	—	—	2.50E+01	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	8360	—	—	2.50E+01	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	891	—	—	2.50E+01	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	1.1	—	—	5.00E-01	µg/L	J	J	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	5.6	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	1840	—	—	2.00E+00	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	1460	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3420	—	—	2.00E+00	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1930	—	—	2.00E+00	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1400	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3860	—	—	2.00E+00	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.65	—	—	1.00E-01	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.8	—	—	1.00E-01	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.13	—	—	1.00E-01	µg/L	J	U	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.65	—	—	1.00E-01	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.21	—	—	1.00E-01	µg/L	J	U	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	14	—	—	5.00E-01	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	14.6	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	19.4	—	—	5.00E-01	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	14.6	—	—	5.00E-01	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	21.4	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	28.3	—	—	5.00E-01	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	24.9	—	—	3.20E-02	mg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	30.1	—	—	3.20E-02	mg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41	—	—	3.20E-02	mg/L	—	—	08-1657	CAMO-08-14443	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	34	—	—	3.20E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	182	—	—	1.00E+00	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	157	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	398	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	182	—	—	1.00E+00	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	158	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	426	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.41	—	—	3.00E-01	µg/L	J	J	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.54	—	—	3.00E-01	µg/L	J	J	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.46	—	—	3.00E-01	µg/L	J	J	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.64	—	—	5.00E-02	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.1	—	—	5.00E-02	µg/L	J	J	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.8	—	—	5.00E-02	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.2	—	—	1.00E+00	µg/L	J	J	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1	—	—	1.00E+00	µg/L	J	J	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.2	—	—	1.00E+00	µg/L	J	J	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.1	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-1657	CAMO-08-14442	GELC
MCO-0.6	5641	1.05	02/05/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	23.8	—	—	2.00E+00	µg/L	—	—	09-815	CAMO-09-2411	GELC
MCO-0.6	5641	1.05	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	20.6	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-756	GELC
MCO-0.6	5641	1.05	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	50.5	—	—	2.00E+00	µg/L	—	U	08-1657	CAMO-08-14443	GELC
MCO-0.6	5641	1.05	02/05/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	25.3	—	—	2.00E+00	µg/L	—	—	09-815	CAMO-09-2412	GELC
MCO-0.6	5641	1.05	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	46.9	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-755	GELC
MCO-0.6	5641	1.05	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	51.2	—	—	2.00E+00	µg/L	—	U	08-1657	CAMO-08-14442	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	38.2	—	—	7.30E-01	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	39.2	—	—	7.30E-01	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	85.6	—	—	7.30E-01	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	96.6	—	—	7.30E-01	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	105	—	—	7.30E-01	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	31.5	—	—	7.30E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	09-855	CAMO-09-3654	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide	—	0.129	—	—	6.70E-02	mg/L	J	J	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.095	—	—	6.70E-02	mg/L	J	J	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.068	—	—	6.70E-02	mg/L	J	J	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	24.1	—	—	3.00E-02	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	23.9	—	—	3.00E-02	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.28	—	—	3.00E-02	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	6.82	—	—	3.00E-02	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.7	—	—	3.00E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	219	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	24.7	—	—	3.00E-02	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.6	—	—	3.00E-02	mg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.24	—	—	3.00E-02	mg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.14	—	—	3.00E-02	mg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.00E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	218	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	444	—	—	3.30E+00	mg/L	—	—	09-855	CAMO-09-2581	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	442	—	—	3.30E+00	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	76.7	—	—	6.60E-01	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	123	—	—	6.60E-01	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	261	—	—	3.30E+00	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.285	—	—	3.30E-02	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.282	—	—	3.30E-02	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.424	—	—	3.30E-02	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.562	—	—	3.30E-02	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.396	—	—	3.30E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	81.3	—	—	3.50E-01	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	80.1	—	—	3.50E-01	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	28.3	—	—	3.50E-01	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	24.6	—	—	3.50E-01	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.2	—	—	3.50E-01	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	704	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	83.7	—	—	3.50E-01	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	83.4	—	—	3.50E-01	mg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	35.3	—	—	3.50E-01	mg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.5	—	—	3.50E-01	mg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	80	—	—	3.50E-01	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	698	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	5.11	—	—	8.50E-02	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.97	—	—	8.50E-02	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.86	—	—	8.50E-02	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.83	—	—	8.50E-02	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.65	—	—	8.50E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	38	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	5.34	—	—	8.50E-02	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.34	—	—	8.50E-02	mg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.98	—	—	8.50E-02	mg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.78	—	—	8.50E-02	mg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.83	—	—	8.50E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	37.2	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	40.8	—	—	5.00E-02	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	40	—	—	5.00E-02	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	17.4	—	—	5.00E-02	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	21.9	—	—	5.00E-02	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	28.7	—	—	5.00E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	77.5	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	40.8	—	—	5.00E-02	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	40.7	—	—	5.00E-02	mg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	18.6	—	—	5.00E-02	mg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	27.2	—	—	5.00E-02	mg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	35.3	—	—	5.00E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	71.5	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	284	—	—	4.50E-02	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	273	—	—	4.50E-02	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	79.8	—	—	4.50E-02	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	108	—	—	4.50E-02	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	202	—	—	4.50E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	945	—	—	2.30E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	289	—	—	4.50E-02	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	282	—	—	4.50E-02	mg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	79.6	—	—	4.50E-02	mg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	116	—	—	4.50E-02	mg/L	—	—	08-1672	CAMO-08-14460	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	194	—	—	4.50E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	923	—	—	2.30E-01	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	167	—	—	1.00E+00	µS/cm	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1690	—	—	1.00E+00	µS/cm	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	533	—	—	1.00E+00	µS/cm	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	688	—	—	1.00E+00	µS/cm	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1170	—	—	1.00E+00	µS/cm	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	5690	—	—	1.00E+00	µS/cm	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	1.57	—	—	1.00E+00	µS/cm	—	—	09-855	CAMO-09-3654	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	22.2	—	—	1.00E-01	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	22.2	—	—	1.00E-01	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	34.2	—	—	1.00E-01	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	21.1	—	—	1.00E-01	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.5	—	—	1.00E-01	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	915	—	—	2.40E+00	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	927	—	—	2.40E+00	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	346	—	—	2.40E+00	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	540	—	—	2.40E+00	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	721	—	—	2.40E+00	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.135	—	—	2.90E-02	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.629	—	—	2.90E-02	mg/L	—	J-	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.874	—	—	2.90E-02	mg/L	—	J+	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.14	—	—	2.90E-02	mg/L	—	J-	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.33	—	—	2.90E-02	mg/L	—	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	5.52	—	—	3.30E-01	mg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.53	—	—	3.30E-01	mg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	15.2	—	—	1.70E+00	mg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	16.5	—	—	6.60E-01	mg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.25	—	—	3.30E-01	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.24	—	—	3.30E-01	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	6.18	—	—	1.00E-02	SU	H	J-	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.15	—	—	1.00E-02	SU	H	J-	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.39	—	—	1.00E-02	SU	H	J-	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.75	—	—	1.00E-02	SU	H	J-	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.64	—	—	1.00E-02	SU	H	J-	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.1	—	—	1.00E-02	SU	H	J-	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.49	—	—	1.00E-02	SU	H	J-	09-855	CAMO-09-3654	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Aluminum	—	3410	—	—	6.80E+01	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	3570	—	—	6.80E+01	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1900	—	—	6.80E+01	µg/L	N	J+	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	6440	—	—	6.80E+01	µg/L	N	J+	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	868	—	—	6.80E+01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	5730	—	—	6.80E+01	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	5680	—	—	6.80E+01	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	12900	—	—	6.80E+01	µg/L	N	J+	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	33000	—	—	6.80E+01	µg/L	N	J+	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	59700	—	—	6.80E+01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	2570	—	—	6.80E+01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	289	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	285	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	98.8	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	90.9	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	144	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	1960	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	303	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	300	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	140	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	188	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	846	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	1930	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Boron	—	10.4	—	—	1.00E+01	µg/L	J	J	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.8	—	—	1.00E+01	µg/L	J	J	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	19.9	—	—	1.00E+01	µg/L	J	J	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	41.1	—	—	1.00E+01	µg/L	J	J	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	17.4	—	—	1.00E+01	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	31.4	—	—	1.00E+01	µg/L	J	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Boron	—	12.1	—	—	1.00E+01	µg/L	J	J	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	16.7	—	—	1.00E+01	µg/L	J	J	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.6	—	—	1.00E+01	µg/L	J	J	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	50.3	—	—	1.00E+01	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	34.2	—	—	1.00E+01	µg/L	J	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	22.2	—	—	1.00E+01	µg/L	J	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	9.5	—	—	1.50E+00	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	11.1	—	—	1.50E+00	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	18.1	—	—	1.50E+00	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	44.2	—	—	1.50E+00	µg/L	—	J	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	13.3	—	—	2.50E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.8	—	—	2.50E+00	µg/L	J	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	—	14.8	—	—	1.50E+00	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	15.2	—	—	1.50E+00	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	50.2	—	—	1.50E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	117	—	—	1.50E+00	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	275	—	—	1.30E+01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	47.5	—	—	2.50E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Cobalt	—	5.4	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	5	—	—	1.00E+00	µg/L	J	J	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2	—	—	1.00E+00	µg/L	J	J	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	4.8	—	—	1.00E+00	µg/L	J	J	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2.7	—	—	1.00E+00	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	12.3	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Cobalt	—	4.8	—	—	1.00E+00	µg/L	J	J	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	4.8	—	—	1.00E+00	µg/L	J	J	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	3.1	—	—	1.00E+00	µg/L	J	J	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	4.5	—	—	1.00E+00	µg/L	J	J	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	10.9	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	12.7	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Copper	—	3.4	—	—	3.00E+00	µg/L	J	J	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	3.7	—	—	3.00E+00	µg/L	J	J	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	12.8	—	—	3.00E+00	µg/L	—	U	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Copper	—	5.3	—	—	3.00E+00	µg/L	J	J	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	5.5	—	—	3.00E+00	µg/L	J	J	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	10.7	—	—	3.00E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	40.7	—	—	3.00E+00	µg/L	—	J	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	55.1	—	—	3.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	4.2	—	—	3.00E+00	µg/L	J	J	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Iron	—	3420	—	—	2.50E+01	µg/L	—	—	09-855	CAMO-09-2581	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	3450	—	—	2.50E+01	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	1230	—	—	2.50E+01	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	3680	—	—	2.50E+01	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	2780	—	—	2.50E+01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	8400	—	—	2.50E+01	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	—	4910	—	—	2.50E+01	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	4920	—	—	2.50E+01	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	7930	—	—	2.50E+01	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	19300	—	—	2.50E+01	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	45500	—	—	2.50E+01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	11500	—	—	2.50E+01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Lead	—	1.5	—	—	5.00E-01	µg/L	J	J	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.6	—	—	5.00E-01	µg/L	J	J	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.98	—	—	5.00E-01	µg/L	J	J	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	4.3	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.63	—	—	5.00E-01	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Lead	—	2.6	—	—	5.00E-01	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	2.7	—	—	5.00E-01	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	6.6	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	18.5	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	38.6	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	3.6	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	—	462	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	458	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	269	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	224	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	530	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2530	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	485	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	482	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	340	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	359	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	929	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2550	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	80.5	—	—	1.00E-01	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	82.2	—	—	1.00E-01	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	163	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	333	—	—	1.00E-01	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	118	—	—	1.00E-01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	9	—	—	2.00E+00	µg/L	J	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	83.1	—	—	1.00E-01	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	85.3	—	—	1.00E-01	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	160	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	350	—	—	1.00E-01	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	187	—	—	1.00E-01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	22.7	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	6.2	—	—	5.00E-01	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.9	—	—	5.00E-01	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.9	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.6	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.8	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	14.1	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	6.8	—	—	5.00E-01	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.5	—	—	5.00E-01	µg/L	—	—	09-855	CAMO-09-2508	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	7.4	—	—	5.00E-01	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	15.1	—	—	5.00E-01	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	29.4	—	—	2.50E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	18.3	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	46.4	—	—	3.20E-02	mg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	47.1	—	—	3.20E-02	mg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	52.5	—	—	3.20E-02	mg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	80	—	—	3.20E-02	mg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	48.6	—	—	3.20E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.4	—	—	3.20E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.066	—	—	3.20E-02	mg/L	J	J	09-855	CAMO-09-3654	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	141	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	139	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49.2	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	39.7	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	77.3	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	1210	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	146	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	143	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	56.6	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	57.3	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	116	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	1240	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.27	—	—	5.00E-02	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.28	—	—	5.00E-02	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.69	—	—	5.00E-02	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.76	—	—	5.00E-02	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.4	—	—	5.00E-02	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	3.1	—	—	5.00E-02	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	5.2	—	—	5.00E-02	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.68	—	—	5.00E-02	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	3.6	—	—	1.00E+00	µg/L	J	J	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.5	—	—	1.00E+00	µg/L	J	J	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.7	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	15.4	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.9	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	09-855	CAMO-09-2508	GELC
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	15.8	—	—	1.00E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	41.5	—	—	1.00E+00	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	78.5	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	—	83.1	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2581	GELC
MCO-2	4551	2	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	88.9	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2509	GELC
MCO-2	4551	2	11/05/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	39.9	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-761	GELC
MCO-2	4551	2	08/13/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	239	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14459	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.6	—	—	2.00E+00	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	23.6	—	—	2.00E+00	µg/L	—	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	73.8	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2580	GELC
MCO-2	4551	2	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	68.9	—	—	2.00E+00	µg/L	—	—	09-855	CAMO-09-2508	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	11/05/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	65.2	—	—	2.00E+00	µg/L	—	—	09-217	CAMO-09-762	GELC
MCO-2	4551	2	08/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	197	—	—	2.00E+00	µg/L	—	—	08-1672	CAMO-08-14460	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	145	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	30	—	—	2.00E+00	µg/L	—	J	08-599	CAMO-08-10494	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	82.1	—	—	7.30E-01	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	109	—	—	7.30E-01	mg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	128	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	112	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.2	—	—	7.30E-01	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.197	—	—	6.70E-02	mg/L	J	J	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.14	—	—	6.70E-02	mg/L	J	J-	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.18	—	—	6.70E-02	mg/L	J	J	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	144	—	—	1.30E+00	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	27.1	—	—	1.30E-01	mg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	51.6	—	—	3.30E-01	mg/L	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	79.7	—	—	6.60E-01	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	79.5	—	—	6.60E-01	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.27	—	—	3.30E-02	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.348	—	—	3.30E-02	mg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.394	—	—	3.30E-02	mg/L	—	J-	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.275	—	—	3.30E-02	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.285	—	—	3.30E-02	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.62	—	—	1.00E-01	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.76	—	—	1.00E-01	mg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.08	—	—	2.50E-01	mg/L	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.39	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.289	—	—	5.00E-02	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.14	—	—	2.00E-01	µg/L	—	J	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.971	—	—	1.00E-01	µg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.15	—	—	2.50E-01	µg/L	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.25	—	—	2.00E-01	µg/L	—	J+	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.3	—	—	2.00E-01	µg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	738	—	—	1.00E+00	µS/cm	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	377	—	—	1.00E+00	µS/cm	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	492	—	—	1.00E+00	µS/cm	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	540	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	16.3	—	—	1.00E-01	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.2	—	—	1.00E-01	mg/L	—	J-	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	J-	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13.9	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.55	—	—	1.00E-01	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	404	—	—	2.40E+00	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	256	—	—	2.40E+00	mg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	330	—	—	2.40E+00	mg/L	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	334	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	243	—	—	2.40E+00	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.534	—	—	2.90E-02	mg/L	—	J	09-883	CAMO-09-4069	GELC
MCO-3	4561	2	11/06/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	3.65	—	—	2.90E-02	mg/L	—	J-	09-230	CAMO-09-913	GELC
MCO-3	4561	2	08/15/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.128	—	—	2.90E-02	mg/L	—	J-	08-1696	CAMO-08-14868	GELC
MCO-3	4561	2	05/20/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.338	—	—	2.90E-02	mg/L	—	J-	08-1193	CAMO-08-12976	GELC
MCO-3	4561	2	03/05/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.252	—	—	2.90E-02	mg/L	—	J	08-752	CAMO-08-11144	GELC
MCO-3	4561	2	02/11/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.95	—	—	3.30E-01	mg/L	—	—	09-883	CAMO-09-4069	GELC
MCO-3	4561	2	11/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	9.85	—	—	1.70E+00	mg/L	—	—	09-230	CAMO-09-913	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-3	4561	2	08/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	9.07	—	—	3.30E-01	mg/L	—	—	08-1696	CAMO-08-14868	GELC
MCO-3	4561	2	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.93	—	—	3.30E-01	mg/L	—	—	08-1193	CAMO-08-12976	GELC
MCO-3	4561	2	03/05/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.5	—	—	3.30E-01	mg/L	—	—	08-752	CAMO-08-11144	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.042	—	—	2.40E-02	mg/L	J	J	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.113	—	—	2.40E-02	mg/L	—	U	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.099	—	—	2.40E-02	mg/L	—	U	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.089	—	—	2.40E-02	mg/L	—	U	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.086	—	—	2.40E-02	mg/L	—	U	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.36	—	—	1.00E-02	SU	H	J-	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.49	—	—	1.00E-02	SU	H	J-	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.85	—	—	1.00E-02	SU	H	J-	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.33	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	27.8	—	—	3.20E-02	mg/L	—	—	09-884	CAMO-09-4070	GELC
MCO-3	4561	2	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41	—	—	3.20E-02	mg/L	—	—	09-230	CAMO-09-912	GELC
MCO-3	4561	2	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	44.1	—	—	3.20E-02	mg/L	—	—	08-1698	CAMO-08-14869	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	36.7	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.4	—	—	3.20E-02	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	126	—	—	7.30E-01	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	109	—	—	7.30E-01	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	101	—	—	7.30E-01	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	85.1	—	—	7.30E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	100	—	—	7.30E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.2	—	—	3.00E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.5	—	—	3.00E-02	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	39.9	—	—	3.00E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.2	—	—	3.00E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.6	—	—	3.00E-02	mg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.5	—	—	3.00E-02	mg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	39.6	—	—	3.00E-02	mg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.2	—	—	3.00E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	54.6	—	—	3.30E-01	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	64.7	—	—	6.60E-01	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	92	—	—	6.60E-01	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	77.8	—	—	6.60E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	37.9	—	—	6.60E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.682	—	—	3.30E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.749	—	—	3.30E-02	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.629	—	—	3.30E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.757	—	—	3.30E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.93	—	—	3.30E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	93	—	—	3.50E-01	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	97.3	—	—	3.50E-01	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	112	—	—	3.50E-01	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	94.9	—	—	3.50E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	94.3	—	—	3.50E-01	mg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	97.6	—	—	3.50E-01	mg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	112	—	—	3.50E-01	mg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	94.8	—	—	3.50E-01	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.46	—	—	8.50E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.73	—	—	8.50E-02	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.11	—	—	8.50E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.91	—	—	8.50E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.51	—	—	8.50E-02	mg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.78	—	—	8.50E-02	mg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.08	—	—	8.50E-02	mg/L	—	—	08-1704	CAMO-08-14471	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.87	—	—	8.50E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.49	—	—	5.00E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.985	—	—	5.00E-02	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.82	—	—	5.00E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.84	—	—	5.00E-02	mg/L	—	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.18	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	5.68	—	—	5.00E-01	µg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.6	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.97	—	—	5.00E-01	µg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	12.9	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	16.9	—	—	1.30E+00	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.27	—	—	5.00E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.4	—	—	5.00E-02	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.5	—	—	5.00E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.3	—	—	5.00E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.35	—	—	5.00E-02	mg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.6	—	—	5.00E-02	mg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.4	—	—	5.00E-02	mg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.3	—	—	5.00E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.1	—	—	4.50E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.7	—	—	4.50E-02	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	57.4	—	—	4.50E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	50.4	—	—	4.50E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.2	—	—	4.50E-02	mg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.5	—	—	4.50E-02	mg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	56.4	—	—	4.50E-02	mg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	50.3	—	—	4.50E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	458	—	—	1.00E+00	µS/cm	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	487	—	—	1.00E+00	µS/cm	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	571	—	—	1.00E+00	µS/cm	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	482	—	—	1.00E+00	µS/cm	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	333	—	—	1.00E+00	µS/cm	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.29	—	—	1.00E-01	mg/L	—	J-	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.63	—	—	1.00E-01	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.74	—	—	1.00E-01	mg/L	—	J-	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.03	—	—	1.00E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.92	—	—	1.00E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	281	—	—	2.40E+00	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	278	—	—	2.40E+00	mg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	341	—	—	2.40E+00	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	281	—	—	2.40E+00	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	249	—	—	2.40E+00	mg/L	—	J	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.453	—	—	2.90E-02	mg/L	—	J+	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.049	—	—	2.90E-02	mg/L	J	U	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-1703	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.32	—	—	2.90E-02	mg/L	—	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.916	—	—	2.90E-02	mg/L	—	J	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.12	—	—	3.30E-01	mg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.05	—	—	3.30E-01	mg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.12	—	—	3.30E-01	mg/L	—	—	08-1703	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.8	—	—	3.30E-01	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.04	—	—	3.30E-01	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.033	—	—	2.40E-02	mg/L	J	J	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.08	—	—	2.40E-02	mg/L	—	J-	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.075	—	—	2.40E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.091	—	—	2.40E-02	mg/L	—	U	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.144	—	—	2.40E-02	mg/L	—	U	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.12	—	—	1.00E-02	SU	H	J-	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.03	—	—	1.00E-02	SU	H	J-	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.35	—	—	1.00E-02	SU	H	J-	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J-	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.38	—	—	1.00E-02	SU	H	J-	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	126	—	—	6.80E+01	µg/L	J	J	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	75.1	—	—	6.80E+01	µg/L	J	J	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	74.8	—	—	6.80E+01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	205	—	—	6.80E+01	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	98.7	—	—	6.80E+01	µg/L	J	J	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	379	—	—	6.80E+01	µg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	119	—	—	6.80E+01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	80.1	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	97.6	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	104	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	99.2	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	86.8	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	101	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	104	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	102	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	56.6	—	—	1.00E+01	µg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	49	—	—	1.00E+01	µg/L	J	J	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	39.4	—	—	1.00E+01	µg/L	J	J	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	41.7	—	—	1.00E+01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	59.3	—	—	1.00E+01	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	50.2	—	—	1.00E+01	µg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	38.6	—	—	1.00E+01	µg/L	J	J	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	41.3	—	—	1.00E+01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	29.9	—	—	2.50E+01	µg/L	J	J	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	43.9	—	—	2.50E+01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	107	—	—	2.50E+01	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	240	—	—	2.50E+01	µg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	83.2	—	—	2.50E+01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.75	—	—	5.00E-01	µg/L	J	J	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	7.2	—	—	2.00E+00	µg/L	J	J	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	8.3	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	24.4	—	—	2.00E+00	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	11.2	—	—	2.00E+00	µg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	9.3	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	24.8	—	—	1.00E-01	µg/L	—	—	09-807	CAMO-09-2583	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	26.3	—	—	1.00E-01	µg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	18.6	—	—	1.00E-01	µg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	29	—	—	1.00E-01	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	22.9	—	—	1.00E-01	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	26.6	—	—	1.00E-01	µg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	18	—	—	1.00E-01	µg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	28.2	—	—	1.00E-01	µg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1	—	—	1.00E+00	µg/L	J	J	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.1	—	—	3.20E-02	mg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	37.5	—	—	3.20E-02	mg/L	N	J-	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	35.9	—	—	3.20E-02	mg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	34.5	—	—	3.20E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.3	—	—	3.20E-02	mg/L	N	J+	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	108	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	115	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	131	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	118	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	110	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	117	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	129	—	—	1.00E+00	µg/L	—	—	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	118	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.49	—	—	3.00E-01	µg/L	J	J	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/04/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	09-807	CAMO-09-2583	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.23	—	—	5.00E-02	µg/L	—	—	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.25	—	—	5.00E-02	µg/L	—	U	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	µg/L	—	—	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.23	—	—	5.00E-02	µg/L	—	—	09-253	CAMO-09-765	GELC
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.26	—	—	5.00E-02	µg/L	—	U	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	09-253	CAMO-09-766	GELC
MCO-4B	4581	8.9	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	08-1704	CAMO-08-14472	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.8	—	—	2.00E+00	µg/L	J	J	09-807	CAMO-09-2582	GELC
MCO-4B	4581	8.9	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.3	—	—	2.00E+00	µg/L	J	J	09-253	CAMO-09-765	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	µg/L	J	J	08-1704	CAMO-08-14471	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	133	—	—	7.30E-01	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	114	—	—	7.30E-01	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	102	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	114	—	—	7.30E-01	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	124	—	—	7.25E-01	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	36.8	—	—	3.00E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	35	—	—	3.00E-02	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	36.9	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	26.6	—	—	3.00E-02	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	41.8	—	—	3.00E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	37.9	—	—	3.00E-02	mg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.4	—	—	3.00E-02	mg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	36.7	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.4	—	—	3.00E-02	mg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.9	—	—	3.00E-02	mg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	59.7	—	—	3.30E-01	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	67	—	—	6.60E-01	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	83.4	—	—	6.60E-01	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	36	—	—	6.60E-01	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	78.7	—	—	6.60E-01	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.82	—	—	3.30E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.827	—	—	3.30E-02	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.714	—	—	3.30E-02	mg/L	—	J-	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.04	—	—	3.30E-02	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.76	—	—	3.30E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	106	—	—	3.50E-01	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	101	—	—	3.50E-01	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	106	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	77	—	—	4.30E-01	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	120	—	—	4.25E-01	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	110	—	—	3.50E-01	mg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	98.9	—	—	3.50E-01	mg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	105	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	73.3	—	—	4.30E-01	mg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	118	—	—	4.25E-01	mg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.32	—	—	8.50E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.29	—	—	8.50E-02	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.48	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.59	—	—	8.50E-02	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.77	—	—	8.50E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.72	—	—	8.50E-02	mg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.19	—	—	8.50E-02	mg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.31	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.41	—	—	8.50E-02	mg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.82	—	—	8.50E-02	mg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.39	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.09	—	—	5.00E-02	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.02	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.41	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.93	—	—	5.00E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.76	—	—	5.00E-01	µg/L	—	J	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.4	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.3	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14473	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	14.3	—	—	1.30E+00	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	19.9	—	—	2.00E+00	µg/L	—	J	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.9	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.8	—	—	5.00E-02	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.3	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.7	—	—	5.00E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.9	—	—	5.00E-02	mg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.9	—	—	5.00E-02	mg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.1	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.4	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.7	—	—	5.00E-02	mg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	38.5	—	—	3.20E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	56.1	—	—	4.50E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.7	—	—	4.50E-02	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.3	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	46.3	—	—	4.50E-02	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	65.4	—	—	4.50E-02	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	57	—	—	4.50E-02	mg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	54	—	—	4.50E-02	mg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.1	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	44.7	—	—	4.50E-02	mg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	64.6	—	—	4.50E-02	mg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	498	—	—	1.00E+00	µS/cm	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	501	—	—	1.00E+00	µS/cm	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	543	—	—	1.00E+00	µS/cm	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	352	—	—	1.00E+00	µS/cm	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	624	—	—	1.00E+00	µS/cm	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.04	—	—	1.00E-01	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.77	—	—	1.00E-01	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.69	—	—	1.00E-01	mg/L	—	J-	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10	—	—	1.00E-01	mg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13.8	—	—	1.00E-01	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	308	—	—	2.40E+00	mg/L	—	J	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	289	—	—	2.40E+00	mg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	324	—	—	2.40E+00	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	255	—	—	2.40E+00	mg/L	—	J	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	266	—	—	2.38E+00	mg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.092	—	—	2.90E-02	mg/L	J	U	192208	GF070800G5CM01	GELC
MCO-5	4591	21	06/05/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	187316	GF070500G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.117	—	—	2.90E-02	mg/L	—	—	09-883	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.068	—	—	2.90E-02	mg/L	J	J-	09-253	CAMO-09-775	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.959	—	—	2.90E-02	mg/L	—	J	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.086	—	—	2.90E-02	mg/L	J	U	192208	GU070800G5CM01	GELC
MCO-5	4591	21	06/05/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.211	—	—	2.90E-02	mg/L	—	—	187316	GU070500G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.8	—	—	3.30E-01	mg/L	—	—	09-883	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.68	—	—	3.30E-01	mg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.87	—	—	3.30E-01	mg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.07	—	—	3.30E-01	mg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	06/05/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.38	—	—	3.30E-01	mg/L	—	—	187316	GU070500G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.05	—	—	1.00E-02	SU	H	J-	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.93	—	—	1.00E-02	SU	H	J-	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.4	—	—	1.00E-02	SU	H	J-	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.34	—	—	1.00E-02	SU	H	J-	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.99	—	—	1.00E-02	SU	H	J	192208	GF070800G5CM01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	315	—	—	6.80E+01	µg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	270	—	—	6.80E+01	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	68.3	—	—	6.80E+01	µg/L	J	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	3490	—	—	6.80E+01	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	223	—	—	6.80E+01	µg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	252	—	—	6.80E+01	µg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1330	—	—	6.80E+01	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	110	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	110	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	103	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	87.6	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	128	—	—	1.00E+00	µg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	126	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	109	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	106	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	84.7	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	132	—	—	1.00E+00	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	45.1	—	—	1.00E+01	µg/L	J	J	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	50.2	—	—	1.00E+01	µg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	42.8	—	—	1.00E+01	µg/L	J	J	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	64	—	—	1.00E+01	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	52.7	—	—	1.00E+01	µg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	46.5	—	—	1.00E+01	µg/L	J	J	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	49.8	—	—	1.00E+01	µg/L	J	J	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	40.1	—	—	1.00E+01	µg/L	J	J	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	59.1	—	—	1.00E+01	µg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	53.8	—	—	1.00E+01	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	3	—	—	1.50E+00	µg/L	U	U	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	3	—	—	1.50E+00	µg/L	U	U	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.9	—	—	1.50E+00	µg/L	J	J	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	3	—	—	1.50E+00	µg/L	U	U	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	1.5	—	—	1.50E+00	µg/L	J	U	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	2.1	—	—	1.00E+00	µg/L	J	U	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	136	—	—	2.50E+01	µg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	137	—	—	2.50E+01	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	37.7	—	—	2.50E+01	µg/L	J	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1800	—	—	2.50E+01	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	69.6	—	—	2.50E+01	µg/L	J	J	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	28.3	—	—	2.50E+01	µg/L	J	J	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	143	—	—	2.50E+01	µg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	732	—	—	2.50E+01	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	1.3	—	—	5.00E-01	µg/L	J	J	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-253	CAMO-09-775	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	31.6	—	—	2.00E+00	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	µg/L	J	J	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.9	—	—	2.00E+00	µg/L	J	J	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.4	—	—	2.00E+00	µg/L	J	J	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	16.8	—	—	2.00E+00	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	28.4	—	—	1.00E-01	µg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	27	—	—	1.00E-01	µg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	24.9	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	49.8	—	—	2.00E+00	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	32.5	—	—	2.00E+00	µg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	30.9	—	—	1.00E-01	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	26.6	—	—	1.00E-01	µg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	24.6	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	46.3	—	—	2.00E+00	µg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	32.5	—	—	2.00E+00	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.5	—	—	5.00E-01	µg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.9	—	—	5.00E-01	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.7	—	—	5.00E-01	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.7	—	—	3.20E-02	mg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.5	—	—	3.20E-02	mg/L	N	J-	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	36.2	—	—	3.20E-02	mg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	42.2	—	—	3.20E-02	mg/L	N	J+	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	134	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	144	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	162	—	—	1.00E+00	µg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	149	—	—	1.00E+00	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	136	—	—	1.00E+00	µg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	138	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	106	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	161	—	—	1.00E+00	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	µg/L	—	—	09-884	CAMO-09-2592	GELC
MCO-5	4591	21	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.26	—	—	5.00E-02	µg/L	—	—	09-253	CAMO-09-776	GELC
MCO-5	4591	21	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.26	—	—	5.00E-02	µg/L	—	U	08-1698	CAMO-08-14473	GELC
MCO-5	4591	21	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.23	—	—	5.00E-02	µg/L	—	—	08-603	CAMO-08-10474	GELC
MCO-5	4591	21	08/21/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.4	—	—	5.00E-02	µg/L	—	—	192208	GF070800G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.62	—	—	5.00E-02	µg/L	—	—	09-884	CAMO-09-2593	GELC
MCO-5	4591	21	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.26	—	—	5.00E-02	µg/L	—	—	09-253	CAMO-09-775	GELC
MCO-5	4591	21	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.23	—	—	5.00E-02	µg/L	—	U	08-1698	CAMO-08-14474	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.25	—	—	5.00E-02	µg/L	—	—	08-603	CAMO-08-10473	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-5	4591	21	08/21/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	192208	GU070800G5CM01	GELC
MCO-5	4591	21	05/03/05	WG	F	CS	—	Rad	EPA:903.1	Radium-226	<	0.394	6.97E-02	6.45E-01	—	pCi/L	U	U	135782	GF05050G5CM01	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.0636	3.00E-02	3.50E-01	—	pCi/L	U	U	09-885	CAMO-09-2593	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.249	3.67E-02	3.30E-01	—	pCi/L	U	U	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	05/03/05	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.993	9.97E-02	7.88E-01	—	pCi/L	—	J	135782	GU05050G5CM01	GELC
MCO-5	4591	21	06/07/04	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	7.28	1.26E+00	6.15E+00	—	pCi/L	—	J	114586	GU04060G5CM01	GELC
MCO-5	4591	21	06/07/04	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.242	3.60E-02	3.17E-01	—	pCi/L	U	U	114586	GU04060G5CM01	GELC
MCO-5	4591	21	06/07/04	WG	UF	DUP	—	Rad	EPA:901.1	Radium-226	<	4.96	9.90E-01	6.85E+00	—	pCi/L	U	—	113809	GU04060G5CM01	GELC
MCO-5	4591	21	06/30/03	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.292	6.07E-02	5.88E-01	—	pCi/L	U	U	83489	GU03060G5CM01-1	GELC
MCO-5	4591	21	06/30/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	4.26	1.70E+00	9.50E+00	—	pCi/L	U	U	83489	GU03060G5CM01-1	GELC
MCO-5	4591	21	02/11/09	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.255	7.67E-02	7.70E-01	—	pCi/L	U	U	09-885	CAMO-09-2593	GELC
MCO-5	4591	21	02/07/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.595	6.00E-02	4.90E-01	—	pCi/L	—	—	08-603	CAMO-08-10473	GELC
MCO-5	4591	21	06/07/04	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	5.64	1.08E+00	1.29E+01	—	pCi/L	U	U	114586	GU04060G5CM01	GELC
MCO-5	4591	21	06/07/04	WG	UF	DUP	—	Rad	EPA:901.1	Radium-228	<	7.63	1.13E+00	1.39E+01	—	pCi/L	U	—	113809	GU04060G5CM01	GELC
MCO-5	4591	21	06/30/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	18.5	3.87E+00	2.38E+01	—	pCi/L	U	U	83489	GU03060G5CM01-1	GELC
MCO-5	4591	21	05/30/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	4.06	1.67E+00	1.86E+01	—	pCi/L	U	U	61409	GU02050G5CM01	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	119	—	—	7.30E-01	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	112	—	—	7.30E-01	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	97.7	—	—	7.30E-01	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.4	—	—	7.30E-01	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	119	—	—	7.30E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.9	—	—	3.00E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	38.3	—	—	3.00E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.3	—	—	3.00E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.2	—	—	3.00E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.4	—	—	3.00E-02	mg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	39.4	—	—	3.00E-02	mg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	43	—	—	3.00E-02	mg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	27.3	—	—	3.00E-02	mg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	64.1	—	—	6.60E-01	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	80.4	—	—	6.60E-01	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	102	—	—	6.60E-01	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	59.9	—	—	6.60E-01	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	41.1	—	—	3.30E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.895	—	—	3.30E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.872	—	—	3.30E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.893	—	—	3.30E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1	—	—	3.30E-02	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.05	—	—	3.30E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	100	—	—	3.50E-01	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	110	—	—	3.50E-01	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	121	—	—	3.50E-01	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	80.8	—	—	4.30E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	99	—	—	3.50E-01	mg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	113	—	—	3.50E-01	mg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	124	—	—	3.50E-01	mg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	78.3	—	—	4.30E-01	mg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.19	—	—	8.50E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.53	—	—	8.50E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.72	—	—	8.50E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.55	—	—	8.50E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.19	—	—	8.50E-02	mg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.59	—	—	8.50E-02	mg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.92	—	—	8.50E-02	mg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.48	—	—	8.50E-02	mg/L	—	—	08-669	CAMO-08-10882	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.16	—	—	5.00E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.02	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.745	—	—	5.00E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.885	—	—	5.00E-02	mg/L	—	J	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.38	—	—	5.00E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.82	—	—	5.00E-01	µg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	9.51	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.39	—	—	1.00E+00	µg/L	—	J	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.2	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	16.7	—	—	1.00E+00	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.4	—	—	5.00E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	14.7	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.4	—	—	5.00E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.9	—	—	5.00E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.1	—	—	5.00E-02	mg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.4	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.2	—	—	5.00E-02	mg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.6	—	—	5.00E-02	mg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	50.7	—	—	4.50E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	55.5	—	—	4.50E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	51.9	—	—	4.50E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	50.3	—	—	4.50E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	50	—	—	4.50E-02	mg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	59.9	—	—	4.50E-02	mg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.3	—	—	4.50E-02	mg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	49.2	—	—	4.50E-02	mg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	487	—	—	1.00E+00	µS/cm	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	539	—	—	1.00E+00	µS/cm	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	579	—	—	1.00E+00	µS/cm	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	440	—	—	1.00E+00	µS/cm	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.36	—	—	1.00E-01	mg/L	—	J-	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.87	—	—	1.00E-01	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.29	—	—	1.00E-01	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.96	—	—	1.00E-01	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.8	—	—	1.00E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	286	—	—	2.40E+00	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	313	—	—	2.40E+00	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	351	—	—	2.40E+00	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	276	—	—	2.40E+00	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	265	—	—	2.40E+00	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.33	—	—	3.30E-01	mg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.67	—	—	3.30E-01	mg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.72	—	—	3.30E-01	mg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	05/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.72	—	—	3.30E-01	mg/L	—	—	08-1217	CAMO-08-12978	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.16	—	—	3.30E-01	mg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.065	—	—	2.40E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.124	—	—	2.40E-02	mg/L	—	J-	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.161	—	—	2.40E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.149	—	—	2.40E-02	mg/L	—	U	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.118	—	—	2.40E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.01	—	—	1.00E-02	SU	H	J-	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.99	—	—	1.00E-02	SU	H	J-	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.32	—	—	1.00E-02	SU	H	J-	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.08	—	—	1.00E-02	SU	H	J-	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	96.9	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2584	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	112	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	116	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	82.8	—	—	1.00E+00	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	96.3	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	116	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	119	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	78.6	—	—	1.00E+00	µg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	51.7	—	—	1.00E+01	µg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	53.6	—	—	1.00E+01	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	40	—	—	1.00E+01	µg/L	J	J	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	61.9	—	—	1.00E+01	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	50.8	—	—	1.00E+01	µg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	54.9	—	—	1.00E+01	µg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	37.8	—	—	1.00E+01	µg/L	J	J	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	58.5	—	—	1.00E+01	µg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	29.8	—	—	1.00E-01	µg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	31.1	—	—	1.00E-01	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	27.1	—	—	1.00E-01	µg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	45.7	—	—	1.00E-01	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	30.8	—	—	1.00E-01	µg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	31.8	—	—	1.00E-01	µg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	27.4	—	—	1.00E-01	µg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	46.6	—	—	1.00E-01	µg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	µg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.9	—	—	3.20E-02	mg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.4	—	—	3.20E-02	mg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	37.4	—	—	3.20E-02	mg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.4	—	—	3.20E-02	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.9	—	—	3.20E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	135	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	150	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	136	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	117	—	—	1.00E+00	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	133	—	—	1.00E+00	µg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	163	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	138	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	114	—	—	1.00E+00	µg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	02/04/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.52	—	—	5.00E-02	µg/L	—	—	09-807	CAMO-09-2584	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	µg/L	—	—	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.26	—	—	5.00E-02	µg/L	—	U	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.55	—	—	5.00E-02	µg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.52	—	—	5.00E-02	µg/L	—	—	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	µg/L	—	—	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.23	—	—	5.00E-02	µg/L	—	U	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.57	—	—	5.00E-02	µg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.7	—	—	2.00E+00	µg/L	J	J	09-262	CAMO-09-767	GELC
MCO-6	4601	27	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	4.2	—	—	2.00E+00	µg/L	J	U	08-1713	CAMO-08-14477	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	µg/L	J	J	08-669	CAMO-08-10881	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-6	4601	27	02/04/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	J	09-807	CAMO-09-2585	GELC
MCO-6	4601	27	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.1	—	—	2.00E+00	µg/L	J	J	09-262	CAMO-09-768	GELC
MCO-6	4601	27	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2.9	—	—	2.00E+00	µg/L	J	U	08-1713	CAMO-08-14478	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.3	—	—	2.00E+00	µg/L	J	J	08-669	CAMO-08-10882	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	102	—	—	7.30E-01	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	100	—	—	7.30E-01	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	101	—	—	7.30E-01	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	101	—	—	7.30E-01	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	143	—	—	7.30E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.6	—	—	3.00E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.7	—	—	3.00E-02	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.1	—	—	3.00E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	23.5	—	—	3.00E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.4	—	—	3.00E-02	mg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.4	—	—	3.00E-02	mg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.9	—	—	3.00E-02	mg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.1	—	—	3.00E-02	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	55.9	—	—	3.30E-01	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	52.9	—	—	6.60E-01	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	48.5	—	—	3.30E-01	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.4	—	—	6.60E-01	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	46.6	—	—	3.30E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.11	—	—	3.30E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.29	—	—	3.30E-02	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.39	—	—	3.30E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.48	—	—	3.30E-02	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.24	—	—	3.30E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	75.2	—	—	3.50E-01	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	73.3	—	—	3.50E-01	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	70.4	—	—	3.50E-01	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	81.8	—	—	4.30E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	74.9	—	—	3.50E-01	mg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	72.3	—	—	3.50E-01	mg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	70	—	—	3.50E-01	mg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	83.4	—	—	4.30E-01	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.58	—	—	8.50E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.64	—	—	8.50E-02	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.3	—	—	8.50E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.59	—	—	8.50E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.63	—	—	8.50E-02	mg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.58	—	—	8.50E-02	mg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.3	—	—	8.50E-02	mg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.66	—	—	8.50E-02	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.13	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.11	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.13	—	—	5.00E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.45	—	—	5.00E-02	mg/L	—	J	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.55	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.4	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.3	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.1	—	—	1.00E+00	µg/L	—	J	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.6	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	30.5	—	—	2.50E+00	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	16	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.3	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-770	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.6	—	—	5.00E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.1	—	—	5.00E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.2	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.2	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.9	—	—	5.00E-02	mg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.4	—	—	5.00E-02	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	52	—	—	4.50E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	54.5	—	—	4.50E-02	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	43.1	—	—	4.50E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	60.9	—	—	4.50E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.3	—	—	4.50E-02	mg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.5	—	—	4.50E-02	mg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	44.3	—	—	4.50E-02	mg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	61.1	—	—	4.50E-02	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	430	—	—	1.00E+00	µS/cm	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	430	—	—	1.00E+00	µS/cm	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	409	—	—	1.00E+00	µS/cm	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	334	—	—	1.00E+00	µS/cm	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.59	—	—	1.00E-01	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11	—	—	1.00E-01	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11	—	—	1.00E-01	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.3	—	—	1.00E-01	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.8	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	269	—	—	2.40E+00	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	252	—	—	2.40E+00	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	262	—	—	2.40E+00	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	220	—	—	2.40E+00	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	305	—	—	2.40E+00	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.055	—	—	2.90E-02	mg/L	J	J	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.074	—	—	2.90E-02	mg/L	J	J-	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.092	—	—	2.90E-02	mg/L	J	J-	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	05/21/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.199	—	—	2.90E-02	mg/L	—	U	08-1217	CAMO-08-12981	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.209	—	—	2.90E-02	mg/L	—	U	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.45	—	—	3.30E-01	mg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.18	—	—	3.30E-01	mg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.45	—	—	3.30E-01	mg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	05/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.92	—	—	3.30E-01	mg/L	—	—	08-1217	CAMO-08-12981	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.87	—	—	3.30E-01	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.325	—	—	2.40E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.242	—	—	2.40E-02	mg/L	—	J-	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.313	—	—	2.40E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.39	—	—	2.40E-02	mg/L	—	J	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.319	—	—	2.40E-02	mg/L	—	J	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7	—	—	1.00E-02	SU	H	J-	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.05	—	—	1.00E-02	SU	H	J-	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.25	—	—	1.00E-02	SU	H	J-	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.09	—	—	1.00E-02	SU	H	J-	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	167	—	—	6.80E+01	µg/L	J	J	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	177	—	—	6.80E+01	µg/L	J	J	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	194	—	—	6.80E+01	µg/L	J	J	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1770	—	—	6.80E+01	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	307	—	—	6.80E+01	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	173	—	—	6.80E+01	µg/L	J	J	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	178	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2586	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	176	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	161	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	198	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	179	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	178	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	156	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	200	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	74.7	—	—	1.00E+01	µg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	77.8	—	—	1.00E+01	µg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	65.9	—	—	1.00E+01	µg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	71.5	—	—	1.00E+01	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	70.9	—	—	1.00E+01	µg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	75.7	—	—	1.00E+01	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	64.7	—	—	1.00E+01	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	71.5	—	—	1.00E+01	µg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	3	—	—	1.50E+00	µg/L	U	U	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.6	—	—	1.50E+00	µg/L	J	J	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2	—	—	1.50E+00	µg/L	J	J	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.9	—	—	1.50E+00	µg/L	J	J	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.7	—	—	1.50E+00	µg/L	J	J	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	73.8	—	—	2.50E+01	µg/L	J	J	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	61.2	—	—	2.50E+01	µg/L	J	J	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	32.4	—	—	2.50E+01	µg/L	J	J	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	104	—	—	2.50E+01	µg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	922	—	—	2.50E+01	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	141	—	—	2.50E+01	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	112	—	—	2.50E+01	µg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	36.6	—	—	1.00E-01	µg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	43.5	—	—	1.00E-01	µg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	34.6	—	—	1.00E-01	µg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	50.1	—	—	1.00E-01	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	36.8	—	—	1.00E-01	µg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	44.4	—	—	1.00E-01	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	33.9	—	—	1.00E-01	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	49.7	—	—	1.00E-01	µg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	44.3	—	—	3.20E-02	mg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	45.8	—	—	3.20E-02	mg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	43.6	—	—	3.20E-02	mg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.6	—	—	3.20E-02	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.2	—	—	3.20E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	133	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	103	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	152	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	139	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2587	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	133	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	103	—	—	1.00E+00	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	155	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.54	—	—	5.00E-02	µg/L	—	—	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	µg/L	—	—	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	µg/L	—	—	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.57	—	—	5.00E-02	µg/L	—	—	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.7	—	—	1.00E+00	µg/L	J	J	09-794	CAMO-09-2586	GELC
MCO-7	4631	39	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	µg/L	J	J	09-262	CAMO-09-770	GELC
MCO-7	4631	39	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3.7	—	—	1.00E+00	µg/L	J	U	08-1713	CAMO-08-14482	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.2	—	—	1.00E+00	µg/L	J	J	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	µg/L	J	J	09-794	CAMO-09-2587	GELC
MCO-7	4631	39	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.2	—	—	1.00E+00	µg/L	J	J	09-262	CAMO-09-769	GELC
MCO-7	4631	39	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.3	—	—	1.00E+00	µg/L	J	U	08-1713	CAMO-08-14483	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.1	—	—	1.00E+00	µg/L	J	J	08-694	CAMO-08-10481	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	114	—	—	7.30E-01	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	114	—	—	7.30E-01	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	119	—	—	7.30E-01	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	123	—	—	7.30E-01	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	146	—	—	7.30E-01	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	156	—	—	7.25E-01	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	21.5	—	—	3.00E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.4	—	—	3.00E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.8	—	—	3.00E-02	mg/L	N	J+	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.2	—	—	3.00E-02	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.9	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	21.5	—	—	3.00E-02	mg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.9	—	—	3.00E-02	mg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.2	—	—	3.00E-02	mg/L	N	J+	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.2	—	—	3.00E-02	mg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.3	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	52.2	—	—	3.30E-01	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	52.4	—	—	3.30E-01	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	42.3	—	—	6.60E-01	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	41.4	—	—	3.30E-01	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	35.9	—	—	3.30E-01	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	24.2	—	—	1.32E-01	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	1.4	—	—	3.30E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.35	—	—	3.30E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.47	—	—	3.30E-02	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.34	—	—	3.30E-02	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.35	—	—	3.30E-02	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.33	—	—	3.30E-02	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	75.4	—	—	3.50E-01	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	75.5	—	—	3.50E-01	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	70.5	—	—	3.50E-01	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	75.1	—	—	3.50E-01	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	77	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	75	—	—	3.50E-01	mg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	73.4	—	—	3.50E-01	mg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	71.4	—	—	3.50E-01	mg/L	—	—	09-273	CAMO-09-772	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	74.6	—	—	3.50E-01	mg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	74.7	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	5.3	—	—	8.50E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.35	—	—	8.50E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.13	—	—	8.50E-02	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.41	—	—	8.50E-02	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.39	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	5.19	—	—	8.50E-02	mg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.17	—	—	8.50E-02	mg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.07	—	—	8.50E-02	mg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.29	—	—	8.50E-02	mg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.23	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.39	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.42	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.49	—	—	5.00E-02	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.82	—	—	5.00E-02	mg/L	—	J-	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.17	—	—	5.00E-02	mg/L	—	J-	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.38	—	—	5.00E-02	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	13.8	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	13.6	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	12.7	—	—	1.00E+00	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	16.4	—	—	1.30E+00	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	24.2	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	28.9	—	—	2.00E+00	µg/L	—	J	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	12.7	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.7	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.4	—	—	5.00E-02	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.2	—	—	5.00E-02	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.6	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	12.6	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.4	—	—	5.00E-02	mg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.2	—	—	5.00E-02	mg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12	—	—	5.00E-02	mg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.3	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	38.2	—	—	3.20E-02	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	59.8	—	—	4.50E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	59.6	—	—	4.50E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	61.3	—	—	4.50E-02	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	54	—	—	4.50E-02	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	63.2	—	—	4.50E-02	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	59.3	—	—	4.50E-02	mg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	58	—	—	4.50E-02	mg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	60.3	—	—	4.50E-02	mg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.1	—	—	4.50E-02	mg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	60.8	—	—	4.50E-02	mg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	442	—	—	1.00E+00	µS/cm	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	444	—	—	1.00E+00	µS/cm	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	431	—	—	1.00E+00	µS/cm	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	449	—	—	1.00E+00	µS/cm	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	421	—	—	1.00E+00	µS/cm	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	10.5	—	—	1.00E-01	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.5	—	—	1.00E-01	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.2	—	—	1.00E-01	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.4	—	—	1.00E-01	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13.2	—	—	1.00E-01	mg/L	—	—	08-599	CAMO-08-10484	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.6	—	—	1.00E-01	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	272	—	—	2.40E+00	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	264	—	—	2.40E+00	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	260	—	—	2.40E+00	mg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	274	—	—	2.40E+00	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	287	—	—	2.40E+00	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	267	—	—	2.38E+00	mg/L	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.089	—	—	2.90E-02	mg/L	J	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.049	—	—	2.90E-02	mg/L	J	J	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.029	—	—	2.90E-02	mg/L	J	J	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.111	—	—	2.90E-02	mg/L	—	U	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.188	—	—	2.90E-02	mg/L	—	U	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	08/29/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.166	—	—	2.90E-02	mg/L	—	—	192874	GU070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	2.35	—	—	3.30E-01	mg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.33	—	—	3.30E-01	mg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.95	—	—	3.30E-01	mg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.85	—	—	3.30E-01	mg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.2	—	—	3.30E-01	mg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	08/29/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.5	—	—	3.30E-01	mg/L	—	—	192874	GU070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.098	—	—	2.40E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.143	—	—	2.40E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.115	—	—	2.40E-02	mg/L	—	U	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.122	—	—	2.40E-02	mg/L	—	U	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.114	—	—	2.40E-02	mg/L	—	U	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.115	—	—	2.40E-02	mg/L	—	U	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.15	—	—	1.00E-02	SU	H	J-	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.18	—	—	1.00E-02	SU	H	J-	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.08	—	—	1.00E-02	SU	H	J-	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.2	—	—	1.00E-02	SU	H	J-	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.28	—	—	1.00E-02	SU	H	J-	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	173	—	—	6.80E+01	µg/L	J	J	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	159	—	—	6.80E+01	µg/L	J	J	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	69.3	—	—	6.80E+01	µg/L	J	J	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	µg/L	J	J	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	165	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	164	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	154	—	—	1.00E+00	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	164	—	—	1.00E+00	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	173	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	165	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	161	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	158	—	—	1.00E+00	µg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	164	—	—	1.00E+00	µg/L	—	—	08-1692	CAMO-08-14486	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	169	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6010B	Boron	—	69.7	—	—	1.00E+01	µg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	69.7	—	—	1.00E+01	µg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	73.4	—	—	1.00E+01	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	71.2	—	—	1.00E+01	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	75.6	—	—	1.00E+01	µg/L	—	U	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6010B	Boron	—	69.4	—	—	1.00E+01	µg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	67.2	—	—	1.00E+01	µg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	75.5	—	—	1.00E+01	µg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	72	—	—	1.00E+01	µg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	72.9	—	—	1.00E+01	µg/L	—	U	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	1.6	—	—	1.50E+00	µg/L	J	J	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.8	—	—	1.50E+00	µg/L	J	J	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.4	—	—	1.50E+00	µg/L	J	J	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	4	—	—	1.50E+00	µg/L	—	U	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.7	—	—	1.50E+00	µg/L	J	J	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.3	—	—	1.50E+00	µg/L	J	J	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	3.2	—	—	1.50E+00	µg/L	—	U	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	25.2	—	—	2.50E+01	µg/L	J	J	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	—	79.7	—	—	2.50E+01	µg/L	J	J	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	77.4	—	—	2.50E+01	µg/L	J	J	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	49.6	—	—	2.50E+01	µg/L	J	J	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	48.9	—	—	1.00E-01	µg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	46.6	—	—	1.00E-01	µg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	55	—	—	1.00E-01	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	44.1	—	—	1.00E-01	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	55.2	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	47.3	—	—	1.00E-01	µg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	46.7	—	—	1.00E-01	µg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	51.2	—	—	1.00E-01	µg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	44.3	—	—	1.00E-01	µg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	53.2	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	J	J	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.6	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	38.8	—	—	3.20E-02	mg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.6	—	—	3.20E-02	mg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	<	38.3	—	—	3.20E-02	mg/L	—	U	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.1	—	—	3.20E-02	mg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	37.6	—	—	3.20E-02	mg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	143	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	142	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2588	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	133	—	—	1.00E+00	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	138	—	—	1.00E+00	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	146	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	143	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	139	—	—	1.00E+00	µg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	137	—	—	1.00E+00	µg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	130	—	—	1.00E+00	µg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.6	—	—	5.00E-02	µg/L	—	—	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.56	—	—	5.00E-02	µg/L	—	—	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.76	—	—	5.00E-02	µg/L	—	—	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.76	—	—	5.00E-02	µg/L	—	—	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1	—	—	5.00E-02	µg/L	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.57	—	—	5.00E-02	µg/L	—	—	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	µg/L	—	—	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.72	—	—	5.00E-02	µg/L	—	—	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.79	—	—	5.00E-02	µg/L	—	—	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1	—	—	5.00E-02	µg/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	2.2	—	—	1.00E+00	µg/L	J	J	09-794	CAMO-09-2590	GELC
MCO-7.5	4661	35	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2	—	—	1.00E+00	µg/L	J	J	09-794	CAMO-09-2588	GELC
MCO-7.5	4661	35	11/12/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.1	—	—	1.00E+00	µg/L	J	J	09-273	CAMO-09-771	GELC
MCO-7.5	4661	35	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.3	—	—	1.00E+00	µg/L	J	U	08-1692	CAMO-08-14487	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3.2	—	—	1.00E+00	µg/L	J	U	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	2.1	—	—	1.00E+00	µg/L	J	J	09-794	CAMO-09-2591	GELC
MCO-7.5	4661	35	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.1	—	—	1.00E+00	µg/L	J	J	09-794	CAMO-09-2589	GELC
MCO-7.5	4661	35	11/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.2	—	—	1.00E+00	µg/L	J	J	09-273	CAMO-09-772	GELC
MCO-7.5	4661	35	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2.7	—	—	1.00E+00	µg/L	J	U	08-1692	CAMO-08-14486	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.1	—	—	1.00E+00	µg/L	J	U	08-599	CAMO-08-10483	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	36.6	—	—	7.30E-01	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	39.2	—	—	7.30E-01	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	40.8	—	—	7.30E-01	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	38.4	—	—	7.30E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	36.6	—	—	7.30E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.5	—	—	6.70E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.402	—	—	6.70E-02	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.42	—	—	6.70E-02	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.606	—	—	6.70E-02	mg/L	—	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.381	—	—	6.60E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.6	—	—	3.00E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.1	—	—	3.00E-02	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	30.2	—	—	3.00E-02	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.2	—	—	3.00E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.1	—	—	3.00E-02	mg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	27	—	—	3.00E-02	mg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	30.3	—	—	3.00E-02	mg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	29	—	—	3.00E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	30	—	—	3.00E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.6	—	—	1.30E-01	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.5	—	—	1.30E-01	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.8	—	—	1.30E-01	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.4	—	—	1.30E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20.1	—	—	6.60E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.308	—	—	3.30E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.262	—	—	3.30E-02	mg/L	—	—	09-337	CAMO-09-778	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.291	—	—	3.30E-02	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.285	—	—	3.30E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.245	—	—	3.30E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	90.2	—	—	3.50E-01	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	88.6	—	—	3.50E-01	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	94.9	—	—	3.50E-01	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	88.6	—	—	3.50E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	44.2	—	—	4.30E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	88.7	—	—	3.50E-01	mg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	85.1	—	—	3.50E-01	mg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	95	—	—	3.50E-01	mg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	91	—	—	3.50E-01	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	94.2	—	—	4.30E-01	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.56	—	—	8.50E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.45	—	—	8.50E-02	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.72	—	—	8.50E-02	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.42	—	—	8.50E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.52	—	—	8.50E-02	mg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.3	—	—	8.50E-02	mg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.71	—	—	8.50E-02	mg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.54	—	—	8.50E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.7	—	—	8.50E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	10.5	—	—	1.00E-01	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	11.5	—	—	2.50E-01	mg/L	—	J+	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	11.6	—	—	2.50E-01	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	12.6	—	—	1.00E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	12.8	—	—	1.00E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	63.8	—	—	1.00E+01	µg/L	—	J	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	78	—	—	1.00E+01	µg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	87.4	—	—	1.00E+01	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	91.8	—	—	5.00E+00	µg/L	—	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	114	—	—	1.00E+01	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.676	—	—	5.00E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.759	—	—	5.00E-02	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.773	—	—	5.00E-02	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.675	—	—	5.00E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.52	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.698	—	—	5.00E-02	mg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.725	—	—	5.00E-02	mg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.817	—	—	5.00E-02	mg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.689	—	—	5.00E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.769	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.1	—	—	4.50E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.6	—	—	4.50E-02	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.8	—	—	4.50E-02	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.9	—	—	4.50E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.71	—	—	4.50E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.1	—	—	4.50E-02	mg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.9	—	—	4.50E-02	mg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.5	—	—	4.50E-02	mg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.3	—	—	4.50E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.2	—	—	4.50E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	277	—	—	1.00E+00	µS/cm	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	288	—	—	1.00E+00	µS/cm	—	—	09-337	CAMO-09-778	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	303	—	—	1.00E+00	µS/cm	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	298	—	—	1.00E+00	µS/cm	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	301	—	—	1.00E+00	µS/cm	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.7	—	—	1.00E-01	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.9	—	—	1.00E-01	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.2	—	—	1.00E-01	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.1	—	—	1.00E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.2	—	—	1.00E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	241	—	—	2.40E+00	mg/L	—	J	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	233	—	—	2.40E+00	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	259	—	—	2.40E+00	mg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	270	—	—	2.40E+00	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	270	—	—	2.40E+00	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.6	—	—	3.30E-01	mg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.441	—	—	3.30E-01	mg/L	J	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	17.4	—	—	1.70E+00	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.75	—	—	3.30E-01	mg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.2	—	—	1.00E-02	SU	H	J-	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.14	—	—	1.00E-02	SU	H	J-	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.29	—	—	1.00E-02	SU	H	J-	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.32	—	—	1.00E-02	SU	H	J-	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.55	—	—	1.00E-02	SU	H	J-	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	100	—	—	6.80E+01	µg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.4	—	—	1.00E+00	µg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.2	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13	—	—	1.00E+00	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.5	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	6.3	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	12.9	—	—	1.00E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	11.7	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	12.4	—	—	1.00E+00	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.2	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	15.2	—	—	1.00E+01	µg/L	J	J	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	23.3	—	—	1.00E+01	µg/L	J	J	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	12.3	—	—	1.00E+01	µg/L	J	J	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	15.4	—	—	1.00E+01	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.3	—	—	1.00E+01	µg/L	J	J	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	16.2	—	—	1.00E+01	µg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	23.4	—	—	1.00E+01	µg/L	J	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	31.4	—	—	1.00E+01	µg/L	J	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	17.3	—	—	1.00E+01	µg/L	J	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	30.1	—	—	1.00E+01	µg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8	—	—	1.50E+00	µg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.8	—	—	1.50E+00	µg/L	—	—	09-337	CAMO-09-896	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.9	—	—	1.50E+00	µg/L	—	—	09-337	CAMO-09-778	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.4	—	—	1.50E+00	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.7	—	—	2.50E+00	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	10.1	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	18.7	—	—	1.50E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.5	—	—	1.50E+00	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	10	—	—	1.50E+00	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.6	—	—	2.50E+00	µg/L	J	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	11.7	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	12.6	—	—	3.00E+00	µg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	48.4	—	—	3.00E+00	µg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	66.9	—	—	3.00E+00	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	7.6	—	—	3.00E+00	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	60.6	—	—	3.00E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	34	—	—	3.00E+00	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	33.8	—	—	3.00E+00	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	19.4	—	—	3.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	9	—	—	3.00E+00	µg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	256	—	—	2.50E+01	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	207	—	—	2.50E+01	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	29.2	—	—	2.50E+01	µg/L	J	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	42.9	—	—	2.50E+01	µg/L	J	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	1.2	—	—	5.00E-01	µg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.71	—	—	5.00E-01	µg/L	J	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.7	—	—	2.00E+00	µg/L	J	J	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	7.4	—	—	2.00E+00	µg/L	J	J	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6	—	—	2.00E+00	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.4	—	—	2.00E+00	µg/L	J	J	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7	—	—	2.00E+00	µg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.8	—	—	2.00E+00	µg/L	J	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.7	—	—	2.00E+00	µg/L	J	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	15.7	—	—	2.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.69	—	—	1.00E-01	µg/L	—	J	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.71	—	—	1.00E-01	µg/L	—	U	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.68	—	—	1.00E-01	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.68	—	—	1.00E-01	µg/L	—	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.8	—	—	2.00E+00	µg/L	J	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.99	—	—	1.00E-01	µg/L	—	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.77	—	—	1.00E-01	µg/L	—	U	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.67	—	—	1.00E-01	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.73	—	—	1.00E-01	µg/L	—	U	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	4.4	—	—	2.00E+00	µg/L	J	U	08-167	CAMO-08-8616	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3	—	—	5.00E-01	µg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.1	—	—	5.00E-01	µg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.2	—	—	5.00E-01	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.2	—	—	5.00E-01	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.9	—	—	5.00E-01	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.1	—	—	5.00E-01	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.7	—	—	5.00E-01	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.7	—	—	3.20E-02	mg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	63.9	—	—	3.20E-02	mg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.9	—	—	3.20E-02	mg/L	—	J+	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	65.9	—	—	3.20E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	59.5	—	—	3.20E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.82	—	—	2.00E-01	µg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.23	—	—	2.00E-01	µg/L	J	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	137	—	—	1.00E+00	µg/L	—	—	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	132	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	137	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	138	—	—	1.00E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	127	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	138	—	—	1.00E+00	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	146	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	50	—	—	1.30E+01	µg/L	U	U	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	100	—	—	2.50E+01	µg/L	U	U	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	10	—	—	2.50E+00	µg/L	U	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	10	—	—	2.50E+00	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Tin	—	28.9	—	—	2.50E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Tin	—	12.7	—	—	2.50E+00	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Tin	<	100	—	—	2.50E+01	µg/L	U	U	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Tin	—	46.2	—	—	2.50E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Tin	<	50	—	—	1.30E+01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.052	—	—	5.00E-02	µg/L	J	J	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.062	—	—	5.00E-02	µg/L	J	J	09-337	CAMO-09-778	GELC
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.091	—	—	5.00E-02	µg/L	J	J	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.067	—	—	5.00E-02	µg/L	J	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.067	—	—	5.00E-02	µg/L	J	J	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.078	—	—	5.00E-02	µg/L	J	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.063	—	—	5.00E-02	µg/L	J	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.067	—	—	5.00E-02	µg/L	J	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	32.2	—	—	2.00E+00	µg/L	—	J	09-866	CAMO-09-2594	GELC
MCOI-4	5981	499	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	117	—	—	2.00E+00	µg/L	—	—	09-337	CAMO-09-778	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	08/19/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	112	—	—	2.00E+00	µg/L	—	J	08-1719	CAMO-08-14494	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	21	—	—	2.00E+00	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	369	—	—	2.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	125	—	—	2.00E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	127	—	—	2.00E+00	µg/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	76.9	—	—	2.00E+00	µg/L	—	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	39.9	—	—	2.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.6	—	—	2.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	7150	2.43E+02	1.70E+02	—	pCi/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	8590	2.93E+02	1.70E+02	—	pCi/L	—	—	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	8330	2.83E+02	1.30E+02	—	pCi/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	8460	2.97E+02	4.20E+02	—	pCi/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	9660	3.20E+02	1.90E+02	—	pCi/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	02/11/09	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	24.4	—	—	1.10E+00	µg/L	—	—	09-866	CAMO-09-2595	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	30.3	—	—	1.10E+00	µg/L	—	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	25.3	—	—	1.00E+00	µg/L	—	—	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	27.8	—	—	1.20E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/18/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	71	—	—	1.50E+01	µg/L	—	J	09-337	CAMO-09-777	GELC
MCOI-4	5981	499	08/19/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	68.8	—	—	2.00E+01	µg/L	—	J	08-1719	CAMO-08-14496	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	73.3	—	—	2.00E+01	µg/L	—	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	60.4	—	—	2.00E+01	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	49.1	—	—	7.30E-01	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.3	—	—	7.30E-01	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	47.3	—	—	7.30E-01	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	47.2	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46.9	—	—	7.30E-01	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.137	—	—	6.70E-02	mg/L	J	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.088	—	—	6.70E-02	mg/L	J	J	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.083	—	—	6.70E-02	mg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.104	—	—	6.60E-02	mg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.00E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.8	—	—	3.00E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.9	—	—	3.00E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.1	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.1	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.4	—	—	3.00E-02	mg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.5	—	—	3.00E-02	mg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.00E-02	mg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.7	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.6	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.21	—	—	6.60E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.25	—	—	6.60E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.89	—	—	6.60E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.21	—	—	6.60E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.9	—	—	6.60E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.3	—	—	3.30E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.329	—	—	3.30E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.26	—	—	3.30E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.225	—	—	3.30E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.24	—	—	3.30E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.9	—	—	3.50E-01	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	61.7	—	—	3.50E-01	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.5	—	—	3.50E-01	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	59.2	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12738	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	55.9	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	57.5	—	—	3.50E-01	mg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	61.1	—	—	3.50E-01	mg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	56.9	—	—	3.50E-01	mg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	58	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	57.6	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.47	—	—	8.50E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.61	—	—	8.50E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.99	—	—	8.50E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.39	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.2	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.63	—	—	8.50E-02	mg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.18	—	—	8.50E-02	mg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.39	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.3	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.24	—	—	1.00E-01	mg/L	—	J+	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.53	—	—	1.00E-01	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.17	—	—	1.00E-01	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.17	—	—	1.00E-01	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.24	—	—	1.00E-01	mg/L	—	J-	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	68.7	—	—	1.00E+01	µg/L	—	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	83.6	—	—	1.30E+01	µg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	88.9	—	—	1.00E+01	µg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	88.3	—	—	1.00E+01	µg/L	—	J+	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	100	—	—	1.30E+01	µg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.481	—	—	5.00E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.547	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.474	—	—	5.00E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.558	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.13	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.491	—	—	5.00E-02	mg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.569	—	—	5.00E-02	mg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.52	—	—	5.00E-02	mg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.571	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.9	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13	—	—	4.50E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.6	—	—	4.50E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.2	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.4	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.9	—	—	4.50E-02	mg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11	—	—	4.50E-02	mg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.6	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	176	—	—	1.00E+00	µS/cm	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	182	—	—	1.00E+00	µS/cm	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	171	—	—	1.00E+00	µS/cm	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	177	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	165	—	—	1.00E+00	µS/cm	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.9	—	—	1.00E-01	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.5	—	—	1.00E-01	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.3	—	—	1.00E-01	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.1	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12738	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.3	—	—	1.00E-01	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	151	—	—	2.40E+00	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	150	—	—	2.40E+00	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	157	—	—	2.40E+00	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	168	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	162	—	—	2.40E+00	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.625	—	—	3.30E-01	mg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.688	—	—	3.30E-01	mg/L	J	J	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.781	—	—	3.30E-01	mg/L	J	J	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.694	—	—	3.30E-01	mg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.13	—	—	1.00E-02	SU	H	J-	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.07	—	—	1.00E-02	SU	H	J-	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.17	—	—	1.00E-02	SU	H	J-	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.08	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.24	—	—	1.00E-02	SU	H	J-	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.7	—	—	1.00E+00	µg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	16.5	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.8	—	—	1.00E+00	µg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	15.9	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.9	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.2	—	—	1.00E+00	µg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	19.2	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	16	—	—	1.00E+00	µg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.8	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.4	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14	—	—	1.00E+01	µg/L	J	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	23.1	—	—	1.00E+01	µg/L	J	J	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	12.4	—	—	1.00E+01	µg/L	J	J	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	20.8	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	27.2	—	—	1.00E+01	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	11.9	—	—	1.00E+01	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.8	—	—	1.00E+01	µg/L	J	J	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.9	—	—	1.00E+01	µg/L	J	J	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	20.2	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	30.8	—	—	1.00E+01	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.1	—	—	1.50E+00	µg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.50E+00	µg/L	J	J	09-262	CAMO-09-897	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.3	—	—	1.50E+00	µg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.2	—	—	1.50E+00	µg/L	J	J	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.6	—	—	2.50E+00	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	14.2	—	—	1.50E+00	µg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	61.7	—	—	1.50E+00	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.2	—	—	1.50E+00	µg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.8	—	—	2.50E+00	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	6.9	—	—	3.00E+00	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	15.6	—	—	3.00E+00	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	4.8	—	—	3.00E+00	µg/L	J	J	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-1193	CAMO-08-12737	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	3.3	—	—	3.00E+00	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	45.5	—	—	2.50E+01	µg/L	J	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	54.5	—	—	2.50E+01	µg/L	J*	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	129	—	—	2.50E+01	µg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	640	—	—	2.50E+01	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	192	—	—	2.50E+01	µg/L	—	U	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	198	—	—	2.50E+01	µg/L	*	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	13.9	—	—	2.00E+00	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.9	—	—	2.00E+00	µg/L	J	J	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.7	—	—	1.00E-01	µg/L	—	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.4	—	—	1.00E-01	µg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.2	—	—	1.00E-01	µg/L	—	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.9	—	—	1.00E-01	µg/L	—	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	12.1	—	—	2.00E+00	µg/L	*	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.8	—	—	1.00E-01	µg/L	—	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	3.4	—	—	1.00E-01	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.4	—	—	1.00E-01	µg/L	—	U	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.7	—	—	1.00E-01	µg/L	—	U	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	31	—	—	2.00E+00	µg/L	*	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	J	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.84	—	—	5.00E-01	µg/L	J	J	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.95	—	—	5.00E-01	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.91	—	—	5.00E-01	µg/L	J	U	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.4	—	—	5.00E-01	µg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	28.1	—	—	5.00E-01	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	µg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.91	—	—	5.00E-01	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.4	—	—	5.00E-01	µg/L	—	U	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.8	—	—	3.20E-02	mg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.3	—	—	3.20E-02	mg/L	—	—	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.5	—	—	3.20E-02	mg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	64.3	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.9	—	—	3.20E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.6	—	—	2.00E-01	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	79.4	—	—	1.00E+00	µg/L	—	—	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	82.3	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-781	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	68.6	—	—	1.00E+00	µg/L	—	—	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	82.7	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	80.8	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	79.1	—	—	1.00E+00	µg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	82.9	—	—	1.00E+00	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	72.1	—	—	1.00E+00	µg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	81.3	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	83.8	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.14	—	—	5.00E-02	µg/L	J	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.079	—	—	5.00E-02	µg/L	J	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.11	—	—	5.00E-02	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.11	—	—	5.00E-02	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.11	—	—	5.00E-02	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.12	—	—	5.00E-02	µg/L	J	U	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.1	—	—	5.00E-02	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	µg/L	J	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	µg/L	J	J	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	J	U	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.1	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.4	—	—	1.00E+00	µg/L	J	J	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.5	—	—	1.00E+00	µg/L	J	U	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.3	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3	—	—	1.00E+00	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.2	—	—	2.00E+00	µg/L	J	J	09-850	CAMO-09-2598	GELC
MCOI-5	5721	689	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	8.5	—	—	2.00E+00	µg/L	J	J	09-262	CAMO-09-781	GELC
MCOI-5	5721	689	08/18/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7	—	—	2.00E+00	µg/L	J	J	08-1709	CAMO-08-14499	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	8	—	—	2.00E+00	µg/L	J	U	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	15.1	—	—	2.00E+00	µg/L	*	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	13.3	—	—	2.00E+00	µg/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	32.8	—	—	2.00E+00	µg/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.3	—	—	2.00E+00	µg/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	7.9	—	—	2.00E+00	µg/L	J	U	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	33.7	—	—	2.00E+00	µg/L	*	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3090	1.10E+02	1.60E+02	—	pCi/L	—	—	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3570	1.30E+02	1.70E+02	—	pCi/L	—	—	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3310	1.17E+02	1.30E+02	—	pCi/L	—	—	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3330	1.17E+02	2.20E+02	—	pCi/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3600	1.20E+02	1.50E+02	—	pCi/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	02/09/09	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	5.21	—	—	1.10E+00	µg/L	J	J	09-850	CAMO-09-2599	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	5.34	—	—	1.10E+00	µg/L	J	J	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	<	5.93	—	—	2.00E+00	µg/L	J	U	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	11/11/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	1.50E+01	µg/L	U	R	09-262	CAMO-09-782	GELC
MCOI-5	5721	689	08/18/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-1709	CAMO-08-14497	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	24.2	—	—	2.00E+01	µg/L	J	R	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-639	CAMO-08-10424	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	83.6	—	—	7.30E-01	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	83.5	—	—	7.30E-01	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	77.7	—	—	7.30E-01	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.9	—	—	7.30E-01	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.9	—	—	7.30E-01	mg/L	—	—	08-685	CAMO-08-10425	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.635	—	—	6.70E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.405	—	—	6.70E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.477	—	—	6.70E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.409	—	—	6.70E-02	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.383	—	—	6.70E-02	mg/L	—	J+	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	66.1	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	62.2	—	—	3.00E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	59.2	—	—	3.00E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	59.9	—	—	3.00E-02	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	56.4	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	62.8	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	63	—	—	3.00E-02	mg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	58.1	—	—	3.00E-02	mg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	59.9	—	—	3.00E-02	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	55.5	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	41.7	—	—	3.30E-01	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	38.9	—	—	6.60E-01	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	34.8	—	—	3.30E-01	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32.6	—	—	6.60E-01	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32	—	—	1.30E-01	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.56	—	—	3.30E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.518	—	—	3.30E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.483	—	—	3.30E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.47	—	—	3.30E-02	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.482	—	—	3.30E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	221	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	207	—	—	3.50E-01	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	198	—	—	3.50E-01	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	200	—	—	3.50E-01	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	186	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	212	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	211	—	—	3.50E-01	mg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	195	—	—	3.50E-01	mg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	196	—	—	3.50E-01	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	183	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	13.6	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.6	—	—	8.50E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.1	—	—	8.50E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.3	—	—	8.50E-02	mg/L	E	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.9	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	13.3	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	13	—	—	8.50E-02	mg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.2	—	—	8.50E-02	mg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.3	—	—	8.50E-02	mg/L	E	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.7	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	15.1	—	—	2.50E-01	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	17	—	—	2.50E-01	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	19.5	—	—	2.50E-01	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	17.9	—	—	5.00E-01	mg/L	—	J	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	17.9	—	—	5.00E-01	mg/L	—	J	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	20.2	—	—	5.00E-01	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	90.9	—	—	1.00E+01	µg/L	—	J	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	128	—	—	1.30E+01	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	131	—	—	1.30E+01	µg/L	—	J	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	168	—	—	2.00E+01	µg/L	—	—	08-1196	CAMO-08-12741	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	187	—	—	1.00E+01	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.826	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.813	—	—	5.00E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.821	—	—	5.00E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.787	—	—	5.00E-02	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.791	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.794	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.835	—	—	5.00E-02	mg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.837	—	—	5.00E-02	mg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.8	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.773	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.3	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.1	—	—	4.50E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	22.8	—	—	4.50E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.1	—	—	4.50E-02	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	24	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	25	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.2	—	—	4.50E-02	mg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	22.5	—	—	4.50E-02	mg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	24.2	—	—	4.50E-02	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.5	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	534	—	—	1.00E+00	µS/cm	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	532	—	—	1.00E+00	µS/cm	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	532	—	—	1.00E+00	µS/cm	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	521	—	—	1.00E+00	µS/cm	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	500	—	—	1.00E+00	µS/cm	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	55.4	—	—	5.00E-01	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	53.4	—	—	1.00E+00	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	48.6	—	—	5.00E-01	mg/L	—	J-	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	47.1	—	—	1.00E+00	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	43	—	—	2.00E-01	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	391	—	—	2.40E+00	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	368	—	—	2.40E+00	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	395	—	—	2.40E+00	mg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	395	—	—	2.40E+00	mg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	370	—	—	2.40E+00	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.14	—	—	3.30E-01	mg/L	—	—	09-863	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.13	—	—	3.30E-01	mg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.33	—	—	3.30E-01	mg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.18	—	—	3.30E-01	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.36	—	—	3.30E-01	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.28	—	—	1.00E-02	SU	H	J-	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.34	—	—	1.00E-02	SU	H	J-	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.52	—	—	1.00E-02	SU	H	J-	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.28	—	—	1.00E-02	SU	H	J-	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.48	—	—	1.00E-02	SU	H	J-	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	43.5	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	39.6	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	39.3	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	36.8	—	—	1.00E+00	µg/L	*	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	36.8	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	39.9	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	39.7	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	39.4	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	39.6	—	—	1.00E+00	µg/L	*	J	08-1196	CAMO-08-12739	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	37	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	31.3	—	—	1.00E+01	µg/L	J	J	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	36.9	—	—	1.00E+01	µg/L	J	J	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	32.1	—	—	1.00E+01	µg/L	J	J	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	35.1	—	—	1.00E+01	µg/L	J	J	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	28.9	—	—	1.00E+01	µg/L	J	J	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	29.5	—	—	1.00E+01	µg/L	J	J	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	37.1	—	—	1.00E+01	µg/L	J	J	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	32.7	—	—	1.00E+01	µg/L	J	J	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	35.1	—	—	1.00E+01	µg/L	J	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	28.9	—	—	1.00E+01	µg/L	J	J	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	40.9	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	37.5	—	—	1.50E+00	µg/L	—	—	09-267	CAMO-09-894	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	37	—	—	1.50E+00	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	43.3	—	—	1.50E+00	µg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	30.5	—	—	2.50E+00	µg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	34.2	—	—	2.50E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	42.9	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	44.7	—	—	1.50E+00	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	45.3	—	—	1.50E+00	µg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	36.3	—	—	2.50E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	34.2	—	—	2.50E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	12	—	—	3.00E+00	µg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	11	—	—	3.00E+00	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	12.6	—	—	3.00E+00	µg/L	—	U	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	10.7	—	—	3.00E+00	µg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	11	—	—	3.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	12.2	—	—	3.00E+00	µg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	13.8	—	—	3.00E+00	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	15.2	—	—	3.00E+00	µg/L	—	U	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	13	—	—	3.00E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	15.2	—	—	3.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.1	—	—	2.00E+00	µg/L	J	J	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.2	—	—	2.00E+00	µg/L	J	J	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.1	—	—	2.00E+00	µg/L	J	J	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.5	—	—	2.00E+00	µg/L	J	J	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.6	—	—	2.00E+00	µg/L	J	J	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.4	—	—	2.00E+00	µg/L	J	J	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	µg/L	J	J	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.7	—	—	5.00E-01	µg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.7	—	—	5.00E-01	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.5	—	—	5.00E-01	µg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.9	—	—	5.00E-01	µg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.3	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6	—	—	5.00E-01	µg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	7.9	—	—	5.00E-01	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.9	—	—	5.00E-01	µg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6	—	—	5.00E-01	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.6	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	76	—	—	3.20E-02	mg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.1	—	—	3.20E-02	mg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.7	—	—	3.20E-02	mg/L	—	—	08-1657	CAMO-08-14501	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.2	—	—	3.20E-02	mg/L	E	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.9	—	—	3.20E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	302	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	275	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	261	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	256	—	—	1.00E+00	µg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	269	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	286	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	277	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	256	—	—	1.00E+00	µg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	266	—	—	1.00E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	264	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.92	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.78	—	—	5.00E-02	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.78	—	—	5.00E-02	µg/L	—	—	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.76	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.62	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.97	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.8	—	—	5.00E-02	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.78	—	—	5.00E-02	µg/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.72	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.1	—	—	1.00E+00	µg/L	J	J	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.7	—	—	1.00E+00	µg/L	J	J	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.5	—	—	1.00E+00	µg/L	J	J	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1.8	—	—	1.00E+00	µg/L	J	U	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.3	—	—	1.00E+00	µg/L	J	J	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.9	—	—	1.00E+00	µg/L	J	J	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2.5	—	—	1.00E+00	µg/L	J	U	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1.8	—	—	1.00E+00	µg/L	J	U	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	33.6	—	—	2.00E+00	µg/L	—	J	09-864	CAMO-09-2602	GELC
MCOI-6	5731	686	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	288	—	—	2.00E+00	µg/L	—	—	09-267	CAMO-09-785	GELC
MCOI-6	5731	686	08/12/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	26	—	—	2.00E+00	µg/L	—	J	08-1657	CAMO-08-14501	GELC
MCOI-6	5731	686	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	33.5	—	—	2.00E+00	µg/L	—	—	08-1196	CAMO-08-12741	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	44.5	—	—	2.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	31.5	—	—	2.00E+00	µg/L	—	J	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	34.3	—	—	2.00E+00	µg/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	28.1	—	—	2.00E+00	µg/L	—	J	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	36.4	—	—	2.00E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	46.5	—	—	2.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	9520	3.23E+02	1.60E+02	—	pCi/L	—	—	09-864	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	10200	3.33E+02	1.70E+02	—	pCi/L	—	—	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	10700	3.67E+02	1.30E+02	—	pCi/L	—	—	08-1657	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	11000	3.67E+02	2.20E+02	—	pCi/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	12600	4.33E+02	1.70E+02	—	pCi/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	02/10/09	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	20.7	—	—	1.10E+00	µg/L	—	—	09-863	CAMO-09-2600	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	26.6	—	—	1.00E+00	µg/L	—	J	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	25.2	—	—	1.10E+00	µg/L	—	—	08-1658	CAMO-08-14500	GELC
MCOI-6	5731	686	11/10/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	24.2	—	—	1.50E+01	µg/L	J	J	09-267	CAMO-09-784	GELC
MCOI-6	5731	686	08/12/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	41.3	—	—	2.00E+01	µg/L	J	J	08-1658	CAMO-08-14500	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	57	—	—	2.00E+01	µg/L	—	J	08-685	CAMO-08-10427	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.1	—	—	7.30E-01	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	106	—	—	7.30E-01	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	110	—	—	7.30E-01	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	35.1	—	—	7.30E-01	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	09-893	CAMO-09-2377	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.087	—	—	3.00E-02	mg/L	—	J-	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.05	—	—	3.00E-02	mg/L	U	UJ	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.05	—	—	3.00E-02	mg/L	U	U	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.5	—	—	3.00E-01	mg/L	U	U	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	08/22/07	WP	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	1.9	—	—	3.00E-02	mg/L	—	—	192303	GF070800P20001	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.119	—	—	6.70E-02	mg/L	J	J	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.12	—	—	6.70E-02	mg/L	J	J	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.114	—	—	6.70E-02	mg/L	J	J	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.3	—	—	3.00E-02	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.9	—	—	3.00E-02	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	14	—	—	3.00E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.2	—	—	3.00E-02	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.0494	—	—	3.00E-02	mg/L	J	J	09-893	CAMO-09-2377	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.2	—	—	3.00E-02	mg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15	—	—	3.00E-02	mg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.1	—	—	3.00E-02	mg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.8	—	—	3.00E-02	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	132	—	—	6.60E-01	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	31.1	—	—	1.30E-01	mg/L	—	J+	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	48.5	—	—	3.30E-01	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	121	—	—	1.30E+00	mg/L	—	—	08-674	CAMO-08-10876	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.292	—	—	3.30E-02	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.263	—	—	3.30E-02	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.475	—	—	3.30E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.154	—	—	3.30E-02	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	69.4	—	—	3.50E-01	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	46.4	—	—	3.50E-01	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.6	—	—	3.50E-01	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	66.8	—	—	4.30E-01	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	69.4	—	—	3.50E-01	mg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	47	—	—	3.50E-01	mg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	52.5	—	—	3.50E-01	mg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	70	—	—	4.30E-01	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.34	—	—	8.50E-02	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.22	—	—	8.50E-02	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.56	—	—	8.50E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4	—	—	8.50E-02	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.4	—	—	8.50E-02	mg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.3	—	—	8.50E-02	mg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.61	—	—	8.50E-02	mg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.37	—	—	8.50E-02	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.11	—	—	1.00E-01	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6.49	—	—	1.00E-01	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.01	—	—	5.00E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.229	—	—	5.00E-02	mg/L	J	J	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	08/22/07	WP	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6.46	—	—	2.00E-01	mg/L	—	J	192303	GF070800P20001	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.162	—	—	5.00E-02	µg/L	J	J	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.258	—	—	5.00E-02	µg/L	—	—	09-338	CAMO-09-715	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.413	—	—	5.00E-02	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.454	—	—	5.00E-02	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.4	—	—	5.00E-02	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.25	—	—	5.00E-02	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.7	—	—	5.00E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.3	—	—	5.00E-02	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.4	—	—	5.00E-02	mg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.38	—	—	5.00E-02	mg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.6	—	—	5.00E-02	mg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.7	—	—	5.00E-02	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	118	—	—	4.50E-02	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.7	—	—	4.50E-02	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	75.6	—	—	4.50E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	67.1	—	—	4.50E-02	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.191	—	—	4.50E-02	mg/L	—	—	09-893	CAMO-09-2377	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	117	—	—	4.50E-02	mg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	53.8	—	—	4.50E-02	mg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	71.5	—	—	4.50E-02	mg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	69.5	—	—	4.50E-02	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	725	—	—	1.00E+00	µS/cm	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	382	—	—	1.00E+00	µS/cm	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	460	—	—	1.00E+00	µS/cm	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	490	—	—	1.00E+00	µS/cm	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance	—	4.88	—	—	1.00E+00	µS/cm	—	—	09-893	CAMO-09-2377	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	21.3	—	—	1.00E-01	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	15.1	—	—	1.00E-01	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.3	—	—	1.00E-01	mg/L	—	—	08-1731	CAMO-08-14434	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.99	—	—	1.00E-01	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	412	—	—	2.40E+00	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	240	—	—	2.40E+00	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	300	—	—	2.40E+00	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	312	—	—	2.40E+00	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	08/22/07	WP	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	2.46	—	—	2.90E-02	mg/L	—	—	192303	GF070800P20001	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.602	—	—	2.90E-02	mg/L	—	J	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	U	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-1730	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.602	—	—	2.90E-02	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	08/22/07	WP	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	2.68	—	—	2.90E-02	mg/L	—	—	192303	GU070800P20001	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.94	—	—	3.30E-01	mg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.24	—	—	3.30E-01	mg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	9.18	—	—	6.60E-01	mg/L	—	—	08-1730	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	7.08	—	—	3.30E-01	mg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.63	—	—	1.00E-02	SU	H	J-	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.42	—	—	1.00E-02	SU	H	J-	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J-	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.39	—	—	1.00E-02	SU	H	J-	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	FB	Geninorg	EPA:150.1	pH	—	6.99	—	—	1.00E-02	SU	H	J-	09-893	CAMO-09-2377	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	419	—	—	6.80E+01	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	204	—	—	6.80E+01	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	4350	—	—	6.80E+01	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	2730	—	—	6.80E+01	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	859	—	—	6.80E+01	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	610	—	—	6.80E+01	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	16200	—	—	6.80E+01	µg/L	—	—	08-1731	CAMO-08-14433	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	4210	—	—	6.80E+01	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	44.2	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	31.4	—	—	1.00E+00	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	40.5	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	57.2	—	—	1.00E+00	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	44.4	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	34.6	—	—	1.00E+00	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	69.4	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	64.3	—	—	1.00E+00	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2.2	—	—	1.00E+00	µg/L	J	J	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	7.4	—	—	3.00E+00	µg/L	J	J	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	9.7	—	—	3.00E+00	µg/L	J	J	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	5	—	—	3.00E+00	µg/L	J	J	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	4.8	—	—	3.00E+00	µg/L	J	J	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	7.8	—	—	3.00E+00	µg/L	J	J	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	10.1	—	—	3.00E+00	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	10.7	—	—	3.00E+00	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	5.5	—	—	3.00E+00	µg/L	J	J	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	227	—	—	2.50E+01	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	123	—	—	2.50E+01	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	2350	—	—	2.50E+01	µg/L	—	—	08-1731	CAMO-08-14434	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	1480	—	—	2.50E+01	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	503	—	—	2.50E+01	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	375	—	—	2.50E+01	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	8580	—	—	2.50E+01	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	2440	—	—	2.50E+01	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.3	—	—	2.00E+00	µg/L	J	J	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	µg/L	J	J	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	13.7	—	—	2.00E+00	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	10.4	—	—	2.00E+00	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.7	—	—	2.00E+00	µg/L	J	J	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7.9	—	—	2.00E+00	µg/L	J	J	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	63.8	—	—	2.00E+00	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	15.7	—	—	2.00E+00	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	26.9	—	—	1.00E-01	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	21	—	—	1.00E-01	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	42.9	—	—	1.00E-01	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	8.4	—	—	1.00E-01	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	26.4	—	—	1.00E-01	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	21.4	—	—	1.00E-01	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	44.7	—	—	1.00E-01	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	8.3	—	—	1.00E-01	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	8.5	—	—	5.00E-01	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	8	—	—	5.00E-01	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	2.7	—	—	5.00E-01	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	8.7	—	—	5.00E-01	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	8.4	—	—	5.00E-01	µg/L	—	—	09-338	CAMO-09-716	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.1	—	—	5.00E-01	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.2	—	—	5.00E-01	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	23.3	—	—	3.20E-02	mg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	23.4	—	—	3.20E-02	mg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	55.4	—	—	3.20E-02	mg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	31.2	—	—	3.20E-02	mg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	78.6	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	54.9	—	—	1.00E+00	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	55.7	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	85	—	—	1.00E+00	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	78.5	—	—	1.00E+00	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55.6	—	—	1.00E+00	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	61.6	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	89.1	—	—	1.00E+00	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.63	—	—	5.00E-02	µg/L	—	—	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.46	—	—	5.00E-02	µg/L	—	—	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.36	—	—	5.00E-02	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.18	—	—	5.00E-02	µg/L	J	J	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	09-893	CAMO-09-2375	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.5	—	—	5.00E-02	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.74	—	—	5.00E-02	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.24	—	—	5.00E-02	µg/L	—	—	08-674	CAMO-08-10875	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.6	—	—	2.00E+00	µg/L	J	J	09-893	CAMO-09-2374	GELC
Mortandad below Effluent Canyon	—	—	11/18/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	8.7	—	—	2.00E+00	µg/L	J	J	09-338	CAMO-09-715	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	17.5	—	—	2.00E+00	µg/L	—	—	08-1731	CAMO-08-14434	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	11.7	—	—	2.00E+00	µg/L	—	—	08-674	CAMO-08-10876	GELC
Mortandad below Effluent Canyon	—	—	02/12/09	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	8.8	—	—	2.00E+00	µg/L	J	J	09-893	CAMO-09-2375	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Mortandad below Effluent Canyon	—	—	11/18/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.5	—	—	2.00E+00	µg/L	—	—	09-338	CAMO-09-716	GELC
Mortandad below Effluent Canyon	—	—	08/20/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	50.6	—	—	2.00E+00	µg/L	—	—	08-1731	CAMO-08-14433	GELC
Mortandad below Effluent Canyon	—	—	02/21/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	14.8	—	—	2.00E+00	µg/L	—	—	08-674	CAMO-08-10875	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.7	—	—	7.30E-01	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.7	—	—	7.30E-01	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.5	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.8	—	—	7.30E-01	mg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	65	—	—	7.30E-01	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.5	—	—	3.00E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.8	—	—	3.00E-02	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.7	—	—	3.00E-02	mg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.8	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.00E-02	mg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.7	—	—	3.00E-02	mg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.7	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.2	—	—	3.00E-02	mg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.85	—	—	6.60E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.87	—	—	6.60E-02	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.83	—	—	6.60E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.85	—	—	6.60E-02	mg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.92	—	—	6.60E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	46	—	—	3.50E-01	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42.9	—	—	3.50E-01	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.9	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42	—	—	3.50E-01	mg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.6	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.7	—	—	3.50E-01	mg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.4	—	—	3.50E-01	mg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.5	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	44.4	—	—	3.50E-01	mg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.6	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.2	—	—	8.50E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.61	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.72	—	—	8.50E-02	mg/L	E	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.59	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.22	—	—	8.50E-02	mg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.8	—	—	8.50E-02	mg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.82	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.98	—	—	8.50E-02	mg/L	E	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.7	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.294	—	—	5.00E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.362	—	—	5.00E-02	mg/L	—	J+	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.402	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.52	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.52	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.355	—	—	1.00E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.348	—	—	5.00E-02	µg/L	—	J	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.332	—	—	5.00E-02	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.305	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14503	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.401	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.391	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.68	—	—	5.00E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.63	—	—	5.00E-02	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.61	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.62	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.71	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.73	—	—	5.00E-02	mg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.64	—	—	5.00E-02	mg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.66	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.72	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.79	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.2	—	—	4.50E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.8	—	—	4.50E-02	mg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.1	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.2	—	—	4.50E-02	mg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.5	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	µS/cm	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	138	—	—	1.00E+00	µS/cm	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	137	—	—	1.00E+00	µS/cm	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	136	—	—	1.00E+00	µS/cm	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	136	—	—	1.00E+00	µS/cm	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.52	—	—	1.00E-01	mg/L	—	J	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.66	—	—	1.00E-01	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.48	—	—	1.00E-01	mg/L	—	J-	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.52	—	—	1.00E-01	mg/L	—	J-	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.75	—	—	1.00E-01	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	135	—	—	2.40E+00	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	133	—	—	2.40E+00	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	141	—	—	2.40E+00	mg/L	—	J	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	140	—	—	2.40E+00	mg/L	—	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	139	—	—	2.40E+00	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.72	—	—	1.00E-02	SU	H	J-	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.72	—	—	1.00E-02	SU	H	J-	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J-	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.76	—	—	1.00E-02	SU	H	J-	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J-	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2	—	—	1.50E+00	µg/L	J	J	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.5	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.6	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.2	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	27.9	—	—	1.00E+00	µg/L	*	J	08-1196	CAMO-08-12742	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.8	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.9	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.6	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.5	—	—	1.00E+00	µg/L	*	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.1	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.4	—	—	1.50E+00	µg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.8	—	—	1.50E+00	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	6.1	—	—	1.50E+00	µg/L	—	U	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.5	—	—	2.50E+00	µg/L	J	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.2	—	—	2.50E+00	µg/L	J	J	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.4	—	—	1.50E+00	µg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.6	—	—	1.50E+00	µg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	6.4	—	—	1.50E+00	µg/L	—	U	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.4	—	—	2.50E+00	µg/L	J	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.4	—	—	2.50E+00	µg/L	J	J	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	26.4	—	—	2.50E+01	µg/L	J	J	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.3	—	—	1.00E-01	µg/L	—	U	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	µg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.2	—	—	1.00E-01	µg/L	—	U	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.7	—	—	5.00E-01	µg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.3	—	—	5.00E-01	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.3	—	—	5.00E-01	µg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.3	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	11.1	—	—	5.00E-01	µg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.2	—	—	5.00E-01	µg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.5	—	—	5.00E-01	µg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.9	—	—	3.20E-02	mg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68.5	—	—	3.20E-02	mg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72	—	—	3.20E-02	mg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.4	—	—	3.20E-02	mg/L	E	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.5	—	—	3.20E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	51.1	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.8	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.1	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.9	—	—	1.00E+00	µg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.2	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10453	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	52	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	48.2	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.2	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	53.4	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.78	—	—	5.00E-02	µg/L	—	—	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.95	—	—	5.00E-02	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.72	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.86	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.82	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.8	—	—	5.00E-02	µg/L	—	—	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.95	—	—	5.00E-02	µg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.73	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.83	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.83	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.1	—	—	1.00E+00	µg/L	—	J	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.3	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.5	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.5	—	—	1.00E+00	µg/L	—	J	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.6	—	—	1.00E+00	µg/L	—	J	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	9.2	—	—	1.00E+00	µg/L	—	J	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.3	—	—	1.00E+00	µg/L	—	—	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.9	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10	—	—	1.00E+00	µg/L	—	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.3	—	—	1.00E+00	µg/L	—	J	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3	—	—	2.00E+00	µg/L	J	J	09-920	CAMO-09-2606	GELC
R-1	1701	1031.1	11/18/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.9	—	—	2.00E+00	µg/L	J	J	09-337	CAMO-09-790	GELC
R-1	1701	1031.1	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.8	—	—	2.00E+00	µg/L	EJ	J	08-1698	CAMO-08-14503	GELC
R-1	1701	1031.1	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-1196	CAMO-08-12742	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.6	—	—	2.00E+00	µg/L	J	J	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	09-920	CAMO-09-2607	GELC
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.6	—	—	2.00E+00	µg/L	J	J	09-337	CAMO-09-789	GELC
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	µg/L	EJ	J	08-1698	CAMO-08-14505	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.8	—	—	2.00E+00	µg/L	J	J	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	02/17/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01	—	pCi/L	U	U	09-916	CAMO-09-2607	UMTL
R-1	1701	1031.1	11/18/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.6386	9.58E-02	2.87E-01	—	pCi/L	U	U	09-344	CAMO-09-789	UMTL
R-1	1701	1031.1	08/15/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-1.02176	3.31E-01	3.38E+00	—	pCi/L	U	U	08-1738	CAMO-08-14505	ARSL
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.38316	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1197	CAMO-08-12744	UMTL
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01	—	pCi/L	U	U	08-695	CAMO-08-10452	UMTL
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.6	—	—	7.30E-01	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.6	—	—	7.30E-01	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.7	—	—	7.30E-01	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.4	—	—	7.30E-01	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.2	—	—	7.30E-01	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.3	—	—	7.30E-01	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.4	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	14	—	—	3.00E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.4	—	—	3.00E-02	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	14.2	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.5	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.1	—	—	3.00E-02	mg/L	—	—	09-257	CAMO-09-811	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13	—	—	3.00E-02	mg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.23	—	—	6.60E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.18	—	—	6.60E-02	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.27	—	—	6.60E-02	mg/L	—	J	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.19	—	—	6.60E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.353	—	—	3.30E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.35	—	—	3.30E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.376	—	—	3.30E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.335	—	—	3.30E-02	mg/L	—	J-	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.312	—	—	3.30E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.314	—	—	3.30E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	48.7	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47.4	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	49.2	—	—	3.50E-01	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47.6	—	—	3.50E-01	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	49.3	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.1	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	50.2	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	48.1	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.9	—	—	3.50E-01	mg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.6	—	—	3.50E-01	mg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	48.2	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.41	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.36	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.53	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.33	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.57	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.5	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.56	—	—	8.50E-02	mg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.42	—	—	8.50E-02	mg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.35	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.72	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.76	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.79	—	—	5.00E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.9	—	—	5.00E-02	mg/L	—	J-	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.73	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.875	—	—	5.00E-02	mg/L	—	J-	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.367	—	—	5.00E-02	µg/L	—	J	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.394	—	—	5.00E-02	µg/L	—	J	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.414	—	—	5.00E-02	µg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.364	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.374	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.398	—	—	5.00E-02	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.39	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.36	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.33	—	—	5.00E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.38	—	—	5.00E-02	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.33	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.85	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.42	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2629	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.37	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.33	—	—	5.00E-02	mg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.38	—	—	5.00E-02	mg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.27	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	10.5	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.64	—	—	4.50E-02	mg/L	—	J	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.5	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	10.7	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.2	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.45	—	—	4.50E-02	mg/L	—	J	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.93	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	136	—	—	1.00E+00	µS/cm	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	138	—	—	1.00E+00	µS/cm	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	140	—	—	1.00E+00	µS/cm	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	µS/cm	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	138	—	—	1.00E+00	µS/cm	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	134	—	—	1.00E+00	µS/cm	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	3.12	—	—	1.00E-01	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.12	—	—	1.00E-01	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.97	—	—	1.00E-01	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.97	—	—	1.00E-01	mg/L	—	J-	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.99	—	—	1.00E-01	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.92	—	—	1.00E-01	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	145	—	—	2.40E+00	mg/L	—	J	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	145	—	—	2.40E+00	mg/L	—	J	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	136	—	—	2.40E+00	mg/L	—	J	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	133	—	—	2.40E+00	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.37	—	—	2.40E-02	mg/L	—	J	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.045	—	—	2.40E-02	mg/L	J	J-	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.062	—	—	2.40E-02	mg/L	—	U	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.047	—	—	2.40E-02	mg/L	J	J	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.058	—	—	2.40E-02	mg/L	—	U	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.24	—	—	1.00E-02	SU	H	J-	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.19	—	—	1.00E-02	SU	H	J-	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J-	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.16	—	—	1.00E-02	SU	H	J-	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.14	—	—	1.00E-02	SU	H	J-	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.2	—	—	1.00E-02	SU	H	J-	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	24.8	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25.5	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25.4	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25.7	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	25.5	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	24.4	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	26.7	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	25	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	24.5	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12771	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	6	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.7	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.9	—	—	1.50E+00	µg/L	—	—	09-257	CAMO-09-899	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.8	—	—	1.50E+00	µg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.3	—	—	1.50E+00	µg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	2.50E+00	µg/L	J	J	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.2	—	—	2.50E+00	µg/L	J	J	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	—	6.1	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.8	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.1	—	—	1.50E+00	µg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.3	—	—	1.50E+00	µg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.7	—	—	2.50E+00	µg/L	J	J	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.74	—	—	5.00E-01	µg/L	J	U	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	µg/L	J	J	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	70.8	—	—	3.20E-02	mg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.2	—	—	3.20E-02	mg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.4	—	—	3.20E-02	mg/L	—	J-	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.2	—	—	3.20E-02	mg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.5	—	—	3.20E-02	mg/L	E	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.5	—	—	3.20E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	52	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.4	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.6	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49.8	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	53.3	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	53.3	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.4	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.4	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	47.8	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.1	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	µg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.33	—	—	5.00E-02	µg/L	—	U	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2629	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.33	—	—	5.00E-02	µg/L	—	U	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2630	GELC
R-13	1741	958.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.1	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2627	GELC
R-13	1741	958.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.3	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-810	GELC
R-13	1741	958.3	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.7	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14534	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2629	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2628	GELC
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-811	GELC
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14532	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/10/09	WG	UF	CS	FD	Rad	LLEE	Tritium	<	0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	09-865	CAMO-09-2629	UMTL
R-13	1741	958.3	02/10/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-865	CAMO-09-2628	UMTL
R-13	1741	958.3	11/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.3193	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-811	UMTL
R-13	1741	958.3	08/14/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.41509	3.36E-01	3.48E+00	—	pCi/L	U	U	08-1687	CAMO-08-14532	ARSL
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1178	CAMO-08-12771	UMTL
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	—	pCi/L	U	U	08-653	CAMO-08-10443	UMTL
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	—	0.00000148	—	—	1.48E-06	µg/L	J	J	09-940	CAMO-09-2862	ALTC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.6	—	—	7.30E-01	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	61.5	—	—	7.30E-01	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.7	—	—	7.30E-01	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.1	—	—	3.00E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.2	—	—	3.00E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11	—	—	3.00E-02	mg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.68	—	—	6.60E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.63	—	—	6.60E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.72	—	—	6.60E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.24	—	—	3.30E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.156	—	—	3.30E-02	mg/L	—	J-	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.242	—	—	3.30E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42.8	—	—	3.50E-01	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.4	—	—	3.50E-01	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42.1	—	—	3.50E-01	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	43	—	—	3.50E-01	mg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41.4	—	—	3.50E-01	mg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.6	—	—	3.50E-01	mg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.46	—	—	8.50E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.35	—	—	8.50E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.43	—	—	8.50E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.43	—	—	8.50E-02	mg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.4	—	—	8.50E-02	mg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.43	—	—	8.50E-02	mg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.232	—	—	5.00E-02	mg/L	J	J	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.343	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.0356	—	—	1.00E-02	mg/L	J	J	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.268	—	—	5.00E-02	µg/L	—	J	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.306	—	—	5.00E-02	µg/L	—	J+	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.235	—	—	5.00E-02	µg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.05	—	—	5.00E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.13	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.23	—	—	5.00E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.11	—	—	5.00E-02	mg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.18	—	—	5.00E-02	mg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.29	—	—	5.00E-02	mg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11	—	—	4.50E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.2	—	—	4.50E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.1	—	—	4.50E-02	mg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	09-303	CAMO-09-791	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.1	—	—	4.50E-02	mg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	128	—	—	1.00E+00	µS/cm	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	129	—	—	1.00E+00	µS/cm	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	133	—	—	1.00E+00	µS/cm	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.03	—	—	1.00E-01	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.17	—	—	1.00E-01	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.19	—	—	1.00E-01	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	137	—	—	2.40E+00	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	144	—	—	2.40E+00	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	141	—	—	2.40E+00	mg/L	—	J	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.792	—	—	3.30E-01	mg/L	J	J	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.923	—	—	3.30E-01	mg/L	J	J	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.437	—	—	3.30E-01	mg/L	J	J	08-1730	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.071	—	—	2.40E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.0963	—	—	2.40E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.132	—	—	2.40E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.22	—	—	1.00E-02	SU	H	J-	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.33	—	—	1.00E-02	SU	H	J-	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.05	—	—	1.00E-02	SU	H	J-	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	44.8	—	—	1.00E+00	µg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	44.9	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	45.2	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	45.7	—	—	1.00E+00	µg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	46.6	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	50.8	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	19.5	—	—	1.00E+01	µg/L	J	J	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	12.4	—	—	1.00E+01	µg/L	J	J	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.4	—	—	1.00E+01	µg/L	J	J	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	20.5	—	—	1.00E+01	µg/L	J	J	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.7	—	—	1.00E+01	µg/L	J	J	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.1	—	—	1.50E+00	µg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	1.50E+00	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3	—	—	1.50E+00	µg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5	—	—	1.50E+00	µg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.4	—	—	1.50E+00	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.7	—	—	1.50E+00	µg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.1	—	—	2.00E+00	µg/L	J	J	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.1	—	—	2.00E+00	µg/L	J	J	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	µg/L	J	J	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.8	—	—	2.00E+00	µg/L	J	J	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.7	—	—	2.00E+00	µg/L	J	J	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	J	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	J	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	08-1731	CAMO-08-14506	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	81.6	—	—	3.20E-02	mg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	77.9	—	—	3.20E-02	mg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	79.6	—	—	3.20E-02	mg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59	—	—	1.00E+00	µg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.8	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.5	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.5	—	—	1.00E+00	µg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.8	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	60	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.32	—	—	3.00E-01	µg/L	J	J	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.97	—	—	5.00E-02	µg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.86	—	—	5.00E-02	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.96	—	—	5.00E-02	µg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.96	—	—	5.00E-02	µg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.87	—	—	5.00E-02	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.96	—	—	5.00E-02	µg/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.7	—	—	1.00E+00	µg/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	11/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.5	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-792	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	µg/L	—	—	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.9	—	—	1.00E+00	µg/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	11/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.5	—	—	1.00E+00	µg/L	—	—	09-303	CAMO-09-791	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.7	—	—	1.00E+00	µg/L	J	J	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0103	3.67E-03	5.40E-02	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000349	2.90E-03	2.90E-02	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00164	1.17E-03	5.50E-02	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00786	4.33E-03	3.30E-02	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	2.22	3.67E-01	4.20E+00	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.67	4.33E-01	4.80E+00	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.01	3.67E-01	3.90E+00	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.03	4.67E-01	3.80E+00	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.59	4.00E-01	4.30E+00	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.22	4.33E-01	4.50E+00	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.83	5.00E-01	4.10E+00	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.865	4.00E-01	3.50E+00	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	18	6.33E+00	2.80E+01	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	17.9	5.00E+00	2.80E+01	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	13.5	4.33E+00	3.10E+01	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	2.48	3.33E+00	1.30E+01	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.9	3.67E+00	3.50E+01	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-16.7	4.00E+00	3.30E+01	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.98	3.27E+00	3.40E+01	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.871	3.20E+00	3.10E+01	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0149	4.00E-03	4.20E-02	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00629	1.40E-03	2.90E-02	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0184	3.07E-03	3.30E-02	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00232	4.00E-03	3.20E-02	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0178	4.00E-03	6.00E-02	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0126	2.23E-03	3.60E-02	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00461	2.43E-03	4.60E-02	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00695	2.33E-03	4.00E-02	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-8.22	5.33E+00	5.50E+01	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-7.87	5.67E+00	5.20E+01	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-8.22	4.33E+00	4.40E+01	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-35.9	5.67E+00	5.10E+01	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	2.01	4.67E-01	5.10E+00	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.734	3.67E-01	3.40E+00	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.994	4.67E-01	4.80E+00	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.272	4.67E-01	4.40E+00	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0138	4.67E-02	4.80E-01	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.000686	3.33E-02	3.60E-01	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0236	4.33E-02	4.80E-01	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0684	4.00E-02	5.00E-01	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.565	1.60E-02	5.80E-02	—	pCi/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.533	2.13E-02	1.70E-01	—	pCi/L	—	J+	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.496	1.43E-02	5.60E-02	—	pCi/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.555	1.50E-02	6.40E-02	—	pCi/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0204	2.43E-03	2.70E-02	—	pCi/L	U	U	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0492	6.67E-03	9.10E-02	—	pCi/L	U	U	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0146	1.93E-03	2.60E-02	—	pCi/L	U	U	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0184	3.07E-03	3.40E-02	—	pCi/L	U	U	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.305	1.00E-02	3.40E-02	—	pCi/L	—	—	09-941	CAMO-09-2863	GELC
R-14	8571	1200.6	08/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.244	1.33E-02	9.00E-02	—	pCi/L	—	J+	08-1731	CAMO-08-14507	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.315	1.00E-02	3.40E-02	—	pCi/L	—	—	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.303	1.00E-02	3.30E-02	—	pCi/L	—	—	08-1731	CAMO-08-14506	GELC
R-14	8571	1200.6	02/18/09	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	4.19	—	—	2.20E+00	µg/L	J	J	09-941	CAMO-09-2862	GELC
R-14	8571	1200.6	08/20/08	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	10.1	—	—	2.00E+00	µg/L	U	UJ	08-1730	CAMO-08-14506	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.8	—	—	7.30E-01	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.6	—	—	7.30E-01	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.5	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.9	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	1.57	—	—	7.30E-01	mg/L	—	—	09-920	CAMO-09-2617	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.5	—	—	3.00E-02	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.1	—	—	3.00E-02	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.1	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.5	—	—	3.00E-02	mg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.9	—	—	3.00E-02	mg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.5	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.35	—	—	6.60E-02	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.29	—	—	6.60E-02	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.04	—	—	6.60E-02	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.01	—	—	6.60E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	53	—	—	3.50E-01	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	56.3	—	—	3.50E-01	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.3	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.7	—	—	3.50E-01	mg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	56.3	—	—	3.50E-01	mg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.4	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.1	—	—	8.50E-02	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.9	—	—	8.50E-02	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.8	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.86	—	—	8.50E-02	mg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.05	—	—	8.50E-02	mg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.8	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.01	—	—	1.00E-01	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.16	—	—	1.00E-01	mg/L	—	—	09-267	CAMO-09-797	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.21	—	—	1.00E-01	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.89	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.19	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.06	—	—	5.00E-01	µg/L	—	J	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.03	—	—	5.00E-01	µg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.6	—	—	5.00E-01	µg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	5.59	—	—	5.00E-01	µg/L	—	J+	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.81	—	—	5.00E-02	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.81	—	—	5.00E-02	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.75	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.7	—	—	5.00E-02	mg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.83	—	—	5.00E-02	mg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.79	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.1	—	—	4.50E-02	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.9	—	—	4.50E-02	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.97	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11	—	—	4.50E-02	mg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	151	—	—	1.00E+00	µS/cm	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	160	—	—	1.00E+00	µS/cm	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	150	—	—	1.00E+00	µS/cm	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	148	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance	—	1.27	—	—	1.00E+00	µS/cm	—	—	09-920	CAMO-09-2617	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.61	—	—	1.00E-01	mg/L	—	J	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.39	—	—	1.00E-01	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.97	—	—	1.00E-01	mg/L	—	J-	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.69	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.40E+00	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	141	—	—	2.40E+00	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	156	—	—	2.40E+00	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.02	—	—	1.00E-02	SU	H	J-	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.63	—	—	1.00E-02	SU	H	J-	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.23	—	—	1.00E-02	SU	H	J-	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	FB	Geninorg	EPA:150.1	pH	—	5.85	—	—	1.00E-02	SU	H	J-	09-920	CAMO-09-2617	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.4	—	—	1.50E+00	µg/L	J	J	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.7	—	—	1.50E+00	µg/L	J	U	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.5	—	—	1.50E+00	µg/L	J	J	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.6	—	—	1.50E+00	µg/L	J	U	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	27.6	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	30.4	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	27.8	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	28.5	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	31.1	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.8	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	9.6	—	—	1.50E+00	µg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	9.2	—	—	1.50E+00	µg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.8	—	—	1.50E+00	µg/L	—	—	09-262	CAMO-09-898	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	9.8	—	—	1.50E+00	µg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.5	—	—	1.50E+00	µg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.7	—	—	1.50E+00	µg/L	—	—	09-267	CAMO-09-798	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.5	—	—	1.50E+00	µg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	211	—	—	2.50E+01	µg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	155	—	—	2.50E+01	µg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	160	—	—	2.50E+01	µg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.6	—	—	2.00E+00	µg/L	J	J	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.8	—	—	2.00E+00	µg/L	J	J	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.1	—	—	2.00E+00	µg/L	J	J	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.97	—	—	1.00E-01	µg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.94	—	—	1.00E-01	µg/L	—	J	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.93	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.9	—	—	1.00E-01	µg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.94	—	—	1.00E-01	µg/L	—	J	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.92	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.9	—	—	5.00E-01	µg/L	J	J	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.88	—	—	5.00E-01	µg/L	J	J	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.61	—	—	5.00E-01	µg/L	J	J	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.74	—	—	5.00E-01	µg/L	J	J	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.6	—	—	3.20E-02	mg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.8	—	—	3.20E-02	mg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.6	—	—	3.20E-02	mg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.7	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	FB	Metals	SW-846:6010B	Silicon Dioxide	—	0.13	—	—	3.20E-02	mg/L	J	J	09-920	CAMO-09-2617	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	61	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	70.4	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	57.4	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	56.8	—	—	1.00E+00	µg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	71.2	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.1	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.35	—	—	5.00E-02	µg/L	—	—	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	µg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.35	—	—	5.00E-02	µg/L	—	U	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	µg/L	—	—	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	µg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.38	—	—	5.00E-02	µg/L	—	U	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.9	—	—	1.00E+00	µg/L	—	J	09-920	CAMO-09-2614	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.7	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.2	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.6	—	—	1.00E+00	µg/L	—	J	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.6	—	—	1.00E+00	µg/L	—	—	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.6	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	09-267	CAMO-09-797	GELC
R-15	1751	958.6	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	17.2	—	—	2.00E+00	µg/L	E	—	08-1698	CAMO-08-14540	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4	—	—	2.00E+00	µg/L	J	J	09-920	CAMO-09-2615	GELC
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	09-267	CAMO-09-798	GELC
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.8	—	—	2.00E+00	µg/L	EJ	J	08-1698	CAMO-08-14541	GELC
R-15	1751	958.6	02/17/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	37.83705	3.64E+00	7.02E+00	—	pCi/L	—	—	09-933	CAMO-09-2615	ARSL
R-15	1751	958.6	11/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	30.3335	3.19E-01	2.87E-01	—	pCi/L	—	—	09-264	CAMO-09-798	UMTL
R-15	1751	958.6	08/15/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	16.95483	9.61E-01	3.58E+00	—	pCi/L	—	U	08-1738	CAMO-08-14541	ARSL
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	27.55559	2.98E-01	2.87E-01	—	pCi/L	—	—	08-1194	CAMO-08-12753	UMTL

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	27.7791	3.09E-01	2.87E-01	—	pCi/L	—	—	08-701	CAMO-08-10434	UMTL
R-16	541	866.1	02/03/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0961	—	—	5.00E-02	µg/L	J	J	09-801	CAMO-09-2639	GELC
R-16	541	866.1	11/03/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0692	—	—	5.00E-02	µg/L	J	J	09-207	CAMO-09-822	GELC
R-16	541	866.1	08/12/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0704	—	—	5.00E-02	µg/L	J	J	08-1657	CAMO-08-14843	GELC
R-16	541	866.1	02/03/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-802	CAMO-09-2637	UMTL
R-16	541	866.1	11/03/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-820	UMTL
R-16	541	866.1	08/12/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	1.34106	3.48E-01	3.38E+00	—	pCi/L	U	U	08-1660	CAMO-08-14842	ARSL
R-16	541	866.1	05/13/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1149	CAMO-08-12783	UMTL
R-16	541	866.1	02/13/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.25544	9.58E-02	2.87E-01	—	pCi/L	U	U	08-656	CAMO-08-10469	UMTL
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	19.9	—	—	7.30E-01	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	18	—	—	7.30E-01	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	21	—	—	7.30E-01	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	16.6	—	—	7.30E-01	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	14.4	—	—	7.30E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	93.6	—	—	7.30E-01	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.1	—	—	7.30E-01	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	96.6	—	—	7.30E-01	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.2	—	—	7.30E-01	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	95.4	—	—	7.30E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	09-801	CAMO-09-2624	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.5	—	—	3.00E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.7	—	—	3.00E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	23.6	—	—	3.00E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.8	—	—	3.00E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.9	—	—	3.00E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	EQB	Geninorg	SW-846:6010B	Calcium	—	0.0634	—	—	3.00E-02	mg/L	J	J	09-801	CAMO-09-2624	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.8	—	—	3.00E-02	mg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.4	—	—	3.00E-02	mg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.1	—	—	3.00E-02	mg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.2	—	—	3.00E-02	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.4	—	—	3.00E-02	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.41	—	—	6.60E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.14	—	—	6.60E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.33	—	—	6.60E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.423	—	—	3.30E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.426	—	—	3.30E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.423	—	—	3.30E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.423	—	—	3.30E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.435	—	—	3.30E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	66	—	—	3.50E-01	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	66.8	—	—	3.50E-01	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	63.8	—	—	3.50E-01	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	67.1	—	—	4.30E-01	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	67.7	—	—	4.30E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	66.6	—	—	3.50E-01	mg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	66	—	—	3.50E-01	mg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	65.6	—	—	3.50E-01	mg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	65.8	—	—	4.30E-01	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	69.1	—	—	4.30E-01	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.16	—	—	8.50E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.28	—	—	8.50E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.22	—	—	8.50E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.26	—	—	8.50E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.35	—	—	8.50E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.16	—	—	8.50E-02	mg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.23	—	—	8.50E-02	mg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.3	—	—	8.50E-02	mg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.32	—	—	8.50E-02	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.41	—	—	8.50E-02	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.288	—	—	5.00E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.276	—	—	5.00E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.0616	—	—	1.00E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.346	—	—	5.00E-02	mg/L	—	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.293	—	—	5.00E-02	µg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.327	—	—	5.00E-02	µg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.322	—	—	5.00E-02	µg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.326	—	—	5.00E-02	µg/L	—	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.24	—	—	5.00E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.22	—	—	5.00E-02	mg/L	E	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.31	—	—	5.00E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	<	3.3	—	—	5.00E-02	mg/L	—	U	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.35	—	—	5.00E-02	mg/L	E	J	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.3	—	—	5.00E-02	mg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.18	—	—	5.00E-02	mg/L	E	J	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.41	—	—	5.00E-02	mg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	<	3.33	—	—	5.00E-02	mg/L	—	U	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.3	—	—	5.00E-02	mg/L	E	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.7	—	—	4.50E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.1	—	—	4.50E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.1	—	—	4.50E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.8	—	—	4.50E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.3	—	—	4.50E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	EQB	Geninorg	SW-846:6010B	Sodium	—	0.223	—	—	4.50E-02	mg/L	—	—	09-801	CAMO-09-2624	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.7	—	—	4.50E-02	mg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15	—	—	4.50E-02	mg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.5	—	—	4.50E-02	mg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.5	—	—	4.50E-02	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.7	—	—	4.50E-02	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	193	—	—	1.00E+00	µS/cm	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	196	—	—	1.00E+00	µS/cm	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	204	—	—	1.00E+00	µS/cm	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	200	—	—	1.00E+00	µS/cm	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	196	—	—	1.00E+00	µS/cm	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	1.82	—	—	1.00E+00	µS/cm	—	—	09-801	CAMO-09-2624	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.29	—	—	1.00E-01	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.15	—	—	1.00E-01	mg/L	—	J-	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.31	—	—	1.00E-01	mg/L	—	J-	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.22	—	—	1.00E-01	mg/L	—	J-	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.34	—	—	1.00E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	J	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	135	—	—	2.40E+00	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.40E+00	mg/L	—	J	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.40E+00	mg/L	—	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.40E+00	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.681	—	—	3.30E-01	mg/L	J	J	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.06	—	—	3.30E-01	mg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.733	—	—	3.30E-01	mg/L	J	J	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.363	—	—	3.30E-01	mg/L	J	U	08-1148	CAMO-08-12763	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.471	—	—	3.30E-01	mg/L	J	J	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.089	—	—	2.40E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.12	—	—	2.40E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.128	—	—	2.40E-02	mg/L	—	U	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.128	—	—	2.40E-02	mg/L	—	U	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	9.14	—	—	1.00E-02	SU	H	J-	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	9.14	—	—	1.00E-02	SU	H	J-	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.7	—	—	1.00E-02	SU	H	J-	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.98	—	—	1.00E-02	SU	H	J-	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.93	—	—	1.00E-02	SU	H	J-	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.66	—	—	1.00E-02	SU	H	J-	09-801	CAMO-09-2624	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	61.2	—	—	1.00E+00	µg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	60.1	—	—	1.00E+00	µg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	67	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.8	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	65	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	63.5	—	—	1.00E+00	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	63.6	—	—	1.00E+00	µg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	67.8	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	62.7	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	62.8	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.9	—	—	1.50E+00	µg/L	J	J	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3	—	—	1.50E+00	µg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.3	—	—	1.50E+00	µg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.6	—	—	2.50E+00	µg/L	J	J	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.4	—	—	1.50E+00	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.5	—	—	1.50E+00	µg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.1	—	—	1.50E+00	µg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.3	—	—	2.50E+00	µg/L	J	J	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6	—	—	2.50E+00	µg/L	J	J	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2	—	—	2.00E+00	µg/L	J	J	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	J	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.3	—	—	1.00E-01	µg/L	—	U	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	J	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.4	—	—	1.00E-01	µg/L	—	U	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.8	—	—	1.00E-01	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.68	—	—	5.00E-01	µg/L	J	U	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.67	—	—	5.00E-01	µg/L	J	J	08-618	CAMO-08-10437	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4	—	—	5.00E-01	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	1.1	—	—	5.00E-01	µg/L	J	U	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.84	—	—	5.00E-01	µg/L	J	J	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.5	—	—	3.20E-02	mg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.5	—	—	3.20E-02	mg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.4	—	—	3.20E-02	mg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.9	—	—	3.20E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.4	—	—	3.20E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.049	—	—	3.20E-02	mg/L	J	J	09-801	CAMO-09-2624	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	263	—	—	1.00E+00	µg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	266	—	—	1.00E+00	µg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	263	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	265	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	276	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	267	—	—	1.00E+00	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	266	—	—	1.00E+00	µg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	271	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	260	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	279	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.6	—	—	5.00E-02	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.6	—	—	5.00E-02	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11.1	—	—	1.00E+00	µg/L	—	—	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.4	—	—	1.00E+00	µg/L	—	—	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	12.6	—	—	1.00E+00	µg/L	—	U	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11.8	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.7	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.2	—	—	1.00E+00	µg/L	—	—	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.6	—	—	1.00E+00	µg/L	—	—	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	13.4	—	—	1.00E+00	µg/L	—	U	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.9	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.8	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	µg/L	J	J	09-801	CAMO-09-2622	GELC
R-16	591	1018.4	11/06/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.7	—	—	2.00E+00	µg/L	J	J	09-234	CAMO-09-806	GELC
R-16	591	1018.4	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	6.1	—	—	2.00E+00	µg/L	J	J	08-1637	CAMO-08-14520	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.6	—	—	2.00E+00	µg/L	J	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12.1	—	—	2.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.9	—	—	2.00E+00	µg/L	J	J	09-801	CAMO-09-2623	GELC
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.8	—	—	2.00E+00	µg/L	J	J	09-234	CAMO-09-805	GELC
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11	—	—	2.00E+00	µg/L	—	—	08-1637	CAMO-08-14521	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.7	—	—	2.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11.6	—	—	2.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	02/03/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-802	CAMO-09-2623	UMTL
R-16	591	1018.4	11/06/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-805	UMTL
R-16	591	1018.4	08/11/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.38316	3.20E-01	3.22E+00	—	pCi/L	U	U	08-1640	CAMO-08-14521	ARSL
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1149	CAMO-08-12763	UMTL

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.57474	7.98E-01	4.09E+00	—	pCi/L	U	U	08-617	CAMO-08-10438	ARSL
R-16	641	1238	02/03/09	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.314	—	—	3.00E-02	mg/L	—	J-	09-801	CAMO-09-2640	GELC
R-16	641	1238	11/03/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.339	—	—	3.00E-02	mg/L	—	—	09-207	CAMO-09-824	GELC
R-16	641	1238	08/12/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.344	—	—	3.00E-02	mg/L	—	—	08-1657	CAMO-08-14844	GELC
R-16	641	1238	02/03/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.348	—	—	2.90E-02	mg/L	—	—	09-801	CAMO-09-2641	GELC
R-16	641	1238	11/03/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.342	—	—	2.90E-02	mg/L	—	J	09-207	CAMO-09-823	GELC
R-16	641	1238	08/12/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.319	—	—	2.90E-02	mg/L	—	—	08-1657	CAMO-08-14845	GELC
R-16	641	1238	02/03/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.06386	9.58E-02	2.87E-01	—	pCi/L	U	U	09-802	CAMO-09-2641	UMTL
R-16	641	1238	11/03/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.51088	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-823	UMTL
R-16	641	1238	08/12/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.44702	3.53E-01	3.58E+00	—	pCi/L	U	U	08-1660	CAMO-08-14845	ARSL
R-16	641	1238	05/12/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.28737	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1136	CAMO-08-12809	UMTL
R-16	641	1238	02/12/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.57474	8.09E-01	4.12E+00	—	pCi/L	U	U	08-617	CAMO-08-10470	ARSL
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	1.05	—	—	7.30E-01	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	<	1	—	—	7.30E-01	mg/L	U	U	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	<	1	—	—	7.30E-01	mg/L	U	U	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	<	1	—	—	7.30E-01	mg/L	U	U	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.4	—	—	7.30E-01	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	79.5	—	—	7.30E-01	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.2	—	—	7.30E-01	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.8	—	—	7.30E-01	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.9	—	—	7.30E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	09-903	CAMO-09-3027	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	19.3	—	—	3.00E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.4	—	—	3.00E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.7	—	—	3.00E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.3	—	—	3.00E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.8	—	—	3.00E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	19.6	—	—	3.00E-02	mg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.2	—	—	3.00E-02	mg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18	—	—	3.00E-02	mg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.6	—	—	3.00E-02	mg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20	—	—	3.00E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	2.41	—	—	6.60E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.4	—	—	6.60E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.23	—	—	6.60E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.31	—	—	6.60E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.36	—	—	6.60E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.422	—	—	3.30E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.435	—	—	3.30E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.531	—	—	3.30E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.426	—	—	3.30E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.426	—	—	3.30E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	51.2	—	—	3.50E-01	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	51.3	—	—	3.50E-01	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47	—	—	3.50E-01	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	51.4	—	—	3.50E-01	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	52.6	—	—	3.50E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	52	—	—	3.50E-01	mg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	51	—	—	3.50E-01	mg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	47.9	—	—	3.50E-01	mg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	52.3	—	—	3.50E-01	mg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.3	—	—	3.50E-01	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	0.721	—	—	8.50E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.724	—	—	8.50E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.707	—	—	8.50E-02	mg/L	—	—	09-216	CAMO-09-802	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.79	—	—	8.50E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.798	—	—	8.50E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	0.729	—	—	8.50E-02	mg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.743	—	—	8.50E-02	mg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.732	—	—	8.50E-02	mg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.826	—	—	8.50E-02	mg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.816	—	—	8.50E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.409	—	—	5.00E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.401	—	—	5.00E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.496	—	—	5.00E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.0973	—	—	1.00E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.58	—	—	5.00E-02	mg/L	—	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.42	—	—	5.00E-02	mg/L	—	J-	08-594	CAMO-08-10459	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.348	—	—	5.00E-02	µg/L	—	J	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.383	—	—	5.00E-02	µg/L	—	J	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.397	—	—	5.00E-02	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.388	—	—	5.00E-02	µg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.398	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	2.22	—	—	5.00E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.3	—	—	5.00E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.93	—	—	5.00E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.4	—	—	5.00E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.23	—	—	5.00E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	2.37	—	—	5.00E-02	mg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.23	—	—	5.00E-02	mg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.96	—	—	5.00E-02	mg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.48	—	—	5.00E-02	mg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.23	—	—	5.00E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	16.5	—	—	4.50E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17	—	—	4.50E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.4	—	—	4.50E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.5	—	—	4.50E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.8	—	—	4.50E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	17.5	—	—	4.50E-02	mg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.6	—	—	4.50E-02	mg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.7	—	—	4.50E-02	mg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.7	—	—	4.50E-02	mg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.9	—	—	4.50E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	175	—	—	1.00E+00	µS/cm	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	173	—	—	1.00E+00	µS/cm	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	178	—	—	1.00E+00	µS/cm	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	180	—	—	1.00E+00	µS/cm	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	174	—	—	1.00E+00	µS/cm	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance	—	1.46	—	—	1.00E+00	µS/cm	—	—	09-903	CAMO-09-3027	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	4.37	—	—	1.00E-01	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.39	—	—	1.00E-01	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.19	—	—	1.00E-01	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.29	—	—	1.00E-01	mg/L	—	J-	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.42	—	—	1.00E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	127	—	—	2.40E+00	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	121	—	—	2.40E+00	mg/L	—	J	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	J	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FB	Geninorg	EPA:160.1	Total Dissolved Solids	—	4	—	—	2.40E+00	mg/L	J	J	09-903	CAMO-09-3027	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	6341	600	02/13/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.3	—	—	1.00E-02	SU	H	J-	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.28	—	—	1.00E-02	SU	H	J-	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.19	—	—	1.00E-02	SU	H	J-	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J-	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.28	—	—	1.00E-02	SU	H	J-	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FB	Geninorg	EPA:150.1	pH	—	6.55	—	—	1.00E-02	SU	H	J-	09-903	CAMO-09-3027	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	66.2	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	66.2	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	58.7	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	64.5	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.4	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	66.9	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	65.7	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	59.4	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	65.6	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	63.6	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	4.6	—	—	1.50E+00	µg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.9	—	—	1.50E+00	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.6	—	—	1.50E+00	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.4	—	—	1.50E+00	µg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	9.4	—	—	2.50E+00	µg/L	J	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	—	5.1	—	—	1.50E+00	µg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.4	—	—	1.50E+00	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.8	—	—	1.50E+00	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.4	—	—	1.50E+00	µg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	10	—	—	2.50E+00	µg/L	J	J	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.4	—	—	1.00E-01	µg/L	—	U	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.2	—	—	1.00E-01	µg/L	—	U	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.3	—	—	1.00E-01	µg/L	—	U	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.1	—	—	1.00E-01	µg/L	—	U	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	1.8	—	—	5.00E-01	µg/L	J	U	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2.1	—	—	5.00E-01	µg/L	—	U	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.8	—	—	5.00E-01	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	1.8	—	—	5.00E-01	µg/L	J	U	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.3	—	—	5.00E-01	µg/L	—	U	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	41.7	—	—	3.20E-02	mg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.6	—	—	3.20E-02	mg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	37.1	—	—	3.20E-02	mg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.9	—	—	3.20E-02	mg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.3	—	—	3.20E-02	mg/L	N	J-	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	184	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	190	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	171	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	185	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14515	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	185	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	196	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	186	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	175	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	188	—	—	1.00E+00	µg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	186	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.39	—	—	3.00E-01	µg/L	J	J	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.57	—	—	3.00E-01	µg/L	J	J	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.42	—	—	3.00E-01	µg/L	J	J	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.32	—	—	3.00E-01	µg/L	J	U	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	13.8	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2620	GELC
R-16r	6341	600	02/13/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	13.3	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2618	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11.9	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	15.3	—	—	1.00E+00	µg/L	—	J	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	14.9	—	—	1.00E+00	µg/L	—	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	13.8	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	13.7	—	—	1.00E+00	µg/L	—	—	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.3	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	16.3	—	—	1.00E+00	µg/L	—	J	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	14.8	—	—	1.00E+00	µg/L	—	J	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	8.9	—	—	2.00E+00	µg/L	J	J	09-216	CAMO-09-802	GELC
R-16r	6341	600	08/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12.7	—	—	2.00E+00	µg/L	—	—	08-1637	CAMO-08-14515	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	11.5	—	—	2.00E+00	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	11.1	—	—	2.00E+00	µg/L	—	J	09-903	CAMO-09-2621	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11.5	—	—	2.00E+00	µg/L	—	J	09-903	CAMO-09-2619	GELC
R-16r	6341	600	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11.2	—	—	2.00E+00	µg/L	—	—	09-216	CAMO-09-801	GELC
R-16r	6341	600	08/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	13.4	—	—	2.00E+00	µg/L	—	—	08-1637	CAMO-08-14516	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.4	—	—	2.00E+00	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/13/09	WG	UF	CS	FD	Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01	—	pCi/L	U	U	09-916	CAMO-09-2621	UMTL
R-16r	6341	600	02/13/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	09-916	CAMO-09-2619	UMTL
R-16r	6341	600	11/04/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.06386	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-801	UMTL
R-16r	6341	600	08/11/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.25544	3.20E-01	3.29E+00	—	pCi/L	U	U	08-1640	CAMO-08-14516	ARSL
R-16r	6341	600	05/19/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1178	CAMO-08-12759	UMTL
R-16r	6341	600	02/06/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	6.817055	1.00E+00	3.46E+00	—	pCi/L	—	U	08-595	CAMO-08-10465	ARSL
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.9	—	—	7.30E-01	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.5	—	—	7.30E-01	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.5	—	—	7.30E-01	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.7	—	—	7.30E-01	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.5	—	—	7.30E-01	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	1.57	—	—	7.30E-01	mg/L	—	—	09-942	CAMO-09-2634	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	11.9	—	—	3.00E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	11.5	—	—	3.00E-02	mg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.00E-02	mg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	1.87	—	—	6.60E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.82	—	—	6.60E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.68	—	—	6.60E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.83	—	—	6.60E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.91	—	—	6.60E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.305	—	—	3.30E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.32	—	—	3.30E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.29	—	—	3.30E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.277	—	—	3.30E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.269	—	—	3.30E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	42.8	—	—	3.50E-01	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42	—	—	3.50E-01	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.7	—	—	3.50E-01	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41	—	—	3.50E-01	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	41	—	—	3.50E-01	mg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41	—	—	3.50E-01	mg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.4	—	—	3.50E-01	mg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.16	—	—	8.50E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.14	—	—	8.50E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.09	—	—	8.50E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.02	—	—	8.50E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3	—	—	8.50E-02	mg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.04	—	—	8.50E-02	mg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.18	—	—	8.50E-02	mg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.321	—	—	5.00E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.313	—	—	5.00E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.341	—	—	5.00E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.063	—	—	1.00E-02	mg/L	—	U	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.332	—	—	1.00E-02	mg/L	—	J	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.493	—	—	1.00E-01	mg/L	J	J-	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.269	—	—	5.00E-02	µg/L	—	J	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.266	—	—	5.00E-02	µg/L	—	J	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.282	—	—	5.00E-02	µg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.274	—	—	5.00E-02	µg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.285	—	—	5.00E-02	µg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.66	—	—	5.00E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.62	—	—	5.00E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.68	—	—	5.00E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.69	—	—	5.00E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.59	—	—	5.00E-02	mg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.6	—	—	5.00E-02	mg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.73	—	—	5.00E-02	mg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.83	—	—	4.50E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.9	—	—	4.50E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.92	—	—	4.50E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	9.76	—	—	4.50E-02	mg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.68	—	—	4.50E-02	mg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.98	—	—	4.50E-02	mg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	125	—	—	1.00E+00	µS/cm	—	—	09-942	CAMO-09-3029	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	123	—	—	1.00E+00	µS/cm	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	130	—	—	1.00E+00	µS/cm	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	124	—	—	1.00E+00	µS/cm	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance	—	1.35	—	—	1.00E+00	µS/cm	—	—	09-942	CAMO-09-2634	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	2.13	—	—	1.00E-01	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.96	—	—	1.00E-01	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.94	—	—	1.00E-01	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.08	—	—	1.00E-01	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.05	—	—	1.00E-01	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	127	—	—	2.40E+00	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	126	—	—	2.40E+00	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	J	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	122	—	—	2.40E+00	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FB	Geninorg	SW-846:9060	Total Organic Carbon	—	0.342	—	—	3.30E-01	mg/L	J	J	09-942	CAMO-09-2634	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.341	—	—	3.30E-01	mg/L	J	J	09-245	CAMO-09-814	GELC
R-21	1761	888.8	08/14/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.641	—	—	3.30E-01	mg/L	J	J	08-1692	CAMO-08-14524	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.07	—	—	1.00E-02	SU	H	J-	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J-	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.91	—	—	1.00E-02	SU	H	J-	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.08	—	—	1.00E-02	SU	H	J-	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FB	Geninorg	EPA:150.1	pH	—	5.83	—	—	1.00E-02	SU	H	J-	09-942	CAMO-09-2634	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	13.9	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.8	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.9	—	—	1.00E+00	µg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.7	—	—	1.00E+00	µg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	13.5	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.6	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.2	—	—	1.00E+00	µg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	—	5.8	—	—	2.00E+00	µg/L	J	J	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.7	—	—	2.00E+00	µg/L	J	J	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.5	—	—	2.00E+00	µg/L	J	J	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	8.7	—	—	2.00E+00	µg/L	J	J	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	5.4	—	—	2.00E+00	µg/L	J	J	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.5	—	—	2.00E+00	µg/L	J	J	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.5	—	—	2.00E+00	µg/L	J	J	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	µg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	8.3	—	—	5.00E-01	µg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.58	—	—	5.00E-01	µg/L	J	J	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.61	—	—	5.00E-01	µg/L	J	J	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	0.51	—	—	5.00E-01	µg/L	J	J	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.59	—	—	5.00E-01	µg/L	J	J	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.54	—	—	5.00E-01	µg/L	J	J	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	73.3	—	—	3.20E-02	mg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	73.1	—	—	3.20E-02	mg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.4	—	—	3.20E-02	mg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.8	—	—	3.20E-02	mg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	64.3	—	—	3.20E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	45.6	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	44.4	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	44.2	—	—	1.00E+00	µg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	44	—	—	1.00E+00	µg/L	—	—	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	44	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	43.7	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	44.7	—	—	1.00E+00	µg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-245	CAMO-09-816	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6020	Thallium	—	0.4	—	—	3.00E-01	µg/L	J	J	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.59	—	—	3.00E-01	µg/L	J	U	09-245	CAMO-09-814	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	µg/L	—	—	09-245	CAMO-09-816	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.32	—	—	5.00E-02	µg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.32	—	—	5.00E-02	µg/L	—	U	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.33	—	—	5.00E-02	µg/L	—	—	09-245	CAMO-09-814	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-3029	GELC
R-21	1761	888.8	02/18/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-2632	GELC
R-21	1761	888.8	11/07/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.9	—	—	1.00E+00	µg/L	J	J	09-245	CAMO-09-816	GELC
R-21	1761	888.8	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	6	—	—	1.00E+00	µg/L	—	U	08-1692	CAMO-08-14525	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-3030	GELC
R-21	1761	888.8	02/18/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	09-942	CAMO-09-2631	GELC
R-21	1761	888.8	11/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.8	—	—	1.00E+00	µg/L	J	J	09-245	CAMO-09-814	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69.5	—	—	7.30E-01	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.7	—	—	7.30E-01	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.9	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69	—	—	7.30E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	70.7	—	—	7.30E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.232	—	—	6.70E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.113	—	—	6.70E-02	mg/L	J	J	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.191	—	—	6.70E-02	mg/L	J	J-	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.197	—	—	6.70E-02	mg/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.186	—	—	6.70E-02	mg/L	J	J+	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	44.3	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.8	—	—	3.00E-02	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	38.3	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.6	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.5	—	—	3.00E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.9	—	—	3.00E-02	mg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	40	—	—	3.00E-02	mg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	37.4	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	41.4	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.4	—	—	3.00E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	31.7	—	—	1.30E-01	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	28.7	—	—	6.60E-01	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	27.5	—	—	3.30E-01	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	27.8	—	—	3.30E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	30.1	—	—	1.30E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.361	—	—	3.30E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.302	—	—	3.30E-02	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.347	—	—	3.30E-02	mg/L	—	J-	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.321	—	—	3.30E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.327	—	—	3.30E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	157	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	151	—	—	3.50E-01	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	136	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14542	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	144	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	150	—	—	4.30E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	153	—	—	3.50E-01	mg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	141	—	—	3.50E-01	mg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	133	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	146	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	149	—	—	4.30E-01	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.3	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.8	—	—	8.50E-02	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.92	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.4	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.6	—	—	8.50E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11	—	—	8.50E-02	mg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.95	—	—	8.50E-02	mg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.56	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.3	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.5	—	—	8.50E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.3	—	—	1.00E-01	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.64	—	—	1.00E-01	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.45	—	—	2.50E-01	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.85	—	—	1.00E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4	—	—	1.00E-01	mg/L	—	J-	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.921	—	—	5.00E-02	µg/L	—	J	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.01	—	—	1.00E-01	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.967	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.893	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.982	—	—	1.00E-01	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.85	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.78	—	—	5.00E-02	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.68	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.76	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.83	—	—	5.00E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.76	—	—	5.00E-02	mg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.69	—	—	5.00E-02	mg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.75	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.83	—	—	5.00E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.9	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.8	—	—	4.50E-02	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.3	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.1	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.4	—	—	4.50E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16	—	—	4.50E-02	mg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.4	—	—	4.50E-02	mg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.9	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.3	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.4	—	—	4.50E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	378	—	—	1.00E+00	µS/cm	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	385	—	—	1.00E+00	µS/cm	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	373	—	—	1.00E+00	µS/cm	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	370	—	—	1.00E+00	µS/cm	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	336	—	—	1.00E+00	µS/cm	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	46.3	—	—	2.00E-01	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	46.3	—	—	1.00E+00	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.5	—	—	5.00E-01	mg/L	—	J-	08-1698	CAMO-08-14542	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.9	—	—	5.00E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	43.2	—	—	2.00E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	287	—	—	2.40E+00	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	278	—	—	2.40E+00	mg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	294	—	—	2.40E+00	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	270	—	—	2.40E+00	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	271	—	—	2.40E+00	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.032	—	—	2.90E-02	mg/L	J	J	09-863	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.034	—	—	2.90E-02	mg/L	J	J-	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-1696	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.22	—	—	2.90E-02	mg/L	—	U	08-1155	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.142	—	—	2.90E-02	mg/L	—	U	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.489	—	—	3.30E-01	mg/L	J	J	09-863	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.691	—	—	3.30E-01	mg/L	J	J	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.798	—	—	3.30E-01	mg/L	J	J	08-1696	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.52	—	—	3.30E-01	mg/L	J	J	08-1155	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.574	—	—	3.30E-01	mg/L	J	J	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.186	—	—	2.40E-02	mg/L	—	J	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.026	—	—	2.40E-02	mg/L	J	J-	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.036	—	—	2.40E-02	mg/L	J	U	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.044	—	—	2.40E-02	mg/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J-	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.91	—	—	1.00E-02	SU	H	J-	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J-	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.87	—	—	1.00E-02	SU	H	J-	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J-	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	67.5	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.2	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	57.1	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	61.3	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	63.5	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	64.3	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	59.9	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	56.9	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	60.6	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	63.3	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	17.1	—	—	1.00E+01	µg/L	J	J	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	25.4	—	—	1.00E+01	µg/L	J	J	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	17.5	—	—	1.00E+01	µg/L	J	J	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.1	—	—	1.00E+01	µg/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	24.2	—	—	1.00E+01	µg/L	J	J	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	16.2	—	—	1.00E+01	µg/L	J	J	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.9	—	—	1.00E+01	µg/L	J	J	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	18.3	—	—	1.00E+01	µg/L	J	J	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	15.2	—	—	1.00E+01	µg/L	J	J	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.6	—	—	1.00E+01	µg/L	J	J	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	380	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	468	—	—	1.50E+01	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	373	—	—	1.50E+00	µg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	438	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	419	—	—	1.30E+01	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	372	—	—	1.50E+00	µg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	490	—	—	1.50E+01	µg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	322	—	—	1.50E+00	µg/L	—	—	08-1698	CAMO-08-14543	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	381	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	381	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	05/14/08	WG	UF	DUP	—	Metals	SW-846:6020	Chromium	—	412	—	—	2.50E+00	µg/L	—	—	08-1155	CAMO-08-12768	GELC
R-28	1781	934.3	05/14/08	WG	UF	RE	—	Metals	SW-846:6020	Chromium	—	393	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	391	—	—	1.30E+01	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	38.7	—	—	2.50E+01	µg/L	J	J	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	49.1	—	—	2.50E+01	µg/L	J	J	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	71.9	—	—	2.50E+01	µg/L	J	J	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	18.2	—	—	5.00E-01	µg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	17.7	—	—	5.00E-01	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	12.1	—	—	5.00E-01	µg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	11.9	—	—	5.00E-01	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	11.6	—	—	5.00E-01	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	18.8	—	—	5.00E-01	µg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	18.1	—	—	5.00E-01	µg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	11.5	—	—	5.00E-01	µg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	11	—	—	5.00E-01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	15.9	—	—	5.00E-01	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	79.1	—	—	3.20E-02	mg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	75	—	—	3.20E-02	mg/L	—	J-	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.8	—	—	3.20E-02	mg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.6	—	—	3.20E-02	mg/L	E	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	77.6	—	—	3.20E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	174	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	157	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	150	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	152	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	167	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	165	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	153	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	143	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	155	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	167	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	09-864	CAMO-09-2625	GELC
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.94	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2626	GELC
R-28	1781	934.3	11/10/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.1	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-809	GELC
R-28	1781	934.3	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14542	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.2	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	09-864	CAMO-09-2625	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.7	—	—	1.00E+00	µg/L	—	—	09-257	CAMO-09-808	GELC
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14543	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	02/10/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	233.59988	2.04E+01	6.83E+00	—	pCi/L	—	—	09-867	CAMO-09-2625	ARSL
R-28	1781	934.3	11/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	194.64528	2.13E+00	2.87E-01	—	pCi/L	—	—	09-264	CAMO-09-808	UMTL
R-28	1781	934.3	08/15/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	200.313	1.98E+01	1.89E+02	—	pCi/L	—	—	08-1738	CAMO-08-14543	ARSL
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	186.1519	2.13E+00	2.87E-01	—	pCi/L	—	—	08-1178	CAMO-08-12768	UMTL
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	204.9906	2.24E+00	2.87E-01	—	pCi/L	—	—	08-657	CAMO-08-10442	UMTL
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.7	—	—	7.30E-01	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.4	—	—	7.30E-01	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.5	—	—	7.30E-01	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.1	—	—	7.30E-01	mg/L	—	J	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/16/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.8	—	—	7.25E-01	mg/L	—	—	156396	GF0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.8	—	—	3.00E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.5	—	—	3.00E-02	mg/L	—	J+	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.00E-02	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.6	—	—	3.00E-02	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.3	—	—	3.00E-02	mg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.3	—	—	3.00E-02	mg/L	—	J+	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.00E-02	mg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.6	—	—	3.00E-02	mg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.41	—	—	6.60E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.28	—	—	6.60E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.33	—	—	6.60E-02	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.2	—	—	6.60E-02	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/16/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.31	—	—	5.30E-02	mg/L	—	—	156396	GF0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.278	—	—	3.30E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.292	—	—	3.30E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.254	—	—	3.30E-02	mg/L	—	J-	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.226	—	—	3.30E-02	mg/L	—	J-	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/16/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.289	—	—	3.00E-02	mg/L	—	—	156396	GF0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.5	—	—	3.50E-01	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47.7	—	—	3.50E-01	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.2	—	—	3.50E-01	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.4	—	—	4.30E-01	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	43.6	—	—	4.25E-01	mg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	47.6	—	—	3.50E-01	mg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	47.4	—	—	3.50E-01	mg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	45.4	—	—	3.50E-01	mg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.3	—	—	4.30E-01	mg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.9	—	—	8.50E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.98	—	—	8.50E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.89	—	—	8.50E-02	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.38	—	—	8.50E-02	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.7	—	—	8.50E-02	mg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.12	—	—	8.50E-02	mg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.04	—	—	8.50E-02	mg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.91	—	—	8.50E-02	mg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.34	—	—	8.50E-02	mg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.487	—	—	5.00E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.575	—	—	5.00E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.615	—	—	5.00E-02	mg/L	—	J	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.715	—	—	5.00E-02	mg/L	—	J	08-141	CASA-08-8076	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.905	—	—	5.00E-02	mg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.363	—	—	5.00E-02	µg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.409	—	—	5.00E-02	µg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.361	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.446	—	—	5.00E-02	µg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.428	—	—	5.00E-02	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.44	—	—	5.00E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.62	—	—	5.00E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.59	—	—	5.00E-02	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.45	—	—	5.00E-02	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.64	—	—	5.00E-02	mg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.52	—	—	5.00E-02	mg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.6	—	—	5.00E-02	mg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.61	—	—	5.00E-02	mg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.55	—	—	5.00E-02	mg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/16/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	79.6	—	—	3.20E-02	mg/L	—	—	156396	GF0602G33R101	GELC
R-33	5491	995.5	02/16/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	80.6	—	—	3.20E-02	mg/L	—	—	156396	GU0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.5	—	—	4.50E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11	—	—	4.50E-02	mg/L	—	J	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12	—	—	4.50E-02	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.2	—	—	4.50E-02	mg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.9	—	—	4.50E-02	mg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.7	—	—	4.50E-02	mg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.2	—	—	4.50E-02	mg/L	—	J	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12	—	—	4.50E-02	mg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	137	—	—	1.00E+00	µS/cm	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	144	—	—	1.00E+00	µS/cm	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	145	—	—	1.00E+00	µS/cm	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	µS/cm	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.12	—	—	1.00E-01	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.16	—	—	1.00E-01	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.15	—	—	1.00E-01	mg/L	—	J-	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.14	—	—	1.00E-01	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/16/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.73	—	—	5.70E-02	mg/L	—	—	156396	GF0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.40E+00	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	J	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	140	—	—	2.40E+00	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/16/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.38E+00	mg/L	—	—	156396	GF0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.15	—	—	3.30E-01	mg/L	—	—	09-966	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.929	—	—	3.30E-01	mg/L	J	J	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.26	—	—	3.30E-01	mg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.17	—	—	7.40E-02	mg/L	—	—	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.255	—	—	7.40E-02	mg/L	—	JN-	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.035	—	—	2.40E-02	mg/L	J	J	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.14	—	—	2.40E-02	mg/L	—	J-	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.068	—	—	2.40E-02	mg/L	—	U	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.034	—	—	2.40E-02	mg/L	J	J	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.053	—	—	2.40E-02	mg/L	—	U	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.79	—	—	1.00E-02	SU	H	J-	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.79	—	—	1.00E-02	SU	H	J-	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.75	—	—	1.00E-02	SU	H	J-	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.91	—	—	1.00E-02	SU	H	J-	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	31.7	—	—	1.00E+00	µg/L	—	—	09-967	CAMO-09-2864	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	33.8	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	33.3	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	28.5	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	29.1	—	—	1.00E+00	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	32.7	—	—	1.00E+00	µg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	33.8	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	32.8	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	28.6	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.4	—	—	1.50E+00	µg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.5	—	—	1.50E+00	µg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.5	—	—	1.50E+00	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.7	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.6	—	—	1.00E+00	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.7	—	—	1.50E+00	µg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.4	—	—	1.50E+00	µg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.8	—	—	1.50E+00	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.6	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	88.7	—	—	2.50E+01	µg/L	J	J	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	918	—	—	2.50E+01	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	27.7	—	—	2.50E+01	µg/L	J	J	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	43.9	—	—	2.50E+01	µg/L	J	J	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	153	—	—	2.50E+01	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	66.8	—	—	2.50E+01	µg/L	J	J	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	74.7	—	—	3.20E-02	mg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	78.8	—	—	3.20E-02	mg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	77.8	—	—	3.20E-02	mg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.4	—	—	3.20E-02	mg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49.3	—	—	1.00E+00	µg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	53.1	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.9	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.8	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49.8	—	—	1.00E+00	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	51.4	—	—	1.00E+00	µg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	52.2	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.1	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.1	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.32	—	—	3.00E-01	µg/L	J	J	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	µg/L	U	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.42	—	—	3.00E-01	µg/L	J	J	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.79	—	—	3.00E-01	µg/L	J	U	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.88	—	—	5.00E-02	µg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.74	—	—	5.00E-02	µg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.69	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.77	—	—	5.00E-02	µg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.71	—	—	5.00E-02	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.86	—	—	5.00E-02	µg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.78	—	—	5.00E-02	µg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.76	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.82	—	—	5.00E-02	µg/L	—	—	08-141	CASA-08-8078	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	µg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.8	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.7	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.4	—	—	1.00E+00	µg/L	—	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.4	—	—	1.00E+00	µg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.7	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.6	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.9	—	—	1.00E+00	µg/L	—	—	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12	—	—	2.00E+00	µg/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	9.9	—	—	2.00E+00	µg/L	J	J	09-268	CAMO-09-794	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	25	—	—	2.00E+00	µg/L	—	—	08-1685	CAMO-08-14510	GELC
R-33	5491	995.5	11/08/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	6.4	—	—	2.00E+00	µg/L	J	J	08-141	CASA-08-8076	GELC
R-33	5491	995.5	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.1	—	—	2.00E+00	µg/L	J	—	192790	GF07080G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.5	—	—	2.00E+00	µg/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11.9	—	—	2.00E+00	µg/L	—	—	09-268	CAMO-09-793	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	26.4	—	—	2.00E+00	µg/L	—	—	08-1685	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.9	—	—	2.00E+00	µg/L	J	J	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Pest/PCB	SW-846:8081A	Heptachlor	—	0.0281	—	—	6.90E-03	µg/L	—	—	09-966	CAMO-09-2865	GELC
R-33	5491	995.5	02/16/06	WG	UF	CS	—	Pest/PCB	SW-846:8081A	Heptachlor	<	0.0207	—	—	5.18E-03	µg/L	U	—	156396	GU0602G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00379	4.67E-03	5.70E-02	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0201	4.00E-03	3.20E-02	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00263	1.75E-03	3.66E-02	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.011	5.63E-03	4.50E-02	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00357	5.00E-03	6.70E-02	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0231	4.00E-03	3.00E-02	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00223	2.21E-03	3.50E-02	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.000468	5.23E-03	4.40E-02	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.94	4.00E-01	3.20E+00	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.09	4.33E-01	4.00E+00	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.91	2.85E-01	2.62E+00	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.362	1.64E-01	1.64E+00	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.794	4.33E-01	4.20E+00	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.1	4.67E-01	4.10E+00	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.252	3.63E-01	3.51E+00	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.87	2.12E-01	2.33E+00	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.35	4.67E-01	4.60E+00	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.39	4.00E-01	4.40E+00	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.239	3.15E-01	3.43E+00	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0348	1.59E-01	1.69E+00	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.48	5.00E-01	4.30E+00	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.275	5.00E-01	5.00E+00	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.15	3.31E-01	3.37E+00	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.49	1.95E-01	2.40E+00	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	22.2	8.67E+00	5.70E+01	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	3.75	1.00E+01	1.30E+01	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	85.7	1.70E+01	2.83E+02	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	48.3	1.98E+01	1.93E+02	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	17.6	6.00E+00	3.30E+01	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	17.7	3.33E+00	2.60E+01	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	778	2.01E+02	1.42E+03	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	44.1	2.16E+01	1.68E+02	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.53	2.80E+00	2.80E+01	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	9.25	3.00E+00	3.00E+01	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.78	2.35E+00	2.42E+01	—	pCi/L	U	U	145739	GF0509G33R101	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	6.3	1.42E+00	1.30E+01	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-20.2	3.67E+00	3.30E+01	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.04	3.67E+00	3.50E+01	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.76	2.67E+00	2.59E+01	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.182	1.85E+00	1.77E+01	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00484	4.00E-03	3.50E-02	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.73E-03	2.30E-02	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0135	4.77E-03	6.98E-02	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0182	4.17E-03	5.40E-02	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00513	1.20E-03	3.70E-02	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00853	1.40E-03	2.40E-02	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00215	3.60E-03	4.47E-02	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-1.36E-09	2.34E-03	5.90E-02	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0169	3.33E-03	4.80E-02	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00328	1.10E-03	2.80E-02	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0269	3.57E-03	5.90E-02	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0026	1.94E-03	4.60E-02	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00256	1.90E-03	5.10E-02	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0017	8.00E-04	2.90E-02	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00645	3.29E-03	3.77E-02	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00286	1.65E-03	5.00E-02	—	pCi/L	U	—	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	6.8	5.67E+00	6.20E+01	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-7.66	5.33E+00	5.10E+01	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	14.5	6.77E+00	3.07E+01	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	4.92	3.23E+00	1.79E+01	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	12	5.33E+00	3.70E+01	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-6.95	7.33E+00	7.10E+01	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	20.4	4.27E+00	3.49E+01	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	—	36.8	5.37E+00	2.27E+01	—	pCi/L	—	J	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.317	4.67E-01	3.80E+00	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.013	3.33E-01	3.30E+00	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.718	3.50E-01	4.00E+00	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.157	1.67E-01	1.76E+00	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.213	4.33E-01	4.00E+00	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.353	4.33E-01	4.00E+00	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.987	3.02E-01	3.12E+00	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.364	2.10E-01	2.22E+00	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.171	4.67E-02	4.70E-01	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0451	3.07E-02	3.50E-01	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0762	1.47E-02	2.14E-01	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0909	1.63E-02	2.92E-01	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0624	4.00E-02	4.10E-01	—	pCi/L	U	U	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0692	3.67E-02	4.00E-01	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0209	1.76E-02	2.33E-01	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0562	1.85E-02	2.48E-01	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.476	1.40E-02	5.70E-02	—	pCi/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.484	1.43E-02	7.20E-02	—	pCi/L	—	—	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.501	1.28E-02	6.62E-02	—	pCi/L	—	—	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.478	1.39E-02	7.50E-02	—	pCi/L	—	—	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.477	1.40E-02	6.10E-02	—	pCi/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.454	1.33E-02	6.90E-02	—	pCi/L	—	—	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.526	1.31E-02	6.57E-02	—	pCi/L	—	—	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.538	2.41E-02	2.28E-01	—	pCi/L	—	J	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0165	1.87E-03	2.60E-02	—	pCi/L	U	U	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0206	2.47E-03	3.80E-02	—	pCi/L	U	U	08-1683	CAMO-08-14510	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0456	4.13E-03	4.98E-02	—	pCi/L	U	U	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0244	3.23E-03	5.70E-02	—	pCi/L	U	U	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0334	2.80E-03	2.80E-02	—	pCi/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0173	2.20E-03	3.70E-02	—	pCi/L	U	U	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0266	3.33E-03	4.95E-02	—	pCi/L	U	U	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.015	3.53E-03	1.39E-01	—	pCi/L	U	U	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.275	9.33E-03	3.40E-02	—	pCi/L	—	—	09-967	CAMO-09-2864	GELC
R-33	5491	995.5	08/14/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.233	8.67E-03	3.80E-02	—	pCi/L	—	—	08-1683	CAMO-08-14510	GELC
R-33	5491	995.5	09/14/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.273	9.00E-03	4.69E-02	—	pCi/L	—	—	145739	GF0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.264	9.57E-03	5.30E-02	—	pCi/L	—	—	139722	GF0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.297	1.00E-02	3.60E-02	—	pCi/L	—	—	09-967	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.256	9.00E-03	3.60E-02	—	pCi/L	—	—	08-1683	CAMO-08-14509	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.271	8.77E-03	4.65E-02	—	pCi/L	—	—	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.277	1.66E-02	1.61E-01	—	pCi/L	—	J	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	—	Svoa	SW-846:8270C	Phenol	—	4.87	—	—	1.10E+00	µg/L	J	J	09-966	CAMO-09-2865	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Svoa	SW-846:8270C	Phenol	<	1.79	—	—	1.20E+00	µg/L	J	U	08-1684	CAMO-08-14509	GELC
R-33	5491	995.5	02/16/06	WG	UF	CS	—	Svoa	SW-846:8270C	Phenol	<	10.8	—	—	1.08E+00	µg/L	U	—	156396	GU0602G33R101	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Svoa	SW-846:8270C	Phenol	<	10.5	—	—	—	µg/L	U	—	145739	GU0509G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	CS	—	Svoa	SW-846:8270C	Phenol	<	10	—	—	—	µg/L	U	—	139722	GU0506G33R101	GELC
R-33	5491	995.5	06/27/05	WG	UF	RE	—	Svoa	SW-846:8270C	Phenol	<	20	—	—	—	µg/L	U	UJ	139722	GU0506G33R101	GELC
R-33	5491	995.5	02/19/09	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	1.35	—	—	3.00E-01	µg/L	—	—	09-966	CAMO-09-2866	GELC
R-33	5491	995.5	08/14/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	µg/L	U	U	08-1684	CAMO-08-14509	GELC
R-33	5491	995.5	11/08/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	µg/L	U	U	08-141	CASA-08-8078	GELC
R-33	5491	995.5	02/16/06	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	µg/L	U	—	156396	GU0602G33R101	GELC
R-33	5491	995.5	09/14/05	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	—	µg/L	U	—	145739	GU0509G33R101	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.8	—	—	7.30E-01	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.9	—	—	7.30E-01	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.6	—	—	7.30E-01	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.4	—	—	7.30E-01	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.4	—	—	7.25E-01	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	J+	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.7	—	—	3.00E-02	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11	—	—	3.00E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.5	—	—	3.00E-02	mg/L	—	J+	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.6	—	—	3.00E-02	mg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.1	—	—	3.00E-02	mg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.04	—	—	6.60E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.94	—	—	6.60E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.95	—	—	6.60E-02	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.01	—	—	6.60E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.91	—	—	6.60E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.223	—	—	3.30E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.284	—	—	3.30E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.253	—	—	3.30E-02	mg/L	—	J-	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.233	—	—	3.30E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.232	—	—	3.30E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.2	—	—	3.50E-01	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47	—	—	3.50E-01	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42.7	—	—	3.50E-01	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	43.6	—	—	4.30E-01	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	46.5	—	—	4.25E-01	mg/L	—	—	192972	GF07080G33R201	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	45.4	—	—	3.50E-01	mg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.3	—	—	3.50E-01	mg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.6	—	—	3.50E-01	mg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	44.4	—	—	4.30E-01	mg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	45.4	—	—	4.25E-01	mg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.13	—	—	8.50E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.36	—	—	8.50E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.92	—	—	8.50E-02	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.93	—	—	8.50E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.25	—	—	8.50E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.19	—	—	8.50E-02	mg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.24	—	—	8.50E-02	mg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.94	—	—	8.50E-02	mg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.02	—	—	8.50E-02	mg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.16	—	—	8.50E-02	mg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.304	—	—	5.00E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.339	—	—	5.00E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.0485	—	—	1.00E-02	mg/L	J	U	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.265	—	—	5.00E-02	mg/L	—	J-	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.31	—	—	5.00E-02	mg/L	—	J-	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.376	—	—	5.00E-02	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.374	—	—	5.00E-02	µg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.334	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.359	—	—	5.00E-02	µg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.368	—	—	5.00E-02	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.35	—	—	5.00E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.44	—	—	5.00E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.35	—	—	5.00E-02	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.43	—	—	5.00E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.62	—	—	5.00E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.36	—	—	5.00E-02	mg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.42	—	—	5.00E-02	mg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.33	—	—	5.00E-02	mg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.47	—	—	5.00E-02	mg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.48	—	—	5.00E-02	mg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	83	—	—	3.20E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.4	—	—	4.50E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.6	—	—	4.50E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.9	—	—	4.50E-02	mg/L	—	J	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.5	—	—	4.50E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.3	—	—	4.50E-02	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	J	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.6	—	—	4.50E-02	mg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.9	—	—	4.50E-02	mg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	136	—	—	1.00E+00	µS/cm	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	141	—	—	1.00E+00	µS/cm	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	140	—	—	1.00E+00	µS/cm	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	149	—	—	1.00E+00	µS/cm	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	143	—	—	1.00E+00	µS/cm	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.16	—	—	1.00E-01	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.22	—	—	1.00E-01	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.29	—	—	1.00E-01	mg/L	—	J-	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.25	—	—	1.00E-01	mg/L	—	—	08-218	CASA-08-8057	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.28	—	—	1.00E-01	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	144	—	—	2.40E+00	mg/L	—	J	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	J	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.38E+00	mg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.442	—	—	3.30E-01	mg/L	J	J	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.508	—	—	3.30E-01	mg/L	J	J	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.527	—	—	3.30E-01	mg/L	J	J	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.416	—	—	3.30E-01	mg/L	J	J	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.19	—	—	2.40E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.141	—	—	2.40E-02	mg/L	—	J-	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.34	—	—	2.40E-02	mg/L	—	J	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.035	—	—	2.40E-02	mg/L	J	J	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.047	—	—	2.40E-02	mg/L	J	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.94	—	—	1.00E-02	SU	H	J-	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J-	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J-	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.83	—	—	1.00E-02	SU	H	J-	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.74	—	—	1.00E-02	SU	H	J	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	36.2	—	—	1.00E+00	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	37.5	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	35	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	35.9	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	36.7	—	—	1.00E+00	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	36.4	—	—	1.00E+00	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	36.5	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	34.1	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	35.1	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	31.5	—	—	1.00E+00	µg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.8	—	—	1.50E+00	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.2	—	—	1.50E+00	µg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8	—	—	1.50E+00	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.3	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.7	—	—	1.00E+00	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.8	—	—	1.50E+00	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6	—	—	1.50E+00	µg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.5	—	—	1.50E+00	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.9	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.7	—	—	1.00E+00	µg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.95	—	—	1.00E-01	µg/L	—	U	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.5	—	—	2.00E+00	µg/L	J	J	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.95	—	—	1.00E-01	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1	—	—	1.00E-01	µg/L	—	U	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.97	—	—	1.00E-01	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	J	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.8	—	—	5.00E-01	µg/L	—	—	08-218	CASA-08-8057	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.3	—	—	5.00E-01	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	10.2	—	—	5.00E-01	µg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	27.1	—	—	5.00E-01	µg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	80.4	—	—	3.20E-02	mg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	83.3	—	—	3.20E-02	mg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	82.2	—	—	3.20E-02	mg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	80.5	—	—	3.20E-02	mg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.5	—	—	1.00E+00	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	51	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	46.1	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.4	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.8	—	—	1.00E+00	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	48.6	—	—	1.00E+00	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.3	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	45.6	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	51.1	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	µg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1	—	—	5.00E-02	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.89	—	—	5.00E-02	µg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.82	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1	—	—	5.00E-02	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.9	—	—	5.00E-02	µg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.79	—	—	5.00E-02	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.1	—	—	1.00E+00	µg/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	11/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.2	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-795	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.1	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14513	GELC
R-33	5501	1112.4	11/19/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8057	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.8	—	—	1.00E+00	µg/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	µg/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	µg/L	—	—	09-268	CAMO-09-796	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.4	—	—	1.00E+00	µg/L	—	—	08-1685	CAMO-08-14514	GELC
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	08-218	CASA-08-8060	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	µg/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0153	2.37E-03	3.80E-02	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00662	3.17E-03	3.00E-02	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000983	1.29E-03	3.38E-02	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00145	1.11E-03	3.19E-02	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0109	2.40E-03	4.30E-02	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00778	5.00E-03	3.30E-02	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00715	1.13E-03	3.83E-02	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000494	2.42E-03	3.20E-02	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00153	1.76E-03	3.22E-02	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.29	5.67E-01	4.80E+00	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.65	4.33E-01	4.40E+00	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.0849	6.93E-01	4.11E+00	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.0585	3.57E-01	3.81E+00	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.47	5.00E-01	4.70E+00	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.303	4.33E-01	4.10E+00	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.77	4.73E-01	5.20E+00	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.95	4.13E-01	3.09E+00	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.00175	2.88E-01	3.11E+00	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.12	5.33E-01	4.90E+00	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.23	4.67E-01	4.80E+00	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.594	4.53E-01	4.29E+00	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.333	3.77E-01	4.01E+00	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.04	5.00E-01	4.10E+00	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.5	5.00E-01	5.70E+00	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0944	4.50E-01	4.37E+00	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.374	2.81E-01	3.22E+00	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.27	3.37E-01	4.14E+00	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	52.4	4.67E+00	6.70E+01	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	19.1	5.67E+00	3.90E+01	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	59.2	2.21E+01	1.63E+02	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	85.7	1.70E+01	2.83E+02	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	127	3.20E+01	1.10E+02	—	pCi/L	—	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	23.7	4.67E+00	3.10E+01	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	80.2	2.10E+01	2.54E+02	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	83.2	2.19E+01	3.18E+02	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	116	4.03E+01	3.71E+02	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.87	4.00E+00	3.90E+01	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.03	4.00E+00	3.40E+01	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-8.38	3.97E+00	3.48E+01	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.57	1.68E+00	1.70E+01	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	9.13	3.67E+00	3.60E+01	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-9.99	3.27E+00	3.20E+01	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	8.85	4.30E+00	3.22E+01	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.471	2.35E+00	2.26E+01	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.9	2.44E+00	2.46E+01	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00814	1.63E-03	2.30E-02	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00159	5.33E-04	2.20E-02	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0128	1.63E-03	3.51E-02	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0109	2.63E-03	4.54E-02	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	2.33E-03	2.40E-02	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00693	1.17E-03	2.40E-02	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00532	1.57E-03	3.40E-02	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00501	5.00E-03	3.00E-02	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0222	2.97E-03	4.60E-02	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00163	1.20E-03	3.30E-02	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	5.33E-04	2.70E-02	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00732	1.73E-03	3.22E-02	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00875	2.92E-03	3.84E-02	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.007	1.17E-03	3.50E-02	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	8.33E-04	3.00E-02	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00532	1.03E-03	3.12E-02	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.005	5.13E-03	3.30E-02	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0199	3.70E-03	3.89E-02	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-3.52	6.33E+00	6.60E+01	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	15.4	6.00E+00	6.40E+01	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-4.13	6.30E+00	6.95E+01	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	49.9	4.73E+00	5.91E+01	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-23.7	6.67E+00	6.10E+01	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-58.7	5.67E+00	5.00E+01	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	3.52	5.80E+00	5.49E+01	—	pCi/L	U	U	192972	GU07080G33R201	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	14	6.70E+00	3.24E+01	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	10.3	5.27E+00	3.30E+01	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.281	5.33E-01	5.40E+00	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.37	4.67E-01	4.20E+00	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.267	4.87E-01	4.76E+00	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.529	3.57E-01	3.79E+00	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-2.24	5.00E-01	4.10E+00	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.02	4.33E-01	4.60E+00	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0355	5.60E-01	4.74E+00	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.952	3.08E-01	3.21E+00	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.0681	3.26E-01	3.68E+00	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0744	4.67E-02	4.60E-01	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.101	3.33E-02	4.40E-01	—	pCi/L	U	U	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0755	1.69E-02	1.79E-01	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0245	1.58E-02	2.17E-01	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.215	5.00E-02	4.90E-01	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0753	4.00E-02	4.40E-01	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.109	1.49E-02	1.41E-01	—	pCi/L	U	U	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.123	2.58E-02	3.17E-01	—	pCi/L	U	U	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.178	1.99E-02	3.06E-01	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.06386	9.58E-02	2.87E-01	—	pCi/L	U	U	09-798	CAMO-09-2868	UMTL
R-33	5501	1112.4	11/11/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-796	UMTL
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.83018	6.08E-01	6.26E+00	—	pCi/L	U	U	08-1687	CAMO-08-14514	ARSL
R-33	5501	1112.4	11/19/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01	—	pCi/L	U	U	08-220	CASA-08-8060	UMTL
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	—	pCi/L	—	U	2393	UU07080G33R201	UMTL
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.627	1.90E-02	7.40E-02	—	pCi/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.655	1.77E-02	7.00E-02	—	pCi/L	—	—	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.554	1.58E-02	5.20E-02	—	pCi/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.654	1.65E-02	7.94E-02	—	pCi/L	—	—	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.617	1.80E-02	7.00E-02	—	pCi/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.571	1.60E-02	7.30E-02	—	pCi/L	—	—	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.544	1.50E-02	4.75E-02	—	pCi/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.588	1.66E-02	6.89E-02	—	pCi/L	—	—	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.626	1.55E-02	5.84E-02	—	pCi/L	—	—	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0303	4.00E-03	4.10E-02	—	pCi/L	U	U	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0378	3.67E-03	3.70E-02	—	pCi/L	—	—	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0337	3.19E-03	3.70E-02	—	pCi/L	U	U	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0322	4.30E-03	5.98E-02	—	pCi/L	U	U	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0155	2.23E-03	3.90E-02	—	pCi/L	U	U	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0263	3.10E-03	3.90E-02	—	pCi/L	U	U	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0379	3.43E-03	3.38E-02	—	pCi/L	—	J	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0374	3.40E-03	3.34E-02	—	pCi/L	—	J	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0355	3.50E-03	4.40E-02	—	pCi/L	U	U	145739	GU0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.312	1.10E-02	4.70E-02	—	pCi/L	—	—	09-797	CAMO-09-2867	GELC
R-33	5501	1112.4	08/14/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.318	1.03E-02	3.70E-02	—	pCi/L	—	—	08-1683	CAMO-08-14513	GELC
R-33	5501	1112.4	08/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.334	1.10E-02	4.11E-02	—	pCi/L	—	—	192972	GF07080G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.328	1.08E-02	5.62E-02	—	pCi/L	—	—	145739	GF0509G33R201	GELC
R-33	5501	1112.4	02/03/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.343	1.13E-02	4.40E-02	—	pCi/L	—	—	09-797	CAMO-09-2868	GELC
R-33	5501	1112.4	08/14/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.292	1.03E-02	3.80E-02	—	pCi/L	—	—	08-1683	CAMO-08-14514	GELC
R-33	5501	1112.4	08/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.291	9.70E-03	3.75E-02	—	pCi/L	—	—	192972	GU07080G33R201	GELC
R-33	5501	1112.4	02/14/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.3	1.04E-02	3.86E-02	—	pCi/L	—	—	156255	GU0602G33R201	GELC
R-33	5501	1112.4	09/15/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.333	1.00E-02	4.13E-02	—	pCi/L	—	—	145739	GU0509G33R201	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	1.05	—	—	7.30E-01	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.11	—	—	7.30E-01	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.1	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14545	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.08	—	—	7.30E-01	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.06	—	—	7.30E-01	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	71.1	—	—	7.30E-01	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	71.3	—	—	7.30E-01	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.3	—	—	7.30E-01	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	70	—	—	7.30E-01	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	72.2	—	—	7.30E-01	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.5	—	—	3.00E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15	—	—	3.00E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.3	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.8	—	—	3.00E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.3	—	—	3.00E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.9	—	—	3.00E-02	mg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15	—	—	3.00E-02	mg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.7	—	—	3.00E-02	mg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.8	—	—	3.00E-02	mg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.3	—	—	3.00E-02	mg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.39	—	—	6.60E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.31	—	—	6.60E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.3	—	—	6.60E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.31	—	—	6.60E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.3	—	—	6.60E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.374	—	—	3.30E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.38	—	—	3.30E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.362	—	—	3.30E-02	mg/L	—	J-	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.374	—	—	3.30E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.34	—	—	3.30E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.374	—	—	3.30E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.34	—	—	3.30E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.1	—	—	3.50E-01	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	51.5	—	—	3.50E-01	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	53.1	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.3	—	—	3.50E-01	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	59.2	—	—	4.30E-01	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	58.3	—	—	3.50E-01	mg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	51.8	—	—	3.50E-01	mg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.5	—	—	3.50E-01	mg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	55.2	—	—	3.50E-01	mg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	56.4	—	—	4.30E-01	mg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.4	—	—	8.50E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.63	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.63	—	—	8.50E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.86	—	—	8.50E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.92	—	—	8.50E-02	mg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.49	—	—	8.50E-02	mg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.73	—	—	8.50E-02	mg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.81	—	—	8.50E-02	mg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.78	—	—	8.50E-02	mg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.398	—	—	5.00E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.492	—	—	5.00E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.467	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.51	—	—	5.00E-02	mg/L	—	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.463	—	—	5.00E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.316	—	—	5.00E-02	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.356	—	—	5.00E-02	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.287	—	—	5.00E-02	µg/L	—	—	08-1698	CAMO-08-14545	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.271	—	—	5.00E-02	µg/L	—	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.354	—	—	5.00E-02	µg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.83	—	—	5.00E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.5	—	—	5.00E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.71	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.84	—	—	5.00E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.97	—	—	5.00E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.88	—	—	5.00E-02	mg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.53	—	—	5.00E-02	mg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.78	—	—	5.00E-02	mg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.9	—	—	5.00E-02	mg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.91	—	—	5.00E-02	mg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.92	—	—	4.50E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.4	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.7	—	—	4.50E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.8	—	—	4.50E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.6	—	—	4.50E-02	mg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.86	—	—	4.50E-02	mg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.6	—	—	4.50E-02	mg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.5	—	—	4.50E-02	mg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	152	—	—	1.00E+00	µS/cm	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	156	—	—	1.00E+00	µS/cm	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	155	—	—	1.00E+00	µS/cm	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	157	—	—	1.00E+00	µS/cm	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	142	—	—	1.00E+00	µS/cm	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.71	—	—	1.00E-01	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.73	—	—	1.00E-01	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.72	—	—	1.00E-01	mg/L	—	J-	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.72	—	—	1.00E-01	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.57	—	—	1.00E-01	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	158	—	—	2.40E+00	mg/L	—	J	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	J	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.40E+00	mg/L	—	J	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.771	—	—	3.30E-01	mg/L	J	J	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.905	—	—	3.30E-01	mg/L	J	J	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.479	—	—	3.30E-01	mg/L	J	J	08-1696	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.815	—	—	3.30E-01	mg/L	J	J	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.554	—	—	3.30E-01	mg/L	J	J	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.51	—	—	1.00E-02	SU	H	J-	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.43	—	—	1.00E-02	SU	H	J-	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.36	—	—	1.00E-02	SU	H	J-	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.47	—	—	1.00E-02	SU	H	J-	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.59	—	—	1.00E-02	SU	H	J-	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	77.9	—	—	6.80E+01	µg/L	J	J	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	229	—	—	6.80E+01	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	627	—	—	6.80E+01	µg/L	—	—	08-1248	CAMO-08-12779	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	29.2	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	29.2	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	29.2	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	30.2	—	—	1.00E+00	µg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	33.1	—	—	1.00E+00	µg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	30.4	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	30.8	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	30.2	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	35.9	—	—	1.00E+00	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	32.1	—	—	1.00E+00	µg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.1	—	—	1.00E+01	µg/L	J	J	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	13.6	—	—	1.00E+01	µg/L	J	J	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.8	—	—	1.00E+01	µg/L	J	J	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	11.5	—	—	1.00E+01	µg/L	J	J	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.9	—	—	1.00E+01	µg/L	J	J	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.2	—	—	1.00E+01	µg/L	J	J	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.6	—	—	1.50E+00	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.8	—	—	1.50E+00	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	6.1	—	—	1.50E+00	µg/L	—	U	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3	—	—	2.50E+00	µg/L	J	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.6	—	—	2.50E+00	µg/L	J	J	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.5	—	—	1.50E+00	µg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.2	—	—	1.50E+00	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	5.4	—	—	1.50E+00	µg/L	—	U	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.8	—	—	2.50E+00	µg/L	J	J	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.8	—	—	2.50E+00	µg/L	J	J	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	62.3	—	—	2.50E+01	µg/L	J	J	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	133	—	—	2.50E+01	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	32	—	—	2.50E+01	µg/L	J	J	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	345	—	—	2.50E+01	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	47.6	—	—	2.50E+01	µg/L	J	J	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.1	—	—	2.00E+00	µg/L	J	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.3	—	—	2.00E+00	µg/L	J	J	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.5	—	—	2.00E+00	µg/L	J	J	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	µg/L	J	J	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	13.4	—	—	2.00E+00	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.1	—	—	1.00E-01	µg/L	—	U	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-892	CAMO-09-2636	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	J	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.63	—	—	5.00E-01	µg/L	J	J	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1	—	—	5.00E-01	µg/L	J	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.73	—	—	5.00E-01	µg/L	J	J	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.57	—	—	5.00E-01	µg/L	J	J	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.55	—	—	5.00E-01	µg/L	J	J	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.2	—	—	5.00E-01	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.64	—	—	5.00E-01	µg/L	J	J	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.5	—	—	3.20E-02	mg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.4	—	—	3.20E-02	mg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.6	—	—	3.20E-02	mg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67	—	—	3.20E-02	mg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.5	—	—	3.20E-02	mg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	63.2	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	58.4	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.4	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	62.9	—	—	1.00E+00	µg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	70.6	—	—	1.00E+00	µg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	64.9	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	58.6	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	60.8	—	—	1.00E+00	µg/L	—	—	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	63.6	—	—	1.00E+00	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	66.9	—	—	1.00E+00	µg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.38	—	—	5.00E-02	µg/L	—	U	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.52	—	—	5.00E-02	µg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	µg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.38	—	—	5.00E-02	µg/L	—	U	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.46	—	—	5.00E-02	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	µg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.4	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.3	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.1	—	—	1.00E+00	µg/L	—	—	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.4	—	—	1.00E+00	µg/L	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.7	—	—	1.00E+00	µg/L	—	—	09-892	CAMO-09-2636	GELC
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.2	—	—	1.00E+00	µg/L	—	—	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.1	—	—	1.00E+00	µg/L	—	J	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.7	—	—	1.00E+00	µg/L	—	—	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.3	—	—	1.00E+00	µg/L	—	—	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.3	—	—	2.00E+00	µg/L	J	J	09-892	CAMO-09-2635	GELC
R-34	1791	883.7	11/04/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.2	—	—	2.00E+00	µg/L	J	J	09-216	CAMO-09-819	GELC
R-34	1791	883.7	08/15/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	µg/L	EJ	J	08-1698	CAMO-08-14545	GELC
R-34	1791	883.7	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	µg/L	J	J	08-1248	CAMO-08-12781	GELC
R-34	1791	883.7	02/19/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	08-649	CAMO-08-10450	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.2	—	—	2.00E+00	µg/L	J	J	09-892	CAMO-09-2636	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.4	—	—	2.00E+00	µg/L	J	J	09-216	CAMO-09-818	GELC
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.9	—	—	2.00E+00	µg/L	EJ	J	08-1698	CAMO-08-14546	GELC
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	7.9	—	—	2.00E+00	µg/L	J	J	08-1248	CAMO-08-12779	GELC
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	08-649	CAMO-08-10451	GELC
R-34	1791	883.7	02/12/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01	—	pCi/L	U	U	09-916	CAMO-09-2636	UMTL
R-34	1791	883.7	11/04/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.19158	9.58E-02	2.87E-01	—	pCi/L	U	U	09-264	CAMO-09-818	UMTL
R-34	1791	883.7	08/15/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.73439	3.31E-01	3.42E+00	—	pCi/L	U	U	08-1738	CAMO-08-14546	ARSL
R-34	1791	883.7	05/28/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1279	CAMO-08-12779	UMTL
R-34	1791	883.7	02/19/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	08-648	CAMO-08-10451	UMTL
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	—	0.00000292	—	—	2.92E-06	µg/L	J	J	09-838	CAMO-09-2999	ALTC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofurans (Total)	—	0.00000292	—	—	2.92E-06	µg/L	—	—	09-838	CAMO-09-2999	ALTC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	61.7	—	—	7.30E-01	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13	—	—	3.00E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.3	—	—	3.00E-02	mg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.8	—	—	6.60E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.354	—	—	3.30E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.1	—	—	3.50E-01	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.4	—	—	3.50E-01	mg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.81	—	—	8.50E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.95	—	—	8.50E-02	mg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.61	—	—	5.00E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.33	—	—	5.00E-02	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.61	—	—	5.00E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.64	—	—	5.00E-02	mg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.6	—	—	4.50E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.8	—	—	4.50E-02	mg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	143	—	—	1.00E+00	µS/cm	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.97	—	—	1.00E-01	mg/L	—	J-	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	2.4	—	—	2.30E+00	mg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.44	—	—	3.30E-01	mg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.045	—	—	2.40E-02	mg/L	J	J	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.88	—	—	1.00E-02	SU	H	J-	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	33	—	—	1.00E+00	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	34.1	—	—	1.00E+00	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.1	—	—	1.50E+00	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	11.9	—	—	1.50E+00	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	1.2	—	—	1.00E+00	µg/L	J	J	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	6.4	—	—	3.00E+00	µg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	107	—	—	2.50E+01	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	265	—	—	2.50E+01	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.83	—	—	5.00E-01	µg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	14.4	—	—	2.00E+00	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	13.6	—	—	2.00E+00	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.9	—	—	1.00E-01	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	3	—	—	1.00E-01	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	16.3	—	—	5.00E-01	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	19.7	—	—	5.00E-01	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68	—	—	3.20E-02	mg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	53.7	—	—	1.00E+00	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55.3	—	—	1.00E+00	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.41	—	—	3.00E-01	µg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.52	—	—	5.00E-02	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.4	—	—	1.00E+00	µg/L	J	J	09-839	CAMO-09-3000	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.7	—	—	1.00E+00	µg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	69	—	—	2.00E+00	µg/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	86.5	—	—	2.00E+00	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0145	3.67E-03	4.20E-02	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0223	4.67E-03	4.90E-02	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.34	4.33E-01	3.90E+00	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.588	4.67E-01	4.40E+00	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.24	4.00E-01	4.60E+00	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-3.28	5.67E-01	4.40E+00	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	19	7.67E+00	3.70E+01	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	20	3.33E+00	2.90E+01	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.39	3.33E+00	3.40E+01	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.53	3.33E+00	3.50E+01	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00183	1.83E-03	2.50E-02	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00419	2.80E-03	2.90E-02	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00183	1.07E-03	3.70E-02	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0126	2.43E-03	4.20E-02	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-23.5	5.33E+00	5.30E+01	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	5.27	5.33E+00	4.20E+01	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.456	6.67E-02	5.70E-01	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.126	5.67E-02	6.00E-01	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	2.23	4.33E-01	5.00E+00	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.1	4.67E-01	4.00E+00	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.326	5.00E-02	5.00E-01	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0718	3.67E-02	4.00E-01	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.47895	9.58E-02	2.87E-01	—	pCi/L	U	U	09-860	CAMO-09-2999	UMTL
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.318	1.07E-02	6.70E-02	—	pCi/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.25	8.67E-03	6.00E-02	—	pCi/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0149	2.17E-03	3.80E-02	—	pCi/L	U	U	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0263	2.43E-03	3.30E-02	—	pCi/L	U	U	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.137	6.00E-03	4.20E-02	—	pCi/L	—	—	09-839	CAMO-09-3000	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.132	5.67E-03	3.80E-02	—	pCi/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	FD	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	7.33	—	—	2.10E+00	µg/L	J	J	09-839	CAMO-09-3002	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	6.14	—	—	2.30E+00	µg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	—	8.16	—	—	3.50E+00	µg/L	J	J	09-839	CAMO-09-3002	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	6.8	—	—	3.50E+00	µg/L	J	J	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	FD	Voa	SW-846:8260B	Benzene	—	23.8	—	—	3.00E-01	µg/L	—	—	09-839	CAMO-09-3002	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Voa	SW-846:8260B	Benzene	—	6.34	—	—	3.00E-01	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	FD	Voa	SW-846:8260B	Toluene	—	7.06	—	—	2.50E-01	µg/L	—	—	09-839	CAMO-09-3002	GELC
R-38	8631	821.2	02/06/09	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	1.46	—	—	2.50E-01	µg/L	—	—	09-839	CAMO-09-2999	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.1	—	—	7.30E-01	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.4	—	—	7.30E-01	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.2	—	—	7.30E-01	mg/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.102	—	—	6.70E-02	mg/L	J	J	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.193	—	—	6.70E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.14	—	—	6.70E-02	mg/L	J	J	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	44.7	—	—	3.00E-02	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	44	—	—	3.00E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.6	—	—	3.00E-02	mg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	45.1	—	—	3.00E-02	mg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	44	—	—	3.00E-02	mg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.1	—	—	3.00E-02	mg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	28.7	—	—	6.60E-01	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32.5	—	—	1.30E-01	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32.1	—	—	1.30E-01	mg/L	—	—	09-72	CAMO-08-16441	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00251	—	—	1.50E-03	mg/L	J	J	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.0029	—	—	1.50E-03	mg/L	J	J	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00274	—	—	1.50E-03	mg/L	J	J	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.259	—	—	3.30E-02	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.372	—	—	3.30E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.324	—	—	3.30E-02	mg/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	165	—	—	3.50E-01	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	161	—	—	3.50E-01	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	147	—	—	3.50E-01	mg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	167	—	—	3.50E-01	mg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	161	—	—	3.50E-01	mg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	154	—	—	3.50E-01	mg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.9	—	—	8.50E-02	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.5	—	—	8.50E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.1	—	—	8.50E-02	mg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	13.1	—	—	8.50E-02	mg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12.5	—	—	8.50E-02	mg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	12	—	—	8.50E-02	mg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6.03	—	—	2.50E-01	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.83	—	—	2.50E-01	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6	—	—	1.00E-01	mg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.18	—	—	1.00E-01	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.18	—	—	1.00E-01	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.31	—	—	1.00E-01	µg/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.19	—	—	5.00E-02	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.31	—	—	5.00E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.27	—	—	5.00E-02	mg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.19	—	—	5.00E-02	mg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.31	—	—	5.00E-02	mg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.36	—	—	5.00E-02	mg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.8	—	—	4.50E-02	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.2	—	—	4.50E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.9	—	—	4.50E-02	mg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.9	—	—	4.50E-02	mg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.2	—	—	4.50E-02	mg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.4	—	—	4.50E-02	mg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	419	—	—	1.00E+00	µS/cm	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	410	—	—	1.00E+00	µS/cm	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	406	—	—	1.00E+00	µS/cm	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	60.9	—	—	1.00E+00	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	62.1	—	—	2.00E-01	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	61.4	—	—	2.00E-01	mg/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	295	—	—	2.40E+00	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	303	—	—	2.40E+00	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	309	—	—	2.40E+00	mg/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.17	—	—	3.30E-01	mg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.74	—	—	3.30E-01	mg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.84	—	—	3.30E-01	mg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.77	—	—	1.00E-02	SU	H	J-	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.78	—	—	1.00E-02	SU	H	J-	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.96	—	—	1.00E-02	SU	H	J-	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.4	—	—	1.50E+00	µg/L	J	J	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.6	—	—	1.50E+00	µg/L	J	J	09-974	CAMO-09-2870	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	75.5	—	—	1.00E+00	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	81.5	—	—	1.00E+00	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	72	—	—	1.00E+00	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	75.8	—	—	1.00E+00	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	82.7	—	—	1.00E+00	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	75.5	—	—	1.00E+00	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	830	—	—	1.50E+00	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	758	—	—	1.50E+00	µg/L	—	—	09-357	CAMO-09-964	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	768	—	—	1.50E+00	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	820	—	—	1.50E+00	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	828	—	—	1.50E+00	µg/L	—	—	09-71	CAMO-08-16443	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	848	—	—	1.50E+00	µg/L	—	—	09-71	CAMO-08-16442	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	856	—	—	1.50E+00	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	782	—	—	1.50E+00	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	808	—	—	1.50E+00	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	27.5	—	—	2.50E+01	µg/L	J	J	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	158	—	—	2.50E+01	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	48.2	—	—	2.50E+01	µg/L	J	J	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.83	—	—	5.00E-01	µg/L	J	J	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	1.8	—	—	5.00E-01	µg/L	J	J	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	µg/L	J	J	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6.3	—	—	2.00E+00	µg/L	J	J	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	14.8	—	—	2.00E+00	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.9	—	—	2.00E+00	µg/L	J	J	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.8	—	—	2.00E+00	µg/L	J	J	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	14.9	—	—	2.00E+00	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.6	—	—	1.00E-01	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.84	—	—	1.00E-01	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.68	—	—	1.00E-01	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.84	—	—	1.00E-01	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	9.9	—	—	5.00E-01	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	10.9	—	—	5.00E-01	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	8.8	—	—	5.00E-01	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	10.3	—	—	5.00E-01	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	11.2	—	—	5.00E-01	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	8.8	—	—	5.00E-01	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1	—	—	1.00E+00	µg/L	J	J	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1.2	—	—	1.00E+00	µg/L	J	J	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.4	—	—	3.20E-02	mg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.4	—	—	3.20E-02	mg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68.8	—	—	3.20E-02	mg/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	169	—	—	1.00E+00	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	168	—	—	1.00E+00	µg/L	—	—	09-357	CAMO-09-826	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	162	—	—	1.00E+00	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	170	—	—	1.00E+00	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	169	—	—	1.00E+00	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	168	—	—	1.00E+00	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.34	—	—	3.00E-01	µg/L	J	J	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.64	—	—	5.00E-02	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.68	—	—	5.00E-02	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.8	—	—	5.00E-02	µg/L	—	—	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.66	—	—	5.00E-02	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.66	—	—	5.00E-02	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.78	—	—	5.00E-02	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.2	—	—	1.00E+00	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.1	—	—	1.00E+00	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	6	—	—	1.00E+00	µg/L	—	U	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.2	—	—	1.00E+00	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.1	—	—	1.00E+00	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	6.4	—	—	1.00E+00	µg/L	—	U	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	28.1	—	—	2.00E+00	µg/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	17	—	—	2.00E+00	µg/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	8	—	—	2.00E+00	µg/L	J	J	09-71	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	30.5	—	—	2.00E+00	µg/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	25	—	—	2.00E+00	µg/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.7	—	—	2.00E+00	µg/L	—	—	09-71	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0322	3.67E-03	5.10E-02	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00103	1.57E-03	2.20E-02	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000234	8.00E-04	2.30E-02	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00295	2.83E-03	4.20E-02	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00617	1.87E-03	2.20E-02	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00324	8.00E-04	2.30E-02	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.61	4.33E-01	4.10E+00	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	2.88	4.67E-01	5.30E+00	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.46	5.33E-01	5.00E+00	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.23	4.67E-01	4.80E+00	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.643	4.00E-01	4.20E+00	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.56	4.33E-01	4.80E+00	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.484	4.33E-01	4.30E+00	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-3.27	6.33E-01	5.60E+00	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.411	4.67E-01	4.60E+00	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.42	5.67E-01	4.60E+00	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.627	3.67E-01	3.90E+00	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.65	5.33E-01	5.40E+00	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	22.3	7.67E+00	4.60E+01	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	18	1.10E+01	5.10E+01	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	15.8	2.90E+00	2.90E+01	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	6.82	1.33E+00	4.60E+00	—	pCi/L	—	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	8.2	1.77E+00	9.20E+00	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	9.5	3.67E+00	2.20E+01	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	8.5	2.80E+00	2.90E+01	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.06	3.33E+00	3.40E+01	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-9.29	3.00E+00	2.80E+01	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.62	3.27E+00	3.30E+01	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.44	3.67E+00	3.40E+01	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.37	3.03E+00	3.00E+01	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00328	2.67E-03	2.30E-02	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00558	1.23E-03	2.70E-02	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0017	1.00E-03	2.60E-02	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00358	1.90E-03	2.60E-02	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	6.33E-04	2.80E-02	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00182	1.07E-03	2.80E-02	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00328	1.53E-03	3.30E-02	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00558	1.23E-03	3.20E-02	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0017	5.67E-04	2.90E-02	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00179	1.33E-03	3.60E-02	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00952	1.70E-03	3.20E-02	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00182	1.07E-03	3.10E-02	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-4.15	5.33E+00	5.70E+01	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	10.4	5.33E+00	4.40E+01	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	44.9	6.00E+00	3.70E+01	—	pCi/L	UI	R	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	17.6	6.00E+00	6.70E+01	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	1.89	5.33E+00	5.60E+01	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	27.3	5.67E+00	6.20E+01	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.444	6.67E-02	5.70E-01	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.531	7.00E-02	6.10E-01	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	-0.0797	5.00E-02	6.40E-01	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.0401	5.00E-02	5.50E-01	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.578	6.33E-02	4.90E-01	—	pCi/L	—	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.872	9.33E-02	7.40E-01	—	pCi/L	—	—	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.0502	4.00E-01	4.00E+00	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.878	5.00E-01	4.60E+00	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.765	3.67E-01	3.30E+00	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.87	4.33E-01	3.30E+00	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.751	4.00E-01	4.10E+00	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.27	4.00E-01	4.10E+00	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0862	2.53E-02	3.50E-01	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.00417	2.50E-02	2.60E-01	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.212	5.00E-02	4.90E-01	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0883	2.67E-02	2.90E-01	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0839	3.23E-02	3.20E-01	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.145	4.67E-02	4.80E-01	—	pCi/L	U	U	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.513	1.53E-02	6.30E-02	—	pCi/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.556	1.50E-02	6.00E-02	—	pCi/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.717	1.83E-02	6.10E-02	—	pCi/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.488	1.50E-02	7.00E-02	—	pCi/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.505	1.37E-02	5.80E-02	—	pCi/L	—	—	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.6	1.53E-02	5.70E-02	—	pCi/L	—	—	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0121	1.93E-03	2.90E-02	—	pCi/L	U	U	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0278	2.80E-03	3.20E-02	—	pCi/L	U	U	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0302	2.77E-03	3.20E-02	—	pCi/L	U	U	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0227	2.43E-03	3.30E-02	—	pCi/L	U	U	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0187	2.10E-03	3.10E-02	—	pCi/L	U	U	09-357	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.038	3.00E-03	3.00E-02	—	pCi/L	—	—	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.207	7.67E-03	3.70E-02	—	pCi/L	—	—	09-974	CAMO-09-2871	GELC
R-42	8591	931.8	11/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.239	8.33E-03	3.20E-02	—	pCi/L	—	—	09-357	CAMO-09-826	GELC
R-42	8591	931.8	10/09/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.255	8.67E-03	3.40E-02	—	pCi/L	—	—	09-72	CAMO-08-16441	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.204	8.00E-03	4.20E-02	—	pCi/L	—	—	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.203	7.33E-03	3.10E-02	—	pCi/L	—	—	09-357	CAMO-09-828	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.251	8.33E-03	3.20E-02	—	pCi/L	—	—	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	FD	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	2.95	—	—	2.10E+00	µg/L	J	J	09-974	CAMO-09-2873	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	11.7	—	—	2.10E+00	µg/L	—	J	09-358	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	2.69	—	—	2.20E+00	µg/L	J	J	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	—	17.2	—	—	3.50E+00	µg/L	—	J	09-974	CAMO-09-2873	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	19.4	—	—	3.50E+00	µg/L	—	J	09-974	CAMO-09-2870	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	10	—	—	3.50E+00	µg/L	U	UJ	09-358	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	16.9	—	—	1.50E+00	µg/L	—	—	09-72	CAMO-08-16440	GELC
R-42	8591	931.8	02/20/09	WG	UF	CS	FD	Voa	SW-846:8260B	Toluene	—	0.355	—	—	2.50E-01	µg/L	J	J	09-974	CAMO-09-2873	GELC
R-42	8591	931.8	11/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	12.2	—	—	2.50E-01	µg/L	—	—	09-358	CAMO-09-828	GELC
R-42	8591	931.8	10/09/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	µg/L	U	U	09-72	CAMO-08-16440	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.9	—	—	7.30E-01	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.3	—	—	3.00E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.9	—	—	3.00E-02	mg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.33	—	—	6.60E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.389	—	—	3.30E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.4	—	—	3.50E-01	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	47.4	—	—	3.50E-01	mg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.56	—	—	8.50E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.68	—	—	8.50E-02	mg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1	—	—	5.00E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.406	—	—	5.00E-02	µg/L	—	J	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.17	—	—	5.00E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.22	—	—	5.00E-02	mg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.4	—	—	4.50E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	133	—	—	1.00E+00	µS/cm	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.24	—	—	1.00E-01	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	132	—	—	2.40E+00	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.736	—	—	3.30E-01	mg/L	J	J	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.035	—	—	2.40E-02	mg/L	J	J	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.93	—	—	1.00E-02	SU	H	J-	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	22.6	—	—	1.00E+00	µg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	23.5	—	—	1.00E+00	µg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	12.8	—	—	1.50E+00	µg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	13.5	—	—	1.50E+00	µg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	35.8	—	—	2.50E+01	µg/L	J	J	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.83	—	—	1.00E-01	µg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.86	—	—	1.00E-01	µg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.6	—	—	3.20E-02	mg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	57.2	—	—	1.00E+00	µg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.6	—	—	1.00E+00	µg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00344	2.30E-03	6.00E-02	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0037	2.87E-03	5.70E-02	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.33	4.67E-01	4.00E+00	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.12	4.67E-01	4.10E+00	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.32	4.67E-01	4.50E+00	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.02	4.00E-01	4.70E+00	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:900	Gross alpha/beta	<	1.67	3.13E-01	2.80E+00	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	<	0.768	2.03E-01	2.10E+00	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:900	Gross beta	<	-0.129	2.07E-01	2.40E+00	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:900	Gross beta	<	2.08	2.57E-01	2.20E+00	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	13.5	1.67E+01	2.90E+01	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	18.6	4.67E+00	2.00E+01	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	20.2	4.00E+00	3.70E+01	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-12.5	3.10E+00	2.90E+01	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00259	1.50E-03	3.70E-02	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	2.69E-09	4.67E-03	4.00E-02	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00776	2.87E-03	5.20E-02	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00282	2.10E-03	5.60E-02	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-13.2	5.67E+00	5.00E+01	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-13.3	6.33E+00	6.20E+01	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.581	4.33E-01	4.30E+00	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.44	4.00E-01	4.60E+00	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.207	3.67E-02	5.00E-01	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0171	4.33E-02	4.40E-01	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.47895	9.58E-02	2.87E-01	—	pCi/L	—	U	09-918	CAMO-09-4437	UMTL
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.38	1.20E-02	6.00E-02	—	pCi/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.287	1.00E-02	6.00E-02	—	pCi/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0116	1.60E-03	2.80E-02	—	pCi/L	U	U	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0195	2.47E-03	2.80E-02	—	pCi/L	U	U	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.165	6.67E-03	3.60E-02	—	pCi/L	—	—	09-913	CAMO-09-4438	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.145	6.00E-03	3.60E-02	—	pCi/L	—	—	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	—	0.316	—	—	3.00E-01	µg/L	J	J	09-913	CAMO-09-4437	GELC
R-44	8671	895	02/17/09	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	0.261	—	—	2.50E-01	µg/L	J	J	09-913	CAMO-09-4437	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.3	—	—	7.30E-01	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.1	—	—	3.00E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13	—	—	3.00E-02	mg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.73	—	—	6.60E-02	mg/L	—	J	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.331	—	—	3.30E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	50.1	—	—	3.50E-01	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	50.2	—	—	3.50E-01	mg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.22	—	—	8.50E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.33	—	—	8.50E-02	mg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.491	—	—	5.00E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.331	—	—	5.00E-02	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.36	—	—	5.00E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.35	—	—	5.00E-02	mg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.3	—	—	4.50E-02	mg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	149	—	—	1.00E+00	µS/cm	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.72	—	—	1.00E-01	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	132	—	—	2.40E+00	mg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.837	—	—	3.30E-01	mg/L	J	J	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J-	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	µg/L	J	J	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	µg/L	J	J	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	26.5	—	—	1.00E+00	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	26.4	—	—	1.00E+00	µg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.8	—	—	1.50E+00	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.6	—	—	1.50E+00	µg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6.7	—	—	2.00E+00	µg/L	J	J	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.4	—	—	2.00E+00	µg/L	J	J	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.2	—	—	3.20E-02	mg/L	—	—	09-979	CAMO-09-4442	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	63.3	—	—	1.00E+00	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	62.6	—	—	1.00E+00	µg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.69	—	—	5.00E-02	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.7	—	—	5.00E-02	µg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7	—	—	1.00E+00	µg/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	µg/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.7	—	—	2.00E+00	µg/L	J	J	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	µg/L	J	J	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00368	2.03E-03	3.90E-02	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00859	2.53E-03	3.90E-02	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.123	4.67E-01	4.60E+00	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.26	5.00E-01	4.60E+00	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.378	4.33E-01	4.00E+00	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.44	5.33E-01	5.60E+00	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:900	Gross alpha/beta	<	0.632	1.70E-01	1.80E+00	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	<	1.76	2.83E-01	2.20E+00	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:900	Gross beta	<	1.4	2.83E-01	2.80E+00	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:900	Gross beta	<	0.37	1.83E-01	2.00E+00	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	30.4	5.00E+00	3.10E+01	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	66.7	1.13E+01	6.00E+01	—	pCi/L	—	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	16.3	3.67E+00	3.70E+01	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	27.8	4.00E+00	3.80E+01	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	2.27E-03	3.40E-02	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00365	2.27E-03	2.60E-02	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00478	1.97E-03	4.80E-02	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0073	1.93E-03	3.70E-02	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	14.3	6.67E+00	6.90E+01	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-13.3	7.00E+00	7.10E+01	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.548	4.00E-01	3.80E+00	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.91	5.00E-01	4.40E+00	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.142	2.40E-02	2.70E-01	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0346	2.30E-02	2.40E-01	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.489	1.50E-02	6.70E-02	—	pCi/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.483	1.50E-02	7.20E-02	—	pCi/L	—	—	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00645	2.40E-03	3.10E-02	—	pCi/L	U	U	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00924	2.43E-03	3.30E-02	—	pCi/L	U	U	09-979	CAMO-09-4441	GELC
R-44	8681	985.3	02/22/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.191	7.67E-03	4.00E-02	—	pCi/L	—	—	09-979	CAMO-09-4442	GELC
R-44	8681	985.3	02/22/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.178	7.33E-03	4.30E-02	—	pCi/L	—	—	09-979	CAMO-09-4441	GELC

Appendix E

Screening Results

The following pages provide (1) acronyms and abbreviations and (2) analytical laboratory qualifier codes. The secondary data validation summary is provided in Appendix G.

Acronyms and Abbreviations

Code	Description
Field Prep Codes	
ASHED	Ashed
CRUSH	Crushed
F	Filtered
NA	Not Analyzed
SV	Sieved
UA	Unassigned
UF	Unfiltered
UNK	Unknown
Field QC Type Codes	
CO	Collocated
EQB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
FPR	Field Prepared Reagent
FPS	Field Prepared Spike
FR	Field Rinsate
FS	Field Split
FTB	Field Trip Blank
FTR	Field Triplicate
INB	Equipment blank taken during installation and not associated with a sampling event
ITB	Trip blank taken during installation and not associated with a sampling event
n/a	Not Applicable
PE	Performance Evaluation
PEB	Performance Evaluation Blank
PEK	Performance Evaluation Known
RES	Resample
SS	Special Sampling Event, Data Unique
UA	Unassigned
Suite Codes	
DIOX/FUR	Dioxins and Furans
DRO	Diesel Range Organics
GENINORG	General Inorganics
HERB	Herbicides

Acronyms and Abbreviations (continued)

Code	Description
HEXP	High Explosives
METALS	Metal
PEST/PCB	Pesticides and PCBs
RAD	Radionuclides
SVOA	Semivolatile Organics
VOA	Volatile Organics
Lab Sample Type Codes	
BLIND	Blind Quality Control
BS	Blank Spike
BSD	Blank Spike Duplicate
CS	Client Sample
DL	Dilution
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LCST	Laboratory Control Sample Triplicate
MB	Method Blank
MBD	Method Blank Duplicate
MBT	Method Blank Triplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
MSQD	Matrix Spike Quadruplicate
MSQT	Fifth Matrix Spike
MST	Matrix Spike Triplicate
QNT	Fifth Replicate
QUD	Quadruplicate
RE	Reanalysis
REDP	Reanalysis Duplicate
RETRP	Reanalysis Triplicate
RI	Reissue
RID	Reissue Duplicate
SXT	Sixth Replicate
TOTC	Calculated Total
TOTCD	Calculated Total for a Duplicate
TRP	Triplicate

Analytical Laboratory Qualifier Codes

Laboratory Qualifier Code	Laboratory Qualifier Description
*	(Inorganic)—Duplicate analysis (relative percent difference) not within control limits. (Organic)—Spike recovery (relative percent difference) is equal to or outside the control criteria used.
B	(Organic)—Analyte present in the blank and the sample. (Inorganic)—reported value was obtained from a reading that was less than the contract-required detection limit (CRDL) but greater than or equal to the instrument detection limit (IDL).
BJ	See B code and see J code.
BJP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the IDL but less than the CRDL. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary gas chromatography (GC) columns were greater than 25% difference. (P) (SW-846 U.S. Environmental Protection Agency (EPA) Method 8310, High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the IDL but less than the CRDL. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310, High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
DJ	(D) (Organic)—The result for this analyte was reported from a dilution. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL.
DNA	Did not analyze because equipment was broken.
E	EPA Flag—The result for this analyte exceeded the upper range of the instrument initial calibration curve.
EJ	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma atomic emission spectroscopy [ICP-AES])—The result for this analyte in the serial dilution analysis was outside acceptance criteria.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption [GFAA])—The result for this analyte failed one or more Control Laboratory Program (CLP) acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
EN	See E code and see N code.

Analytical Laboratory Qualifier Codes (continued)

Laboratory Qualifier Code	Laboratory Qualifier Description
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a TIC. (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL.
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
INS	(d15N)—The d15N of nitrate is a signature of the nitrate present in a sample. Therefore, nitrate has to be present to have a signature. A d15N value cannot be given to a blank, since the blank does not have nitrate. This is different than most analytical methods where you would run a blank and use the designator: “nondetect” or detected, but below detection limit.
J	(Inorganic)—The associated numerical value is an estimated quantity. (Organic)—The associated numerical value is an estimated quantity.
J*	This code is no longer used.
JB	See J code and see B code
JN	(J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the Practical Quantitation Limit (PQL). (N) (Organic)—The reported analyte is a TIC.
JN*	(J) (Organic/Inorganic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL. (N) (Organic)—The reported analyte is a TIC.
JP	See J code and see P code.
N	(Organic)—Presumptive evidence of presence of material. (Inorganic)—Spiked sample recovery not within control limits.
N*	This code is no longer used.
P	This code is no longer used.
U	(Inorganic)—The material was analyzed for but was not detected above the level of the associated numeric value. The associated numerical value is either the sample quantitation limit or the sample detection limit.

Analytical Laboratory Qualifier Codes (continued)

Laboratory Qualifier Code	Laboratory Qualifier Description
U*	See U code and see * code.
UE	See U code and see E code.
UEN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. Spiked sample recovery not within control limits.
UH	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UI	This code is no longer used.
UN	EPA flag (Inorganic)—Compound was analyzed for but was not detected. Spiked sample recovery not within control limits.
UN*	EPA flag (Inorganic)—Compound was analyzed for but was not detected. Spiked sample recovery not within control limits. Duplicate analysis not within control limits.
X	The result for this analyte was not detected at the specified reporting limit (used for gas chromatography methods).

Table E-1
Surface-Water Metals

Field Matrix Code	Location	Date	Analyte	Field Prep Code	Lab Sample Type Code	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	NM Aquatic Acute 100 mg (F)	Ratio (Result/Screening Level)	NM Aquatic Chronic 100 mg (F)	Ratio (Result/Screening Level)
WS	Mortandad below Effluent Canyon (E200)	02/12/09	Al	F	CS	419	68	µg/L	GELC	—*	—	—	SW-846:6010B	750	0.56	87	4.82
WS	Mortandad below Effluent Canyon (E200)	02/12/09	Cu	F	CS	7.4	3	µg/L	GELC	J	J	J_LAB	SW-846:6010B	13.4	0.55	9	0.82
WS	E-1FW	02/12/09	Al	F	CS	588	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.78	87	6.76
WS	E-1FW	02/12/09	Cr	F	CS	75.4	1.5	µg/L	GELC	—	—	—	SW-846:6020	—	—	74.1	1.02
WS	E-1FW	02/12/09	Cu	F	CS	5.4	3	µg/L	GELC	J	J	J_LAB	SW-846:6010B	—	—	9	0.6
WS	M-1W	02/12/09	Cd	F	CS	0.58	0.11	µg/L	GELC	J	J	J_LAB	SW-846:6020	—	—	0.2	2.9
WS	M-1W	02/12/09	Zn	F	CS	148	2	µg/L	GELC	—	—	—	SW-846:6010B	117.2	1.26	118	1.25

*— = None.

Table E-2
Surface-Water Perchlorate

Field Matrix Code	Location	Date	Field QC Type Code	Field Prep Code	Lab Sample Type Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
WS	Mortandad below Effluent Canyon (E200)	02/12/09	PEB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
WS	Mortandad below Effluent Canyon (E200)	02/12/09	—*	F	CS	SW-846:6850	—	0.162	0.05	µg/L	1	J	J	PE16a	GELC
WS	Mortandad below Effluent Canyon (E200)	02/12/09	FB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
WS	E-1FW	02/12/09	—	F	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
WS	M-1W	02/12/09	—	F	CS	SW-846:6850	—	0.377	0.05	µg/L	1	—	J	PE16a	GELC

*— = None.

Table E-3
Groundwater Metals

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Field QC Type Code	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Alluvial	MCO-0.6	SINGLE	1.05	02/05/09	Fe	F	—*	2960	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	2.96
Alluvial	MCO-0.6	SINGLE	1.05	02/05/09	Mn	F	—	1840	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	9.2
Alluvial	MCO-2	SINGLE	2	02/10/09	Al	F	FD	3410	68	µg/L	GELC	—	—	—	SW-846:6010B	—	—	5000	0.68
Alluvial	MCO-2	SINGLE	2	02/10/09	Al	F	—	3570	68	µg/L	GELC	—	—	—	SW-846:6010B	—	—	5000	0.71
Alluvial	MCO-2	SINGLE	2	02/10/09	Fe	F	FD	3420	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	3.42
Alluvial	MCO-2	SINGLE	2	02/10/09	Fe	F	—	3450	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	3.45
Alluvial	MCO-2	SINGLE	2	02/10/09	Mn	F	FD	462	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	2.31
Alluvial	MCO-2	SINGLE	2	02/10/09	Mn	F	—	458	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	2.29
Intermediate	MCOI-6	SINGLE	686	02/10/09	Cr	F	—	40.9	1.5	µg/L	GELC	—	—	—	SW-846:6020	—	—	50	0.82
Regional	R-42	SINGLE	931.8	02/20/09	Cr	F	—	830	1.5	µg/L	GELC	—	—	—	SW-846:6020	100	8.3	50	16.6
Regional	R-42	SINGLE	931.8	02/20/09	Cr	UF	—	856	1.5	µg/L	GELC	—	—	—	SW-846:6020	100	8.56	—	—
Regional	R-28	SINGLE	934.3	02/10/09	Cr	F	—	380	1.5	µg/L	GELC	—	—	—	SW-846:6020	100	3.8	50	7.6
Regional	R-28	SINGLE	934.3	02/10/09	Cr	UF	—	372	1.5	µg/L	GELC	—	—	—	SW-846:6020	100	3.72	—	—

*— = None.

Table E-4
Groundwater Organics

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Suite Code	Analyte	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA Tap Screening Level (C)	Ratio (Result/Screening Level)	EPA Tap Screening Level (N)	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Alluvial	CDBO-6	SINGLE	34	02/11/09	FTB	UF	VOA	Chloromethane	0.309	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—*	—	21.3	0.01	—	—	—	—
Alluvial	CDBO-7	SINGLE	29	02/11/09	FTB	UF	VOA	Chloromethane	1.74	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	21.3	0.08	—	—	—	—
Intermediate	MCOI-4	SINGLE	499	02/11/09	—	UF	SVOA	Dioxane[1,4-]	24.4	1.1	µg/L	1	—	—	—	SW-846:8270C	GELC	—	—	61.1	0.4	—	—	—	—
Intermediate	MCOI-5	SINGLE	689	02/09/09	—	UF	SVOA	Dioxane[1,4-]	5.21	1.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	—	—	61.1	0.09	—	—	—	—
Intermediate	MCOI-6	SINGLE	686	02/10/09	—	UF	SVOA	Dioxane[1,4-]	20.7	1.1	µg/L	1	—	—	—	SW-846:8270C	GELC	—	—	61.1	0.34	—	—	—	—
Regional	R-14	SINGLE	1200.6	02/18/09	—	UF	DIOX/FUR	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	0.00000148	0.00000148	µg/L	1	J	J	J_LAB	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Regional	R-14	SINGLE	1200.6	02/18/09	—	UF	SVOA	Bis(2-ethylhexyl)phthalate	4.19	2.2	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	6	0.7	48	0.09	—	—	—	—
Regional	R-33	MULTI	995.5	02/19/09	—	UF	PEST/PCB	Heptachlor	0.0281	0.0069	µg/L	1	—	—	—	SW-846:8081A	GELC	0.4	0.07	0.149	0.19	—	—	—	—
Regional	R-33	MULTI	995.5	02/19/09	—	UF	SVOA	Phenol	4.87	1.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	—	—	—	—	11000	—	5	0.97
Regional	R-33	MULTI	995.5	02/19/09	FTB	UF	VOA	Chloromethane	1.35	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	21.3	0.06	—	—	—	—
Regional	R-42	SINGLE	931.8	02/20/09	FD	UF	SVOA	Bis(2-ethylhexyl)phthalate	2.95	2.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	6	0.49	48	0.06	—	—	—	—
Regional	R-42	SINGLE	931.8	02/20/09	FD	UF	VOA	Acetone	17.2	3.5	µg/L	1	—	J	V7c	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-42	SINGLE	931.8	02/20/09	—	UF	VOA	Acetone	19.4	3.5	µg/L	1	—	J	V7c	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-42	SINGLE	931.8	02/20/09	FD	UF	VOA	Toluene	0.355	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Regional	R-44	MULTI	895	02/17/09	—	UF	VOA	Chloromethane	0.316	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.01	—	—	—	—
Regional	R-44	MULTI	895	02/17/09	—	UF	VOA	Toluene	0.261	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Regional	R-38	SINGLE	821.2	02/06/09	—	UF	DIOX/FUR	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	0.00000292	0.00000292	µg/L	1	J	J	J_LAB	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Regional	R-38	SINGLE	821.2	02/06/09	—	UF	DIOX/FUR	Heptachlorodibenzofurans (Total)	0.00000292	0.00000292	µg/L	1	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Regional	R-38	SINGLE	821.2	02/06/09	FD	UF	SVOA	Bis(2-ethylhexyl)phthalate	7.33	2.1	µg/L	1	J	J	SV7a	SW-846:8270C	GELC	6	1.22	48	0.15	—	—	—	—
Regional	R-38	SINGLE	821.2	02/06/09	—	UF	SVOA	Bis(2-ethylhexyl)phthalate	6.14	2.3	µg/L	1	J	J	SV7a	SW-846:8270C	GELC	6	1.02	48	0.13	—	—	—	—
Regional	R-38	SINGLE	821.2	02/06/09	FD	UF	VOA	Acetone	8.16	3.5	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-38	SINGLE	821.2	02/06/09	—	UF	VOA	Acetone	6.8	3.5	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-38	SINGLE	821.2	02/06/09	FD	UF	VOA	Benzene	23.8	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	5	4.76	12.1	1.96	—	—	10	2.38
Regional	R-38	SINGLE	821.2	02/06/09	—	UF	VOA	Benzene	6.34	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	5	1.27	12.1	0.52	—	—	10	0.63
Regional	R-38	SINGLE	821.2	02/06/09	FD	UF	VOA	Toluene	7.06	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	0.01	—	—	2280	—	750	0.01
Regional	R-38	SINGLE	821.2	02/06/09	—	UF	VOA	Toluene	1.46	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—

*— = None.

Table E-5
Groundwater Inorganics

Analyte	Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Field QC Type Code	Result	Method Detection Limit	Unit	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Cl(-1)	Alluvial	MCO-0.6	SINGLE	1.05	02/05/09	F	—*	329	3.3	mg/L	—	—	—	—	—	250	1.32
Cl(-1)	Alluvial	MCO-2	SINGLE	2	02/10/09	F	FD	444	3.3	mg/L	—	—	—	—	—	250	1.78
Cl(-1)	Alluvial	MCO-2	SINGLE	2	02/10/09	F	—	442	3.3	mg/L	—	—	—	—	—	250	1.77
Cl(-1)	Alluvial	MCO-3	SINGLE	2	02/11/09	F	—	144	1.3	mg/L	—	—	—	—	—	250	0.58
F(-1)	Alluvial	MCO-5	SINGLE	21	02/11/09	F	—	0.82	0.033	mg/L	—	—	—	—	—	1.6	0.51
F(-1)	Alluvial	MCO-6	SINGLE	27	02/04/09	F	—	0.895	0.033	mg/L	—	—	—	—	—	1.6	0.56
F(-1)	Alluvial	MCO-7	SINGLE	39	02/03/09	F	—	1.11	0.033	mg/L	—	—	—	—	—	1.6	0.69
F(-1)	Alluvial	MCO-7.5	SINGLE	35	02/03/09	F	FD	1.4	0.033	mg/L	—	—	—	—	—	1.6	0.88
F(-1)	Alluvial	MCO-7.5	SINGLE	35	02/03/09	F	—	1.35	0.033	mg/L	—	—	—	—	—	1.6	0.84
NO3+NO2-N	Intermediate	MCOI-4	SINGLE	499	02/11/09	F	—	10.5	0.1	mg/L	—	—	—	10	1.05	10	1.05
NO3+NO2-N	Intermediate	MCOI-6	SINGLE	686	02/10/09	F	—	15.1	0.25	mg/L	—	—	—	10	1.51	10	1.51
NO3+NO2-N	Regional	R-42	SINGLE	931.8	02/20/09	F	—	6.03	0.25	mg/L	—	—	—	10	0.6	10	0.6
TDS	Alluvial	MCO-0.6	SINGLE	1.05	02/05/09	F	—	714	2.4	mg/L	—	—	—	—	—	1000	0.71
TDS	Alluvial	MCO-2	SINGLE	2	02/10/09	F	FD	915	2.4	mg/L	—	—	—	—	—	1000	0.92
TDS	Alluvial	MCO-2	SINGLE	2	02/10/09	F	—	927	2.4	mg/L	—	—	—	—	—	1000	0.93

*— = None.

Table E-6
Groundwater Perchlorate

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial	MCO-0.6	SINGLE	1	02/05/09	PEB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Alluvial	MCO-0.6	SINGLE	1	02/05/09	—*	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Alluvial	MCO-0.6	SINGLE	1	02/05/09	FB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Alluvial	MCO-2	SINGLE	2	02/10/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	MCO-2	SINGLE	2	02/10/09	—	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	MCO-2	SINGLE	2	02/10/09	FD	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	MCO-3	SINGLE	2	02/11/09	—	F	SW-846:6850	—	2.14	0.2	µg/L	4	—	J	PE16a	GELC
Alluvial	MCO-4B	SINGLE	9	02/04/09	—	F	SW-846:6850	—	5.68	0.5	µg/L	10	—	—	—	GELC
Alluvial	MCO-5	SINGLE	21	02/11/09	—	F	SW-846:6850	—	6.76	0.5	µg/L	10	—	J	PE16a	GELC
Alluvial	MCO-6	SINGLE	27	02/04/09	—	F	SW-846:6850	—	7.82	0.5	µg/L	10	—	—	—	GELC
Alluvial	MCO-7	SINGLE	39	02/03/09	—	F	SW-846:6850	—	10.4	1	µg/L	20	—	—	—	GELC
Alluvial	MCO-7.5	SINGLE	35	02/03/09	—	F	SW-846:6850	—	13.6	1	µg/L	20	—	—	—	GELC
Alluvial	MCO-7.5	SINGLE	35	02/03/09	FD	F	SW-846:6850	—	13.8	1	µg/L	20	—	—	—	GELC
Alluvial	CDBO-6	SINGLE	34	02/11/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	CDBO-6	SINGLE	34	02/11/09	—	F	SW-846:6850	—	0.305	0.05	µg/L	1	—	J	PE16a	GELC
Alluvial	CDBO-7	SINGLE	29	02/11/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	CDBO-7	SINGLE	29	02/11/09	—	F	SW-846:6850	—	0.249	0.05	µg/L	1	—	J	PE16a	GELC
Intermediate	MCOI-4	SINGLE	499	02/11/09	—	F	SW-846:6850	—	63.8	10	µg/L	200	—	J	PE16a	GELC
Intermediate	MCOI-5	SINGLE	689	02/09/09	—	F	SW-846:6850	—	68.7	10	µg/L	200	—	J	PE16a	GELC
Intermediate	MCOI-6	SINGLE	686	02/10/09	—	F	SW-846:6850	—	90.9	10	µg/L	200	—	J	PE16a	GELC
Regional	R-14	SINGLE	1201	02/18/09	—	F	SW-846:6850	—	0.268	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-1	SINGLE	1031	02/17/09	—	F	SW-846:6850	—	0.348	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-33	MULTI	996	02/19/09	—	F	SW-846:6850	—	0.363	0.05	µg/L	1	—	—	—	GELC
Regional	R-33	MULTI	1112	02/03/09	—	F	SW-846:6850	—	0.376	0.05	µg/L	1	—	—	—	GELC
Regional	R-15	SINGLE	959	02/17/09	PEB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-15	SINGLE	959	02/17/09	—	F	SW-846:6850	—	7.06	0.5	µg/L	10	—	J	PE16a	GELC
Regional	R-15	SINGLE	959	02/17/09	FB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-42	SINGLE	932	02/20/09	—	F	SW-846:6850	—	1.18	0.1	µg/L	2	—	—	—	GELC
Regional	R-28	SINGLE	934	02/10/09	—	F	SW-846:6850	—	0.921	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-44	MULTI	895	02/17/09	—	F	SW-846:6850	—	0.406	0.05	µg/L	1	—	J	PE16a	GELC

Table E-6 (continued)

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Regional	R-44	MULTI	985	02/22/09	—	F	SW-846:6850	—	0.331	0.05	µg/L	1	—	—	—	GELC
Regional	R-13	SINGLE	958	02/10/09	—	F	SW-846:6850	—	0.394	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-13	SINGLE	958	02/10/09	FD	F	SW-846:6850	—	0.367	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-34	SINGLE	884	02/12/09	—	F	SW-846:6850	—	0.316	0.05	µg/L	1	—	—	—	GELC
Regional	R-38	SINGLE	821	02/06/09	—	F	SW-846:6850	—	0.33	0.05	µg/L	1	—	—	—	GELC
Regional	R-21	SINGLE	889	02/18/09	PEB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-21	SINGLE	889	02/18/09	—	F	SW-846:6850	—	0.266	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-21	SINGLE	889	02/18/09	FB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-21	SINGLE	889	02/18/09	FD	F	SW-846:6850	—	0.269	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-16r	SINGLE	600	02/13/09	PEB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-16r	SINGLE	600	02/13/09	—	F	SW-846:6850	—	0.383	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-16r	SINGLE	600	02/13/09	FD	F	SW-846:6850	—	0.348	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-16r	SINGLE	600	02/13/09	FB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-16	MULTI	866	02/03/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-16	MULTI	866	02/03/09	—	F	SW-846:6850	—	0.0961	0.05	µg/L	1	J	J	J_LAB	GELC
Regional	R-16	MULTI	1018	02/03/09	—	F	SW-846:6850	—	0.293	0.05	µg/L	1	—	—	—	GELC
Regional	R-16	MULTI	1018	02/03/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC

*— = None.

Table E-7
Groundwater Radionuclides

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DCG	Ratio (Result/Screening Level)	DOE DW DCG	Ratio (Result/Screening Level)	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)	NMED Radiation Protection	Ratio (Result/Screening Level)
Alluvial	CDBO-6	SINGLE	34	02/11/09	Ra-226	UF	0.753	0.24	0.55	pCi/L	EPA:903.1	—*	—	—	—	0.01	4	0.19	5	0.15	30	0.03	60	0.01
Intermediate	MCOI-4	SINGLE	499	02/11/09	H-3	UF	7150	730	170	pCi/L	EPA:906.0	—	—	—	—	—	80000	0.09	20000	0.36	—	—	1000000	0.01
Intermediate	MCOI-5	SINGLE	689	02/09/09	H-3	UF	3090	330	160	pCi/L	EPA:906.0	—	—	—	—	—	80000	0.04	20000	0.15	—	—	1000000	—
Intermediate	MCOI-6	SINGLE	686	02/10/09	H-3	UF	9520	970	160	pCi/L	EPA:906.0	—	—	—	—	—	80000	0.12	20000	0.48	—	—	1000000	0.01

*— = None.

Table E-8
Groundwater Tritium

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Field QC Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	CDBO-7	SINGLE	29	02/11/09	UF	—	—	57.47	1.92	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	—	—	—
Regional	R-1	SINGLE	1031.1	02/17/09	UF	—	<	0.13	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-33	MULTI	1112.4	02/03/09	UF	—	<	-0.06	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-15	SINGLE	958.6	02/17/09	UF	—	—	37.84	10.92	7.0246	pCi/L	Generic:Low_Level_Tritium	ARSL	—	—	—
Regional	R-28	SINGLE	934.3	02/10/09	UF	—	—	233.60	61.05	6.83302	pCi/L	Generic:Low_Level_Tritium	ARSL	—	—	—
Regional	R-44	MULTI	895	02/17/09	UF	—	<	0.48	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	—	U	R11
Regional	R-13	SINGLE	958.3	02/10/09	UF	FD	<	0.03	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-13	SINGLE	958.3	02/10/09	UF	—	<	—	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-34	SINGLE	883.7	02/12/09	UF	—	<	0.16	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-38	SINGLE	821.2	02/06/09	UF	—	<	-0.48	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-16r	SINGLE	600	02/13/09	UF	FD	<	0.16	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-16r	SINGLE	600	02/13/09	UF	—	<	-0.03	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-16	MULTI	866.1	02/03/09	UF	—	<	—	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-16	MULTI	1018.4	02/03/09	UF	—	<	—	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5
Regional	R-16	MULTI	1238	02/03/09	UF	—	<	0.06	0.29	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	U	U	R5

Appendix F

Investigation-Derived Waste Management

F-1.0 INTRODUCTION

This appendix describes the storage and disposal of investigation-derived waste (IDW) generated during this periodic groundwater monitoring event conducted in the Mortandad Watershed under the Los Alamos National Laboratory (LANL or the Laboratory) Interim Facility-Wide Groundwater Monitoring Plan (IFGMP) (LANL 2008, 101897). IDW is waste generated as a result of field investigation activities and may include, but is not limited to, purge water; contact waste consisting of contaminated personal protective equipment (PPE), sampling supplies, plastic, and paper; fluids from the decontamination of PPE and sampling equipment; and all other wastes potentially contacting contaminants. IDW generated during implementation of the IFGMP is managed to protect human health and the environment, comply with applicable regulatory requirements, and adhere to Laboratory waste minimization goals. The wastes are managed in accordance with the Mortandad Watershed groundwater monitoring waste characterization strategy form (WCSF), submitted in the November 2006 periodic monitoring report (PMR) (LANL 2007, 099122). The WCSF provides information on IDW characterization, management, containerization, analytical methods and estimated waste volumes. The most recent version of the "Los Alamos National Laboratory Hazardous Waste Minimization Report" (LANL 2008, 104174) is being implemented during groundwater monitoring to minimize waste generation. The plan is updated annually as a requirement of Module VIII of the Laboratory's Hazardous Waste Facility Permit.

F-2.0 WASTE DETERMINATION

IDW characterization is completed through review of existing data and/or documentation and sampling of the media being investigated (i.e., groundwater). The groundwater analyses are augmented, as needed, by direct sampling of containerized purge waters to fulfill a treatment or disposal of facility's waste acceptance criteria (WAC). Under the 2008 IFGMP, the wastes from each sampling event were initially managed as hazardous wastes until the analytical data for that event were available. However, multiple analyses showed that the groundwater, and therefore the wastes, for a number of the wells were not hazardous. The 2008 IFGMP recognized this and allowed the number of sampling events used to make Resource Conservation and Recovery Act (RCRA) waste determinations to be based on acceptable knowledge (AK) of groundwater conditions within a watershed in the area of a well. AK includes reviews of existing analytical data and may also include source term/process identification performed to identify whether listed hazardous waste may be present (i.e., due diligence reviews). If low levels of listed hazardous waste are identified, a "contained-in" request may be submitted for approval to New Mexico Environment Department (NMED).

F-3.0 WASTE MANAGEMENT

All IDW generated during this periodic monitoring event is being managed in accordance with applicable standard operating procedures (SOPs). These SOPs incorporate the requirements of all applicable U.S. Environmental Protection Agency (EPA) and NMED regulations, U.S. Department of Energy (DOE) orders, and Laboratory procedures.

The SOP applicable to the characterization and management of IDW is

- EP-ERSS-SOP-5022, Characterization and Management of Environmental Restoration (ER) Project Waste (http://www.lanl.gov/environment/all/qa/adep.shtml).

The IDW streams associated with groundwater monitoring are identified in Table F-3.0-1 and are briefly described below. Table F-3.0-1 summarizes the waste types, volumes, characterization methods, methods of on-site management, and disposition path for each of the waste streams. Only the wastes generated during this particular monitoring event are detailed in this section and in Table F-3.0-1. The number of samples used to make the waste determination varies by well, depending on the classifications described in section F-2.0, Waste Determination. If the waste has not yet been land-applied, or shipped to the destination where it will be treated and/or disposed of, "Pending" appears in the "Disposition Status" column of Table F-3.0-1. Waste that has not yet been characterized is managed conservatively or based on previous analytical data. Existing waste disposal documentation (waste profile forms [WPFs], manifests, etc.) that are in use and have been submitted in a previous report (see bullets below) are not attached.

If a waste stream from a previous monitoring event was reported as pending land application or disposal, and has since been land applied or disposed, the waste types, volumes, characterization methods are updated in Table F-3.0.2. If new disposal documents have been utilized since a previous reporting period, then the new waste disposal documents are attached.

Purge water: The purge water waste stream consists of groundwater purged from wells in the Mortandad Watershed before sampling to ensure representative samples are collected. Purge water is managed and characterized in accordance with the WCSF and ENV-RCRA-SOP-010.1, Land Application of Groundwater. ENV-RCRA-SOP-010.1 implements the NMED–approved Notice of Intent (NOI) Decision Tree for land application of drilling, development, rehabilitation, and sampling purge water.

During the monitoring activity, purge water was collected and containerized as it was removed from the wells. If purge water at a specific well has met the requirements for land application, it may have been directly land-applied, or it may have been containerized before land application. The type of storage container used depends on the volume of purge water expected and includes 5-gal. carboys, 55-gal. drums, and other containers. For transport, U.S. Department of Transportation– (DOT-) approved containers are used, as appropriate. The containers of purge water are managed as follows in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste.

- If purge water is hazardous or mixed waste, it is placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in or investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste is treated or disposed of at a permitted off-site treatment, storage, and disposal (TSD) facility.
- Purge water that has been determined to be nonhazardous, including those for which NMED has granted a contained-in determination, are evaluated using ENV-RCRA-SOP-010.1 for land application. If land-application criteria are met, the purge water is land-applied as specified in the NOI decision tree. If land-application criteria cannot be met, the purge water is transported and treated and/or disposed of at on-site facilities, if possible, or treated and/or disposed of at an authorized off-site facility if the WACs of on-site facilities cannot be met.

Contact waste: The contact waste stream consists of solid wastes generated during sampling that "contacted" potentially contaminated environmental media (i.e., purge water) and cannot be decontaminated. It consists primarily of contaminated PPE (primarily gloves); disposable sampling supplies; and dry decontamination wastes, such as paper items. Contact waste may also include equipment that cannot be dedicated for reuse or decontaminated. Contact waste is stored in containers (e.g., 55-gal. drums) at monitoring sites or at waste accumulation areas appropriate for the regulatory

status of the waste. DOT-approved containers are used, as appropriate, for transport. Characterization of this waste stream is being performed through AK from analytical results for the environmental media that it came into contact with or through direct sampling of the containerized waste. The contact waste is managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows.

- Contact waste that has been in contact with nonhazardous, nonradioactive groundwater is disposed of at a New Mexico solid waste landfill using WPF 39268, a copy of which was included in Appendix F of a previous PMR (LANL 2008, 103737).
- If the contact wastes are hazardous or mixed wastes, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in determination or a due diligence investigation of the sources of the contamination determines the waste is not listed hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated and/or disposed of at a permitted off-site TSD facility.
- If the contact wastes are nonhazardous but contain elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at Technical Area 54 (TA-54) Area G. Radioactive contact waste must be placed in registered radioactive waste staging or storage areas that may be at the location of the wells or may be at other locations at the Laboratory. If the Laboratory's Green Is Clean program verifies that the contact waste is nonradioactive, it is disposed of at a New Mexico solid waste landfill.

Decontamination fluids: Consistent with waste minimization practices, the Laboratory employs dry decontamination methods to the extent possible. However, if dry decontamination cannot be performed, liquid decontamination is used. The decontamination fluids waste stream consists of decontamination solutions and rinse waters, such as deionized water and Alconox. Liquid decontamination wastes are collected in containers at the point of generation. The decontamination fluids waste stream is characterized through AK of the environmental media or direct sampling of the containerized waste. These wastes receive the same designation as the associated purge water. The containers of decontamination fluids are managed in accordance with their classification as nonhazardous, hazardous, mixed, or radioactive waste, as follows.

- Nonhazardous/nonradioactive decontamination fluids may be sent to the Sanitary Waste System or the Sanitary Effluent Reclamation Facility.
- The Radioactive Liquid Waste Treatment Facility or the TA-53 evaporation basins treat radioactive wastewaters. Radioactive wastewaters must be placed in registered radioactive staging or storage areas that may be at the location of the wells or may be at other locations at the Laboratory. If the decontamination fluids do not meet the WAC for these facilities, they are sent off-site for treatment and/or disposal.
- If the wastes are hazardous or mixed waste, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in determination or a due diligence investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated and/or disposed of at a permitted off-site TSD facility.

F-4.0 REFERENCE

The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), October 2007. "Periodic Monitoring Report for Mortandad Watershed, October 19–November 8, 2006; February 26–March 18, 2007; and June 4–June 24, 2007," Los Alamos National Laboratory document LA-UR-07-6633, Los Alamos, New Mexico. (LANL 2007, 099122)

LANL (Los Alamos National Laboratory), May 2008. "2008 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-08-3273, Los Alamos, New Mexico. (LANL 2008, 101897)

LANL (Los Alamos National Laboratory), September 2008. "Periodic Monitoring Report for White Rock Watershed, April 23–April 30, 2008," Los Alamos National Laboratory document LA-UR-08-5847, Los Alamos, New Mexico. (LANL 2008, 103737)

LANL (Los Alamos National Laboratory), November 2008. "Los Alamos National Laboratory Hazardous Waste Minimization Report," Los Alamos National Laboratory document LA-UR-08-7274, Los Alamos, New Mexico. (LANL 2008, 104174)

Table F-3.0-1
Summary of IDW Generation and Management

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Purge Water	Nonhazardous, Nonradioactive	2322 gal.	Analytical results from groundwater-monitoring samples and AK	Originally managed conservatively and collected in containers, stored at satellite accumulation areas or at less-than-90-day accumulation areas. These wastes have been determined to be nonhazardous based on data review or due diligence. The containers and accumulation areas have been downgraded to nonhazardous.	Land-applied in accordance with the NOI decision tree; discharge ID numbers 2008-010 (well R-13), 2008-011 (well R-1), 2008-025 (well R-16r), 2009-013 (well R-21), 2009-016 (well R-33 screen 2), and 2009-023 (well R-34).
Purge Water	Nonhazardous, Nonradioactive	1451 gal.	Same as above	Managed as described above	Pending land-application review and approval
Purge Water	Nonhazardous, Nonradioactive	275 gal.	Same as above	Managed as described above	Pending WPF renewal and transport to an on-site Laboratory wastewater treatment facility[a]
Purge Water	Nonhazardous, Suspect radioactive	297 gal.	Same as above	Managed at radioactive staging area	Pending land-application review or WPF approval
Contact Waste	Nonhazardous, Nonradioactive	0.05 yd^3 (11 gal.)	AK of the waste materials	Managed as described above in first entry under "On-Site Management"	Disposed of at New Mexico solid waste landfill ; WPF 39268[b]
Contact Waste	Nonhazardous, Suspect Radioactive	0.08 yd^3 (17 gal.)	AK of the waste materials	Managed at radioactive staging area	Pending Green Is Clean screening, segregation, or WPF approval[a]
Decontamina-tion Fluids	Nonhazardous, Nonradioactive	<5 gal.	Analytical results from groundwater-monitoring samples and AK	Managed as described above in first entry under "On-Site Management"	Pending WPF approval and disposal[a]

[a] Disposal documentation is pending completion of transport.

[b] The existing WPF was submitted in Appendix F of a previous PMR (LANL 2008, 103737).

Table F-3.0-2
Summary Update of Disposed IDW Previously Reported as Pending

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Purge Water	Nonhazardous, Nonradioactive	8552 gal.	Analytical results from groundwater-monitoring samples and AK	Originally managed conservatively and collected in containers, stored at satellite accumulation areas, or at less-than-90-day accumulation areas. These wastes have been determined to be nonhazardous based on data review or due diligence. The containers and accumulation areas have been downgraded to nonhazardous.	Land-applied in accordance with the NOI decision tree; discharge ID numbers 2009-013 (well R-21), 2009-016 (well R-33 screen 2), and 2009-023 (well R-34)

Appendix G

Analytical Reports
(on CD included with this document)

CD Table of Contents

Request	Sample	Suite	Lab	Date	Location
09-794	CAMO-09-2586	GENINORG	GELC	2/3/2009	MCO-7
09-794	CAMO-09-2586	METALS	GELC	2/3/2009	MCO-7
09-794	CAMO-09-2587	GENINORG	GELC	2/3/2009	MCO-7
09-794	CAMO-09-2587	METALS	GELC	2/3/2009	MCO-7
09-794	CAMO-09-2588	GENINORG	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2588	METALS	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2589	GENINORG	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2589	METALS	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2590	GENINORG	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2590	METALS	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2591	GENINORG	GELC	2/3/2009	MCO-7.5
09-794	CAMO-09-2591	METALS	GELC	2/3/2009	MCO-7.5
09-796	CAMO-09-2868	DIOX/FUR	ALTC	2/3/2009	R-33
09-797	CAMO-09-2867	GENINORG	GELC	2/3/2009	R-33
09-797	CAMO-09-2867	METALS	GELC	2/3/2009	R-33
09-797	CAMO-09-2867	RAD	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	GENINORG	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	HEXP	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	METALS	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	PEST/PCB	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	RAD	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	SVOA	GELC	2/3/2009	R-33
09-797	CAMO-09-2868	VOA	GELC	2/3/2009	R-33
09-797	CAMO-09-2869	VOA	GELC	2/3/2009	R-33
09-798	CAMO-09-2868	RAD	UMTL	2/3/2009	R-33
09-801	CAMO-09-2622	GENINORG	GELC	2/3/2009	R-16
09-801	CAMO-09-2622	METALS	GELC	2/3/2009	R-16
09-801	CAMO-09-2623	GENINORG	GELC	2/3/2009	R-16
09-801	CAMO-09-2623	METALS	GELC	2/3/2009	R-16
09-801	CAMO-09-2624	GENINORG	GELC	2/3/2009	R-16
09-801	CAMO-09-2624	METALS	GELC	2/3/2009	R-16
09-801	CAMO-09-2638	GENINORG	GELC	2/3/2009	R-16
09-801	CAMO-09-2639	GENINORG	GELC	2/3/2009	R-16
09-801	CAMO-09-2640	GENINORG	GELC	2/3/2009	R-16
09-801	CAMO-09-2641	GENINORG	GELC	2/3/2009	R-16
09-802	CAMO-09-2623	RAD	UMTL	2/3/2009	R-16
09-802	CAMO-09-2637	RAD	UMTL	2/3/2009	R-16
09-802	CAMO-09-2641	RAD	UMTL	2/3/2009	R-16
09-807	CAMO-09-2582	GENINORG	GELC	2/4/2009	MCO-4B

Request	Sample	Suite	Lab	Date	Location
09-807	CAMO-09-2582	METALS	GELC	2/4/2009	MCO-4B
09-807	CAMO-09-2583	GENINORG	GELC	2/4/2009	MCO-4B
09-807	CAMO-09-2583	METALS	GELC	2/4/2009	MCO-4B
09-807	CAMO-09-2584	GENINORG	GELC	2/4/2009	MCO-6
09-807	CAMO-09-2584	METALS	GELC	2/4/2009	MCO-6
09-807	CAMO-09-2585	GENINORG	GELC	2/4/2009	MCO-6
09-807	CAMO-09-2585	METALS	GELC	2/4/2009	MCO-6
09-815	CAMO-09-2411	GENINORG	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2411	METALS	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2412	GENINORG	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2412	METALS	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2413	GENINORG	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2413	METALS	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2414	GENINORG	GELC	2/5/2009	MCO-0.6
09-815	CAMO-09-2414	METALS	GELC	2/5/2009	MCO-0.6
09-838	CAMO-09-2999	DIOX/FUR	ALTC	2/6/2009	R-38
09-839	CAMO-09-2999	GENINORG	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	HERB	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	HEXP	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	METALS	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	PEST/PCB	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	RAD	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	SVOA	GELC	2/6/2009	R-38
09-839	CAMO-09-2999	VOA	GELC	2/6/2009	R-38
09-839	CAMO-09-3000	GENINORG	GELC	2/6/2009	R-38
09-839	CAMO-09-3000	METALS	GELC	2/6/2009	R-38
09-839	CAMO-09-3000	RAD	GELC	2/6/2009	R-38
09-839	CAMO-09-3001	VOA	GELC	2/6/2009	R-38
09-839	CAMO-09-3002	SVOA	GELC	2/6/2009	R-38
09-839	CAMO-09-3002	VOA	GELC	2/6/2009	R-38
09-850	CAMO-09-2597	VOA	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2598	GENINORG	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2598	METALS	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2599	GENINORG	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2599	METALS	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2599	RAD	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2599	SVOA	GELC	2/9/2009	MCOI-5
09-850	CAMO-09-2599	VOA	GELC	2/9/2009	MCOI-5
09-855	CAMO-09-2508	GENINORG	GELC	2/10/2009	MCO-2
09-855	CAMO-09-2508	METALS	GELC	2/10/2009	MCO-2
09-855	CAMO-09-2509	GENINORG	GELC	2/10/2009	MCO-2

Request	Sample	Suite	Lab	Date	Location
09-855	CAMO-09-2509	METALS	GELC	2/10/2009	MCO-2
09-855	CAMO-09-2580	GENINORG	GELC	2/10/2009	MCO-2
09-855	CAMO-09-2580	METALS	GELC	2/10/2009	MCO-2
09-855	CAMO-09-2581	GENINORG	GELC	2/10/2009	MCO-2
09-855	CAMO-09-2581	METALS	GELC	2/10/2009	MCO-2
09-855	CAMO-09-3654	GENINORG	GELC	2/10/2009	MCO-2
09-855	CAMO-09-3654	METALS	GELC	2/10/2009	MCO-2
09-860	CAMO-09-2999	RAD	UMTL	2/6/2009	R-38
09-863	CAMO-09-2600	GENINORG	GELC	2/10/2009	MCOI-6
09-863	CAMO-09-2600	SVOA	GELC	2/10/2009	MCOI-6
09-863	CAMO-09-2600	VOA	GELC	2/10/2009	MCOI-6
09-863	CAMO-09-2601	VOA	GELC	2/10/2009	MCOI-6
09-863	CAMO-09-2625	GENINORG	GELC	2/10/2009	R-28
09-863	CAMO-09-2628	GENINORG	GELC	2/10/2009	R-13
09-863	CAMO-09-2629	GENINORG	GELC	2/10/2009	R-13
09-864	CAMO-09-2600	GENINORG	GELC	2/10/2009	MCOI-6
09-864	CAMO-09-2600	METALS	GELC	2/10/2009	MCOI-6
09-864	CAMO-09-2600	RAD	GELC	2/10/2009	MCOI-6
09-864	CAMO-09-2602	GENINORG	GELC	2/10/2009	MCOI-6
09-864	CAMO-09-2602	METALS	GELC	2/10/2009	MCOI-6
09-864	CAMO-09-2625	GENINORG	GELC	2/10/2009	R-28
09-864	CAMO-09-2625	METALS	GELC	2/10/2009	R-28
09-864	CAMO-09-2626	GENINORG	GELC	2/10/2009	R-28
09-864	CAMO-09-2626	METALS	GELC	2/10/2009	R-28
09-864	CAMO-09-2627	GENINORG	GELC	2/10/2009	R-13
09-864	CAMO-09-2627	METALS	GELC	2/10/2009	R-13
09-864	CAMO-09-2628	GENINORG	GELC	2/10/2009	R-13
09-864	CAMO-09-2628	METALS	GELC	2/10/2009	R-13
09-864	CAMO-09-2629	GENINORG	GELC	2/10/2009	R-13
09-864	CAMO-09-2629	METALS	GELC	2/10/2009	R-13
09-864	CAMO-09-2630	GENINORG	GELC	2/10/2009	R-13
09-864	CAMO-09-2630	METALS	GELC	2/10/2009	R-13
09-865	CAMO-09-2628	RAD	UMTL	2/10/2009	R-13
09-865	CAMO-09-2629	RAD	UMTL	2/10/2009	R-13
09-866	CAMO-09-2594	GENINORG	GELC	2/11/2009	MCOI-4
09-866	CAMO-09-2594	METALS	GELC	2/11/2009	MCOI-4
09-866	CAMO-09-2595	GENINORG	GELC	2/11/2009	MCOI-4
09-866	CAMO-09-2595	METALS	GELC	2/11/2009	MCOI-4
09-866	CAMO-09-2595	RAD	GELC	2/11/2009	MCOI-4
09-866	CAMO-09-2595	SVOA	GELC	2/11/2009	MCOI-4
09-866	CAMO-09-2595	VOA	GELC	2/11/2009	MCOI-4

Request	Sample	Suite	Lab	Date	Location
09-866	CAMO-09-2596	VOA	GELC	2/11/2009	MCOI-4
09-867	CAMO-09-2625	RAD	ARSL	2/10/2009	R-28
09-883	CAMO-09-2391	GENINORG	GELC	2/11/2009	CDBO-7
09-883	CAMO-09-2391	SVOA	GELC	2/11/2009	CDBO-7
09-883	CAMO-09-2391	VOA	GELC	2/11/2009	CDBO-7
09-883	CAMO-09-2392	VOA	GELC	2/11/2009	CDBO-7
09-883	CAMO-09-2410	GENINORG	GELC	2/11/2009	CDBO-6
09-883	CAMO-09-2410	SVOA	GELC	2/11/2009	CDBO-6
09-883	CAMO-09-2410	VOA	GELC	2/11/2009	CDBO-6
09-883	CAMO-09-2593	GENINORG	GELC	2/11/2009	MCO-5
09-883	CAMO-09-2736	VOA	GELC	2/11/2009	CDBO-6
09-883	CAMO-09-4069	GENINORG	GELC	2/11/2009	MCO-3
09-883	CAMO-09-4311	VOA	GELC	2/11/2009	CDBO-6
09-883	CAMO-09-4312	VOA	GELC	2/11/2009	CDBO-7
09-884	CAMO-09-2390	GENINORG	GELC	2/11/2009	CDBO-7
09-884	CAMO-09-2390	METALS	GELC	2/11/2009	CDBO-7
09-884	CAMO-09-2391	GENINORG	GELC	2/11/2009	CDBO-7
09-884	CAMO-09-2391	METALS	GELC	2/11/2009	CDBO-7
09-884	CAMO-09-2409	GENINORG	GELC	2/11/2009	CDBO-6
09-884	CAMO-09-2409	METALS	GELC	2/11/2009	CDBO-6
09-884	CAMO-09-2410	GENINORG	GELC	2/11/2009	CDBO-6
09-884	CAMO-09-2410	METALS	GELC	2/11/2009	CDBO-6
09-884	CAMO-09-2592	GENINORG	GELC	2/11/2009	MCO-5
09-884	CAMO-09-2592	METALS	GELC	2/11/2009	MCO-5
09-884	CAMO-09-2593	GENINORG	GELC	2/11/2009	MCO-5
09-884	CAMO-09-2593	METALS	GELC	2/11/2009	MCO-5
09-884	CAMO-09-4070	GENINORG	GELC	2/11/2009	MCO-3
09-884	CAMO-09-4070	METALS	GELC	2/11/2009	MCO-3
09-884	CAMO-09-4311	GENINORG	GELC	2/11/2009	CDBO-6
09-884	CAMO-09-4311	METALS	GELC	2/11/2009	CDBO-6
09-884	CAMO-09-4312	GENINORG	GELC	2/11/2009	CDBO-7
09-884	CAMO-09-4312	METALS	GELC	2/11/2009	CDBO-7
09-885	CAMO-09-2390	RAD	GELC	2/11/2009	CDBO-7
09-885	CAMO-09-2391	RAD	GELC	2/11/2009	CDBO-7
09-885	CAMO-09-2409	RAD	GELC	2/11/2009	CDBO-6
09-885	CAMO-09-2410	RAD	GELC	2/11/2009	CDBO-6
09-885	CAMO-09-2593	RAD	GELC	2/11/2009	MCO-5
09-892	CAMO-09-2372	GENINORG	GELC	2/12/2009	E-1FW
09-892	CAMO-09-2372	METALS	GELC	2/12/2009	E-1FW
09-892	CAMO-09-2373	GENINORG	GELC	2/12/2009	E-1FW
09-892	CAMO-09-2373	METALS	GELC	2/12/2009	E-1FW

Request	Sample	Suite	Lab	Date	Location
09-892	CAMO-09-2635	GENINORG	GELC	2/12/2009	R-34
09-892	CAMO-09-2635	METALS	GELC	2/12/2009	R-34
09-892	CAMO-09-2636	GENINORG	GELC	2/12/2009	R-34
09-892	CAMO-09-2636	METALS	GELC	2/12/2009	R-34
09-893	CAMO-09-2374	GENINORG	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2374	METALS	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2375	GENINORG	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2375	METALS	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2376	GENINORG	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2376	METALS	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2377	GENINORG	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2377	METALS	GELC	2/12/2009	Mortandad below Effluent Canyon
09-893	CAMO-09-2378	GENINORG	GELC	2/12/2009	M-1W
09-893	CAMO-09-2378	METALS	GELC	2/12/2009	M-1W
09-893	CAMO-09-2379	GENINORG	GELC	2/12/2009	M-1W
09-893	CAMO-09-2379	METALS	GELC	2/12/2009	M-1W
09-903	CAMO-09-2618	GENINORG	GELC	2/13/2009	R-16r
09-903	CAMO-09-2618	METALS	GELC	2/13/2009	R-16r
09-903	CAMO-09-2619	GENINORG	GELC	2/13/2009	R-16r
09-903	CAMO-09-2619	METALS	GELC	2/13/2009	R-16r
09-903	CAMO-09-2620	GENINORG	GELC	2/13/2009	R-16r
09-903	CAMO-09-2620	METALS	GELC	2/13/2009	R-16r
09-903	CAMO-09-2621	GENINORG	GELC	2/13/2009	R-16r
09-903	CAMO-09-2621	METALS	GELC	2/13/2009	R-16r
09-903	CAMO-09-3027	GENINORG	GELC	2/13/2009	R-16r
09-903	CAMO-09-3027	METALS	GELC	2/13/2009	R-16r
09-903	CAMO-09-3028	GENINORG	GELC	2/13/2009	R-16r
09-903	CAMO-09-3028	METALS	GELC	2/13/2009	R-16r
09-912	CAMO-09-4437	DIOX/FUR	ALTC	2/17/2009	R-44
09-913	CAMO-09-4437	GENINORG	GELC	2/17/2009	R-44
09-913	CAMO-09-4437	HEXP	GELC	2/17/2009	R-44
09-913	CAMO-09-4437	METALS	GELC	2/17/2009	R-44
09-913	CAMO-09-4437	PEST/PCB	GELC	2/17/2009	R-44
09-913	CAMO-09-4437	RAD	GELC	2/17/2009	R-44
09-913	CAMO-09-4437	SVOA	GELC	2/17/2009	R-44
09-913	CAMO-09-4437	VOA	GELC	2/17/2009	R-44
09-913	CAMO-09-4438	GENINORG	GELC	2/17/2009	R-44
09-913	CAMO-09-4438	METALS	GELC	2/17/2009	R-44
09-913	CAMO-09-4438	RAD	GELC	2/17/2009	R-44
09-913	CAMO-09-4439	VOA	GELC	2/17/2009	R-44
09-916	CAMO-09-2391	RAD	UMTL	2/11/2009	CDBO-7

Request	Sample	Suite	Lab	Date	Location
09-916	CAMO-09-2607	RAD	UMTL	2/17/2009	R-1
09-916	CAMO-09-2619	RAD	UMTL	2/13/2009	R-16r
09-916	CAMO-09-2621	RAD	UMTL	2/13/2009	R-16r
09-916	CAMO-09-2636	RAD	UMTL	2/12/2009	R-34
09-918	CAMO-09-4437	RAD	UMTL	2/17/2009	R-44
09-920	CAMO-09-2606	GENINORG	GELC	2/17/2009	R-1
09-920	CAMO-09-2606	METALS	GELC	2/17/2009	R-1
09-920	CAMO-09-2607	GENINORG	GELC	2/17/2009	R-1
09-920	CAMO-09-2607	METALS	GELC	2/17/2009	R-1
09-920	CAMO-09-2614	GENINORG	GELC	2/17/2009	R-15
09-920	CAMO-09-2614	METALS	GELC	2/17/2009	R-15
09-920	CAMO-09-2615	GENINORG	GELC	2/17/2009	R-15
09-920	CAMO-09-2615	METALS	GELC	2/17/2009	R-15
09-920	CAMO-09-2616	GENINORG	GELC	2/17/2009	R-15
09-920	CAMO-09-2616	METALS	GELC	2/17/2009	R-15
09-920	CAMO-09-2617	GENINORG	GELC	2/17/2009	R-15
09-920	CAMO-09-2617	METALS	GELC	2/17/2009	R-15
09-933	CAMO-09-2615	RAD	ARSL	2/17/2009	R-15
09-940	CAMO-09-2862	DIOX/FUR	ALTC	2/18/2009	R-14
09-941	CAMO-09-2861	VOA	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	GENINORG	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	HEXP	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	METALS	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	PEST/PCB	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	RAD	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	SVOA	GELC	2/18/2009	R-14
09-941	CAMO-09-2862	VOA	GELC	2/18/2009	R-14
09-941	CAMO-09-2863	GENINORG	GELC	2/18/2009	R-14
09-941	CAMO-09-2863	METALS	GELC	2/18/2009	R-14
09-941	CAMO-09-2863	RAD	GELC	2/18/2009	R-14
09-942	CAMO-09-2631	GENINORG	GELC	2/18/2009	R-21
09-942	CAMO-09-2631	METALS	GELC	2/18/2009	R-21
09-942	CAMO-09-2632	GENINORG	GELC	2/18/2009	R-21
09-942	CAMO-09-2632	METALS	GELC	2/18/2009	R-21
09-942	CAMO-09-2633	GENINORG	GELC	2/18/2009	R-21
09-942	CAMO-09-2633	METALS	GELC	2/18/2009	R-21
09-942	CAMO-09-2634	GENINORG	GELC	2/18/2009	R-21
09-942	CAMO-09-2634	METALS	GELC	2/18/2009	R-21
09-942	CAMO-09-3029	GENINORG	GELC	2/18/2009	R-21
09-942	CAMO-09-3029	METALS	GELC	2/18/2009	R-21
09-942	CAMO-09-3030	GENINORG	GELC	2/18/2009	R-21

Request	Sample	Suite	Lab	Date	Location
09-942	CAMO-09-3030	METALS	GELC	2/18/2009	R-21
09-966	CAMO-09-2865	GENINORG	GELC	2/19/2009	R-33
09-966	CAMO-09-2865	HEXP	GELC	2/19/2009	R-33
09-966	CAMO-09-2865	PEST/PCB	GELC	2/19/2009	R-33
09-966	CAMO-09-2865	SVOA	GELC	2/19/2009	R-33
09-966	CAMO-09-2865	VOA	GELC	2/19/2009	R-33
09-966	CAMO-09-2866	VOA	GELC	2/19/2009	R-33
09-967	CAMO-09-2864	GENINORG	GELC	2/19/2009	R-33
09-967	CAMO-09-2864	METALS	GELC	2/19/2009	R-33
09-967	CAMO-09-2864	RAD	GELC	2/19/2009	R-33
09-967	CAMO-09-2865	GENINORG	GELC	2/19/2009	R-33
09-967	CAMO-09-2865	METALS	GELC	2/19/2009	R-33
09-967	CAMO-09-2865	RAD	GELC	2/19/2009	R-33
09-974	CAMO-09-2870	GENINORG	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	HERB	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	HEXP	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	METALS	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	PEST/PCB	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	RAD	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	SVOA	GELC	2/20/2009	R-42
09-974	CAMO-09-2870	VOA	GELC	2/20/2009	R-42
09-974	CAMO-09-2871	GENINORG	GELC	2/20/2009	R-42
09-974	CAMO-09-2871	METALS	GELC	2/20/2009	R-42
09-974	CAMO-09-2871	RAD	GELC	2/20/2009	R-42
09-974	CAMO-09-2872	VOA	GELC	2/20/2009	R-42
09-974	CAMO-09-2873	SVOA	GELC	2/20/2009	R-42
09-974	CAMO-09-2873	VOA	GELC	2/20/2009	R-42
09-975	CAMO-09-2865	DIOX/FUR	ALTC	2/19/2009	R-33
09-975	CAMO-09-2870	DIOX/FUR	ALTC	2/20/2009	R-42
09-979	CAMO-09-4441	GENINORG	GELC	2/22/2009	R-44
09-979	CAMO-09-4441	HEXP	GELC	2/22/2009	R-44
09-979	CAMO-09-4441	METALS	GELC	2/22/2009	R-44
09-979	CAMO-09-4441	PEST/PCB	GELC	2/22/2009	R-44
09-979	CAMO-09-4441	RAD	GELC	2/22/2009	R-44
09-979	CAMO-09-4441	SVOA	GELC	2/22/2009	R-44
09-979	CAMO-09-4441	VOA	GELC	2/22/2009	R-44
09-979	CAMO-09-4442	GENINORG	GELC	2/22/2009	R-44
09-979	CAMO-09-4442	METALS	GELC	2/22/2009	R-44
09-979	CAMO-09-4442	RAD	GELC	2/22/2009	R-44

Request	Sample	Suite	Lab	Date	Location
09-979	CAMO-09-4444	VOA	GELC	2/22/2009	R-44
09-981	CAMO-09-4441	DIOX/FUR	ALTC	2/22/2009	R-44

DIOX/FUR = Dioxins and furans.
GENINORG = General inorganics.
HERB = Herbicides.
HEXP = High explosives.
PEST/PCB = Pesticides/polychlorinated biphenyls.
RAD = Radionuclides.
SVOA = Semivolatile organic analysis.
VOA = Volatile organic analysis.