

LA-UR-26-20457

Approved for public release; distribution is unlimited.

Title: 2025 Annual MSGP Report

Author(s): De La Torre, Kiri Alexandria

Intended for:

Issued: 2026-01-23



Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA00001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

2025 MSGP Annual Report

1. Provide a summary of your past year's routine facility inspection documentation, including dates (see Part 3.1.6 of the permit). In addition, if you are an operator of an airport facility (Sector S) that is subject to the airport effluent limitations guidelines, and are complying with the MSGP Part 8.S.9 effluent limitation through the use of non-urea-containing deicers, provide a statement certifying that you do not use pavement deicers containing urea (e.g., "Urea was not used at [name of airport] for pavement deicing in the past year and will also not be used in 2021." (Note: Operators of airport facilities that are complying with Part 8.S.9 by meeting the numeric effluent limitation for ammonia do not need to include this statement.)

Los Alamos National Laboratory (LANL), operated by Triad National Security, LLC (Triad), consists of 9 active industrial sites that operate under 5 different Sectors (A, D, N, P, and AA). Permit coverage became effective on June 25, 2021. All 9 active sites were inspected according to the schedules identified in the site-specific Stormwater Pollution Prevention Plans (SWPPPs). The 36 sites that qualify for a conditional exclusion for no exposure were inspected between September 10 and October 28, 2025. A summary of routine facility inspections, other walkdowns, and associated corrective actions are included in Table 1 (attached).

3. Provide a summary of your past year's corrective action and/or additional implementation measures (AIM) documentation (See Part 5.3 of the permit). (Note: If corrective action is not yet completed at the time of submission of this annual report, you must describe the status of any outstanding corrective action(s).) Note that you must modify your SWPPP based on the corrective actions and deadlines required under Part 5. Also describe any incidents of noncompliance in the past year or currently ongoing, or if none, provide a statement that you are in compliance with the permit.

Please see Table 1 (attached) for a summary of corrective action documentation, which specifies the frequency of each of the following by site: (1) unauthorized release or discharge, (2) control measures needing maintenance, repair or replacement, (3) control measures that were inadequate to meet the non-numeric effluent limitations, (4) effluent limitation guidelines exceedances, (5) benchmark exceedances (AIM triggering events), and AIM Level at the end of the reporting period. All corrective actions were completed per the schedule provided in Part 5.1.3. LANL is in compliance with the permit.

Table 1. Summary of Routine Facility Inspections, Other Walkdowns and Associated Corrective Actions

Facility	Status	Required/ Recommended Inspection Frequency	Routine Facility Inspections and Other Walkdowns Conducted Between 1/1/2025 and 12/31/2025	Inspection Dates	Unauthorized Release or Discharge	Control Measures Needing Maintenance, Repairs, or Replacement or Installed Incorrectly	Control Measures Inadequate to Meet Non- Numeric Effluent Limitations	Incidents of Noncompliance (Effluent Limitation Guidelines Exceedances)	Average Exceeds or is Mathematically Certain to Exceed Benchmark Value (AIM Triggering Event)	AIM Level at end of Reporting Period
TA-03-0029 Indoor TSD	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-03-0029 Machine Shop	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-03-0030 Warehouse	No Exposure	Annually	1	10/06/25	—	—	2	—	—	—
TA-03-0032 Metal Shop	No Exposure	Annually	1	09/17/25	—	—	—	—	—	—
TA-03-0034 Metal Shop	No Exposure	Annually	1	09/17/25	—	—	—	—	—	—
TA-03-0038 Metal Fabrication Shops	Active	Monthly	12	1/14/25, 02/05/25, 03/20/25, 04/22/25, 05/30/25, 06/19/25, 07/30/25, 08/28/25, 09/29/25, 10/29/25, 11/20/25, 12/22/25	—	—	2	—	—	Zn and Al- Baseline, NO ₃ +NO ₂ -N - AIM Level 1

2025 MSGP Annual Report

Facility	Status	Required/ Recommended Inspection Frequency	Routine Facility Inspections and Other Walkdowns Conducted Between 1/1/2025 and 12/31/2025	Inspection Dates	Unauthorized Release or Discharge	Control Measures Needing Maintenance, Repairs, or Replacement or Installed Incorrectly	Control Measures Inadequate to Meet Non- Numeric Effluent Limitations	Incidents of Noncompliance (Effluent Limitation Guidelines Exceedances)	Average Exceeds or is Mathematically Certain to Exceed Benchmark Value (AIM Triggering Event)	AIM Level at end of Reporting Period
TA-03-0039 & 0102 Metal Shop	No Exposure	Annually	3	1 02/25/25, 03/26/25 09/17/25,	2	—	1	—	—	—
TA-03-0040, Room 130S Machine Shop	No Exposure	Annually	1	09/17/25	—	—	-	—	—	—
TA-03-0066 Sigma Complex	No Exposure	Annually	2	08/26/25, 10/28/25	1	—	2	—	—	—
TA-03-2206 Warehouse	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-09-0028 Heavy Equipment Maintenance	No Exposure	Annually	2	05/21/25, 10/07/25	1	—	—	—	—	—
TA-09-0214 Metal Fabrication Shop	Active	Monthly	12	01/30/25, 02/03/25, 03/03/25, 04/02/25, 05/01/25, 06/02/25, 07/01/25, 08/21/25, 09/02/25, 10/09/25, 11/20/25, 12/18/25	—	—	1	—	—	Baseline
TA-15-0313 Machine Shop	No Exposure	Annually	1	10/7/25	—	—	1	—	—	—
TA-16 Stockpile Area	Active	Quarterly	5	03/03/25, 06/02/25, 09/05/25, 11/12/25, 12/15/25	1	—	—	—	—	N/A
TA-22-0052 Machine Shop	No Exposure	Annually	1	10/7/25	—	—	1	—	—	—
TA-33-0113 Machine Shop	No Exposure	Annually	1	09/10/25	—	—	—	—	—	—
TA-35-0002 Machine Shop	No Exposure	Annually	1	09/30/25	—	—	—	—	—	—
TA-35-0125 Machine Shop	No Exposure	Annually	1	09/30/25	—	—	—	—	—	—
TA-35-0213 Target Fabrication Facility	No Exposure	Annually	2	08/26/25 09/30/25	—	—	1	—	—	—
TA-46-0031 Machine Shop	No Exposure	Annually	1	09/30/25	—	—	—	—	—	—
TA-46-0077 Machine Shop	No Exposure	Annually	1	09/30/25	—	—	—	—	—	—
TA-46-0624 Warehouse	No Exposure	Annually	2	10/06/25, 11/19/25	1	—	1	—	—	—

2025 MSGP Annual Report

Facility	Status	Required/ Recommended Inspection Frequency	Routine Facility Inspections and Other Walkdowns Conducted Between 1/1/2025 and 12/31/2025	Inspection Dates	Unauthorized Release or Discharge	Control Measures Need Maintenance, Repairs, or Replacement or Installed Incorrectly	Control Measures Inadequate to Meet Non- Numeric Effluent Limitations	Incidents of Noncompliance (Effluent Limitation Guidelines Exceedances)	Average Exceeds or is Mathematically Certain to Exceed Benchmark Value (AIM Triggering Event)	AIM Level at end of Reporting Period
TA-48-0008 Machine Shop	No Exposure	Annually	1	09/30/25	—	—	—	—	—	—
TA-50-0054 Machine Shop	No Exposure	Annually	1	09/30/25	—	—	—	—	—	—
TA-50-0069 WCRRF	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-53-0002 Machine Shop	No Exposure	Annually	1	10/22/25	—	—	—	—	—	—
TA-53-0016/0726 Machine Shop	No Exposure	Annually	1	10/22/25	—	—	—	—	—	—
TA-53-0026 Machine Shop	No Exposure	Annually	1	10/22/25	—	—	—	—	—	—
TA-54-0038 Indoor TSD	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-54-0038 Outdoor TSD	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-55 Outdoor TSD	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-55-0004 Indoor TSD	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-55-0005 Warehouse	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-55-0268 Warehouse	No Exposure	Annually	1	09/15/25	1	—	—	—	—	—
TA-55-0314 Warehouse	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-55-0355 TSD	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-55-0430 Metal Shop	No Exposure	Annually	1	09/15/25	—	—	1	—	—	—
TA-55-0432 Warehouse	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-60 Asphalt Batch Plant	Active	Monthly	13	01/06/25, 02/10/25, 03/17/25, 04/01/25, 05/12/25, 06/04/25, 06/10/25 07/07/25, 08/06/25, 09/02/25, 10/01/25, 11/03/25, 12/19/25	1	—	—	—	—	Baseline
TA-60 Material Recycling Facility	Active	Monthly	12	01/06/25, 02/12/25, 03/19/25, 04/07/25, 05/13/25, 06/16/25, 07/14/25, 08/11/25, 09/08/25, 10/03/25, 11/12/25, 12/19/25	—	—	1	—	—	N/A

2025 MSGP Annual Report

Facility	Status	Required/ Recommended Inspection Frequency	Routine Facility Inspections and Other Walkdowns Conducted Between 1/1/2025 and 12/31/2025	Inspection Dates	Unauthorized Release or Discharge	Control Measures Needing Maintenance, Repairs, or Replacement or Installed Incorrectly	Control Measures Inadequate to Meet Non- Numeric Effluent Limitations	Incidents of Noncompliance (Effluent Limitation Guidelines Exceedances)	Average Exceeds or is Mathematically Certain to Exceed Benchmark Value (AIM Triggering Event)	AIM Level at end of Reporting Period
TA-60 Roads and Grounds and TA-61 Asphalt Staging Area	Active	Monthly	12	01/24/25, 02/24/25, 03/24/25, 04/23/25, 05/20/25, 06/23/25, 07/22/25, 08/25/25, 09/22/25, 10/16/25, 11/17/25, 12/22/25	2	1	14	—	—	N/A
TA-60-0001 Heavy Equipment Yard	Active	Monthly	15	1/14/25, 02/04/25, 03/10/25, 04/07/25, 05/21/25, 05/30/25, 06/11/25, 06/23/25, 07/30/25, 08/28/25, 09/30/25, 10/24/25, 10/29/25, 11/20/25, 12/22/25	4	—	3	—	1	Zn and Al – Baseline –, NO ₃ +NO ₂ – N – Level 1
TA-60-0002 Warehouse	Active	Monthly	12	01/14/25, 02/04/25, 03/11/25, 04/22/25, 05/30/25, 06/18/25, 07/30/25, 08/28/25, 09/30/25, 10/29/225, 11/20/25, 12/22/25	1	—	—	—	—	N/A
TA-63 Transuranic Waste Facility TSDs	No Exposure	Annually	1	09/15/25	—	—	—	—	—	—
TA-69 Wood Yard	Active	Quarterly	4	03/18/25, 06/23/25, 09/25/25, 12/15/25	—	—	—	—	—	Baseline

TA = Technical Area

TSD = Treatment, storage and disposal

WCRRF = Waste Characterization, Reduction, and Repackaging Facility

AIM = Additional Implementation Measures

N/A = Not applicable. Sector-specific requirements do not include benchmark monitoring. **2. Provide a summary of your past year's quarterly visual assessment documentation, including dates (see Part 3.2.3 of the permit).**

Please see Table 2 (attached) for a summary of visual assessment documentation. Outfalls reporting fewer than four visual assessments means no discharge occurred during one or more quarters.

Table 2. Summary of Quarterly Visual Assessments

2025 MSGP Annual Report

Facility	Outfall	Outfall Type	Visual Assessments Performed between 1/1/2025 and 12/31/2025	Visual Assessment Dates	Evidence of Pollutants Observed
TA-03-0038 Metal Fabrication Shops	076	Monitored	3	06/02/25, 07/22/25, 11/20/25	None
	077	Monitored	0	—	None
TA-09-0214 Metal Fabrication Shop	079	Monitored	0	—	None
TA-16 Stockpile Area	078	Monitored	3	05/06/25, 08/26/25, 10/14/25	None
TA-60 Asphalt Batch Plant	043	Monitored	0	—	None
TA-60 Material Recycling Facility	029	Monitored	3	05/05/25, 07/22/25, 10/13/25	None
TA-60 Roads and Grounds and TA-61 Asphalt Staging Area	031	Monitored	3	05/05/25, 08/20/25, 10/14/25	None
	030	SIDP to 031	3	04/01/25, 07/22/25, 10/14/25	None
	032	Monitored	3	05/05/25, 07/08/25, 10/16/25	None
	033	SIDP to 032	4	01/24/25, 04/01/25, 07/22/25, 10/14/25	None
	034	SIDP to 032	3	04/01/25, 07/22/25, 10/14/25	None
	035	SIDP to 032	4	01/24/25, 04/01/25, 07/22/25, 10/14/25	None
	037	Monitored	3	05/06/25, 08/25/25, 10/16/25	None
	039	Monitored	0	—	None
	042	Monitored	3	05/05/25, 08/20/25, 10/14/25	None
	084	Monitored	3	05/06/25, 08/26/25, 10/14/25	None
	022	Monitored	3	05/05/25, 07/08/25, 10/14/25	None
	021	SIDP to 022	4	01/24/25, 04/01/25, 07/08/25, 10/09/25	None
TA-60-0001 Heavy Equipment Yard	023	SIDP to 022	3	04/01/25, 08/20/25, 10/09/25	None
	024	SIDP to 022	4	01/24/25, 04/01/25, 07/08/25, 10/09/25	None
	025	SIDP to 022	4	01/24/25, 04/01/25, 07/08/25, 10/14/25	None
	026	Monitored	3	05/05/25, 07/08/25, 10/13/25	None
	027	SIDP to 026	3	04/01/25, 07/08/25, 10/09/25	None
TA-60-0002 Warehouse	028	SIDP to 026	4	01/24/25, 04/01/25, 08/20/25, 10/09/25	None
	075	Monitored	2	07/23/25, 10/16/25	None
	085	Monitored	3	04/12/25, 07/08/25, 10/14/25	None

TA = Technical Area

SIDP = Substantially Identical Discharge Point