



Associate Director for ESH
 Environment, Safety, and Health
 P.O. Box 1663, MS K491
 Los Alamos, New Mexico 87545
 505-667-4218/Fax 505-665-3811

RECEIVED

MAY 26 2015

NMED
 Hazardous Waste Bureau

Environmental Management
 Los Alamos Field Office, MS A316
 3747 West Jemez Road
 Los Alamos, New Mexico 87544
 (505) 667-4255/FAX (505) 606-2132

Date: MAY 26 2015

Refer To: ADESH-15-079

LAUR: 15-23476

Locates Action No.: N/A

John Kieling, Bureau Chief
 Hazardous Waste Bureau
 New Mexico Environment Department
 2905 Rodeo Park Drive East, Building 1
 Santa Fe, NM 87505-6303

Subject: Monthly Notification of Groundwater Data Reviewed in May 2015

Dear Mr. Kieling:

This letter is Los Alamos National Laboratory's (LANL's) written submission that meets notification requirements presented in Section IV.A.3.g, Notification, of the Compliance Order on Consent (Consent Order). Members of LANL's Environmental Programs met on May 13, 2015, to review new groundwater data received in April 2015. This report was prepared by comparing the data against groundwater cleanup levels, as defined in Section VIII.A.1 of the Consent Order. For comparison with U.S. Environmental Protection Agency tap water standards, the carcinogenic risk was adjusted to 1×10^{-5} , as specified in the Consent Order.

This report also includes analytical data from samples collected on San Ildefonso Pueblo and are subject to reporting at this time. These data have been reviewed by San Ildefonso Pueblo. This review is required under the Memorandum of Agreement dated May 28, 2014, between the U.S. Department of Energy/National Nuclear Security Administration, Los Alamos Field Office, and San Ildefonso Pueblo.

1-Day Notification

There were no instances of a contaminant detected at a concentration that exceeded the New Mexico Water Quality Control Commission or federal water quality standards for the first time (based on samples collected since June 14, 2007).


Notification was not required because there were no cases of a contaminant detected in a well screen interval or spring at a concentration that exceeded a water quality standard for the first time.

15-Day Notification

The required information for the contaminants and other chemical parameters that meet the six reporting criteria requiring written notification within 15 days is given in the accompanying report and table.


If you have questions, please contact Steve Paris at (505) 606-0915 (smparis@lanl.gov) or Hai Shen at (505) 665-5046 (hai.shen@em.doe.gov).

Sincerely,



Dave McInroy, Program Director
Environmental Remediation Program
Los Alamos National Laboratory

Sincerely,



Christine Gelles, Acting Manager
Environmental Management
Los Alamos Field Office

DM/CG/SP:sm

Enclosure: Two hard copies with electronic files – Summary of Groundwater Data Reviewed in May 2015 That Meet Notification Requirements (EP2015-0092)

Cy: (w/enc.)

Steve Paris, ADEP ER Program, MS M992
Public Reading Room (EPRR)
ADESH Records

Cy: (Letter and CD and/or DVD)

Laurie King, EPA Region 6, Dallas, TX
Steve Yanicak, NMED-DOE-OB, MS M894
Raymond Martinez, San Ildefonso Pueblo, NM
Dino Chavarria, Santa Clara Pueblo, NM
Jake Meadows, ADESH-ENV-CP, MS K490
PRS Database

Cy: (w/o enc./date-stamped letter emailed)

Pete Padilla, Los Alamos County Utility Department, Los Alamos, NM
lasomailbox@nnsa.doe.gov
Kimberly Davis Lebak, DOE-NA-LA
Peter Maggiore, DOE-NA-LA
Annette Russell, DOE-EM-LA
Hai Shen, DOE-EM-LA
David Rhodes, DOE-EM-LA
Mei Ding, EES-6
Tim Goering, ADEP ER Program
Stanislaw Marczak, ADEP ER Program
Dave McInroy, ADEP ER Program
Randy Erickson, ADEP
Jocelyn Buckley, ADESH-ENV-CP
Michael T. Saladen, ADESH-ENV-CP
Tony Grieggs, ADESH-ENV-CP
Alison Dorries, ADESH-ENV-DO
Michael Brandt, ADESH
Amy De Palma, PADOPS
Michael Lansing, PADOPS

SUMMARY OF GROUNDWATER DATA REVIEWED IN MAY 2015 THAT MEET NOTIFICATION REQUIREMENTS

INTRODUCTION

This report provides preliminary information to the New Mexico Environment Department (NMED) concerning recent groundwater monitoring data obtained by the Los Alamos National Laboratory (the Laboratory) under its interim monitoring plan and contains results for chemical constituents that meet the six screening criteria laid out in the Compliance Order on Consent (Consent Order). The report covers groundwater samples taken from wells or springs (listed in the accompanying table) that provide surveillance of the groundwater zones indicated in the table.

The report includes one table, *Table 1: NMED 4-15 Groundwater Report*. This table contains some values that are reported when they are detected for the first time since June 14, 2007, or are greater than other data collected since that time (as specified in the Consent Order). These reported data may be similar to data gathered before June 14, 2007.

This table includes the following:

- Additional comments on results that appear to be exceptional or based on consideration of monitoring data acquired before the current result (using statistics described below)
- Supplemental information summarizing monitoring results obtained before the current result
- Sampling date, name of the well or spring, location of the well or spring, depth of the screened interval, groundwater zone sampled, analytical result, detection limit, values for regulatory standards or screening levels, and analytical and secondary validation qualifiers. Additional information describing the locations and analytical data is also included. All data have been through secondary validation.

In accordance with the Consent Order, the screening levels used include the U.S. Environmental Protection Agency (EPA) maximum contaminant levels (MCLs), the New Mexico groundwater standards, and the EPA regional screening levels for tap water (for compounds having no other regulatory standard). The EPA regional screening levels for tap water are either for cancer (10^{-6} excess risk) or noncancer risk values. The data were screened using 10 times the EPA's 10^{-6} excess cancer risk values, to achieve 10^{-5} excess cancer risk as indicated in Section VIII.A.1 of the Consent Order.

Background levels applied in Criteria 2 and 5 are the most recent NMED-approved 95% upper tolerance limits for background for each groundwater zone as set forth in the "Groundwater Background Investigation Report," prepared under Section IV.A.3.d of the Consent Order.

DESCRIPTION OF TABLE

The table is divided into separate categories that correspond to the six screening criteria in the Consent Order. Some data meet more than one of the criteria and appear in the table multiple times. The table also presents only the instances where the results exceed criteria; therefore, all six criteria may not appear in the table.

The criteria are as follows:

- C1. Detection of a contaminant that is an organic compound in a spring or screened interval of a well if that contaminant has not previously been detected in the spring or screened interval.
- C2. Detection of a contaminant that is a metal or other inorganic compound at a concentration above the background level in a spring or screened interval of a well if that contaminant has not previously exceeded the background level in the spring or screened interval.
- C3. Detection of a contaminant in a spring or screened interval of a well at a concentration that exceeds either one-half the New Mexico water quality standard or one-half the federal maximum contaminant level, or if there is no such standard for the contaminant, one-half the EPA Region 6 human health medium-specific screening level for tap water (now the EPA Regional Screening Levels for tap water), if that contaminant has not previously exceeded one-half such standard or screening level in the spring or screened interval.
- C4. Detection of perchlorate in a spring or screened interval of a well at a concentration of 2 µg/L or greater if perchlorate at such concentration has not previously been detected in the spring or screened interval.
- C5. Detection of a contaminant that is a metal or other inorganic compound in a spring or screened interval of a well at a concentration that exceeds 2 times the background level for the third consecutive sampling of the spring or screened interval.
- C6. Detection of a contaminant in a spring or screened interval of a well at a concentration that exceeds either one-half the New Mexico water quality standard or one-half the federal MCL, and that has increased for the third consecutive sampling of that spring or screened interval.

The next seven columns of the table give information on monitoring results obtained prior to the current result. The columns provide summary statistics for the samples collected since January 1, 2000, for the same analyte and field preparation (for example, filtered samples). The information includes the date of the first sampling event included in the statistics, the numbers of sampling events and samples analyzed, the number of detections, and the minimum, maximum, and median concentration for detections. This information indicates whether the new result is consistent with the range of earlier data.

The subsequent columns contain location and sampling information:

Hdr 1—canyon where monitoring location is found

Zone—groundwater zone sampled by monitoring location (such as alluvial spring)

Location—monitoring location name

Screen Depth—depth of top of well screen in feet (0 for springs, -1 if unknown)

Start Date—sample date

Fld QC Type Code—identifies regular samples (REG) or field duplicates (FD)

Fld Prep Code—identifies whether samples are filtered or unfiltered

Lab Sample Type Code—indicates whether result is a primary sample (INIT) or reanalysis (RE)

Anyl Suite Code—analytical suite (such as volatile organic compounds) for analyzed compound

Analyte Desc—name of analyte

Analyte—chemical symbol for analyte or CAS (Chemical Abstracts Service) number for organic compounds

Std Result—analytical result in standard measurement units

Result/Median—ratio of the Std Result to the median of all detections since 2000

LVL Type/Risk Code—type of regulatory standard, screening level, or background value (indicating groundwater zone) used for comparison

Screen Level—value of the LVL Type/Risk Code

Exceedance Ratio—ratio of Std Result to LVL Type/Risk Code. In earlier versions of this report, the ratio was divided by the basis for comparison in the criterion, but that is no longer the case. For example, for a criterion (such as C3) that compares the value to one-half the standard, a value equal to a standard previously had an exceedance ratio of 2. The current report shows this ratio as 1.

Std Mdl—method detection limit in standard measurement units

Std Uom—standard units of measurement

Dilution Factor—amount by which the sample was diluted to measure the concentration

Lab Qual Code—analytical laboratory qualifiers indicating analytical quality of the sample

Validation Flag—secondary validation qualifier

Validation Reason Code—concatenated secondary validation codes explaining assignment of qualifiers

Anyl Meth Code—analytical method number

Lab Code—analytical laboratory name

Comment—comment on the analytical result

Table 1: NMED 4-15 Groundwater Report

Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Screen Depth	Start Date	Fid OC Type Code	Fid Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Lab Qual Code	Validation Flag	Validation Reason Code	Anyl Meth Code	Lab Code	Comment
C1	10	14	06/24/2002	1.18	1.18	1.18	1	Lower Los Alamos Canyon (San Ildefonso Pueblo)	Water Supply	LA-5	440.000	12/18/2014	REG	UF	INIT	VOC	Bromoform	75-25-2	1.18	1	EPA MCL	80	0	0.300	ug/L	1	H	J-	V9	SW-846:8260B	GELC	
C2	4	5	09/29/2006	5.72	5.72	5.72	1	Lower Los Alamos Canyon (San Ildefonso Pueblo)	Water Supply	LA-5	440.000	12/18/2014	REG	F	INIT	METALS	Copper	Cu	5.72	1	LANL Reg BG LVL	3	1.9	3.00	ug/L	1.00	J	J	J_LAB	SW-846:6010C	GELC	
C2	5	7	09/29/2006	0.345	0.551	0.373	7	Lower Los Alamos Canyon (San Ildefonso Pueblo)	Water Supply	LA-5	440.000	12/18/2014	REG	F	INIT	GENINORG	Perchlorate	ClO4	0.551	1.5	LANL Reg BG LVL	0.46	1.2	0.050	ug/L	1		NQ	NQ	SW-846:6850	GELC	
C5	14	17	05/20/2011	2.03	23.3	18.7	16	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Regional	R-61 S1	1125.000	03/02/2015	REG	F	INIT	METALS	Chromium	Cr	22	1.2	LANL Reg BG LVL	5.75	3.8	2.00	ug/L	1.00		NQ	NQ	SW-846:6020	GELC	
C5	14	17	05/20/2011	0.427	2.31	1.68	17	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Regional	R-61 S1	1125.000	03/02/2015	REG	F	INIT	GENINORG	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	2.05	1.2	LANL Reg BG LVL	0.89	2.3	0.085	mg/L	5.00		NQ	NQ	EPA:353.2	GELC	
C5	14	17	05/20/2011	2.96	9.01	7.31	17	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Regional	R-61 S1	1125.000	03/02/2015	REG	F	INIT	GENINORG	Perchlorate	ClO4	9.01	1.2	LANL Reg BG LVL	0.46	19.6	1.00	ug/L	20		NQ	NQ	SW-846:6850	GELC	highest so far
C5	14	17	05/20/2011	1.46	27.4	6.66	17	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Regional	R-61 S1	1125.000	03/02/2015	REG	F	INIT	GENINORG	Potassium	K	5.3	0.8	LANL Reg BG LVL	2.63	2	0.05	mg/L	1.00		NQ	NQ	SW-846:6010C	GELC	
C5	14	17	05/20/2011	0.0531	11.8	2.225	14	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Regional	R-61 S1	1125.000	03/02/2015	REG	F	INIT	GENINORG	Total Phosphate as Phosphorus	PO4-P	1.20	0.5	LANL Reg BG LVL	0.16	7.5	0.017	mg/L	1.00		NQ	NQ	EPA:365.4	GELC	
C5	25	33	11/05/2008	2.35	126	33.45	30	Sandia Canyon	Regional	R-43 S1	903.900	03/02/2015	REG	F	INIT	METALS	Chromium	Cr	126	3.8	LANL Reg BG LVL	5.75	21.9	2.00	ug/L	1.00		NQ	NQ	SW-846:6020	GELC	highest so far
C5	25	27	11/05/2008	5.01	6.03	5.4	26	Sandia Canyon	Regional	R-43 S1	903.900	03/02/2015	REG	F	INIT	GENINORG	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	5.98	1.1	LANL Reg BG LVL	0.89	6.7	0.170	mg/L	10.0		NQ	NQ	EPA:353.2	GELC	
C5	25	28	11/05/2008	0.678	1	0.9395	28	Sandia Canyon	Regional	R-43 S1	903.900	03/02/2015	REG	F	INIT	GENINORG	Perchlorate	ClO4	0.966	1	LANL Reg BG LVL	0.46	2.1	0.050	ug/L	1		J	PE12e	SW-846:6850	GELC	
C5	24	26	11/10/2008	0.389	5.4	1.15	26	Sandia Canyon	Regional	R-43 S2	969.100	03/02/2015	FD	F	INIT	GENINORG	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	3.29	2.9	LANL Reg BG LVL	0.89	3.7	0.085	mg/L	5.00		NQ	NQ	EPA:353.2	GELC	
C5	24	26	11/10/2008	0.389	5.4	1.15	26	Sandia Canyon	Regional	R-43 S2	969.100	03/02/2015	REG	F	INIT	GENINORG	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	3.03	2.6	LANL Reg BG LVL	0.89	3.4	0.085	mg/L	5.00		NQ	NQ	EPA:353.2	GELC	
C5	12	13	05/10/2010	6.91	214	23.6	13	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Regional	R-29	1170.000	03/09/2015	REG	F	INIT	METALS	Manganese	Mn	6.91	0.3	LANL Reg BG LVL	2.94	2.4	2.00	ug/L	1.00	J	J	J_LAB	SW-846:6010C	GELC	
C6	25	33	11/05/2008	2.35	126	33.45	30	Sandia Canyon	Regional	R-43 S1	903.900	03/02/2015	REG	F	INIT	METALS	Chromium	Cr	126	3.8	NM GW STD	50	2.5	2.00	ug/L	1.00		NQ	NQ	SW-846:6020	GELC	highest so far

