

LA-UR-08-5850
September 2008
EP2008-0499

Periodic Monitoring Report for Pajarito Watershed, March 3–March 19, 2008

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

Periodic Monitoring Report for Pajarito Watershed, March 3–March 19, 2008

September 2008

Responsible project leader:

Ardyth Simmons		Program Manager	Environmental Programs	9/23/08
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Susan G. Stiger		Associate Director	Environmental Programs	9/23/08
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

David R. Gregory		Project Director	DOE-LASO	9/25/08
Printed Name	Signature	Title	Organization	Date

EXECUTIVE SUMMARY

The purpose of this report is to provide the results of the periodic monitoring event (PME) conducted by Los Alamos National Laboratory in the Pajarito Watershed. This PME was conducted pursuant to the "2007 Interim Facility-Wide Groundwater Monitoring Plan," prepared under the Compliance Order on Consent.

The PME documented in this report occurred from March 3 to March 19, 2008. This event included the sampling of groundwater wells or well ports, springs, and base-flow stations. Unreported results from a previous PME are also included. These results were not available for inclusion in the previous PME because they had not yet been validated.

Water samples obtained from various locations during this PME were analyzed for target analyte list metals, volatile organic compounds, cyanide, semivolatile organic compounds, pesticides, polychlorinated biphenyls, high explosives, radionuclides, low-level tritium, inorganics, perchlorate, stable isotopes, and field parameters (alkalinity, dissolved oxygen, pH, specific conductance, temperature, and turbidity).

Aluminum exceeded the New Mexico aquatic acute screening level in surface-water samples collected during this PME from the stations Pajarito 0.5 mi above SR 501 and Pajarito above Twomile.

Eleven results from groundwater samples collected during this PME from Pajarito Canyon had concentrations above screening levels. Chloride and total dissolved solids in intermediate wells 03-B-10 and 03-B-13 exceeded the New Mexico Water Quality Control Commission groundwater standard screening levels. Concentrations of iron in Kieling, Homestead, and Starmer Springs were above these screening levels. Dioxane [1,4-] in intermediate wells 03-B-10 and 03-B-13 exceeded the U.S. Environmental Protection Agency tap water risk screening level. Finally, in intermediate well 03-B-13, dichloroethene[1,1-] and trichloroethane[1,1,1-] exceeded New Mexico groundwater standards

CONTENTS

1.0	INTRODUCTION	1
1.1	Background.....	1
1.2	Conceptual Model.....	2
2.0	SCOPE OF ACTIVITIES	2
3.0	MONITORING RESULTS	2
3.1	Methods and Procedures	2
3.2	Field Parameter Results	2
3.3	Water-Level Observations	2
3.4	Deviations from Planned Scope	3
4.0	ANALYTICAL DATA RESULTS.....	3
4.1	Methods and Procedures	3
4.2	Analytical Data.....	3
4.2.1	Surface Water (Base Flow)	5
4.2.2	Groundwater.....	5
4.3	Sampling Program Modifications	6
5.0	INVESTIGATION-DERIVED WASTE	6
6.0	SUMMARY	6
6.1	Monitoring Results	6
6.2	Analytical Results	6
6.2.1	Surface Water (Base Flow)	6
6.2.2	Groundwater.....	6
6.3	Data Gaps.....	6
7.0	REFERENCES	7

Figures

Figure 2.0-1	Watershed monitoring locations.....	9
Figure 3.3-1	Alluvial groundwater elevations	10
Figure 3.3-2	Intermediate and regional groundwater elevations.....	11
Figure 4.2-1	Analytical results	12

Tables

Table 2.0-1	Monitoring Locations and General Information.....	13
Table 3.4-1	Observations and Deviations	16
Table 4.2-1	Cleanup Standards, Risk-Based Screening Levels, and Risk-Based Cleanup Levels for Groundwater and Surface Water at Los Alamos National Laboratory	16
Table 4.2-2	Results above Screening Levels for Groundwater and Surface Water	17

Appendixes

Appendix A	Conceptual Model
Appendix B	Field Parameter Results
Appendix C	Groundwater-Level Measurements
Appendix D	Analytical Results
Appendix E	Screening Results
Appendix F	Investigation-Derived Waste Management
Appendix G	Analytical Reports and Previously Unreported Data (on DVD enclosed with this document)

ACRONYMS AND ABBREVIATIONS

AK	acceptable knowledge
AOC	area of concern
BCG	Biota Concentration Guide (DOE)
bgs	below ground surface
C	cancer
Consent Order	Compliance Order on Consent
DCG	Derived Concentration Guidelines (DOE)
DOE	Department of Energy (U.S.)
DOT	Department of Transportation (U.S.)
ENV	Environmental Protection Water Quality
EPA	Environmental Protection Agency (U.S.)
EP-WES	Environmental Programs–Waste and Environmental Services
F	filtered
IDW	investigation-derived waste
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory
MCL	maximum contaminant level (EPA)
MDL	method detection limit
msl	mean sea level
N	noncancer
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
NOI	notice of intent
NTU	nephelometric turbidity unit
PCB	polychlorinated biphenyl
PME	periodic monitoring event
PMR	periodic monitoring report

PPE	personal protective equipment
QA	quality assurance
QC	quality control
RCRA	Resource Conservation and Recovery Act
RPF	Records Processing Facility
SOP	standard operating procedure
SVOC	semivolatile organic compound
SWMU	solid waste management unit
TA	technical area
TSD	treatment, storage, and disposal
UF	unfiltered
VOC	volatile organic compound
WAC	waste acceptance criteria
WCSF	waste characterization strategy form
WPF	waste profile form

1.0 INTRODUCTION

This report provides documentation of quarterly groundwater and surface-water monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Pajarito Watershed pursuant to the "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2006, 094043), prepared under the Compliance Order on Consent (Consent Order). This report includes the periodic monitoring event (PME) that occurred from March 3 to March 19, 2008. This sample event included sampling at groundwater wells or well ports, springs, and base-flow stations.

The Consent Order identifies New Mexico Water Quality Control Commission (NMWQCC) groundwater standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA tap water screening levels are used as screening levels for monitoring data and are provided in this report.

This report presents the following information:

- general background information on the watershed
- the watershed conceptual model
- field measurement monitoring results
- water-quality monitoring results
- results of the screening analysis (comparing these PME results with screening levels and results from previous reports)
- summary based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy. Data that were not reported in the previous periodic monitoring report (PMR), because of delays caused by data validation, are included in Appendix D.

1.1 Background

This section describes the physical characteristics of the Pajarito Watershed, some of the investigatory activities conducted, and the Laboratory activities that have potentially impacted groundwater and surface water.

Pajarito Canyon is located on the Pajarito Plateau in the central part of the Laboratory. The Pajarito Canyon watershed is approximately 13 mi² (24.7km²) and heads in the Santa Fe National Forest, approximately 2.9 mi (4.6 km) west of the Laboratory boundary at an elevation of approximately 10,434 ft (3180 m). Pajarito Canyon trends east-southeast across both the Laboratory and Los Alamos County. It discharges into the Rio Grande in White Rock Canyon at an elevation of 5422 ft (1653 m). Twomile Canyon and Threemile Canyon are major tributaries that join Pajarito Canyon, approximately 7.3 mi (11.7 km) and 4.9 mi (9.3 km), respectively, upstream of the Rio Grande.

The primary Laboratory use of the Pajarito Canyon watershed has been as the canyon-floor location for the Los Alamos Critical Experiments Laboratory at Technical Area 18 (TA-18) and for mesa-top surface and subsurface Material Disposal Areas (MDAs) F and Q at TA-06; M at TA-09; and G, H, J, and L at TA-54.

The technical areas located within this watershed include TA-03, TA-06, TA-07, TA-08, TA-09, TA-14, TA-15, TA-18, TA-22, TA-23, TA-27, TA-36, TA-40, TA-46, TA-50, TA-54, TA-55, TA-58, TA-59, TA-64, TA-65, TA-66, TA-67, and TA-69. The contaminant release history from approximately 379 solid waste management units (SWMUs) and areas of concern (AOCs) includes releases or possible releases from outfalls, septic systems, spills, open detonations from firing sites, and MDAs. Laboratory-related contamination has been detected in Pajarito Canyon water samples obtained from perennial and ephemeral streams, alluvial groundwater, and springs supplied by intermediate groundwater from the Bandelier Tuff.

Other uses within the watershed area include surface and subsurface MDAs and a buffer zone for mesa-top firing activities. To a lesser extent, the canyon has been used for liquid waste disposal. The early discharges were associated with outfalls, surface runoff, and dispersion from firing sites located at TA-06, TA-07, TA-08, TA-09, TA-12 (former), TA-15, TA-18, TA-22, TA-27 (former), and TA-69. Additional discharges began with the continued expansion of Laboratory operations to new sites from the 1950s to the 1970s, specifically TA-03, TA-36, TA-40, TA-48, and TA-59. Discharges to Pajarito Canyon and its tributaries have decreased as fewer firing sites within the watershed remain active during the past decades, and many outfalls have either been rendered inactive or rerouted to the Laboratory's sanitary waste treatment facility at TA-46 during the 1980s and 1990s.

1.2 Conceptual Model

The conceptual model for the Pajarito Watershed is shown in Appendix A of this document.

2.0 SCOPE OF ACTIVITIES

The PME for the Pajarito Watershed was conducted pursuant to the 2007 IFGMP (LANL 2007, 096665).

Table 2.0-1 provides the location name, sample collection date, port name, port depth, screened interval, top and bottom screen depths, base flow or water level, and the water-level method for each of the monitored locations. These locations are shown in Figure 2.0-1.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2007 IFGMP (LANL 2007, 096665).

3.2 Field Parameter Results

Appendix B contains the field parameter results for the PME and the three PMEs immediately before the March 2008 sampling event.

3.3 Water-Level Observations

The periodic monitoring water-level data for this event and the previous three monitoring events are located in Appendix C. For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements are reported at the time immediately before sampling. The water-level measurements taken during these periodic monitoring events are shown graphically in Figures 3.3-1 through 3.3-2.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the deviations from the planned scope of the PME.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2007 IFGMP (LANL 2007, 096665).

4.2 Analytical Data

Appendix D presents the analytical data from the PME and from the three sampling events before March 2008. The screening levels with which the results are compared are shown in Table 4.2-1. The analytical laboratory reports (including chains of custody, etc.) can be found in Appendix G.

Appendix D contains all data obtained during the PME (i.e., all data that have been independently reviewed for conformance with Laboratory requirements), with the following constraints.

- All data
 - ❖ Data that are R-qualified (rejected because of noncompliance regarding quality control [QC] acceptance criteria) during independent validation are considered “not detected” but are still reported. Analytical laboratory QC results, including matrix spike and matrix spike duplicates, are not included in the data set.
- Radionuclides
 - ❖ All low-detection-limit tritium data are reported. Results greater than 3 times the 1 standard deviation total propagated analytical uncertainty (or 3σ) are considered to be detections.
 - ❖ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
 - ❖ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
 - ❖ Otherwise, all detections are reported at all locations (i.e., results without a laboratory qualifier of U or X abbreviations that indicate the analyte was not detected).
- Nonradionuclides
 - ❖ All results, excluding nondetections, are reported. Field duplicates, reanalyses, field blanks, trip blanks, equipment blanks, and different analytical methods are also reported.

The screening levels applied to all media are listed in Table 4.2-1. Table 4.2-1 indicates the type of screening level and its source.

Data for PMRs are evaluated using the following screening process.


- Surface-water and groundwater perchlorate data were compared with the screening level of 4 µg/L established in Section VIII.A.1.a of the Consent Order. Surface-water sample results were compared with all surface-water standards without consideration of the designated use for the

particular reach. The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous phase liquids apply to the total unfiltered concentrations of the contaminants.

- As required by the Consent Order, EPA Region 6 tap water screening levels are used for constituents having no other regulatory standard and for which toxicological information is published. For these screening levels, the tables indicate a risk type of C (excess cancer risk level of 10^{-5}) or N (noncancer). The Consent Order specifies screening for excess cancer risk at a risk level of 10^{-5} (rather than 10^{-6} as given in the Region 6 tables). Therefore, the Region 6 values were multiplied by 10 to obtain the 10^{-5} excess cancer risk level.
- The analytical results for radioactivity are compared with the DOE Biota Concentration Guide (BCG) for surface water and Derived Concentration Guidelines (DCG) for groundwater.

Tables in Appendix E show all values for perchlorate, radionuclides, organic compounds, and all values greater than half the lowest applicable screening-level values for metals and general inorganic compounds.

Analytical results are presented graphically in Figure 4.2-1. Figure 4.2-1 contains diagrams displaying a series of select analytes. An example of a diagram displaying perchlorate concentration is shown below.



Perchlorate concentrations

The analytes displayed in Figure 4.2-1 were selected from data acquired during the PME. The analytes shown on the figure were chosen for display because of their concentrations compared with screening levels and historical presence in surface water and groundwater in this watershed.

Radionuclides are not shown on the diagrams. The solid red lines, when shown, depict applicable screening levels. Note that some standards or screening levels may exceed the highest concentration displayed and may not appear on the diagram. Screening-level values are in Tables E-1 through E-10 in Appendix E.

Tables E-1 through E-4 (Appendix E) compare the surface-water analytical data with screening levels. Graphical representations of select surface-water analytical results are shown in Figure 4.2-1.

Tables E-5 through E-10 (Appendix E) compare the groundwater water analytical data with screening levels. Graphical representations of select groundwater analytical results are shown in Figure 4.2-1.

Table 4.2-2 shows results for surface water and groundwater (by hydrogeologic zone for a specific analytical suite) that are above a screening level. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a screening level in both a primary sample and a field duplicate, only one result is shown.

4.2.1 Surface Water (Base Flow)

The filtered aluminum concentrations of 3220 µg/L and 2870 µg/L at locations Pajarito 0.5 mi above SR-501 and Pajarito above Twomile were above the New Mexico aquatic life acute standard of 750 µg/L, which applies in this ephemeral reach. Results for filtered aluminum at Pajarito 0.5 mi above SR-501 over 4 yr have ranged from nondetect (<95 µg/L) to 4090 µg/L. Results for filtered aluminum at Pajarito above Twomile over 4 yr have ranged from 114 to 4050 µg/L.

4.2.2 Groundwater

Table 4.2.2 lists results above standards or screening levels for groundwater and surface water.

The 1,4- dioxane result at PCO-3 by the semivolatile organic chemical method (detection limit of 20 µg/L due to 20-fold dilution) of 1190 µg/L is the first detection of the compound by any method at the location over six sampling events. A parallel analysis of the same sample by the volatile organic chemical method (also detection limit of 20 µg/L) was nondetect. The latter result was rejected in secondary validation for calibration issues. However, 1,4- dioxane would have shown up in that sample's chromatogram but did not show up, indicating that there is no 1,4- dioxane at that site.

As in previous samples, at intermediate wells 03-B-10 and 03-B-13 near building SM-30 in TA-3 the chloride results (and total dissolved solids [TDS] in the latter well) were above the respective NMWQCC groundwater standards (applicable domestic water supply) of 250 µg/L and 1000 µg/L.

The filtered iron results at intermediate spring monitoring locations Homestead, Starmer, and Kielling Springs were above the NMWQCC groundwater standard (applicable domestic water supply) of 1000 µg/L. These results are in the range of the highly variable results measured at each location since 2004.

Dioxane[1,4-] was detected in two nearby wells at concentrations above the EPA tap water screening level of 61.1 µg/L. At 03-B-10 the concentration measured with the volatile organic method was 377 µg/L; this method has an MDL of 20 µg/L. A separate analysis of the sample by the more precise semivolatile organic method, which has an MDL of 1 µg/L, was 183 µg/L. At 03-B-13 the result measured with the volatile organic method was 1220 µg/L; the semivolatile result was 746 µg/L. These results are the highest measured in either well; in 03-B-10 they are about twice recent results, and in 03-B-13 they are four times the recent highest concentrations.

Dichloroethene[1,1-] was detected at 03-B-13 at a concentration of 5.64 µg/L, above the EPA MCL of 5 µg/L. Sample results from eight sample events since June 2006 range from 1.3 to 8 µg/L. Trichloroethane[1,1,1-] was detected at 03-B-13 at a concentration of 92 µg/L, above the NMWQCC groundwater standard of 60 µg/L. Trichloroethane[1,1,1-] concentrations from eight sample events from this well since June 2006 have generally decreased from a high of 317 µg/L.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Pajarito Watershed are proposed at this time.

5.0 INVESTIGATION-DERIVED WASTE

Appendix F discusses the management of wastes produced during the PME. A copy of the waste management records for waste streams was included in Appendix F of the initial PMR (LANL 2007, 101349).

6.0 SUMMARY

6.1 Monitoring Results

An evaluation of the field parameter monitoring results presented in Appendix B and subsequent monitoring events will be provided in the annual update to the IFGMP.

6.2 Analytical Results

6.2.1 Surface Water (Base Flow)

The types of contaminants detected and their concentrations are consistent with data reported from previous monitoring events in this watershed.

Overall, one constituent, aluminum, in surface-water samples collected during this PME from Pajarito Canyon exceeded screening levels at two locations (Table 4.2-2).

6.2.2 Groundwater

The contaminants detected are reasonably consistent with data reported from previous monitoring events in this watershed.

Overall, 12 results from groundwater samples collected during this PME from Pajarito Canyon exceeded screening levels (Table 4.2-2). Chloride and TDS in intermediate wells 03-B-10 and 03-B-13 exceeded NMWQCC groundwater standard screening levels. Iron in Kielling, Homestead, and Starmer Springs exceeded these screening levels. Dioxane[1,4-] in intermediate wells 03-B-10 and 03-B-13 exceeded the EPA tap water risk screening level. Samples from intermediate well 03-B-13 indicate that dichloroethene[1,1-] and trichloroethane[1,1,1-] exceeded NMCC groundwater standards.

6.3 Data Gaps

A summary of the field parameter gaps encountered during the PME is in Table 3.4-1. The table provides a detailed account of sampling event deviations.

7.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable in the Program master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; DOE-Los Alamos Site Office; EPA, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), July 2006. "Interim Facility-Wide Groundwater Monitoring Plan, Revision 1.1," Los Alamos National Laboratory document LA-UR-06-4975, Los Alamos, New Mexico. (LANL 2006, 094043)

LANL (Los Alamos National Laboratory), May 2007. "2007 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-07-3271, Los Alamos, New Mexico. (LANL 2007, 096665)

LANL (Los Alamos National Laboratory), November 2007. "Periodic Monitoring Report for Pajarito Watershed December 4–December 20, 2006; March 19–April 8, 2007; and June 25–July 15, 2007," Los Alamos National Laboratory document LA-UR-07-7244, Los Alamos, New Mexico. (LANL 2007, 101349)




Figure 2.0-1 Watershed monitoring locations




Figure 3.3-1 Alluvial groundwater elevations




Figure 3.3-2 Intermediate and regional groundwater elevations




Figure 4.2-1 Analytical results

Table 2.0-1
Monitoring Locations and General Information

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft above msl) ^a	Water-Level Method
Base Flow									
Pajarito 0.5 mi above SR-501	19-Mar-08	n/a ^b	n/a	n/a	n/a	n/a	1	n/a	n/a
Pajarito above Twomile	5-Mar-08	n/a	n/a	n/a	n/a	n/a	1.1	n/a	n/a
Pajarito below confluences of South and North Anchor East Basin	11-Mar-08	n/a	n/a	n/a	n/a	n/a	0.04	n/a	n/a
Pajarito below TA-18	5-Mar-08	n/a	n/a	n/a	n/a	n/a	0.65	n/a	n/a
Two Mile Canyon below TA-59	7-Mar-08	n/a	n/a	n/a	n/a	n/a	0.17	n/a	n/a
Twomile above Pajarito	5-Mar-08	n/a	n/a	n/a	n/a	n/a	0.25	n/a	n/a
Springs									
Anderson Spring	10-Mar-08	n/a	n/a	n/a	n/a	n/a	0.004	n/a	n/a
Bulldog Spring	11-Mar-08	n/a	n/a	n/a	n/a	n/a	0.002	n/a	n/a
Charlie's Spring	11-Mar-08	n/a	n/a	n/a	n/a	n/a	0.02	n/a	n/a
Homestead Spring	11-Mar-08	n/a	n/a	n/a	n/a	n/a	0.007	n/a	n/a
Keiling Spring	11-Mar-08	n/a	n/a	n/a	n/a	n/a	0.002	n/a	n/a
PC Spring	19-Mar-08	n/a	n/a	n/a	n/a	n/a	0.002	n/a	n/a
Starmer Spring	11-Mar-08	n/a	n/a	n/a	n/a	n/a	0.007	n/a	n/a
TA-18 Spring	10-Mar-08	n/a	n/a	n/a	n/a	n/a	Pipe rusted through underground, seepage mixes with surface water	n/a	n/a
Threemile Spring	10-Mar-08	n/a	n/a	n/a	n/a	n/a	Covered by base flow	n/a	n/a
TW-1.72 Spring	10-Mar-08	n/a	n/a	n/a	n/a	n/a	Covered by base flow	n/a	n/a

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft above msl) ^a	Water-Level Method
Alluvial									
18-BG-1	04-Mar-08	Single	10	25	10	35	n/a	6770.93	Transducer
18-BG-4	12-Mar-08	Single	2.5	4	2.5	6.5	n/a	Abbreviated suite; not enough water. 6764.94 ^c	na ^d
18-MW-11	05-Mar-08	Single	27	20	27	47	n/a	6725.37	Transducer
18-MW-18	03-Mar-08	Single	12.5	10.5	12.5	23	n/a	6643.42	Transducer
18-MW-8	03-Mar-08	Single	8	30	8	38	n/a	6743.99	Transducer
18-MW-9	19-Mar-08	Single	6	25	6	31	n/a	6726.28	Transducer
PCO-2	07-Mar-08	Single	1.5	8	1.5	9.5	n/a	6613.81	Transducer
PCO-3	18-Mar-08	Single	5.7	12	5.7	17.7	n/a	6544.81	Transducer
Intermediate									
03-B-9	19-Mar-08	Single	na	na	na	na	n/a	No sample collected cancelled by project lead ^c	na
03-B-10	17-Mar-08	Single	20.6	10	20.6	30.6	n/a	7436.28	Manual
03-B-13	17-Mar-08	Single	21.5	10	21.5	31.5	n/a	7435.88	Manual
R-19	17-Mar-08	MP1A	844.2	16.4	827.2	843.6	n/a	Port dr ^{yc}	n/a
R-19	14-Mar-08	MP2A	909.3	16.3	893.3	909.6	n/a	6168.95	Transducer
R-23i	14-Mar-08	P1A	470.2	9.9	470.2	480.1	n/a	6077.86	Manual
R-23i	14-Mar-08	P3A	524	23	524	547	n/a	6068.29	Manual
Regional									
R-17	13-Mar-08	P1A	1057	23	1057	1080	n/a	5884.78	Manual
R-17	13-Mar-08	P2A	1124	10	1124	1134	n/a	5883.65	Manual
R-18	07-Mar-08	Single	1358	23	1358	1381	n/a	6116.95	Manual
R-19	17-Mar-08	MP3A	1191	44	1171.4	1215.4	n/a	5887.11	Transducer
R-19	13-Mar-08	MP4A	1413	7.2	1410.2	1417.4	n/a	5881.17	Transducer

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft above msl) ^a	Water-Level Method
R-19	14-Mar-08	MP5A	1586	7.2	1582.6	1589.8	n/a	5878.39	Transducer
R-19	14-Mar-08	MP6A	1730	7.1	1726.8	1733.9	n/a	5871.1	Transducer
R-19	14-Mar-08	MP7A	1835	7.1	1832.4	1839.5	n/a	5869.1	Transducer
R-20	25-Mar-08	n/a	n/a	n/a	n/a	n/a	n/a	Well rehabilitation, not sampled ^c	n/a
R-22	14-Mar-08	MP1A	907.1	41.9	872.3	914.2	n/a	5761.74	Transducer
R-22	04-Mar-08	MP2A	962.8	41.9	947	988.9	n/a	5754.7	Transducer
R-22	05-Mar-08	MP3A	1274	6.7	1272.2	1278.9	n/a	5699.14	Transducer
R-22	05-Mar-08	MP4A	1378	6.7	1378.2	1384.9	n/a	5693.69	Transducer
R-22	05-Mar-08	MP5A	1448	5	1447.3	1452.3	n/a	5693.61	Transducer
R-23	04-Mar-08	Single	816	57.2	816	873.2	n/a	5697.27	Manual
R-32	04-Mar-08	MP1A	870.9	7.7	867.5	875.2	n/a	5853.02	Manual

^a msl = Mean sea level.^b n/a = Not applicable.^c See Table 3.4-1 for explanation.^d na = Not available.

Table 3.4-1
Observations and Deviations

Location	Deviation	Cause	Comment
03-B-9	No data are included in this report for this location.	The location was not sampled on 3/19/2008 because stormwater runoff was leaking into the well.	Corrective actions will be investigated before the next scheduled sampling round.
18-BG-4	No data are included in this report for this location.	Full suite for this location was not collected on 3/12/2008 because of lack of water.	Location will be checked again during next scheduled sampling round.
R-19, screen 1	No data are included in this report for this location.	The location could not be sampled on 3/17/08 because it was dry.	Location will be checked again during next scheduled sampling round.
R-20	No data are included in this report for this location.	This location was not sampled on 3/25/2008 because the well is undergoing rehabilitation.	Location will be checked again during next scheduled sampling round.
TA-18 Spring	No data are included in this report for this location.	The location could not be sampled on 3/10/2008 because the pipe rusted through underground, seepage mixes with surface water.	Corrective actions will be investigated before the next scheduled sampling round.
Threemile Spring, TW-1.72 Spring	No data are included in this report for this location.	The location could not be sampled on 3/10/2008 because the spring was covered by base flow.	Location will be checked again during next scheduled sampling round.

Table 4.2-1
Cleanup Standards, Risk-Based Screening Levels,
and Risk-Based Cleanup Levels for Groundwater and
Surface Water at Los Alamos National Laboratory

Standard Type	Groundwater	Surface Water
BCG	n/a ^a	x ^b
DOE 100-mrem Public Dose DCG	x	n/a
DOE 4-mrem Drinking Water DCG	x	n/a
EPA MCL	x	n/a
EPA Region 6 Tap Water Screening Level	x	n/a
New Mexico Environmental Improvement Board Radiation Protection Standards	x	x
NMWQCC Fisheries Standards Chronic	n/a	x
NMWQCC Fisheries Standards Chronic, Hardness = 100 mg/L	n/a	x
NMWQCC Groundwater Standard	x	n/a
NMWQCC Livestock Watering Standard	n/a	x
NMWQCC Wildlife Habitat Standard	n/a	x
NMWQCC Human Health Standard Ephemeral	n/a	x
NMWQCC Human Health Standard Perennial	n/a	x

^a n/a = Not applicable.

^b x = Standard applied to data screen for this report.

Table 4.2-2
Results above Screening Levels for Groundwater and Surface Water

Location	Date	Analyte	Result	Units	Screening level	Screening-Level Origin
Surface Water						
Pajarito 0.5 mi above SR-501	03/19/07	Aluminum	3220	µg/L	750	NM Aquatic Acute
Pajarito above Twomile	03/05/08	Aluminum	2870	µg/L	750	NM Aquatic Acute
Alluvial Groundwater						
PCO-3*	03/18/08	Dioxane[1,4]	1190	µg/L	61.1	EPA Tap Screening Level
Intermediate Groundwater						
03-B-10	03/17/08	Chloride	580	mg/L	250	NMWQCC GW STD
03-B-13	03/17/08	TDS	1050	mg/L	1000	NMWQCC GW STD
03-B-13	03/17/08	Chloride	552	mg/L	250	NMWQCC GW STD
Homestead Spring	03/11/08	Iron	1880	µg/L	1000	NMWQCC GW STD
Kieling Spring	03/11/08	Iron	1540	µg/L	1000	NMWQCC GW STD
Starmer Spring	03/11/08	Iron	1950	µg/L	1000	NMWQCC GW STD
03-B-10	03/17/08	Dioxane [1,4-]	377	µg/L	61.1	EPA Tap Screening Level
03-B-13	03/17/08	Dioxane [1,4-]	1220	µg/L	61.1	EPA Tap Screening Level
03-B-13	03/17/08	Dichloroethene [1,1-]	5.64	µg/L	5	NMWQCC GW STD
03-B-13	03/17/08	Trichloroethane [1,1,1-]	92.2	µg/L	60	NMWQCC GW STD

Note: Multiple detections of a particular constituent at a location are counted as one result

* Parallel analysis indicates nondetect, indicating no dioxane [1,4-] at that site

Appendix A

Conceptual Model

Canyon	Contaminant Sources	Alluvial Groundwater Contaminants	Intermediate Groundwater Contaminants	Regional Groundwater Contaminants
Pajarito, Twomile, and Threemile Canyons	Major dry sources, past major and minor present liquid sources	Chloride above and nitrate at one-half New Mexico Water Quality Control Commission (NMWQCC) groundwater standards	Dichloroethene[1,1-] and trichloroethane[1,1,1-] above NMWQCC groundwater standards. RDX above EPA excess cancer risk level. Trichloroethene, dichloroethane[1,1-], dioxane[1,4-] present.	Trace of RDX

Appendix B

Field Parameter Results

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
03-B-10	7661	20.6	03/17/08	WG	Dissolved Oxygen	1	mg/L	CAPA-08-11017
03-B-10	7661	20.6	12/17/07	WG	Dissolved Oxygen	2.42	mg/L	CAPA-08-9319
03-B-10	7661	20.6	03/29/07	WG	Dissolved Oxygen	0.63	mg/L	FU07030G3B1001
03-B-10	7661	20.6	09/18/07	WG	Dissolved Oxygen	3.41	mg/L	FU07090G3B1001
03-B-10	7661	20.6	07/10/07	WG	Dissolved Oxygen	0.81	mg/L	FU07060G3B1001
03-B-10	7661	20.6	03/17/08	WG	Oxidation-Reduction Potential	221	mV	CAPA-08-11017
03-B-10	7661	20.6	12/17/07	WG	Oxidation-Reduction Potential	390	mV	CAPA-08-9319
03-B-10	7661	20.6	03/29/07	WG	Oxidation-Reduction Potential	346	mV	FU07030G3B1001
03-B-10	7661	20.6	09/18/07	WG	Oxidation-Reduction Potential	253	mV	FU07090G3B1001
03-B-10	7661	20.6	07/10/07	WG	Oxidation-Reduction Potential	302	mV	FU07060G3B1001
03-B-10	7661	20.6	03/17/08	WG	Specific Conductance	1623	µS/cm	CAPA-08-11017
03-B-10	7661	20.6	12/17/07	WG	Specific Conductance	2.14	µS/cm	CAPA-08-9319
03-B-10	7661	20.6	03/29/07	WG	Specific Conductance	1493	µS/cm	FU07030G3B1001
03-B-10	7661	20.6	09/18/07	WG	Specific Conductance	424	µS/cm	FU07090G3B1001
03-B-10	7661	20.6	07/10/07	WG	Specific Conductance	577	µS/cm	FU07060G3B1001
03-B-10	7661	20.6	03/17/08	WG	Temperature	12.3	deg C	CAPA-08-11017
03-B-10	7661	20.6	12/17/07	WG	Temperature	12.8	deg C	CAPA-08-9319
03-B-10	7661	20.6	03/29/07	WG	Temperature	12.4	deg C	FU07030G3B1001
03-B-10	7661	20.6	09/18/07	WG	Temperature	14.7	deg C	FU07090G3B1001
03-B-10	7661	20.6	07/10/07	WG	Temperature	14.6	deg C	FU07060G3B1001
03-B-10	7661	20.6	03/17/08	WG	Turbidity	33.2	NTU	CAPA-08-11017
03-B-10	7661	20.6	12/17/07	WG	Turbidity	8.03	NTU	CAPA-08-9319
03-B-10	7661	20.6	03/29/07	WG	Turbidity	15.8	NTU	FU07030G3B1001
03-B-10	7661	20.6	09/18/07	WG	Turbidity	77.1	NTU	FU07090G3B1001
03-B-10	7661	20.6	07/10/07	WG	Turbidity	41.6	NTU	FU07060G3B1001
03-B-10	7661	20.6	03/17/08	WG	pH	5.75	SU	CAPA-08-11017
03-B-10	7661	20.6	12/17/07	WG	pH	5.75	SU	CAPA-08-9319
03-B-10	7661	20.6	03/29/07	WG	pH	6.12	SU	FU07030G3B1001

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
03-B-10	7661	20.6	09/18/07	WG	pH	5.72	SU	FU07090G3B1001
03-B-10	7661	20.6	07/10/07	WG	pH	6.16	SU	FU07060G3B1001
03-B-13	7671	21.5	03/17/08	WG	Dissolved Oxygen	0.67	mg/L	CAPA-08-11020
03-B-13	7671	21.5	12/18/07	WG	Dissolved Oxygen	9.99	mg/L	CAPA-08-9316
03-B-13	7671	21.5	03/29/07	WG	Dissolved Oxygen	1.09	mg/L	FU07030G3B1301
03-B-13	7671	21.5	09/14/07	WG	Dissolved Oxygen	1.82	mg/L	FU07090G3B1301
03-B-13	7671	21.5	07/10/07	WG	Dissolved Oxygen	0.65	mg/L	FU07060G3B1301
03-B-13	7671	21.5	03/17/08	WG	Oxidation-Reduction Potential	255	mV	CAPA-08-11020
03-B-13	7671	21.5	12/18/07	WG	Oxidation-Reduction Potential	348	mV	CAPA-08-9316
03-B-13	7671	21.5	03/29/07	WG	Oxidation-Reduction Potential	275	mV	FU07030G3B1301
03-B-13	7671	21.5	09/14/07	WG	Oxidation-Reduction Potential	186	mV	FU07090G3B1301
03-B-13	7671	21.5	07/10/07	WG	Oxidation-Reduction Potential	225	mV	FU07060G3B1301
03-B-13	7671	21.5	03/17/08	WG	Specific Conductance	1850	μS/cm	CAPA-08-11020
03-B-13	7671	21.5	12/18/07	WG	Specific Conductance	2.18	μS/cm	CAPA-08-9316
03-B-13	7671	21.5	03/29/07	WG	Specific Conductance	1428	μS/cm	FU07030G3B1301
03-B-13	7671	21.5	09/14/07	WG	Specific Conductance	367	μS/cm	FU07090G3B1301
03-B-13	7671	21.5	07/10/07	WG	Specific Conductance	491	μS/cm	FU07060G3B1301
03-B-13	7671	21.5	03/17/08	WG	Temperature	14.3	deg C	CAPA-08-11020
03-B-13	7671	21.5	12/18/07	WG	Temperature	13	deg C	CAPA-08-9316
03-B-13	7671	21.5	03/29/07	WG	Temperature	11.9	deg C	FU07030G3B1301
03-B-13	7671	21.5	09/14/07	WG	Temperature	13.8	deg C	FU07090G3B1301
03-B-13	7671	21.5	07/10/07	WG	Temperature	15.2	deg C	FU07060G3B1301
03-B-13	7671	21.5	03/17/08	WG	Turbidity	19.1	NTU	CAPA-08-11020
03-B-13	7671	21.5	12/18/07	WG	Turbidity	25.9	NTU	CAPA-08-9316
03-B-13	7671	21.5	03/29/07	WG	Turbidity	10.5	NTU	FU07030G3B1301
03-B-13	7671	21.5	09/14/07	WG	Turbidity	100	NTU	FU07090G3B1301
03-B-13	7671	21.5	07/10/07	WG	Turbidity	48.1	NTU	FU07060G3B1301
03-B-13	7671	21.5	03/17/08	WG	pH	5.82	SU	CAPA-08-11020

September 2008

B-2

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
03-B-13	7671	21.5	12/18/07	WG	pH	7.1	SU	CAPA-08-9316
03-B-13	7671	21.5	03/29/07	WG	pH	6.05	SU	FU07030G3B1301
03-B-13	7671	21.5	09/14/07	WG	pH	5.96	SU	FU07090G3B1301
03-B-13	7671	21.5	07/10/07	WG	pH	6.15	SU	FU07060G3B1301
18-BG-1	5741	10	03/04/08	WG	Dissolved Oxygen	7.56	mg/L	CAPA-08-10936
18-BG-1	5741	10	12/04/07	WG	Dissolved Oxygen	5.85	mg/L	CAPA-08-9353
18-BG-1	5741	10	03/20/07	WG	Dissolved Oxygen	7.58	mg/L	FU07030G18B101
18-BG-1	5741	10	09/10/07	WG	Dissolved Oxygen	4.8	mg/L	FU07090G18B101
18-BG-1	5741	10	06/28/07	WG	Dissolved Oxygen	3.65	mg/L	FU07060G18B101
18-BG-1	5741	10	03/04/08	WG	Oxidation-Reduction Potential	290	mV	CAPA-08-10936
18-BG-1	5741	10	12/04/07	WG	Oxidation-Reduction Potential	663	mV	CAPA-08-9353
18-BG-1	5741	10	03/20/07	WG	Oxidation-Reduction Potential	204.1	mV	FU07030G18B101
18-BG-1	5741	10	09/10/07	WG	Oxidation-Reduction Potential	531	mV	FU07090G18B101
18-BG-1	5741	10	06/28/07	WG	Oxidation-Reduction Potential	328	mV	FU07060G18B101
18-BG-1	5741	10	03/04/08	WG	Purge Volume	1	gal.	CAPA-08-10936
18-BG-1	5741	10	12/04/07	WG	Purge Volume	9.5	gal.	CAPA-08-9353
18-BG-1	5741	10	06/28/07	WG	Purge Volume	11	gal.	FU07060G18B101
18-BG-1	5741	10	03/04/08	WG	Specific Conductance	166.8	µS/cm	CAPA-08-10936
18-BG-1	5741	10	12/04/07	WG	Specific Conductance	189.1	µS/cm	CAPA-08-9353
18-BG-1	5741	10	03/20/07	WG	Specific Conductance	192.3	µS/cm	FU07030G18B101
18-BG-1	5741	10	09/10/07	WG	Specific Conductance	184.1	µS/cm	FU07090G18B101
18-BG-1	5741	10	06/28/07	WG	Specific Conductance	177.1	µS/cm	FU07060G18B101
18-BG-1	5741	10	03/04/08	WG	Temperature	8.8	deg C	CAPA-08-10936
18-BG-1	5741	10	12/04/07	WG	Temperature	13.5	deg C	CAPA-08-9353
18-BG-1	5741	10	03/20/07	WG	Temperature	13	deg C	FU07030G18B101
18-BG-1	5741	10	09/10/07	WG	Temperature	15.2	deg C	FU07090G18B101
18-BG-1	5741	10	06/28/07	WG	Temperature	16.2	deg C	FU07060G18B101
18-BG-1	5741	10	03/04/08	WG	Turbidity	10.8	NTU	CAPA-08-10936

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
18-BG-1	5741	10	12/04/07	WG	Turbidity	28.3	NTU	CAPA-08-9353
18-BG-1	5741	10	03/20/07	WG	Turbidity	4.96	NTU	FU07030G18B101
18-BG-1	5741	10	09/10/07	WG	Turbidity	20	NTU	FU07090G18B101
18-BG-1	5741	10	06/28/07	WG	Turbidity	19.4	NTU	FU07060G18B101
18-BG-1	5741	10	03/04/08	WG	pH	6.48	SU	CAPA-08-10936
18-BG-1	5741	10	12/04/07	WG	pH	6.4	SU	CAPA-08-9353
18-BG-1	5741	10	03/20/07	WG	pH	6.35	SU	FU07030G18B101
18-BG-1	5741	10	09/10/07	WG	pH	6.38	SU	FU07090G18B101
18-BG-1	5741	10	06/28/07	WG	pH	6.25	SU	FU07060G18B101
18-BG-4	5751	2.5	03/12/08	WG	Dissolved Oxygen	4.23	mg/L	CAPA-08-10957
18-BG-4	5751	2.5	03/12/08	WG	Oxidation-Reduction Potential	280	mV	CAPA-08-10957
18-BG-4	5751	2.5	03/12/08	WG	Specific Conductance	159	µS/cm	CAPA-08-10957
18-BG-4	5751	2.5	03/12/08	WG	Temperature	6.9	deg C	CAPA-08-10957
18-BG-4	5751	2.5	03/12/08	WG	Turbidity	165	NTU	CAPA-08-10957
18-BG-4	5751	2.5	03/12/08	WG	pH	6.51	SU	CAPA-08-10957
18-MW-11	7971	27	03/05/08	WG	Dissolved Oxygen	6.91	mg/L	CAPA-08-11105
18-MW-11	7971	27	03/28/07	WG	Dissolved Oxygen	8.25	mg/L	FU07030G181101
18-MW-11	7971	27	12/12/06	WG	Dissolved Oxygen	7.8	mg/L	FU06120G181101
18-MW-11	7971	27	09/13/07	WG	Dissolved Oxygen	5.48	mg/L	FU07090G181101
18-MW-11	7971	27	07/03/07	WG	Dissolved Oxygen	4.7	mg/L	FU07060G181101
18-MW-11	7971	27	03/05/08	WG	Oxidation-Reduction Potential	319	mV	CAPA-08-11105
18-MW-11	7971	27	03/28/07	WG	Oxidation-Reduction Potential	364	mV	FU07030G181101
18-MW-11	7971	27	12/12/06	WG	Oxidation-Reduction Potential	453.9	mV	FU06120G181101
18-MW-11	7971	27	09/13/07	WG	Oxidation-Reduction Potential	447	mV	FU07090G181101
18-MW-11	7971	27	07/03/07	WG	Oxidation-Reduction Potential	285	mV	FU07060G181101
18-MW-11	7971	27	03/05/08	WG	Specific Conductance	212	µS/cm	CAPA-08-11105
18-MW-11	7971	27	03/28/07	WG	Specific Conductance	313	µS/cm	FU07030G181101
18-MW-11	7971	27	09/13/07	WG	Specific Conductance	182.4	µS/cm	FU07090G181101

September 2008

B-4

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
18-MW-11	7971	27	07/03/07	WG	Specific Conductance	208	μS/cm	FU07060G181101
18-MW-11	7971	27	03/05/08	WG	Temperature	13.6	deg C	CAPA-08-11105
18-MW-11	7971	27	03/28/07	WG	Temperature	14.4	deg C	FU07030G181101
18-MW-11	7971	27	12/12/06	WG	Temperature	14.5	deg C	FU06120G181101
18-MW-11	7971	27	09/13/07	WG	Temperature	15.3	deg C	FU07090G181101
18-MW-11	7971	27	07/03/07	WG	Temperature	14.5	deg C	FU07060G181101
18-MW-11	7971	27	03/05/08	WG	Turbidity	5.04	NTU	CAPA-08-11105
18-MW-11	7971	27	03/28/07	WG	Turbidity	7.01	NTU	FU07030G181101
18-MW-11	7971	27	08/31/06	WG	Turbidity	38.6	NTU	FU06080G181101
18-MW-11	7971	27	09/13/07	WG	Turbidity	8.72	NTU	FU07090G181101
18-MW-11	7971	27	07/03/07	WG	Turbidity	7.55	NTU	FU07060G181101
18-MW-11	7971	27	03/05/08	WG	pH	6.56	SU	CAPA-08-11105
18-MW-11	7971	27	03/28/07	WG	pH	6.5	SU	FU07030G181101
18-MW-11	7971	27	09/13/07	WG	pH	6.54	SU	FU07090G181101
18-MW-11	7971	27	07/03/07	WG	pH	6.57	SU	FU07060G181101
18-MW-18	5311	12.5	03/03/08	WG	Dissolved Oxygen	6.94	mg/L	CAPA-08-10941
18-MW-18	5311	12.5	12/06/07	WG	Dissolved Oxygen	7.13	mg/L	CAPA-08-9305
18-MW-18	5311	12.5	03/19/07	WG	Dissolved Oxygen	7.68	mg/L	FU07030G181801
18-MW-18	5311	12.5	09/12/07	WG	Dissolved Oxygen	6.32	mg/L	FU07090G181801
18-MW-18	5311	12.5	06/26/07	WG	Dissolved Oxygen	4.24	mg/L	FU07060G181801
18-MW-18	5311	12.5	03/03/08	WG	Oxidation-Reduction Potential	298	mV	CAPA-08-10941
18-MW-18	5311	12.5	12/06/07	WG	Oxidation-Reduction Potential	474	mV	CAPA-08-9305
18-MW-18	5311	12.5	03/19/07	WG	Oxidation-Reduction Potential	185.6	mV	FU07030G181801
18-MW-18	5311	12.5	09/12/07	WG	Oxidation-Reduction Potential	398	mV	FU07090G181801
18-MW-18	5311	12.5	06/26/07	WG	Oxidation-Reduction Potential	344	mV	FU07060G181801
18-MW-18	5311	12.5	03/03/08	WG	Specific Conductance	786	μS/cm	CAPA-08-10941
18-MW-18	5311	12.5	12/06/07	WG	Specific Conductance	526	μS/cm	CAPA-08-9305
18-MW-18	5311	12.5	03/19/07	WG	Specific Conductance	865	μS/cm	FU07030G181801

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
18-MW-18	5311	12.5	09/12/07	WG	Specific Conductance	475	μS/cm	FU07090G181801
18-MW-18	5311	12.5	06/26/07	WG	Specific Conductance	503	μS/cm	FU07060G181801
18-MW-18	5311	12.5	03/03/08	WG	Temperature	11.8	deg C	CAPA-08-10941
18-MW-18	5311	12.5	12/06/07	WG	Temperature	14.7	deg C	CAPA-08-9305
18-MW-18	5311	12.5	03/19/07	WG	Temperature	14.5	deg C	FU07030G181801
18-MW-18	5311	12.5	09/12/07	WG	Temperature	16.4	deg C	FU07090G181801
18-MW-18	5311	12.5	06/26/07	WG	Temperature	14.9	deg C	FU07060G181801
18-MW-18	5311	12.5	03/03/08	WG	Turbidity	3.26	NTU	CAPA-08-10941
18-MW-18	5311	12.5	12/06/07	WG	Turbidity	6.74	NTU	CAPA-08-9305
18-MW-18	5311	12.5	03/19/07	WG	Turbidity	4.02	NTU	FU07030G181801
18-MW-18	5311	12.5	09/12/07	WG	Turbidity	1.19	NTU	FU07090G181801
18-MW-18	5311	12.5	06/26/07	WG	Turbidity	1.06	NTU	FU07060G181801
18-MW-18	5311	12.5	03/03/08	WG	pH	6.76	SU	CAPA-08-10941
18-MW-18	5311	12.5	12/06/07	WG	pH	6.64	SU	CAPA-08-9305
18-MW-18	5311	12.5	03/19/07	WG	pH	6.68	SU	FU07030G181801
18-MW-18	5311	12.5	09/12/07	WG	pH	6.78	SU	FU07090G181801
18-MW-18	5311	12.5	06/26/07	WG	pH	6.65	SU	FU07060G181801
18-MW-8	5781	8	03/03/08	WG	Dissolved Oxygen	6.61	mg/L	CAPA-08-10938
18-MW-8	5781	8	12/05/07	WG	Dissolved Oxygen	6.24	mg/L	CAPA-08-9310
18-MW-8	5781	8	03/21/07	WG	Dissolved Oxygen	6.42	mg/L	FU07030G18M801
18-MW-8	5781	8	09/13/07	WG	Dissolved Oxygen	6.14	mg/L	FU07090G18M801
18-MW-8	5781	8	06/27/07	WG	Dissolved Oxygen	4.42	mg/L	FU07060G18M801
18-MW-8	5781	8	03/03/08	WG	Oxidation-Reduction Potential	258	mV	CAPA-08-10938
18-MW-8	5781	8	12/05/07	WG	Oxidation-Reduction Potential	582	mV	CAPA-08-9310
18-MW-8	5781	8	03/21/07	WG	Oxidation-Reduction Potential	228.5	mV	FU07030G18M801
18-MW-8	5781	8	09/13/07	WG	Oxidation-Reduction Potential	422	mV	FU07090G18M801
18-MW-8	5781	8	06/27/07	WG	Oxidation-Reduction Potential	326	mV	FU07060G18M801
18-MW-8	5781	8	03/03/08	WG	Specific Conductance	193.5	μS/cm	CAPA-08-10938

September 2008

B-6

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
18-MW-8	5781	8	12/05/07	WG	Specific Conductance	186.8	μS/cm	CAPA-08-9310
18-MW-8	5781	8	03/21/07	WG	Specific Conductance	208	μS/cm	FU07030G18M801
18-MW-8	5781	8	09/13/07	WG	Specific Conductance	180.4	μS/cm	FU07090G18M801
18-MW-8	5781	8	06/27/07	WG	Specific Conductance	204	μS/cm	FU07060G18M801
18-MW-8	5781	8	03/03/08	WG	Temperature	9	deg C	CAPA-08-10938
18-MW-8	5781	8	12/05/07	WG	Temperature	12.2	deg C	CAPA-08-9310
18-MW-8	5781	8	03/21/07	WG	Temperature	11.8	deg C	FU07030G18M801
18-MW-8	5781	8	09/13/07	WG	Temperature	15.3	deg C	FU07090G18M801
18-MW-8	5781	8	06/27/07	WG	Temperature	13.47	deg C	FU07060G18M801
18-MW-8	5781	8	03/03/08	WG	Turbidity	4.96	NTU	CAPA-08-10938
18-MW-8	5781	8	12/05/07	WG	Turbidity	3.08	NTU	CAPA-08-9310
18-MW-8	5781	8	03/21/07	WG	Turbidity	3.41	NTU	FU07030G18M801
18-MW-8	5781	8	09/13/07	WG	Turbidity	2.35	NTU	FU07090G18M801
18-MW-8	5781	8	06/27/07	WG	Turbidity	2.17	NTU	FU07060G18M801
18-MW-8	5781	8	03/03/08	WG	pH	6.52	SU	CAPA-08-10938
18-MW-8	5781	8	12/05/07	WG	pH	6.47	SU	CAPA-08-9310
18-MW-8	5781	8	03/21/07	WG	pH	6.47	SU	FU07030G18M801
18-MW-8	5781	8	09/13/07	WG	pH	6.43	SU	FU07090G18M801
18-MW-8	5781	8	06/27/07	WG	pH	6.49	SU	FU07060G18M801
18-MW-9	5791	6	03/19/08	WG	Dissolved Oxygen	4.92	mg/L	CAPA-08-10950
18-MW-9	5791	6	12/18/07	WG	Dissolved Oxygen	6.59	mg/L	CAPA-08-9362
18-MW-9	5791	6	03/22/07	WG	Dissolved Oxygen	5.66	mg/L	FU07030G18M901
18-MW-9	5791	6	09/12/07	WG	Dissolved Oxygen	5.76	mg/L	FU07090G18M901
18-MW-9	5791	6	06/28/07	WG	Dissolved Oxygen	3.6	mg/L	FU07060G18M901
18-MW-9	5791	6	03/19/08	WG	Oxidation-Reduction Potential	304	mV	CAPA-08-10950
18-MW-9	5791	6	12/18/07	WG	Oxidation-Reduction Potential	480	mV	CAPA-08-9362
18-MW-9	5791	6	03/22/07	WG	Oxidation-Reduction Potential	219.8	mV	FU07030G18M901
18-MW-9	5791	6	09/12/07	WG	Oxidation-Reduction Potential	327	mV	FU07090G18M901

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
18-MW-9	5791	6	06/28/07	WG	Oxidation-Reduction Potential	508	mV	FU07060G18M901
18-MW-9	5791	6	03/19/08	WG	Purge Volume	4.5	gal.	CAPA-08-10950
18-MW-9	5791	6	09/12/07	WG	Purge Volume	2.5	gal.	FU07090G18M901
18-MW-9	5791	6	06/28/07	WG	Purge Volume	2.75	gal.	FU07060G18M901
18-MW-9	5791	6	03/19/08	WG	Specific Conductance	97.9	μS/cm	CAPA-08-10950
18-MW-9	5791	6	12/18/07	WG	Specific Conductance	203	μS/cm	CAPA-08-9362
18-MW-9	5791	6	03/22/07	WG	Specific Conductance	255	μS/cm	FU07030G18M901
18-MW-9	5791	6	09/12/07	WG	Specific Conductance	204	μS/cm	FU07090G18M901
18-MW-9	5791	6	06/28/07	WG	Specific Conductance	213	μS/cm	FU07060G18M901
18-MW-9	5791	6	03/19/08	WG	Temperature	11.5	deg C	CAPA-08-10950
18-MW-9	5791	6	12/18/07	WG	Temperature	13.5	deg C	CAPA-08-9362
18-MW-9	5791	6	03/22/07	WG	Temperature	11.4	deg C	FU07030G18M901
18-MW-9	5791	6	09/12/07	WG	Temperature	15.2	deg C	FU07090G18M901
18-MW-9	5791	6	06/28/07	WG	Temperature	16.6	deg C	FU07060G18M901
18-MW-9	5791	6	03/19/08	WG	Turbidity	4.6	NTU	CAPA-08-10950
18-MW-9	5791	6	12/18/07	WG	Turbidity	4.27	NTU	CAPA-08-9362
18-MW-9	5791	6	03/22/07	WG	Turbidity	1.6	NTU	FU07030G18M901
18-MW-9	5791	6	09/12/07	WG	Turbidity	4.48	NTU	FU07090G18M901
18-MW-9	5791	6	06/28/07	WG	Turbidity	3.74	NTU	FU07060G18M901
18-MW-9	5791	6	03/19/08	WG	pH	6.24	SU	CAPA-08-10950
18-MW-9	5791	6	12/18/07	WG	pH	6.53	SU	CAPA-08-9362
18-MW-9	5791	6	03/22/07	WG	pH	5.72	SU	FU07030G18M901
18-MW-9	5791	6	09/12/07	WG	pH	6.51	SU	FU07090G18M901
18-MW-9	5791	6	06/28/07	WG	pH	6.06	SU	FU07060G18M901
Anderson Spring	—*	—	03/10/08	WG	Dissolved Oxygen	11.15	mg/L	CAPA-08-10969
Anderson Spring	—	—	12/10/07	WG	Dissolved Oxygen	9.91	mg/L	CAPA-08-9287
Anderson Spring	—	—	03/27/07	WG	Dissolved Oxygen	7.6	mg/L	FU07030GANDS01
Anderson Spring	—	—	09/11/07	WG	Dissolved Oxygen	92	mg/L	FU07090GANDS01

September 2008

B-8

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Anderson Spring	—	—	07/06/07	WG	Dissolved Oxygen	7.7	mg/L	FU07060GANDS01
Anderson Spring	—	—	03/10/08	WG	Oxidation-Reduction Potential	264	mV	CAPA-08-10969
Anderson Spring	—	—	12/10/07	WG	Oxidation-Reduction Potential	307	mV	CAPA-08-9287
Anderson Spring	—	—	03/27/07	WG	Oxidation-Reduction Potential	336.9	mV	FU07030GANDS01
Anderson Spring	—	—	12/11/06	WG	Oxidation-Reduction Potential	264.8	mV	FU06120GANDS01
Anderson Spring	—	—	08/22/06	WG	Oxidation-Reduction Potential	154.8	mV	FU06080GANDS01
Anderson Spring	—	—	03/10/08	WG	Specific Conductance	14.2	μS/cm	CAPA-08-10969
Anderson Spring	—	—	12/10/07	WG	Specific Conductance	153.4	μS/cm	CAPA-08-9287
Anderson Spring	—	—	03/27/07	WG	Specific Conductance	120.1	μS/cm	FU07030GANDS01
Anderson Spring	—	—	09/11/07	WG	Specific Conductance	149.3	μS/cm	FU07090GANDS01
Anderson Spring	—	—	07/06/07	WG	Specific Conductance	151.7	μS/cm	FU07060GANDS01
Anderson Spring	—	—	03/10/08	WG	Temperature	11.2	deg C	CAPA-08-10969
Anderson Spring	—	—	12/10/07	WG	Temperature	11.2	deg C	CAPA-08-9287
Anderson Spring	—	—	03/27/07	WG	Temperature	10.7	deg C	FU07030GANDS01
Anderson Spring	—	—	09/11/07	WG	Temperature	12.6	deg C	FU07090GANDS01
Anderson Spring	—	—	07/06/07	WG	Temperature	12	deg C	FU07060GANDS01
Anderson Spring	—	—	03/10/08	WG	Turbidity	27.6	NTU	CAPA-08-10969
Anderson Spring	—	—	03/27/07	WG	Turbidity	38.6	NTU	FU07030GANDS01
Anderson Spring	—	—	12/11/06	WG	Turbidity	0.95	NTU	FU06120GANDS01
Anderson Spring	—	—	09/11/07	WG	Turbidity	20.1	NTU	FU07090GANDS01
Anderson Spring	—	—	07/06/07	WG	Turbidity	10.2	NTU	FU07060GANDS01
Anderson Spring	—	—	03/10/08	WG	pH	6.8	SU	CAPA-08-10969
Anderson Spring	—	—	12/10/07	WG	pH	7.04	SU	CAPA-08-9287
Anderson Spring	—	—	03/27/07	WG	pH	6.38	SU	FU07030GANDS01
Anderson Spring	—	—	09/11/07	WG	pH	6.59	SU	FU07090GANDS01
Anderson Spring	—	—	07/06/07	WG	pH	6.96	SU	FU07060GANDS01
Bulldog Spring	—	—	03/11/08	WG	Dissolved Oxygen	14.13	mg/L	CAPA-08-10974
Bulldog Spring	—	—	12/03/07	WG	Dissolved Oxygen	8.1	mg/L	CAPA-08-9215

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Bulldog Spring	—	—	03/26/07	WG	Dissolved Oxygen	8	mg/L	FU070300GSLB01
Bulldog Spring	—	—	09/04/07	WG	Dissolved Oxygen	8.32	mg/L	FU070800GSLB01
Bulldog Spring	—	—	07/10/07	WG	Dissolved Oxygen	7.45	mg/L	FU070600GSLB01
Bulldog Spring	—	—	03/11/08	WG	Specific Conductance	225	μS/cm	CAPA-08-10974
Bulldog Spring	—	—	12/03/07	WG	Specific Conductance	198.9	μS/cm	CAPA-08-9215
Bulldog Spring	—	—	03/26/07	WG	Specific Conductance	232	μS/cm	FU070300GSLB01
Bulldog Spring	—	—	09/04/07	WG	Specific Conductance	199.7	μS/cm	FU070800GSLB01
Bulldog Spring	—	—	07/10/07	WG	Specific Conductance	176	μS/cm	FU070600GSLB01
Bulldog Spring	—	—	03/11/08	WG	Temperature	9.5	deg C	CAPA-08-10974
Bulldog Spring	—	—	12/03/07	WG	Temperature	9.68	deg C	CAPA-08-9215
Bulldog Spring	—	—	03/26/07	WG	Temperature	9.4	deg C	FU070300GSLB01
Bulldog Spring	—	—	09/04/07	WG	Temperature	10.3	deg C	FU070800GSLB01
Bulldog Spring	—	—	07/10/07	WG	Temperature	13	deg C	FU070600GSLB01
Bulldog Spring	—	—	03/11/08	WG	Turbidity	25.5	NTU	CAPA-08-10974
Bulldog Spring	—	—	12/03/07	WG	Turbidity	53.3	NTU	CAPA-08-9215
Bulldog Spring	—	—	03/26/07	WG	Turbidity	40.5	NTU	FU070300GSLB01
Bulldog Spring	—	—	09/04/07	WG	Turbidity	57.2	NTU	FU070800GSLB01
Bulldog Spring	—	—	07/10/07	WG	Turbidity	14	NTU	FU070600GSLB01
Bulldog Spring	—	—	03/11/08	WG	pH	7.9	SU	CAPA-08-10974
Bulldog Spring	—	—	12/03/07	WG	pH	7.5	SU	CAPA-08-9215
Bulldog Spring	—	—	03/26/07	WG	pH	6.89	SU	FU070300GSLB01
Bulldog Spring	—	—	09/04/07	WG	pH	7.16	SU	FU070800GSLB01
Bulldog Spring	—	—	07/10/07	WG	pH	7.19	SU	FU070600GSLB01
Charlie's Spring	—	—	03/11/08	WG	Dissolved Oxygen	7.75	mg/L	CAPA-08-10972
Charlie's Spring	—	—	12/03/07	WG	Dissolved Oxygen	11.11	mg/L	CAPA-08-9224
Charlie's Spring	—	—	03/21/07	WG	Dissolved Oxygen	8	mg/L	FU07030GCHRS01
Charlie's Spring	—	—	09/05/07	WG	Dissolved Oxygen	7.8	mg/L	FU07080GCHRS01
Charlie's Spring	—	—	07/09/07	WG	Dissolved Oxygen	8.05	mg/L	FU07060GCHRS01

September 2008

B-10

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Charlie's Spring	—	—	03/11/08	WG	Oxidation-Reduction Potential	433	mV	CAPA-08-10972
Charlie's Spring	—	—	12/03/07	WG	Oxidation-Reduction Potential	295	mV	CAPA-08-9224
Charlie's Spring	—	—	03/21/07	WG	Oxidation-Reduction Potential	241	mV	FU07030GCHRS01
Charlie's Spring	—	—	12/06/06	WG	Oxidation-Reduction Potential	366.1	mV	FU06120GCHRS01
Charlie's Spring	—	—	07/09/07	WG	Oxidation-Reduction Potential	253	mV	FU07060GCHRS01
Charlie's Spring	—	—	03/11/08	WG	Specific Conductance	179	μS/cm	CAPA-08-10972
Charlie's Spring	—	—	12/03/07	WG	Specific Conductance	41.5	μS/cm	CAPA-08-9224
Charlie's Spring	—	—	03/21/07	WG	Specific Conductance	168.5	μS/cm	FU07030GCHRS01
Charlie's Spring	—	—	09/05/07	WG	Specific Conductance	157.5	μS/cm	FU07080GCHRS01
Charlie's Spring	—	—	07/09/07	WG	Specific Conductance	77.4	μS/cm	FU07060GCHRS01
Charlie's Spring	—	—	03/11/08	WG	Temperature	11.3	deg C	CAPA-08-10972
Charlie's Spring	—	—	12/03/07	WG	Temperature	9.5	deg C	CAPA-08-9224
Charlie's Spring	—	—	03/21/07	WG	Temperature	9.2	deg C	FU07030GCHRS01
Charlie's Spring	—	—	09/05/07	WG	Temperature	11.3	deg C	FU07080GCHRS01
Charlie's Spring	—	—	07/09/07	WG	Temperature	12.6	deg C	FU07060GCHRS01
Charlie's Spring	—	—	03/11/08	WG	Turbidity	22.1	NTU	CAPA-08-10972
Charlie's Spring	—	—	12/03/07	WG	Turbidity	58.4	NTU	CAPA-08-9224
Charlie's Spring	—	—	03/21/07	WG	Turbidity	24.8	NTU	FU07030GCHRS01
Charlie's Spring	—	—	09/05/07	WG	Turbidity	75.4	NTU	FU07080GCHRS01
Charlie's Spring	—	—	07/09/07	WG	Turbidity	8.59	NTU	FU07060GCHRS01
Charlie's Spring	—	—	03/11/08	WG	pH	6.41	SU	CAPA-08-10972
Charlie's Spring	—	—	12/03/07	WG	pH	6.46	SU	CAPA-08-9224
Charlie's Spring	—	—	03/21/07	WG	pH	6.23	SU	FU07030GCHRS01
Charlie's Spring	—	—	09/05/07	WG	pH	6.42	SU	FU07080GCHRS01
Charlie's Spring	—	—	07/09/07	WG	pH	6.66	SU	FU07060GCHRS01
Homestead Spring	—	—	03/11/08	WG	Dissolved Oxygen	6.22	mg/L	CAPA-08-10961
Homestead Spring	—	—	12/03/07	WG	Dissolved Oxygen	9.49	mg/L	CAPA-08-9232
Homestead Spring	—	—	03/21/07	WG	Dissolved Oxygen	6.3	mg/L	FU070300GSMH01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Homestead Spring	—	—	09/05/07	WG	Dissolved Oxygen	5.4	mg/L	FU070800GSMH01
Homestead Spring	—	—	07/09/07	WG	Dissolved Oxygen	5.16	mg/L	FU070600GSMH01
Homestead Spring	—	—	03/11/08	WG	Oxidation-Reduction Potential	285	mV	CAPA-08-10961
Homestead Spring	—	—	12/03/07	WG	Oxidation-Reduction Potential	76	mV	CAPA-08-9232
Homestead Spring	—	—	03/21/07	WG	Oxidation-Reduction Potential	300	mV	FU070300GSMH01
Homestead Spring	—	—	12/12/06	WG	Oxidation-Reduction Potential	380.2	mV	FU061200GSMH01
Homestead Spring	—	—	07/09/07	WG	Oxidation-Reduction Potential	86	mV	FU070600GSMH01
Homestead Spring	—	—	03/11/08	WG	Specific Conductance	127.6	μS/cm	CAPA-08-10961
Homestead Spring	—	—	12/03/07	WG	Specific Conductance	26.9	μS/cm	CAPA-08-9232
Homestead Spring	—	—	03/21/07	WG	Specific Conductance	136.5	μS/cm	FU070300GSMH01
Homestead Spring	—	—	09/05/07	WG	Specific Conductance	155.5	μS/cm	FU070800GSMH01
Homestead Spring	—	—	07/09/07	WG	Specific Conductance	110.3	μS/cm	FU070600GSMH01
Homestead Spring	—	—	03/11/08	WG	Temperature	8.6	deg C	CAPA-08-10961
Homestead Spring	—	—	12/03/07	WG	Temperature	8	deg C	CAPA-08-9232
Homestead Spring	—	—	03/21/07	WG	Temperature	8.4	deg C	FU070300GSMH01
Homestead Spring	—	—	09/05/07	WG	Temperature	13.5	deg C	FU070800GSMH01
Homestead Spring	—	—	07/09/07	WG	Temperature	10.9	deg C	FU070600GSMH01
Homestead Spring	—	—	03/11/08	WG	Turbidity	27.2	NTU	CAPA-08-10961
Homestead Spring	—	—	12/03/07	WG	Turbidity	64.6	NTU	CAPA-08-9232
Homestead Spring	—	—	03/21/07	WG	Turbidity	23.3	NTU	FU070300GSMH01
Homestead Spring	—	—	09/05/07	WG	Turbidity	60.7	NTU	FU070800GSMH01
Homestead Spring	—	—	07/09/07	WG	Turbidity	10.2	NTU	FU070600GSMH01
Homestead Spring	—	—	03/11/08	WG	pH	5.97	SU	CAPA-08-10961
Homestead Spring	—	—	12/03/07	WG	pH	6.22	SU	CAPA-08-9232
Homestead Spring	—	—	03/21/07	WG	pH	5.84	SU	FU070300GSMH01
Homestead Spring	—	—	09/05/07	WG	pH	6.23	SU	FU070800GSMH01
Homestead Spring	—	—	07/09/07	WG	pH	6.37	SU	FU070600GSMH01
Kieling Spring	—	—	03/11/08	WG	Dissolved Oxygen	13.5	mg/L	CAPA-08-10981

September 2008

B-12

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Kieling Spring	—	—	12/03/07	WG	Dissolved Oxygen	7.88	mg/L	CAPA-08-9210
Kieling Spring	—	—	03/26/07	WG	Dissolved Oxygen	8	mg/L	FU070300GSLK01
Kieling Spring	—	—	09/04/07	WG	Dissolved Oxygen	6.93	mg/L	FU070800GSLK01
Kieling Spring	—	—	07/10/07	WG	Dissolved Oxygen	6.54	mg/L	FU070600GSLK01
Kieling Spring	—	—	03/11/08	WG	Specific Conductance	200	µS/cm	CAPA-08-10981
Kieling Spring	—	—	12/03/07	WG	Specific Conductance	105.3	µS/cm	CAPA-08-9210
Kieling Spring	—	—	03/26/07	WG	Specific Conductance	144.7	µS/cm	FU070300GSLK01
Kieling Spring	—	—	09/04/07	WG	Specific Conductance	155.5	µS/cm	FU070800GSLK01
Kieling Spring	—	—	07/10/07	WG	Specific Conductance	128.7	µS/cm	FU070600GSLK01
Kieling Spring	—	—	03/11/08	WG	Temperature	9.5	deg C	CAPA-08-10981
Kieling Spring	—	—	12/03/07	WG	Temperature	9.9	deg C	CAPA-08-9210
Kieling Spring	—	—	03/26/07	WG	Temperature	10	deg C	FU070300GSLK01
Kieling Spring	—	—	09/04/07	WG	Temperature	10.7	deg C	FU070800GSLK01
Kieling Spring	—	—	07/10/07	WG	Temperature	12.8	deg C	FU070600GSLK01
Kieling Spring	—	—	03/11/08	WG	Turbidity	33	NTU	CAPA-08-10981
Kieling Spring	—	—	12/03/07	WG	Turbidity	71.3	NTU	CAPA-08-9210
Kieling Spring	—	—	03/26/07	WG	Turbidity	57.4	NTU	FU070300GSLK01
Kieling Spring	—	—	09/04/07	WG	Turbidity	58.8	NTU	FU070800GSLK01
Kieling Spring	—	—	07/10/07	WG	Turbidity	10.3	NTU	FU070600GSLK01
Kieling Spring	—	—	03/11/08	WG	pH	6.4	SU	CAPA-08-10981
Kieling Spring	—	—	12/03/07	WG	pH	6.52	SU	CAPA-08-9210
Kieling Spring	—	—	03/26/07	WG	pH	6.72	SU	FU070300GSLK01
Kieling Spring	—	—	09/04/07	WG	pH	6.98	SU	FU070800GSLK01
Kieling Spring	—	—	07/10/07	WG	pH	6.88	SU	FU070600GSLK01
PC Spring	—	—	03/19/08	WG	Specific Conductance	77.9	µS/cm	CAPA-08-10958
PC Spring	—	—	12/18/07	WG	Specific Conductance	73.1	µS/cm	CAPA-08-9294
PC Spring	—	—	03/28/07	WG	Specific Conductance	71.4	µS/cm	FU070300GSCP01
PC Spring	—	—	09/19/07	WG	Specific Conductance	75.4	µS/cm	FU070900GSCP01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
PC Spring	—	—	07/11/07	WG	Specific Conductance	71.7	μS/cm	FU070600GSCP01
PC Spring	—	—	03/19/08	WG	Temperature	8.8	deg C	CAPA-08-10958
PC Spring	—	—	12/18/07	WG	Temperature	5.6	deg C	CAPA-08-9294
PC Spring	—	—	03/28/07	WG	Temperature	5.3	deg C	FU070300GSCP01
PC Spring	—	—	09/19/07	WG	Temperature	8.9	deg C	FU070900GSCP01
PC Spring	—	—	07/11/07	WG	Temperature	8	deg C	FU070600GSCP01
PC Spring	—	—	03/19/08	WG	Turbidity	15.4	NTU	CAPA-08-10958
PC Spring	—	—	12/18/07	WG	Turbidity	4.66	NTU	CAPA-08-9294
PC Spring	—	—	03/28/07	WG	Turbidity	13.7	NTU	FU070300GSCP01
PC Spring	—	—	09/19/07	WG	Turbidity	1.59	NTU	FU070900GSCP01
PC Spring	—	—	07/11/07	WG	Turbidity	7.97	NTU	FU070600GSCP01
PC Spring	—	—	03/19/08	WG	pH	7.1	SU	CAPA-08-10958
PC Spring	—	—	12/18/07	WG	pH	5.89	SU	CAPA-08-9294
PC Spring	—	—	03/28/07	WG	pH	6.19	SU	FU070300GSCP01
PC Spring	—	—	09/19/07	WG	pH	6.73	SU	FU070900GSCP01
PC Spring	—	—	07/11/07	WG	pH	6.86	SU	FU070600GSCP01
PCO-2	5331	1.5	03/07/08	WG	Dissolved Oxygen	5.37	mg/L	CAPA-08-10944
PCO-2	5331	1.5	12/06/07	WG	Dissolved Oxygen	6.09	mg/L	CAPA-08-9302
PCO-2	5331	1.5	03/20/07	WG	Dissolved Oxygen	8.03	mg/L	FU070300G2CP01
PCO-2	5331	1.5	08/30/05	WG	Dissolved Oxygen	1.9	mg/L	FU05070G2CP01
PCO-2	5331	1.5	09/11/07	WG	Dissolved Oxygen	5.28	mg/L	FU070900G2CP01
PCO-2	5331	1.5	03/07/08	WG	Oxidation-Reduction Potential	48	mV	CAPA-08-10944
PCO-2	5331	1.5	12/06/07	WG	Oxidation-Reduction Potential	555	mV	CAPA-08-9302
PCO-2	5331	1.5	03/20/07	WG	Oxidation-Reduction Potential	239	mV	FU070300G2CP01
PCO-2	5331	1.5	08/30/05	WG	Oxidation-Reduction Potential	-117.9	mV	FU05070G2CP01
PCO-2	5331	1.5	09/11/07	WG	Oxidation-Reduction Potential	325	mV	FU070900G2CP01
PCO-2	5331	1.5	03/07/08	WG	Specific Conductance	332	μS/cm	CAPA-08-10944
PCO-2	5331	1.5	12/06/07	WG	Specific Conductance	322	μS/cm	CAPA-08-9302

September 2008

B-14

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
PCO-2	5331	1.5	03/20/07	WG	Specific Conductance	583	μS/cm	FU070300G2CP01
PCO-2	5331	1.5	09/11/07	WG	Specific Conductance	396	μS/cm	FU070900G2CP01
PCO-2	5331	1.5	03/07/08	WG	Temperature	5.7	deg C	CAPA-08-10944
PCO-2	5331	1.5	12/06/07	WG	Temperature	12.7	deg C	CAPA-08-9302
PCO-2	5331	1.5	03/20/07	WG	Temperature	8.9	deg C	FU070300G2CP01
PCO-2	5331	1.5	08/30/05	WG	Temperature	16	deg C	FU05070G2CP01
PCO-2	5331	1.5	09/11/07	WG	Temperature	15.4	deg C	FU070900G2CP01
PCO-2	5331	1.5	03/07/08	WG	Turbidity	4.1	NTU	CAPA-08-10944
PCO-2	5331	1.5	12/06/07	WG	Turbidity	20.2	NTU	CAPA-08-9302
PCO-2	5331	1.5	03/20/07	WG	Turbidity	55.6	NTU	FU070300G2CP01
PCO-2	5331	1.5	08/30/05	WG	Turbidity	7.8	NTU	FU05070G2CP01
PCO-2	5331	1.5	09/11/07	WG	Turbidity	11.6	NTU	FU070900G2CP01
PCO-2	5331	1.5	03/07/08	WG	pH	6.81	SU	CAPA-08-10944
PCO-2	5331	1.5	12/06/07	WG	pH	6.88	SU	CAPA-08-9302
PCO-2	5331	1.5	03/20/07	WG	pH	6.72	SU	FU070300G2CP01
PCO-2	5331	1.5	09/11/07	WG	pH	6.81	SU	FU070900G2CP01
PCO-3	5341	5.7	03/18/08	WG	Dissolved Oxygen	2.36	mg/L	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	Dissolved Oxygen	3.19	mg/L	CAPA-08-9358
PCO-3	5341	5.7	04/04/07	WG	Dissolved Oxygen	1.16	mg/L	FU070300G3CP01
PCO-3	5341	5.7	12/13/06	WG	Dissolved Oxygen	2.2	mg/L	FU061200G3CP02
PCO-3	5341	5.7	09/11/07	WG	Dissolved Oxygen	1.94	mg/L	FU070900G3CP01
PCO-3	5341	5.7	03/18/08	WG	Oxidation-Reduction Potential	130	mV	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	Oxidation-Reduction Potential	182	mV	CAPA-08-9358
PCO-3	5341	5.7	04/04/07	WG	Oxidation-Reduction Potential	79	mV	FU070300G3CP01
PCO-3	5341	5.7	12/13/06	WG	Oxidation-Reduction Potential	322.8	mV	FU061200G3CP02
PCO-3	5341	5.7	09/11/07	WG	Oxidation-Reduction Potential	1.59	mV	FU070900G3CP01
PCO-3	5341	5.7	03/18/08	WG	Purge Volume	16	gal.	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	Purge Volume	11	gal.	CAPA-08-9358

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
PCO-3	5341	5.7	09/11/07	WG	Purge Volume	11	gal.	FU070900G3CP01
PCO-3	5341	5.7	03/18/08	WG	Specific Conductance	1219	μS/cm	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	Specific Conductance	1503	μS/cm	CAPA-08-9358
PCO-3	5341	5.7	04/04/07	WG	Specific Conductance	1006	μS/cm	FU070300G3CP01
PCO-3	5341	5.7	12/13/06	WG	Specific Conductance	1461	μS/cm	FU061200G3CP02
PCO-3	5341	5.7	09/11/07	WG	Specific Conductance	888	μS/cm	FU070900G3CP01
PCO-3	5341	5.7	03/18/08	WG	Temperature	9.3	deg C	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	Temperature	11.8	deg C	CAPA-08-9358
PCO-3	5341	5.7	04/04/07	WG	Temperature	9.5	deg C	FU070300G3CP01
PCO-3	5341	5.7	12/13/06	WG	Temperature	12.9	deg C	FU061200G3CP02
PCO-3	5341	5.7	09/11/07	WG	Temperature	17.5	deg C	FU070900G3CP01
PCO-3	5341	5.7	03/18/08	WG	Turbidity	1.73	NTU	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	Turbidity	1.78	NTU	CAPA-08-9358
PCO-3	5341	5.7	04/04/07	WG	Turbidity	0.91	NTU	FU070300G3CP01
PCO-3	5341	5.7	12/13/06	WG	Turbidity	3.65	NTU	FU061200G3CP02
PCO-3	5341	5.7	09/11/07	WG	Turbidity	4.76	NTU	FU070900G3CP01
PCO-3	5341	5.7	03/18/08	WG	pH	6.6	SU	CAPA-08-10947
PCO-3	5341	5.7	12/07/07	WG	pH	6.79	SU	CAPA-08-9358
PCO-3	5341	5.7	04/04/07	WG	pH	6.68	SU	FU070300G3CP01
PCO-3	5341	5.7	12/13/06	WG	pH	6.61	SU	FU061200G3CP02
PCO-3	5341	5.7	09/11/07	WG	pH	6.56	SU	FU070900G3CP01
Pajarito 0.5 mi above SR-501	—	—	12/17/07	WS	Specific Conductance	46.7	μS/cm	CAPA-08-9236
Pajarito 0.5 mi above SR-501	—	—	03/21/07	WS	Specific Conductance	95.7	μS/cm	FU07030PPBFB01
Pajarito 0.5 mi above SR-501	—	—	09/13/07	WP	Specific Conductance	103	μS/cm	FU07090PPBFB01
Pajarito 0.5 mi above SR-501	—	—	06/28/07	WS	Specific Conductance	89.1	μS/cm	FU07060PPBFB01
Pajarito 0.5 mi above SR-501	—	—	12/17/07	WS	pH	7.28	SU	CAPA-08-9236
Pajarito 0.5 mi above SR-501	—	—	03/21/07	WS	pH	7.1	SU	FU07030PPBFB01
Pajarito 0.5 mi above SR-501	—	—	09/13/07	WP	pH	7.08	SU	FU07090PPBFB01

September 2008

B-16

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Pajarito 0.5 mi above SR-501	—	—	06/28/07	WS	pH	7.56	SU	FU07060PPBFB01
Pajarito above Twomile	—	—	03/05/08	WS	Dissolved Oxygen	8.76	mg/L	CAPA-08-11002
Pajarito above Twomile	—	—	12/17/07	WS	Dissolved Oxygen	11.5	mg/L	CAPA-08-9270
Pajarito above Twomile	—	—	04/03/07	WS	Dissolved Oxygen	8.9	mg/L	FU070300P24301
Pajarito above Twomile	—	—	09/12/07	WP	Dissolved Oxygen	6.6	mg/L	FU070900P24301
Pajarito above Twomile	—	—	06/27/07	WS	Dissolved Oxygen	7	mg/L	FU070600P24301
Pajarito above Twomile	—	—	03/05/08	WS	Oxidation-Reduction Potential	286	mV	CAPA-08-11002
Pajarito above Twomile	—	—	03/05/08	WS	Specific Conductance	317	µS/cm	CAPA-08-11002
Pajarito above Twomile	—	—	12/17/07	WS	Specific Conductance	131.8	µS/cm	CAPA-08-9270
Pajarito above Twomile	—	—	04/03/07	WS	Specific Conductance	1503	µS/cm	FU070300P24301
Pajarito above Twomile	—	—	09/12/07	WP	Specific Conductance	152.8	µS/cm	FU070900P24301
Pajarito above Twomile	—	—	06/27/07	WS	Specific Conductance	123.6	µS/cm	FU070600P24301
Pajarito above Twomile	—	—	03/05/08	WS	Temperature	2.8	deg C	CAPA-08-11002
Pajarito above Twomile	—	—	12/17/07	WS	Temperature	1.9	deg C	CAPA-08-9270
Pajarito above Twomile	—	—	04/03/07	WS	Temperature	8.7	deg C	FU070300P24301
Pajarito above Twomile	—	—	09/12/07	WP	Temperature	16.2	deg C	FU070900P24301
Pajarito above Twomile	—	—	06/27/07	WS	Temperature	16.1	deg C	FU070600P24301
Pajarito above Twomile	—	—	03/05/08	WS	Turbidity	35.5	NTU	CAPA-08-11002
Pajarito above Twomile	—	—	12/17/07	WS	Turbidity	30.6	NTU	CAPA-08-9270
Pajarito above Twomile	—	—	04/03/07	WS	Turbidity	24.2	NTU	FU070300P24301
Pajarito above Twomile	—	—	09/12/07	WP	Turbidity	27.5	NTU	FU070900P24301
Pajarito above Twomile	—	—	06/27/07	WS	Turbidity	25.6	NTU	FU070600P24301
Pajarito above Twomile	—	—	03/05/08	WS	pH	7.46	SU	CAPA-08-11002
Pajarito above Twomile	—	—	12/17/07	WS	pH	7.22	SU	CAPA-08-9270
Pajarito above Twomile	—	—	01/29/08	WM	pH	7.12	SU	FU080200M24301
Pajarito above Twomile	—	—	09/12/07	WP	pH	7.32	SU	FU070900P24301
Pajarito above Twomile	—	—	06/27/07	WS	pH	6.9	SU	FU070600P24301
Pajarito below TA-18	—	—	03/05/08	WS	Dissolved Oxygen	8.78	mg/L	CAPA-08-10989

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Pajarito below TA-18	—	—	06/13/05	WS	Dissolved Oxygen	7.12	mg/L	FU05060PBF501
Pajarito below TA-18	—	—	03/05/08	WS	Oxidation-Reduction Potential	340	mV	CAPA-08-10989
Pajarito below TA-18	—	—	03/05/08	WS	Specific Conductance	207	μS/cm	CAPA-08-10989
Pajarito below TA-18	—	—	06/13/05	WS	Specific Conductance	170.6	μS/cm	FU05060PBF501
Pajarito below TA-18	—	—	03/05/08	WS	Temperature	2.2	deg C	CAPA-08-10989
Pajarito below TA-18	—	—	06/13/05	WS	Temperature	15.1	deg C	FU05060PBF501
Pajarito below TA-18	—	—	03/05/08	WS	Turbidity	17.1	NTU	CAPA-08-10989
Pajarito below TA-18	—	—	06/13/05	WS	Turbidity	16.6	NTU	FU05060PBF501
Pajarito below TA-18	—	—	03/05/08	WS	pH	6.78	SU	CAPA-08-10989
Pajarito below TA-18	—	—	06/13/05	WS	pH	7.63	SU	FU05060PBF501
Pajarito below confluences of South and North Anchor East Basin	—	—	03/11/08	WS	Dissolved Oxygen	13.34	mg/L	CAPA-08-10995
Pajarito below confluences of South and North Anchor East Basin	—	—	12/03/07	WS	Dissolved Oxygen	8.53	mg/L	CAPA-08-9228
Pajarito below confluences of South and North Anchor East Basin	—	—	03/20/07	WS	Dissolved Oxygen	9.22	mg/L	FU07030PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	09/04/07	WS	Dissolved Oxygen	6.38	mg/L	FU07090PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	06/28/07	WS	Dissolved Oxygen	7.58	mg/L	FU07060PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	03/11/08	WS	Specific Conductance	162.3	μS/cm	CAPA-08-10995
Pajarito below confluences of South and North Anchor East Basin	—	—	12/03/07	WS	Specific Conductance	166	μS/cm	CAPA-08-9228
Pajarito below confluences of South and North Anchor East Basin	—	—	03/20/07	WS	Specific Conductance	155.8	μS/cm	FU07030PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	09/04/07	WS	Specific Conductance	154.4	μS/cm	FU07090PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	06/28/07	WS	Specific Conductance	120	μS/cm	FU07060PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	03/11/08	WS	Temperature	9	deg C	CAPA-08-10995

September 2008

B-18

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Pajarito below confluences of South and North Anchor East Basin	—	—	12/03/07	WS	Temperature	6.4	deg C	CAPA-08-9228
Pajarito below confluences of South and North Anchor East Basin	—	—	03/20/07	WS	Temperature	28.5	deg C	FU07030PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	09/04/07	WS	Temperature	15.7	deg C	FU07090PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	06/28/07	WS	Temperature	15.6	deg C	FU07060PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	03/11/08	WS	Turbidity	29.1	NTU	CAPA-08-10995
Pajarito below confluences of South and North Anchor East Basin	—	—	12/03/07	WS	Turbidity	68	NTU	CAPA-08-9228
Pajarito below confluences of South and North Anchor East Basin	—	—	03/20/07	WS	Turbidity	7.6	NTU	FU07030PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	09/04/07	WS	Turbidity	72	NTU	FU07090PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	06/28/07	WS	Turbidity	9.54	NTU	FU07060PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	03/11/08	WS	pH	7.52	SU	CAPA-08-10995
Pajarito below confluences of South and North Anchor East Basin	—	—	12/03/07	WS	pH	7.55	SU	CAPA-08-9228
Pajarito below confluences of South and North Anchor East Basin	—	—	03/20/07	WS	pH	7.3	SU	FU07030PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	09/04/07	WS	pH	7.34	SU	FU07090PPBF101
Pajarito below confluences of South and North Anchor East Basin	—	—	06/28/07	WS	pH	7.33	SU	FU07060PPBF101
R-17	7031	1057	03/13/08	WG	Dissolved Oxygen	6.35	mg/L	CAPA-08-11027
R-17	7031	1057	12/05/07	WG	Dissolved Oxygen	6.8	mg/L	CAPA-08-9327
R-17	7031	1057	10/19/06	WG	Dissolved Oxygen	3.15	mg/L	FU06090GR17101
R-17	7031	1057	09/18/07	WG	Dissolved Oxygen	7.3	mg/L	FU07080GR17101
R-17	7031	1057	03/13/08	WG	Oxidation-Reduction Potential	154	mV	CAPA-08-11027

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-17	7031	1057	12/05/07	WG	Oxidation-Reduction Potential	216	mV	CAPA-08-9327
R-17	7031	1057	10/19/06	WG	Oxidation-Reduction Potential	224.5	mV	FU06090GR17101
R-17	7031	1057	03/13/08	WG	Purge Volume	119	gal.	CAPA-08-11027
R-17	7031	1057	09/18/07	WG	Purge Volume	225	gal.	FU07080GR17101
R-17	7031	1057	07/03/07	WG	Purge Volume	110	gal.	FU07060GR17101
R-17	7031	1057	03/13/08	WG	Specific Conductance	115.3	μS/cm	CAPA-08-11027
R-17	7031	1057	12/05/07	WG	Specific Conductance	82.1	μS/cm	CAPA-08-9327
R-17	7031	1057	04/25/07	WG	Specific Conductance	128	μS/cm	FU07040GR17101
R-17	7031	1057	09/18/07	WG	Specific Conductance	125.6	μS/cm	FU07080GR17101
R-17	7031	1057	07/03/07	WG	Specific Conductance	119	μS/cm	FU07060GR17101
R-17	7031	1057	03/13/08	WG	Temperature	19.3	deg C	CAPA-08-11027
R-17	7031	1057	12/05/07	WG	Temperature	19	deg C	CAPA-08-9327
R-17	7031	1057	04/25/07	WG	Temperature	21	deg C	FU07040GR17101
R-17	7031	1057	09/18/07	WG	Temperature	22.2	deg C	FU07080GR17101
R-17	7031	1057	07/03/07	WG	Temperature	22	deg C	FU07060GR17101
R-17	7031	1057	03/13/08	WG	Turbidity	1.38	NTU	CAPA-08-11027
R-17	7031	1057	12/05/07	WG	Turbidity	1.49	NTU	CAPA-08-9327
R-17	7031	1057	04/25/07	WG	Turbidity	4.22	NTU	FU07040GR17101
R-17	7031	1057	09/18/07	WG	Turbidity	3.27	NTU	FU07080GR17101
R-17	7031	1057	07/03/07	WG	Turbidity	1.85	NTU	FU07060GR17101
R-17	7031	1057	03/13/08	WG	pH	7.92	SU	CAPA-08-11027
R-17	7031	1057	12/05/07	WG	pH	7.45	SU	CAPA-08-9327
R-17	7031	1057	04/25/07	WG	pH	7.95	SU	FU07040GR17101
R-17	7031	1057	09/18/07	WG	pH	7.96	SU	FU07080GR17101
R-17	7031	1057	07/03/07	WG	pH	7.89	SU	FU07060GR17101
R-17	7041	1124	03/13/08	WG	Dissolved Oxygen	6.32	mg/L	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	Dissolved Oxygen	6.27	mg/L	CAPA-08-9332
R-17	7041	1124	10/17/06	WG	Dissolved Oxygen	3.19	mg/L	FU06090GR17201

September 2008

B-20

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-17	7041	1124	09/18/07	WG	Dissolved Oxygen	6.1	mg/L	FU07080GR17201
R-17	7041	1124	03/13/08	WG	Oxidation-Reduction Potential	207	mV	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	Oxidation-Reduction Potential	434	mV	CAPA-08-9332
R-17	7041	1124	10/17/06	WG	Oxidation-Reduction Potential	204	mV	FU06090GR17201
R-17	7041	1124	03/13/08	WG	Purge Volume	164	gal.	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	Purge Volume	1.75	gal.	CAPA-08-9332
R-17	7041	1124	09/18/07	WG	Purge Volume	175	gal.	FU07080GR17201
R-17	7041	1124	07/03/07	WG	Purge Volume	75	gal.	FU07060GR17201
R-17	7041	1124	03/13/08	WG	Specific Conductance	106.1	μS/cm	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	Specific Conductance	106.4	μS/cm	CAPA-08-9332
R-17	7041	1124	04/25/07	WG	Specific Conductance	113.3	μS/cm	FU07040GR17201
R-17	7041	1124	09/18/07	WG	Specific Conductance	113.7	μS/cm	FU07080GR17201
R-17	7041	1124	07/03/07	WG	Specific Conductance	110.1	μS/cm	FU07060GR17201
R-17	7041	1124	03/13/08	WG	Temperature	22	deg C	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	Temperature	20.3	deg C	CAPA-08-9332
R-17	7041	1124	04/25/07	WG	Temperature	21.7	deg C	FU07040GR17201
R-17	7041	1124	09/18/07	WG	Temperature	23	deg C	FU07080GR17201
R-17	7041	1124	07/03/07	WG	Temperature	23	deg C	FU07060GR17201
R-17	7041	1124	03/13/08	WG	Turbidity	0.39	NTU	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	Turbidity	0.15	NTU	CAPA-08-9332
R-17	7041	1124	04/25/07	WG	Turbidity	0.38	NTU	FU07040GR17201
R-17	7041	1124	09/18/07	WG	Turbidity	0.63	NTU	FU07080GR17201
R-17	7041	1124	07/03/07	WG	Turbidity	0.45	NTU	FU07060GR17201
R-17	7041	1124	03/13/08	WG	pH	7.99	SU	CAPA-08-11033
R-17	7041	1124	12/06/07	WG	pH	7.95	SU	CAPA-08-9332
R-17	7041	1124	04/25/07	WG	pH	7.96	SU	FU07040GR17201
R-17	7041	1124	09/18/07	WG	pH	7.95	SU	FU07080GR17201
R-17	7041	1124	07/03/07	WG	pH	7.75	SU	FU07060GR17201

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-18	5861	1358	03/07/08	WG	Dissolved Oxygen	5.25	mg/L	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	Dissolved Oxygen	6	mg/L	CAPA-08-9366
R-18	5861	1358	03/22/07	WG	Dissolved Oxygen	5.1	mg/L	FU070300G18R01
R-18	5861	1358	09/04/07	WG	Dissolved Oxygen	4.2	mg/L	FU070800G18R01
R-18	5861	1358	06/26/07	WG	Dissolved Oxygen	4.77	mg/L	FU070600G18R01
R-18	5861	1358	03/07/08	WG	Oxidation-Reduction Potential	262	mV	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	Oxidation-Reduction Potential	288	mV	CAPA-08-9366
R-18	5861	1358	03/22/07	WG	Oxidation-Reduction Potential	335	mV	FU070300G18R01
R-18	5861	1358	09/04/07	WG	Oxidation-Reduction Potential	193	mV	FU070800G18R01
R-18	5861	1358	06/26/07	WG	Oxidation-Reduction Potential	490	mV	FU070600G18R01
R-18	5861	1358	03/07/08	WG	Purge Volume	273	gal.	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	Purge Volume	1.5	gal.	CAPA-08-9366
R-18	5861	1358	09/04/07	WG	Purge Volume	230	gal.	FU070800G18R01
R-18	5861	1358	06/26/07	WG	Purge Volume	150	gal.	FU070600G18R01
R-18	5861	1358	03/07/08	WG	Specific Conductance	104.4	μS/cm	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	Specific Conductance	104	μS/cm	CAPA-08-9366
R-18	5861	1358	03/22/07	WG	Specific Conductance	100.3	μS/cm	FU070300G18R01
R-18	5861	1358	09/04/07	WG	Specific Conductance	111.4	μS/cm	FU070800G18R01
R-18	5861	1358	06/26/07	WG	Specific Conductance	69.3	μS/cm	FU070600G18R01
R-18	5861	1358	03/07/08	WG	Temperature	13.7	deg C	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	Temperature	18.8	deg C	CAPA-08-9366
R-18	5861	1358	03/22/07	WG	Temperature	15.5	deg C	FU070300G18R01
R-18	5861	1358	09/04/07	WG	Temperature	17.2	deg C	FU070800G18R01
R-18	5861	1358	06/26/07	WG	Temperature	18.3	deg C	FU070600G18R01
R-18	5861	1358	03/07/08	WG	Turbidity	0.5	NTU	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	Turbidity	0.35	NTU	CAPA-08-9366
R-18	5861	1358	03/22/07	WG	Turbidity	0.43	NTU	FU070300G18R01
R-18	5861	1358	09/04/07	WG	Turbidity	0.5	NTU	FU070800G18R01

September 2008

B-22

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-18	5861	1358	06/26/07	WG	Turbidity	0.15	NTU	FU070600G18R01
R-18	5861	1358	03/07/08	WG	pH	7.63	SU	CAPA-08-11037
R-18	5861	1358	12/04/07	WG	pH	7.74	SU	CAPA-08-9366
R-18	5861	1358	03/22/07	WG	pH	7.51	SU	FU070300G18R01
R-18	5861	1358	09/04/07	WG	pH	7.67	SU	FU070800G18R01
R-18	5861	1358	06/26/07	WG	pH	7.64	SU	FU070600G18R01
R-19	232	909.3	03/14/08	WG	Dissolved Oxygen	4.41	mg/L	CAPA-08-11061
R-19	232	909.3	12/10/07	WG	Dissolved Oxygen	3.9	mg/L	CAPA-08-9392
R-19	232	909.3	08/20/02	WG	Dissolved Oxygen	4.6	mg/L	GU0208G19R201
R-19	232	909.3	09/04/07	WG	Dissolved Oxygen	4.1	mg/L	FU07080G19R201
R-19	232	909.3	03/14/08	WG	Specific Conductance	182.3	μS/cm	CAPA-08-11061
R-19	232	909.3	12/10/07	WG	Specific Conductance	33.6	μS/cm	CAPA-08-9392
R-19	232	909.3	12/11/06	WG	Specific Conductance	167.9	μS/cm	FU06120G19R201
R-19	232	909.3	09/04/07	WG	Specific Conductance	161.9	μS/cm	FU07080G19R201
R-19	232	909.3	06/26/07	WG	Specific Conductance	158.1	μS/cm	FU07060G19R201
R-19	232	909.3	03/14/08	WG	Temperature	17.8	deg C	CAPA-08-11061
R-19	232	909.3	12/10/07	WG	Temperature	11.2	deg C	CAPA-08-9392
R-19	232	909.3	12/11/06	WG	Temperature	17.3	deg C	FU06120G19R201
R-19	232	909.3	09/04/07	WG	Temperature	22.8	deg C	FU07080G19R201
R-19	232	909.3	06/26/07	WG	Temperature	24.7	deg C	FU07060G19R201
R-19	232	909.3	03/14/08	WG	Turbidity	0.23	NTU	CAPA-08-11061
R-19	232	909.3	12/10/07	WG	Turbidity	0.5	NTU	CAPA-08-9392
R-19	232	909.3	12/11/06	WG	Turbidity	0.12	NTU	FU06120G19R201
R-19	232	909.3	09/04/07	WG	Turbidity	0.38	NTU	FU07080G19R201
R-19	232	909.3	06/26/07	WG	Turbidity	0.18	NTU	FU07060G19R201
R-19	232	909.3	03/14/08	WG	pH	8.12	SU	CAPA-08-11061
R-19	232	909.3	12/10/07	WG	pH	7.23	SU	CAPA-08-9392
R-19	232	909.3	12/11/06	WG	pH	7.94	SU	FU06120G19R201

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-19	232	909.3	09/04/07	WG	pH	8.57	SU	FU07080G19R201
R-19	232	909.3	06/26/07	WG	pH	8.15	SU	FU07060G19R201
R-19	282	1190.7	03/17/08	WG	Dissolved Oxygen	4.06	mg/L	CAPA-08-11068
R-19	282	1190.7	12/10/07	WG	Dissolved Oxygen	5.3	mg/L	CAPA-08-9394
R-19	282	1190.7	08/22/02	WG	Dissolved Oxygen	5.7	mg/L	GU0208G19R301
R-19	282	1190.7	09/04/07	WG	Dissolved Oxygen	3.69	mg/L	FU07080G19R301
R-19	282	1190.7	03/17/08	WG	Specific Conductance	111.3	µS/cm	CAPA-08-11068
R-19	282	1190.7	12/10/07	WG	Specific Conductance	120	µS/cm	CAPA-08-9394
R-19	282	1190.7	04/02/07	WG	Specific Conductance	123.2	µS/cm	FU07030G19R301
R-19	282	1190.7	09/04/07	WG	Specific Conductance	125.3	µS/cm	FU07080G19R301
R-19	282	1190.7	07/02/07	WG	Specific Conductance	109.9	µS/cm	FU07060G19R301
R-19	282	1190.7	03/17/08	WG	Temperature	19.4	deg C	CAPA-08-11068
R-19	282	1190.7	12/10/07	WG	Temperature	12.5	deg C	CAPA-08-9394
R-19	282	1190.7	04/02/07	WG	Temperature	21.2	deg C	FU07030G19R301
R-19	282	1190.7	09/04/07	WG	Temperature	23.3	deg C	FU07080G19R301
R-19	282	1190.7	07/02/07	WG	Temperature	23.4	deg C	FU07060G19R301
R-19	282	1190.7	03/17/08	WG	Turbidity	1.03	NTU	CAPA-08-11068
R-19	282	1190.7	12/10/07	WG	Turbidity	0.3	NTU	CAPA-08-9394
R-19	282	1190.7	04/02/07	WG	Turbidity	0.22	NTU	FU07030G19R301
R-19	282	1190.7	09/04/07	WG	Turbidity	0.31	NTU	FU07080G19R301
R-19	282	1190.7	07/02/07	WG	Turbidity	0.13	NTU	FU07060G19R301
R-19	282	1190.7	03/17/08	WG	pH	7.99	SU	CAPA-08-11068
R-19	282	1190.7	12/10/07	WG	pH	7.61	SU	CAPA-08-9394
R-19	282	1190.7	04/02/07	WG	pH	7.85	SU	FU07030G19R301
R-19	282	1190.7	09/04/07	WG	pH	8.19	SU	FU07080G19R301
R-19	282	1190.7	07/02/07	WG	pH	8.04	SU	FU07060G19R301
R-19	352	1412.9	03/13/08	WG	Dissolved Oxygen	6.22	mg/L	CAPA-08-11034
R-19	352	1412.9	08/26/02	WG	Dissolved Oxygen	8.6	mg/L	GU0208G19R401

September 2008

B-24

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-19	352	1412.9	09/10/07	WG	Dissolved Oxygen	4.79	mg/L	FU07080G19R401
R-19	352	1412.9	03/13/08	WG	Specific Conductance	108.9	μS/cm	CAPA-08-11034
R-19	352	1412.9	09/10/07	WG	Specific Conductance	109.2	μS/cm	FU07080G19R401
R-19	352	1412.9	06/28/07	WG	Specific Conductance	103.6	μS/cm	FU07060G19R401
R-19	352	1412.9	03/13/08	WG	Temperature	19	deg C	CAPA-08-11034
R-19	352	1412.9	04/03/07	WG	Temperature	19.2	deg C	FU07030G19R401
R-19	352	1412.9	12/12/06	WG	Temperature	22.8	deg C	FU06120G19R401
R-19	352	1412.9	09/10/07	WG	Temperature	21.8	deg C	FU07080G19R401
R-19	352	1412.9	06/28/07	WG	Temperature	27.3	deg C	FU07060G19R401
R-19	352	1412.9	03/13/08	WG	Turbidity	0.45	NTU	CAPA-08-11034
R-19	352	1412.9	04/03/07	WG	Turbidity	0.2	NTU	FU07030G19R401
R-19	352	1412.9	12/12/06	WG	Turbidity	0.42	NTU	FU06120G19R401
R-19	352	1412.9	09/10/07	WG	Turbidity	0.59	NTU	FU07080G19R401
R-19	352	1412.9	06/28/07	WG	Turbidity	0.41	NTU	FU07060G19R401
R-19	352	1412.9	03/13/08	WG	pH	8.02	SU	CAPA-08-11034
R-19	352	1412.9	09/10/07	WG	pH	7.84	SU	FU07080G19R401
R-19	352	1412.9	06/28/07	WG	pH	8.7	SU	FU07060G19R401
R-19	402	1586.1	03/14/08	WG	Dissolved Oxygen	2.87	mg/L	CAPA-08-11069
R-19	402	1586.1	08/23/02	WG	Dissolved Oxygen	3	mg/L	GU0208G19R501
R-19	402	1586.1	09/05/07	WG	Dissolved Oxygen	2.06	mg/L	FU07090G19R501
R-19	402	1586.1	03/14/08	WG	Specific Conductance	229	μS/cm	CAPA-08-11069
R-19	402	1586.1	04/03/07	WG	Specific Conductance	104.4	μS/cm	FU07030G19R501
R-19	402	1586.1	09/05/07	WG	Specific Conductance	253	μS/cm	FU07090G19R501
R-19	402	1586.1	06/26/07	WG	Specific Conductance	230	μS/cm	FU07060G19R501
R-19	402	1586.1	03/14/08	WG	Temperature	18	deg C	CAPA-08-11069
R-19	402	1586.1	04/03/07	WG	Temperature	20.1	deg C	FU07030G19R501
R-19	402	1586.1	12/11/06	WG	Temperature	18.5	deg C	FU06120G19R501
R-19	402	1586.1	09/05/07	WG	Temperature	23.6	deg C	FU07090G19R501

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-19	402	1586.1	06/26/07	WG	Temperature	27.2	deg C	FU07060G19R501
R-19	402	1586.1	03/14/08	WG	Turbidity	0.49	NTU	CAPA-08-11069
R-19	402	1586.1	04/03/07	WG	Turbidity	0.32	NTU	FU07030G19R501
R-19	402	1586.1	12/11/06	WG	Turbidity	2.45	NTU	FU06120G19R501
R-19	402	1586.1	09/05/07	WG	Turbidity	33.5	NTU	FU07090G19R501
R-19	402	1586.1	06/26/07	WG	Turbidity	0.95	NTU	FU07060G19R501
R-19	402	1586.1	03/14/08	WG	pH	6.69	SU	CAPA-08-11069
R-19	402	1586.1	04/03/07	WG	pH	6.47	SU	FU07030G19R501
R-19	402	1586.1	09/05/07	WG	pH	6.73	SU	FU07090G19R501
R-19	402	1586.1	06/26/07	WG	pH	6.72	SU	FU07060G19R501
R-19	452	1730.1	03/14/08	WG	Dissolved Oxygen	4.19	mg/L	CAPA-08-11072
R-19	452	1730.1	08/27/02	WG	Dissolved Oxygen	6.2	mg/L	GU0208G19R601
R-19	452	1730.1	03/14/08	WG	Specific Conductance	92.7	μS/cm	CAPA-08-11072
R-19	452	1730.1	04/03/07	WG	Specific Conductance	83	μS/cm	FU07030G19R601
R-19	452	1730.1	12/11/06	WG	Specific Conductance	94.9	μS/cm	FU06120G19R601
R-19	452	1730.1	08/17/06	WG	Specific Conductance	85.4	μS/cm	FU06080G19R601
R-19	452	1730.1	06/27/07	WG	Specific Conductance	97	μS/cm	FU07060G19R601
R-19	452	1730.1	03/14/08	WG	Temperature	17.5	deg C	CAPA-08-11072
R-19	452	1730.1	04/03/07	WG	Temperature	23.3	deg C	FU07030G19R601
R-19	452	1730.1	12/11/06	WG	Temperature	20.1	deg C	FU06120G19R601
R-19	452	1730.1	08/17/06	WG	Temperature	24.1	deg C	FU06080G19R601
R-19	452	1730.1	06/27/07	WG	Temperature	24.6	deg C	FU07060G19R601
R-19	452	1730.1	03/14/08	WG	Turbidity	0.29	NTU	CAPA-08-11072
R-19	452	1730.1	04/03/07	WG	Turbidity	0.44	NTU	FU07030G19R601
R-19	452	1730.1	12/11/06	WG	Turbidity	0.16	NTU	FU06120G19R601
R-19	452	1730.1	08/17/06	WG	Turbidity	0.2	NTU	FU06080G19R601
R-19	452	1730.1	06/27/07	WG	Turbidity	0.71	NTU	FU07060G19R601
R-19	452	1730.1	03/14/08	WG	pH	7.09	SU	CAPA-08-11072

September 2008

B-26

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-19	452	1730.1	04/03/07	WG	pH	6.87	SU	FU07030G19R601
R-19	452	1730.1	12/11/06	WG	pH	6.62	SU	FU06120G19R601
R-19	452	1730.1	08/17/06	WG	pH	6.84	SU	FU06080G19R601
R-19	452	1730.1	06/27/07	WG	pH	7.35	SU	FU07060G19R601
R-19	502	1834.7	03/14/08	WG	Dissolved Oxygen	3.83	mg/L	CAPA-08-11084
R-19	502	1834.7	12/10/07	WG	Dissolved Oxygen	6.1	mg/L	CAPA-08-9400
R-19	502	1834.7	08/26/02	WG	Dissolved Oxygen	6.6	mg/L	GU0208G19R701
R-19	502	1834.7	03/14/08	WG	Specific Conductance	259	μS/cm	CAPA-08-11084
R-19	502	1834.7	12/10/07	WG	Specific Conductance	253	μS/cm	CAPA-08-9400
R-19	502	1834.7	08/18/06	WG	Specific Conductance	324	μS/cm	FU06080G19R701
R-19	502	1834.7	07/28/05	WG	Specific Conductance	292	μS/cm	FU0507G19R701
R-19	502	1834.7	06/27/07	WG	Specific Conductance	316	μS/cm	FU07060G19R701
R-19	502	1834.7	03/14/08	WG	Temperature	18.7	deg C	CAPA-08-11084
R-19	502	1834.7	12/10/07	WG	Temperature	11.6	deg C	CAPA-08-9400
R-19	502	1834.7	08/18/06	WG	Temperature	23.3	deg C	FU06080G19R701
R-19	502	1834.7	07/28/05	WG	Temperature	25.6	deg C	FU0507G19R701
R-19	502	1834.7	06/27/07	WG	Temperature	25.5	deg C	FU07060G19R701
R-19	502	1834.7	03/14/08	WG	Turbidity	25.1	NTU	CAPA-08-11084
R-19	502	1834.7	12/10/07	WG	Turbidity	22.9	NTU	CAPA-08-9400
R-19	502	1834.7	08/18/06	WG	Turbidity	14.9	NTU	FU06080G19R701
R-19	502	1834.7	07/28/05	WG	Turbidity	73.2	NTU	FU0507G19R701
R-19	502	1834.7	06/27/07	WG	Turbidity	15	NTU	FU07060G19R701
R-19	502	1834.7	03/14/08	WG	pH	7.85	SU	CAPA-08-11084
R-19	502	1834.7	12/10/07	WG	pH	7.58	SU	CAPA-08-9400
R-19	502	1834.7	08/18/06	WG	pH	7.12	SU	FU06080G19R701
R-19	502	1834.7	07/28/05	WG	pH	7.6	SU	FU0507G19R701
R-19	502	1834.7	06/27/07	WG	pH	7.51	SU	FU07060G19R701
R-20	871	907	03/21/08	WG	Dissolved Oxygen	3.23	mg/L	GW20-08-11444

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-20	871	907	03/21/08	WG	Dissolved Oxygen	3.38	mg/L	GW20-08-11443
R-20	871	907	03/21/08	WG	Dissolved Oxygen	3.26	mg/L	GW20-08-11442
R-20	871	907	03/21/08	WG	Dissolved Oxygen	3.25	mg/L	GW20-08-11441
R-20	871	907	03/21/08	WG	Dissolved Oxygen	3.03	mg/L	GW20-08-11440
R-20	871	907	03/21/08	WG	Dissolved Oxygen	4.04	mg/L	GW20-08-11439
R-20	871	907	03/21/08	WG	Oxidation-Reduction Potential	161	mV	GW20-08-11444
R-20	871	907	03/21/08	WG	Oxidation-Reduction Potential	155	mV	GW20-08-11443
R-20	871	907	03/21/08	WG	Oxidation-Reduction Potential	170	mV	GW20-08-11442
R-20	871	907	03/21/08	WG	Oxidation-Reduction Potential	161	mV	GW20-08-11441
R-20	871	907	03/21/08	WG	Oxidation-Reduction Potential	147	mV	GW20-08-11440
R-20	871	907	03/21/08	WG	Oxidation-Reduction Potential	163	mV	GW20-08-11439
R-20	871	907	03/21/08	WG	Specific Conductance	134.3	µS/cm	GW20-08-11444
R-20	871	907	03/21/08	WG	Specific Conductance	135.3	µS/cm	GW20-08-11443
R-20	871	907	03/21/08	WG	Specific Conductance	136.3	µS/cm	GW20-08-11442
R-20	871	907	03/21/08	WG	Specific Conductance	136.3	µS/cm	GW20-08-11441
R-20	871	907	03/21/08	WG	Specific Conductance	137.8	µS/cm	GW20-08-11440
R-20	871	907	03/21/08	WG	Specific Conductance	134.3	µS/cm	GW20-08-11439
R-20	871	907	03/21/08	WG	Temperature	24	deg C	GW20-08-11444
R-20	871	907	03/21/08	WG	Temperature	23.5	deg C	GW20-08-11443
R-20	871	907	03/21/08	WG	Temperature	22.7	deg C	GW20-08-11442
R-20	871	907	03/21/08	WG	Temperature	22.7	deg C	GW20-08-11441
R-20	871	907	03/21/08	WG	Temperature	21.4	deg C	GW20-08-11440
R-20	871	907	03/21/08	WG	Temperature	17	deg C	GW20-08-11439
R-20	871	907	03/21/08	WG	Turbidity	3.71	NTU	GW20-08-11444
R-20	871	907	03/21/08	WG	Turbidity	3.69	NTU	GW20-08-11443
R-20	871	907	03/21/08	WG	Turbidity	3.23	NTU	GW20-08-11442
R-20	871	907	03/21/08	WG	Turbidity	6.9	NTU	GW20-08-11441
R-20	871	907	03/21/08	WG	Turbidity	23.1	NTU	GW20-08-11440

September 2008

B-28

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-20	871	907	03/21/08	WG	Turbidity	53.5	NTU	GW20-08-11439
R-20	871	907	03/21/08	WG	pH	8.24	SU	GW20-08-11444
R-20	871	907	03/21/08	WG	pH	8.28	SU	GW20-08-11443
R-20	871	907	03/21/08	WG	pH	8.28	SU	GW20-08-11442
R-20	871	907	03/21/08	WG	pH	8.3	SU	GW20-08-11441
R-20	871	907	03/21/08	WG	pH	8.36	SU	GW20-08-11440
R-20	871	907	03/21/08	WG	pH	8.33	SU	GW20-08-11439
R-20	921	1149.7	03/20/08	WG	Dissolved Oxygen	3.41	mg/L	GW20-08-11481
R-20	921	1149.7	03/20/08	WG	Dissolved Oxygen	3.15	mg/L	GW20-08-11532
R-20	921	1149.7	03/20/08	WG	Dissolved Oxygen	2.91	mg/L	GW20-08-11479
R-20	921	1149.7	03/20/08	WG	Dissolved Oxygen	2.75	mg/L	GW20-08-11478
R-20	921	1149.7	03/20/08	WG	Dissolved Oxygen	5.51	mg/L	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	Dissolved Oxygen	3.68	mg/L	GW20-08-11454
R-20	921	1149.7	03/20/08	WG	Oxidation-Reduction Potential	124	mV	GW20-08-11481
R-20	921	1149.7	03/20/08	WG	Oxidation-Reduction Potential	105	mV	GW20-08-11532
R-20	921	1149.7	03/20/08	WG	Oxidation-Reduction Potential	96	mV	GW20-08-11479
R-20	921	1149.7	03/20/08	WG	Oxidation-Reduction Potential	179	mV	GW20-08-11478
R-20	921	1149.7	03/20/08	WG	Oxidation-Reduction Potential	152	mV	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	Oxidation-Reduction Potential	134	mV	GW20-08-11454
R-20	921	1149.7	03/20/08	WG	Purge Volume	411	gal.	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	Specific Conductance	135.6	μS/cm	GW20-08-11481
R-20	921	1149.7	03/20/08	WG	Specific Conductance	139	μS/cm	GW20-08-11532
R-20	921	1149.7	03/20/08	WG	Specific Conductance	142.9	μS/cm	GW20-08-11479
R-20	921	1149.7	03/20/08	WG	Specific Conductance	149.5	μS/cm	GW20-08-11478
R-20	921	1149.7	03/20/08	WG	Specific Conductance	128.7	μS/cm	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	Specific Conductance	130.1	μS/cm	GW20-08-11454
R-20	921	1149.7	03/20/08	WG	Temperature	21.8	deg C	GW20-08-11481
R-20	921	1149.7	03/20/08	WG	Temperature	20.9	deg C	GW20-08-11532

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-20	921	1149.7	03/20/08	WG	Temperature	20.9	deg C	GW20-08-11479
R-20	921	1149.7	03/20/08	WG	Temperature	20.5	deg C	GW20-08-11478
R-20	921	1149.7	03/20/08	WG	Temperature	22.8	deg C	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	Temperature	22.8	deg C	GW20-08-11454
R-20	921	1149.7	03/20/08	WG	Turbidity	4.81	NTU	GW20-08-11481
R-20	921	1149.7	03/20/08	WG	Turbidity	6.9	NTU	GW20-08-11532
R-20	921	1149.7	03/20/08	WG	Turbidity	31.8	NTU	GW20-08-11479
R-20	921	1149.7	03/20/08	WG	Turbidity	117	NTU	GW20-08-11478
R-20	921	1149.7	03/20/08	WG	Turbidity	2.37	NTU	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	Turbidity	2.04	NTU	GW20-08-11454
R-20	921	1149.7	03/20/08	WG	pH	8.04	SU	GW20-08-11481
R-20	921	1149.7	03/20/08	WG	pH	8.01	SU	GW20-08-11532
R-20	921	1149.7	03/20/08	WG	pH	7.98	SU	GW20-08-11479
R-20	921	1149.7	03/20/08	WG	pH	7.88	SU	GW20-08-11478
R-20	921	1149.7	03/20/08	WG	pH	8.04	SU	GW20-08-11455
R-20	921	1149.7	03/20/08	WG	pH	8.05	SU	GW20-08-11454
R-22	682	907.1	03/10/08	WG	Dissolved Oxygen	4.13	mg/L	CAPA-08-11085
R-22	682	907.1	12/18/07	WG	Dissolved Oxygen	2.9	mg/L	CAPA-08-9403
R-22	682	907.1	06/27/05	WG	Dissolved Oxygen	3.38	mg/L	FU0506G22R101
R-22	682	907.1	07/08/02	WG	Dissolved Oxygen	3.1	mg/L	GU0207G22R101
R-22	682	907.1	09/19/07	WG	Dissolved Oxygen	2.9	mg/L	FU07090G22R101
R-22	682	907.1	03/10/08	WG	Specific Conductance	711	μS/cm	CAPA-08-11085
R-22	682	907.1	12/18/07	WG	Specific Conductance	710	μS/cm	CAPA-08-9403
R-22	682	907.1	03/22/07	WG	Specific Conductance	678	μS/cm	FU07030G22R101
R-22	682	907.1	09/19/07	WG	Specific Conductance	742	μS/cm	FU07090G22R101
R-22	682	907.1	07/10/07	WG	Specific Conductance	727	μS/cm	FU07060G22R101
R-22	682	907.1	03/10/08	WG	Temperature	16.6	deg C	CAPA-08-11085
R-22	682	907.1	12/18/07	WG	Temperature	16.3	deg C	CAPA-08-9403

September 2008

B-30

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-22	682	907.1	03/22/07	WG	Temperature	17.5	deg C	FU07030G22R101
R-22	682	907.1	09/19/07	WG	Temperature	21.2	deg C	FU07090G22R101
R-22	682	907.1	07/10/07	WG	Temperature	28	deg C	FU07060G22R101
R-22	682	907.1	03/10/08	WG	Turbidity	19	NTU	CAPA-08-11085
R-22	682	907.1	12/18/07	WG	Turbidity	6.35	NTU	CAPA-08-9403
R-22	682	907.1	03/22/07	WG	Turbidity	0.85	NTU	FU07030G22R101
R-22	682	907.1	09/19/07	WG	Turbidity	2.14	NTU	FU07090G22R101
R-22	682	907.1	07/10/07	WG	Turbidity	14.1	NTU	FU07060G22R101
R-22	682	907.1	03/10/08	WG	pH	6.72	SU	CAPA-08-11085
R-22	682	907.1	12/18/07	WG	pH	6.73	SU	CAPA-08-9403
R-22	682	907.1	03/22/07	WG	pH	6.54	SU	FU07030G22R101
R-22	682	907.1	09/19/07	WG	pH	6.48	SU	FU07090G22R101
R-22	682	907.1	07/10/07	WG	pH	6.59	SU	FU07060G22R101
R-22	722	962.8	03/04/08	WG	Dissolved Oxygen	5.18	mg/L	CAPA-08-11046
R-22	722	962.8	06/28/05	WG	Dissolved Oxygen	7.34	mg/L	FU0506G22R201
R-22	722	962.8	07/11/02	WG	Dissolved Oxygen	5.7	mg/L	GU0207G22R201
R-22	722	962.8	09/18/07	WG	Dissolved Oxygen	4.6	mg/L	FU07090G22R201
R-22	722	962.8	03/04/08	WG	Specific Conductance	126.5	µS/cm	CAPA-08-11046
R-22	722	962.8	09/18/07	WG	Specific Conductance	143	µS/cm	FU07090G22R201
R-22	722	962.8	07/10/07	WG	Specific Conductance	141.9	µS/cm	FU07060G22R201
R-22	722	962.8	03/04/08	WG	Temperature	19.3	deg C	CAPA-08-11046
R-22	722	962.8	03/19/07	WG	Temperature	20.5	deg C	FU07030G22R201
R-22	722	962.8	12/07/06	WG	Temperature	18.1	deg C	FU06120G22R201
R-22	722	962.8	09/18/07	WG	Temperature	22.1	deg C	FU07090G22R201
R-22	722	962.8	07/10/07	WG	Temperature	23.7	deg C	FU07060G22R201
R-22	722	962.8	03/04/08	WG	Turbidity	0.42	NTU	CAPA-08-11046
R-22	722	962.8	03/19/07	WG	Turbidity	0.25	NTU	FU07030G22R201
R-22	722	962.8	12/07/06	WG	Turbidity	0.27	NTU	FU06120G22R201

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-22	722	962.8	09/18/07	WG	Turbidity	0.22	NTU	FU07090G22R201
R-22	722	962.8	07/10/07	WG	Turbidity	0.28	NTU	FU07060G22R201
R-22	722	962.8	03/04/08	WG	pH	8.32	SU	CAPA-08-11046
R-22	722	962.8	09/18/07	WG	pH	8.1	SU	FU07090G22R201
R-22	722	962.8	07/10/07	WG	pH	7.93	SU	FU07060G22R201
R-22	772	1273.5	03/05/08	WG	Dissolved Oxygen	6.7	mg/L	CAPA-08-11101
R-22	772	1273.5	12/18/07	WG	Dissolved Oxygen	4.9	mg/L	CAPA-08-9404
R-22	772	1273.5	06/29/05	WG	Dissolved Oxygen	6.6	mg/L	FU0506G22R301
R-22	772	1273.5	07/09/02	WG	Dissolved Oxygen	3.5	mg/L	GU0207G22R301
R-22	772	1273.5	09/17/07	WG	Dissolved Oxygen	5.82	mg/L	FU07090G22R301
R-22	772	1273.5	03/05/08	WG	Specific Conductance	138	μS/cm	CAPA-08-11101
R-22	772	1273.5	12/18/07	WG	Specific Conductance	183.9	μS/cm	CAPA-08-9404
R-22	772	1273.5	09/17/07	WG	Specific Conductance	219	μS/cm	FU07090G22R301
R-22	772	1273.5	07/09/07	WG	Specific Conductance	210	μS/cm	FU07060G22R301
R-22	772	1273.5	03/05/08	WG	Temperature	13.6	deg C	CAPA-08-11101
R-22	772	1273.5	12/18/07	WG	Temperature	20.1	deg C	CAPA-08-9404
R-22	772	1273.5	03/20/07	WG	Temperature	23.9	deg C	FU07030G22R301
R-22	772	1273.5	09/17/07	WG	Temperature	23.5	deg C	FU07090G22R301
R-22	772	1273.5	07/09/07	WG	Temperature	27.3	deg C	FU07060G22R301
R-22	772	1273.5	03/05/08	WG	Turbidity	0.38	NTU	CAPA-08-11101
R-22	772	1273.5	12/18/07	WG	Turbidity	0.24	NTU	CAPA-08-9404
R-22	772	1273.5	03/20/07	WG	Turbidity	4.31	NTU	FU07030G22R301
R-22	772	1273.5	09/17/07	WG	Turbidity	0.83	NTU	FU07090G22R301
R-22	772	1273.5	07/09/07	WG	Turbidity	0.43	NTU	FU07060G22R301
R-22	772	1273.5	03/05/08	WG	pH	9	SU	CAPA-08-11101
R-22	772	1273.5	12/18/07	WG	pH	8.83	SU	CAPA-08-9404
R-22	772	1273.5	09/17/07	WG	pH	8.76	SU	FU07090G22R301
R-22	772	1273.5	07/09/07	WG	pH	8.73	SU	FU07060G22R301

September 2008

B-32

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-22	822	1378	03/05/08	WG	Dissolved Oxygen	4.85	mg/L	CAPA-08-11088
R-22	822	1378	07/01/05	WG	Dissolved Oxygen	4.02	mg/L	FU0506G22R401
R-22	822	1378	07/11/02	WG	Dissolved Oxygen	3.9	mg/L	GU0207G22R401
R-22	822	1378	09/14/07	WG	Dissolved Oxygen	4.9	mg/L	FU07090G22R401
R-22	822	1378	03/05/08	WG	Specific Conductance	277	μS/cm	CAPA-08-11088
R-22	822	1378	03/22/07	WG	Specific Conductance	351	μS/cm	FU07030G22R401
R-22	822	1378	12/08/06	WG	Specific Conductance	226	μS/cm	FU06120G22R401
R-22	822	1378	09/14/07	WG	Specific Conductance	406	μS/cm	FU07090G22R401
R-22	822	1378	07/10/07	WG	Specific Conductance	368	μS/cm	FU07060G22R401
R-22	822	1378	03/05/08	WG	Temperature	19.1	deg C	CAPA-08-11088
R-22	822	1378	03/22/07	WG	Temperature	19.4	deg C	FU07030G22R401
R-22	822	1378	12/08/06	WG	Temperature	21.2	deg C	FU06120G22R401
R-22	822	1378	09/14/07	WG	Temperature	27.3	deg C	FU07090G22R401
R-22	822	1378	07/10/07	WG	Temperature	26	deg C	FU07060G22R401
R-22	822	1378	03/05/08	WG	Turbidity	2.97	NTU	CAPA-08-11088
R-22	822	1378	03/22/07	WG	Turbidity	1.01	NTU	FU07030G22R401
R-22	822	1378	12/08/06	WG	Turbidity	2.13	NTU	FU06120G22R401
R-22	822	1378	09/14/07	WG	Turbidity	5.86	NTU	FU07090G22R401
R-22	822	1378	07/10/07	WG	Turbidity	3.16	NTU	FU07060G22R401
R-22	822	1378	03/05/08	WG	pH	7.43	SU	CAPA-08-11088
R-22	822	1378	03/22/07	WG	pH	7.07	SU	FU07030G22R401
R-22	822	1378	12/08/06	WG	pH	7.13	SU	FU06120G22R401
R-22	822	1378	09/14/07	WG	pH	7.67	SU	FU07090G22R401
R-22	822	1378	07/10/07	WG	pH	7.19	SU	FU07060G22R401
R-22	872	1448.2	03/05/08	WG	Dissolved Oxygen	5.3	mg/L	CAPA-08-11104
R-22	872	1448.2	07/05/05	WG	Dissolved Oxygen	5.14	mg/L	FU0506G22R501
R-22	872	1448.2	07/10/02	WG	Dissolved Oxygen	3.4	mg/L	GU0207G22R501
R-22	872	1448.2	09/17/07	WG	Dissolved Oxygen	3.28	mg/L	FU07090G22R501

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-22	872	1448.2	03/05/08	WG	Specific Conductance	220	μS/cm	CAPA-08-11104
R-22	872	1448.2	03/22/07	WG	Specific Conductance	272	μS/cm	FU07030G22R501
R-22	872	1448.2	12/06/06	WG	Specific Conductance	321	μS/cm	FU06120G22R501
R-22	872	1448.2	09/17/07	WG	Specific Conductance	315	μS/cm	FU07090G22R501
R-22	872	1448.2	07/10/07	WG	Specific Conductance	291	μS/cm	FU07060G22R501
R-22	872	1448.2	03/05/08	WG	Temperature	19.4	deg C	CAPA-08-11104
R-22	872	1448.2	03/22/07	WG	Temperature	22	deg C	FU07030G22R501
R-22	872	1448.2	12/06/06	WG	Temperature	18.5	deg C	FU06120G22R501
R-22	872	1448.2	09/17/07	WG	Temperature	23.3	deg C	FU07090G22R501
R-22	872	1448.2	07/10/07	WG	Temperature	26.8	deg C	FU07060G22R501
R-22	872	1448.2	03/05/08	WG	Turbidity	0.36	NTU	CAPA-08-11104
R-22	872	1448.2	03/22/07	WG	Turbidity	0.02	NTU	FU07030G22R501
R-22	872	1448.2	12/06/06	WG	Turbidity	1.29	NTU	FU06120G22R501
R-22	872	1448.2	09/17/07	WG	Turbidity	0.49	NTU	FU07090G22R501
R-22	872	1448.2	07/10/07	WG	Turbidity	0.55	NTU	FU07060G22R501
R-22	872	1448.2	03/05/08	WG	pH	7.2	SU	CAPA-08-11104
R-22	872	1448.2	03/22/07	WG	pH	7.07	SU	FU07030G22R501
R-22	872	1448.2	12/06/06	WG	pH	6.66	SU	FU06120G22R501
R-22	872	1448.2	09/17/07	WG	pH	7.19	SU	FU07090G22R501
R-22	872	1448.2	07/10/07	WG	pH	7.52	SU	FU07060G22R501
R-23	1771	816	03/04/08	WG	Dissolved Oxygen	7.31	mg/L	CAPA-08-11054
R-23	1771	816	12/06/07	WG	Dissolved Oxygen	6.71	mg/L	CAPA-08-9335
R-23	1771	816	03/19/07	WG	Dissolved Oxygen	4.38	mg/L	FU070300GR2301
R-23	1771	816	09/06/07	WG	Dissolved Oxygen	4.1	mg/L	FU070900GR2301
R-23	1771	816	06/25/07	WG	Dissolved Oxygen	5.1	mg/L	FU070600GR2301
R-23	1771	816	03/04/08	WG	Oxidation-Reduction Potential	274	mV	CAPA-08-11054
R-23	1771	816	12/06/07	WG	Oxidation-Reduction Potential	390	mV	CAPA-08-9335
R-23	1771	816	03/19/07	WG	Oxidation-Reduction Potential	404	mV	FU070300GR2301

September 2008

B-34

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-23	1771	816	09/06/07	WG	Oxidation-Reduction Potential	408	mV	FU070900GR2301
R-23	1771	816	06/25/07	WG	Oxidation-Reduction Potential	217	mV	FU070600GR2301
R-23	1771	816	03/04/08	WG	Purge Volume	175	gal.	CAPA-08-11054
R-23	1771	816	09/06/07	WG	Purge Volume	400	gal.	FU070900GR2301
R-23	1771	816	06/25/07	WG	Purge Volume	184	gal.	FU070600GR2301
R-23	1771	816	03/04/08	WG	Specific Conductance	144.5	μS/cm	CAPA-08-11054
R-23	1771	816	12/06/07	WG	Specific Conductance	157.4	μS/cm	CAPA-08-9335
R-23	1771	816	03/19/07	WG	Specific Conductance	165.8	μS/cm	FU070300GR2301
R-23	1771	816	09/06/07	WG	Specific Conductance	151.3	μS/cm	FU070900GR2301
R-23	1771	816	06/25/07	WG	Specific Conductance	165.6	μS/cm	FU070600GR2301
R-23	1771	816	03/04/08	WG	Temperature	21.5	deg C	CAPA-08-11054
R-23	1771	816	12/06/07	WG	Temperature	21.8	deg C	CAPA-08-9335
R-23	1771	816	03/19/07	WG	Temperature	21	deg C	FU070300GR2301
R-23	1771	816	09/06/07	WG	Temperature	23.8	deg C	FU070900GR2301
R-23	1771	816	06/25/07	WG	Temperature	22.4	deg C	FU070600GR2301
R-23	1771	816	03/04/08	WG	Turbidity	0.61	NTU	CAPA-08-11054
R-23	1771	816	12/06/07	WG	Turbidity	0.48	NTU	CAPA-08-9335
R-23	1771	816	03/19/07	WG	Turbidity	0.71	NTU	FU070300GR2301
R-23	1771	816	09/06/07	WG	Turbidity	1.05	NTU	FU070900GR2301
R-23	1771	816	06/25/07	WG	Turbidity	0.58	NTU	FU070600GR2301
R-23	1771	816	03/04/08	WG	pH	7.83	SU	CAPA-08-11054
R-23	1771	816	12/06/07	WG	pH	7.97	SU	CAPA-08-9335
R-23	1771	816	03/19/07	WG	pH	7.7	SU	FU070300GR2301
R-23	1771	816	09/06/07	WG	pH	7.89	SU	FU070900GR2301
R-23	1771	816	06/25/07	WG	pH	7.88	SU	FU070600GR2301
R-23i	7011	470.2	03/14/08	WG	Dissolved Oxygen	3.11	mg/L	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	Dissolved Oxygen	3.54	mg/L	CAPA-08-9378
R-23i	7011	470.2	04/24/07	WG	Dissolved Oxygen	2.07	mg/L	FU0704GR23I 01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-23i	7011	470.2	02/28/07	WG	Dissolved Oxygen	1.77	mg/L	FU0702GR23I 01
R-23i	7011	470.2	06/20/07	WG	Dissolved Oxygen	2.69	mg/L	FU0706GR23I 01
R-23i	7011	470.2	03/14/08	WG	Oxidation-Reduction Potential	242	mV	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	Oxidation-Reduction Potential	232	mV	CAPA-08-9378
R-23i	7011	470.2	04/24/07	WG	Oxidation-Reduction Potential	257	mV	FU0704GR23I 01
R-23i	7011	470.2	02/28/07	WG	Oxidation-Reduction Potential	90	mV	FU0702GR23I 01
R-23i	7011	470.2	06/20/07	WG	Oxidation-Reduction Potential	295	mV	FU0706GR23I 01
R-23i	7011	470.2	03/14/08	WG	Purge Volume	50	gal.	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	Purge Volume	46	gal.	CAPA-08-9378
R-23i	7011	470.2	03/14/08	WG	Specific Conductance	203	μS/cm	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	Specific Conductance	239	μS/cm	CAPA-08-9378
R-23i	7011	470.2	04/24/07	WG	Specific Conductance	237	μS/cm	FU0704GR23I 01
R-23i	7011	470.2	02/28/07	WG	Specific Conductance	74.7	μS/cm	FU0702GR23I 01
R-23i	7011	470.2	06/20/07	WG	Specific Conductance	211	μS/cm	FU0706GR23I 01
R-23i	7011	470.2	03/14/08	WG	Temperature	15.6	deg C	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	Temperature	15.5	deg C	CAPA-08-9378
R-23i	7011	470.2	04/24/07	WG	Temperature	15.6	deg C	FU0704GR23I 01
R-23i	7011	470.2	02/28/07	WG	Temperature	15.2	deg C	FU0702GR23I 01
R-23i	7011	470.2	06/20/07	WG	Temperature	17.1	deg C	FU0706GR23I 01
R-23i	7011	470.2	03/14/08	WG	Turbidity	0.49	NTU	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	Turbidity	0.9	NTU	CAPA-08-9378
R-23i	7011	470.2	04/24/07	WG	Turbidity	2.69	NTU	FU0704GR23I 01
R-23i	7011	470.2	02/28/07	WG	Turbidity	2.66	NTU	FU0702GR23I 01
R-23i	7011	470.2	06/20/07	WG	Turbidity	0.83	NTU	FU0706GR23I 01
R-23i	7011	470.2	03/14/08	WG	pH	8.12	SU	CAPA-08-11023
R-23i	7011	470.2	12/19/07	WG	pH	8.11	SU	CAPA-08-9378
R-23i	7011	470.2	04/24/07	WG	pH	7.9	SU	FU0704GR23I 01
R-23i	7011	470.2	02/28/07	WG	pH	7.95	SU	FU0702GR23I 01

September 2008

B-36

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-23i	7011	470.2	06/20/07	WG	pH	8.05	SU	FU0706GR23I 01
R-23i	7021	524	03/14/08	WG	Dissolved Oxygen	8.23	mg/L	CAPA-08-11063
R-23i	7021	524	04/23/07	WG	Dissolved Oxygen	4.69	mg/L	FU0704GR23I 02
R-23i	7021	524	10/11/06	WG	Dissolved Oxygen	4.39	mg/L	FU0609GR23I 03
R-23i	7021	524	09/07/07	WG	Dissolved Oxygen	6.4	mg/L	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	Dissolved Oxygen	6.09	mg/L	FU0706GR23I 02
R-23i	7021	524	03/14/08	WG	Oxidation-Reduction Potential	213	mV	CAPA-08-11063
R-23i	7021	524	04/23/07	WG	Oxidation-Reduction Potential	223	mV	FU0704GR23I 02
R-23i	7021	524	10/11/06	WG	Oxidation-Reduction Potential	-137.1	mV	FU0609GR23I 03
R-23i	7021	524	09/07/07	WG	Oxidation-Reduction Potential	168	mV	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	Oxidation-Reduction Potential	308	mV	FU0706GR23I 02
R-23i	7021	524	03/14/08	WG	Purge Volume	117	gal.	CAPA-08-11063
R-23i	7021	524	09/07/07	WG	Purge Volume	125	gal.	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	Purge Volume	110	gal.	FU0706GR23I 02
R-23i	7021	524	03/14/08	WG	Specific Conductance	185.4	µS/cm	CAPA-08-11063
R-23i	7021	524	04/23/07	WG	Specific Conductance	194.8	µS/cm	FU0704GR23I 02
R-23i	7021	524	09/07/07	WG	Specific Conductance	197	µS/cm	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	Specific Conductance	192.9	µS/cm	FU0706GR23I 02
R-23i	7021	524	03/14/08	WG	Temperature	17.6	deg C	CAPA-08-11063
R-23i	7021	524	04/23/07	WG	Temperature	17.8	deg C	FU0704GR23I 02
R-23i	7021	524	10/11/06	WG	Temperature	18.1	deg C	FU0609GR23I 03
R-23i	7021	524	09/07/07	WG	Temperature	18.6	deg C	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	Temperature	19.3	deg C	FU0706GR23I 02
R-23i	7021	524	03/14/08	WG	Turbidity	0.67	NTU	CAPA-08-11063
R-23i	7021	524	04/23/07	WG	Turbidity	0.58	NTU	FU0704GR23I 02
R-23i	7021	524	10/11/06	WG	Turbidity	785	NTU	FU0609GR23I 03
R-23i	7021	524	09/07/07	WG	Turbidity	2.11	NTU	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	Turbidity	1.28	NTU	FU0706GR23I 02

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-23i	7021	524	03/14/08	WG	pH	8.2	SU	CAPA-08-11063
R-23i	7021	524	04/23/07	WG	pH	8.16	SU	FU0704GR23I 02
R-23i	7021	524	09/07/07	WG	pH	8.19	SU	FU0709GR23I 02
R-23i	7021	524	06/20/07	WG	pH	8.13	SU	FU0706GR23I 02
R-32	1031	870.9	03/04/08	WG	Dissolved Oxygen	4.71	mg/L	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	Dissolved Oxygen	4.27	mg/L	CAPA-08-9338
R-32	1031	870.9	03/04/08	WG	Oxidation-Reduction Potential	155	mV	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	Oxidation-Reduction Potential	291	mV	CAPA-08-9338
R-32	1031	870.9	03/04/08	WG	Purge Volume	2	gal.	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	Purge Volume	300	gal.	CAPA-08-9338
R-32	1031	870.9	03/04/08	WG	Specific Conductance	145.4	μS/cm	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	Specific Conductance	139.5	μS/cm	CAPA-08-9338
R-32	1031	870.9	03/04/08	WG	Temperature	19.4	deg C	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	Temperature	18.9	deg C	CAPA-08-9338
R-32	1031	870.9	03/04/08	WG	Turbidity	3.24	NTU	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	Turbidity	4.18	NTU	CAPA-08-9338
R-32	1031	870.9	03/04/08	WG	pH	7.63	SU	CAPA-08-11055
R-32	1031	870.9	12/14/07	WG	pH	7.89	SU	CAPA-08-9338
Starmer Spring	—	—	03/11/08	WG	Dissolved Oxygen	7.09	mg/L	CAPA-08-10966
Starmer Spring	—	—	12/03/07	WG	Dissolved Oxygen	11.31	mg/L	CAPA-08-9219
Starmer Spring	—	—	03/21/07	WG	Dissolved Oxygen	7.3	mg/L	FU070300GSTS01
Starmer Spring	—	—	09/20/07	WG	Dissolved Oxygen	7.5	mg/L	FU070800GSTS01
Starmer Spring	—	—	07/10/07	WG	Dissolved Oxygen	7.74	mg/L	FU070600GSTS01
Starmer Spring	—	—	03/11/08	WG	Oxidation-Reduction Potential	437	mV	CAPA-08-10966
Starmer Spring	—	—	03/21/07	WG	Oxidation-Reduction Potential	267	mV	FU070300GSTS01
Starmer Spring	—	—	12/06/06	WG	Oxidation-Reduction Potential	292.7	mV	FU061200GSTS01
Starmer Spring	—	—	08/23/06	WG	Oxidation-Reduction Potential	360.9	mV	FU060800GSTS01
Starmer Spring	—	—	07/10/07	WG	Oxidation-Reduction Potential	226	mV	FU070600GSTS01

September 2008

B-38

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Starmer Spring	—	—	03/11/08	WG	Specific Conductance	168.1	μS/cm	CAPA-08-10966
Starmer Spring	—	—	12/03/07	WG	Specific Conductance	341	μS/cm	CAPA-08-9219
Starmer Spring	—	—	03/21/07	WG	Specific Conductance	753.2	μS/cm	FU070300GSTS01
Starmer Spring	—	—	09/20/07	WG	Specific Conductance	142.5	μS/cm	FU070800GSTS01
Starmer Spring	—	—	07/10/07	WG	Specific Conductance	78.4	μS/cm	FU070600GSTS01
Starmer Spring	—	—	03/11/08	WG	Temperature	11.3	deg C	CAPA-08-10966
Starmer Spring	—	—	12/03/07	WG	Temperature	9.7	deg C	CAPA-08-9219
Starmer Spring	—	—	03/21/07	WG	Temperature	9.2	deg C	FU070300GSTS01
Starmer Spring	—	—	09/20/07	WG	Temperature	10.8	deg C	FU070800GSTS01
Starmer Spring	—	—	07/10/07	WG	Temperature	10.7	deg C	FU070600GSTS01
Starmer Spring	—	—	03/11/08	WG	Turbidity	24.4	NTU	CAPA-08-10966
Starmer Spring	—	—	12/03/07	WG	Turbidity	60.9	NTU	CAPA-08-9219
Starmer Spring	—	—	03/21/07	WG	Turbidity	24.6	NTU	FU070300GSTS01
Starmer Spring	—	—	09/20/07	WG	Turbidity	64.9	NTU	FU070800GSTS01
Starmer Spring	—	—	07/10/07	WG	Turbidity	4.82	NTU	FU070600GSTS01
Starmer Spring	—	—	03/11/08	WG	pH	6.22	SU	CAPA-08-10966
Starmer Spring	—	—	12/03/07	WG	pH	6.07	SU	CAPA-08-9219
Starmer Spring	—	—	03/21/07	WG	pH	6.31	SU	FU070300GSTS01
Starmer Spring	—	—	09/20/07	WG	pH	6.1	SU	FU070800GSTS01
Starmer Spring	—	—	07/10/07	WG	pH	6.57	SU	FU070600GSTS01
Two Mile Canyon below TA-59	—	—	03/07/08	WS	Dissolved Oxygen	9.36	mg/L	CAPA-08-10998
Two Mile Canyon below TA-59	—	—	12/19/07	WS	Dissolved Oxygen	8.28	mg/L	CAPA-08-9347
Two Mile Canyon below TA-59	—	—	04/02/07	WS	Dissolved Oxygen	9.34	mg/L	FU07030PPBF201
Two Mile Canyon below TA-59	—	—	09/11/07	WS	Dissolved Oxygen	7.1	mg/L	FU07090PPBF201
Two Mile Canyon below TA-59	—	—	06/27/07	WS	Dissolved Oxygen	4.1	mg/L	FU07060PPBF201
Two Mile Canyon below TA-59	—	—	03/07/08	WS	Specific Conductance	459	μS/cm	CAPA-08-10998
Two Mile Canyon below TA-59	—	—	12/19/07	WS	Specific Conductance	153.8	μS/cm	CAPA-08-9347
Two Mile Canyon below TA-59	—	—	04/02/07	WS	Specific Conductance	673	μS/cm	FU07030PPBF201

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Two Mile Canyon below TA-59	—	—	09/11/07	WS	Specific Conductance	271	μS/cm	FU07090PPBF201
Two Mile Canyon below TA-59	—	—	06/27/07	WS	Specific Conductance	464	μS/cm	FU07060PPBF201
Two Mile Canyon below TA-59	—	—	03/07/08	WS	Temperature	1.7	deg C	CAPA-08-10998
Two Mile Canyon below TA-59	—	—	12/19/07	WS	Temperature	2.7	deg C	CAPA-08-9347
Two Mile Canyon below TA-59	—	—	04/02/07	WS	Temperature	6.2	deg C	FU07030PPBF201
Two Mile Canyon below TA-59	—	—	09/11/07	WS	Temperature	14.2	deg C	FU07090PPBF201
Two Mile Canyon below TA-59	—	—	06/27/07	WS	Temperature	19.2	deg C	FU07060PPBF201
Two Mile Canyon below TA-59	—	—	03/07/08	WS	Turbidity	15.3	NTU	CAPA-08-10998
Two Mile Canyon below TA-59	—	—	12/19/07	WS	Turbidity	35.5	NTU	CAPA-08-9347
Two Mile Canyon below TA-59	—	—	04/02/07	WS	Turbidity	10.3	NTU	FU07030PPBF201
Two Mile Canyon below TA-59	—	—	09/11/07	WS	Turbidity	58.7	NTU	FU07090PPBF201
Two Mile Canyon below TA-59	—	—	06/27/07	WS	Turbidity	5.06	NTU	FU07060PPBF201
Two Mile Canyon below TA-59	—	—	03/07/08	WS	pH	7.19	SU	CAPA-08-10998
Two Mile Canyon below TA-59	—	—	12/19/07	WS	pH	6.97	SU	CAPA-08-9347
Two Mile Canyon below TA-59	—	—	04/02/07	WS	pH	7.2	SU	FU07030PPBF201
Two Mile Canyon below TA-59	—	—	09/11/07	WS	pH	6.94	SU	FU07090PPBF201
Two Mile Canyon below TA-59	—	—	06/27/07	WS	pH	7.16	SU	FU07060PPBF201
Twomile above Pajarito	—	—	03/05/08	WS	Dissolved Oxygen	8.53	mg/L	CAPA-08-11000
Twomile above Pajarito	—	—	12/17/07	WS	Dissolved Oxygen	12.62	mg/L	CAPA-08-9267
Twomile above Pajarito	—	—	04/03/07	WS	Dissolved Oxygen	9.42	mg/L	FU070300P24401
Twomile above Pajarito	—	—	09/12/07	WP	Dissolved Oxygen	7.6	mg/L	FU070900P24401
Twomile above Pajarito	—	—	06/27/07	WS	Dissolved Oxygen	5.62	mg/L	FU070600P24401
Twomile above Pajarito	—	—	03/05/08	WS	Oxidation-Reduction Potential	294	mV	CAPA-08-11000
Twomile above Pajarito	—	—	12/17/07	WS	Oxidation-Reduction Potential	12.62	mV	CAPA-08-9267
Twomile above Pajarito	—	—	03/05/08	WS	Specific Conductance	317	μS/cm	CAPA-08-11000
Twomile above Pajarito	—	—	12/17/07	WS	Specific Conductance	165.2	μS/cm	CAPA-08-9267
Twomile above Pajarito	—	—	04/03/07	WS	Specific Conductance	300	μS/cm	FU070300P24401
Twomile above Pajarito	—	—	09/12/07	WP	Specific Conductance	176	μS/cm	FU070900P24401

September 2008

B-40

EP2008-0499

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Twomile above Pajarito	—	—	06/27/07	WS	Specific Conductance	237	μS/cm	FU070600P24401
Twomile above Pajarito	—	—	03/05/08	WS	Temperature	2.8	deg C	CAPA-08-11000
Twomile above Pajarito	—	—	12/17/07	WS	Temperature	2	deg C	CAPA-08-9267
Twomile above Pajarito	—	—	04/03/07	WS	Temperature	6.8	deg C	FU070300P24401
Twomile above Pajarito	—	—	09/12/07	WP	Temperature	14.1	deg C	FU070900P24401
Twomile above Pajarito	—	—	06/27/07	WS	Temperature	17.2	deg C	FU070600P24401
Twomile above Pajarito	—	—	03/05/08	WS	Turbidity	6.58	NTU	CAPA-08-11000
Twomile above Pajarito	—	—	12/17/07	WS	Turbidity	43	NTU	CAPA-08-9267
Twomile above Pajarito	—	—	04/03/07	WS	Turbidity	9.01	NTU	FU070300P24401
Twomile above Pajarito	—	—	09/12/07	WP	Turbidity	47.8	NTU	FU070900P24401
Twomile above Pajarito	—	—	06/27/07	WS	Turbidity	4.85	NTU	FU070600P24401
Twomile above Pajarito	—	—	03/05/08	WS	pH	6.8	SU	CAPA-08-11000
Twomile above Pajarito	—	—	12/17/07	WS	pH	7.1	SU	CAPA-08-9267
Twomile above Pajarito	—	—	01/29/08	WM	pH	7.03	SU	FU080100M24401
Twomile above Pajarito	—	—	09/12/07	WP	pH	6.84	SU	FU070900P24401
Twomile above Pajarito	—	—	06/27/07	WS	pH	6.86	SU	FU070600P24401

* — = None.

Appendix C

Groundwater-Level Measurements

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/17/2008	7436.28	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/21/2008	7437.66	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/21/2008	7438.27	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/20/2008	7438.29	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/19/2008	7438.52	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/18/2008	7438.83	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/17/2008	7439.04	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/16/2008	7439.04	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/15/2008	7439.05	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/14/2008	7438.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/13/2008	7438.95	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/12/2008	7439.04	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/11/2008	7439.03	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/10/2008	7438.93	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/9/2008	7439	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/8/2008	7439.08	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/7/2008	7439.17	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/6/2008	7438.42	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/5/2008	7438.23	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/4/2008	7437.44	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/3/2008	7437.18	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/2/2008	7437.3	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	2/1/2008	7437.53	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/31/2008	7437.78	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/30/2008	7438.08	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/29/2008	7438.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/28/2008	7437.91	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/28/2008	7436.74	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/27/2008	7436.69	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/26/2008	7436.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/25/2008	7436.17	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/24/2008	7436.09	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/23/2008	7436.11	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/22/2008	7436.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/21/2008	7436.27	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/20/2008	7436.59	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/19/2008	7436.83	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/18/2008	7436.81	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/17/2008	7437.17	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/16/2008	7437.23	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/15/2008	7437.78	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/14/2008	7437.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/13/2008	7438.14	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/12/2008	7438.31	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/11/2008	7438.32	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/10/2008	7438.22	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/9/2008	7438.39	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/8/2008	7438.28	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/7/2008	7437.81	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/6/2008	7435.96	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/5/2008	7435.61	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/4/2008	7435.58	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/3/2008	7435.67	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/2/2008	7435.77	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	1/1/2008	7435.9	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/31/2007	7436.05	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/30/2007	7436.17	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/29/2007	7436.31	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/28/2007	7436.5	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/27/2007	7436.7	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/26/2007	7436.85	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/25/2007	7437.08	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/24/2007	7437.41	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/23/2007	7437.75	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/22/2007	7437.69	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/21/2007	7437.58	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/20/2007	7437.56	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/19/2007	7437.63	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/18/2007	7437.62	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/17/2007	7437.84	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/16/2007	7437.99	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/15/2007	7438.22	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/14/2007	7438.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/13/2007	7438.61	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/12/2007	7438.64	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/12/2007	7438.66	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/11/2007	7438.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/10/2007	7438.44	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/9/2007	7438.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/8/2007	7437.07	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/7/2007	7436.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/6/2007	7437.3	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/5/2007	7437.55	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/4/2007	7437.7	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/3/2007	7438.2	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/2/2007	7438.59	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	12/1/2007	7437.6	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/30/2007	7437.18	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/29/2007	7437.5	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/28/2007	7437.33	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/27/2007	7437.23	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/26/2007	7437.12	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/25/2007	7436.95	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/24/2007	7435.59	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	11/23/2007	7435.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/29/2007	7434.19	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/28/2007	7434.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/27/2007	7435.19	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/26/2007	7435.34	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/25/2007	7435.46	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/24/2007	7435.6	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/23/2007	7435.72	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/22/2007	7435.25	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/22/2007	7435.36	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/21/2007	7435.47	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/20/2007	7435.58	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/19/2007	7435.69	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/18/2007	7435.82	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/17/2007	7435.95	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/16/2007	7436.06	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/15/2007	7436.19	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/14/2007	7436.32	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/13/2007	7436.43	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/12/2007	7436.53	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/11/2007	7436.66	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/10/2007	7436.8	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/9/2007	7436.97	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/8/2007	7437.19	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/7/2007	7437.45	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/6/2007	7437.76	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/5/2007	7437.59	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/4/2007	7437.57	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/3/2007	7437.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/2/2007	7437.86	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	10/1/2007	7437.78	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/30/2007	7438.02	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/29/2007	7437.24	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/28/2007	7437.06	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/27/2007	7437.3	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/26/2007	7437.57	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/25/2007	7438.36	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/24/2007	7438.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/23/2007	7437.68	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/22/2007	7438.23	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/21/2007	7438.38	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/20/2007	7437.07	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/19/2007	7437.26	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/18/2007	7437.14	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/18/2007	7437.53	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/17/2007	7437.07	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/16/2007	7437.39	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/15/2007	7437.62	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/14/2007	7437.84	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/13/2007	7438.17	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/12/2007	7438.54	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/11/2007	7438.21	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/10/2007	7437.93	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/9/2007	7438.12	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/8/2007	7438.68	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/7/2007	7439.26	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/6/2007	7438.85	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/5/2007	7438.34	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/4/2007	7438.41	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/3/2007	7439	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/2/2007	7438.83	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	9/1/2007	7438.38	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/31/2007	7438.01	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/30/2007	7437.56	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/29/2007	7436.8	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/28/2007	7437.22	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/27/2007	7436.92	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/26/2007	7436.56	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/25/2007	7436.77	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/24/2007	7436.21	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/23/2007	7436.32	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/22/2007	7436.46	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/21/2007	7436.6	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/20/2007	7436.77	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/19/2007	7437.01	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/18/2007	7436.48	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/17/2007	7436.59	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/16/2007	7436.73	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/15/2007	7436.9	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/14/2007	7437.53	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/13/2007	7437.68	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/12/2007	7437.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/11/2007	7437.52	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/10/2007	7437.75	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/9/2007	7437.94	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/8/2007	7438.33	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/7/2007	7438.34	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/6/2007	7437.76	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/5/2007	7437.87	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/4/2007	7437.41	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/3/2007	7438.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/2/2007	7438.41	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	8/1/2007	7438.61	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/31/2007	7438.21	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/30/2007	7437.46	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/29/2007	7437.61	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/28/2007	7437.97	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/27/2007	7438.08	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/26/2007	7437.34	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/25/2007	7437.61	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/24/2007	7437.86	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/23/2007	7438.29	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/22/2007	7438.48	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/21/2007	7437.98	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/20/2007	7437.43	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/19/2007	7437.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/18/2007	7437.6	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/17/2007	7437.79	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/16/2007	7438.2	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/15/2007	7438.1	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/14/2007	7437.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/13/2007	7437.23	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/12/2007	7436.58	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/11/2007	7436.5	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/10/2007	7436.45	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/10/2007	7436.5	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/9/2007	7436.61	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/8/2007	7436.38	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/7/2007	7436.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/6/2007	7436.28	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/5/2007	7436.53	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/4/2007	7435.78	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/3/2007	7435.85	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/2/2007	7436.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	7/1/2007	7435.86	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/30/2007	7436.01	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/29/2007	7436.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/28/2007	7436.29	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/27/2007	7436.42	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/26/2007	7436.56	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/25/2007	7436.74	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/24/2007	7436.94	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/23/2007	7437.09	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/22/2007	7436.73	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/21/2007	7436.9	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/20/2007	7437.01	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/19/2007	7437.16	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/18/2007	7437.44	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/17/2007	7437.25	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/16/2007	7436.95	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/15/2007	7437.11	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/14/2007	7437.41	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/13/2007	7437.69	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/12/2007	7436.24	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/11/2007	7436.13	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/10/2007	7436.26	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/9/2007	7436.38	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/8/2007	7436.5	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/7/2007	7436.57	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/7/2007	7436.66	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/6/2007	7436.81	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/5/2007	7437	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/4/2007	7436.92	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/3/2007	7436.72	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/2/2007	7436.86	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	6/1/2007	7437.02	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/31/2007	7437.19	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/30/2007	7437.41	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/29/2007	7437.68	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/28/2007	7437.97	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/27/2007	7437.75	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/26/2007	7437.94	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/25/2007	7437.5	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/24/2007	7437.75	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/23/2007	7437.65	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/22/2007	7438.21	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/21/2007	7438.28	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/20/2007	7438.05	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/19/2007	7438.06	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/18/2007	7437.84	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/17/2007	7437.59	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/16/2007	7437.73	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/15/2007	7438.17	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/14/2007	7437.69	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/13/2007	7437.16	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/12/2007	7437.4	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/11/2007	7437.73	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/10/2007	7438.03	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	5/10/2007	7438.05	Manual
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/17/2007	7435.34	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/16/2007	7435.57	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/15/2007	7435.79	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/14/2007	7435.9	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/13/2007	7436.02	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/12/2007	7436.15	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/11/2007	7436.27	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/10/2007	7436.39	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/9/2007	7436.47	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/8/2007	7436.58	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/7/2007	7436.77	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/6/2007	7436.94	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/5/2007	7437.1	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/4/2007	7437.2	Transducer
03-B-10	20.6	Single	7661	10	20.6	30.6	2	3.5	3/3/2007	7437.04	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/17/2008	7435.88	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	2/21/2008	7437.17	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/18/2007	7437.13	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/16/2007	7438.01	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/15/2007	7438.04	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/14/2007	7438.2	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/13/2007	7438.59	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/12/2007	7438.61	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/11/2007	7438.07	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/10/2007	7438.34	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/9/2007	7438.19	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/8/2007	7436.76	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/7/2007	7436.67	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/6/2007	7437	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/5/2007	7437.44	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/4/2007	7437.85	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/3/2007	7438.39	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/2/2007	7438.36	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	12/1/2007	7437.27	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/30/2007	7437.08	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/29/2007	7437.52	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/28/2007	7437.14	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/27/2007	7437.25	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/26/2007	7436.91	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/25/2007	7436.61	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/24/2007	7435.23	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/23/2007	7429.82	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/22/2007	7430.11	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/21/2007	7430.04	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/20/2007	7430.36	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/19/2007	7430.64	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/18/2007	7430.71	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/17/2007	7430.79	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/16/2007	7431.1	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/15/2007	7431.46	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/14/2007	7431.42	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/13/2007	7431.73	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/12/2007	7431.68	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/11/2007	7431.76	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/10/2007	7431.96	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/9/2007	7432.19	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/8/2007	7432.44	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/7/2007	7432.83	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/6/2007	7433.38	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/5/2007	7433.92	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/4/2007	7434.11	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/3/2007	7434.2	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/2/2007	7434.03	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	11/1/2007	7434.32	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/31/2007	7434.24	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/30/2007	7434.44	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/29/2007	7434.68	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/28/2007	7434.83	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/27/2007	7434.75	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/26/2007	7434.7	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/25/2007	7435.01	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/24/2007	7435.29	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/23/2007	7435.27	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/22/2007	7434.78	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/22/2007	7435.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/21/2007	7434.68	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/20/2007	7435.05	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/19/2007	7435.22	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/18/2007	7435.06	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/17/2007	7435.11	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/16/2007	7435.4	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/15/2007	7435.54	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/14/2007	7435.53	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/13/2007	7435.62	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/12/2007	7435.87	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/11/2007	7436.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/10/2007	7436.36	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/9/2007	7436.61	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/8/2007	7436.69	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/7/2007	7436.78	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/6/2007	7437.05	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/5/2007	7436.9	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/4/2007	7436.89	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/3/2007	7437.44	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/2/2007	7437.32	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	10/1/2007	7437.41	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/30/2007	7437.4	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/29/2007	7436.56	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/28/2007	7436.56	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/27/2007	7436.81	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/26/2007	7437.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/25/2007	7437.55	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/24/2007	7437.61	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/23/2007	7436.99	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/22/2007	7437.55	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/21/2007	7437.64	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/20/2007	7436.51	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/19/2007	7436.84	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/18/2007	7436.35	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/17/2007	7436.02	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/16/2007	7436.34	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/15/2007	7436.55	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/14/2007	7436.73	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/14/2007	7436.96	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/13/2007	7437.23	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/12/2007	7437.54	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/11/2007	7437.29	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/10/2007	7437.02	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/9/2007	7437.25	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/8/2007	7437.77	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/7/2007	7438.19	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/6/2007	7437.85	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/5/2007	7437.45	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/4/2007	7437.53	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/3/2007	7438.02	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/2/2007	7437.86	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	9/1/2007	7437.51	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/31/2007	7437.22	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/30/2007	7436.69	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/29/2007	7436.19	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/28/2007	7436.42	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/27/2007	7436.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/26/2007	7435.89	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/25/2007	7436.04	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/24/2007	7435.49	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/23/2007	7435.59	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/22/2007	7435.73	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/21/2007	7435.89	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/20/2007	7436.05	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/19/2007	7436.14	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/18/2007	7435.79	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/17/2007	7435.94	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/16/2007	7436.03	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/15/2007	7436.22	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/14/2007	7436.5	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/13/2007	7436.57	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/12/2007	7436.35	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/11/2007	7436.46	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/10/2007	7436.72	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/9/2007	7436.95	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/8/2007	7437.31	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/7/2007	7437.28	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/6/2007	7436.85	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/5/2007	7437	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/4/2007	7436.63	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/3/2007	7436.97	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/2/2007	7437.23	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	8/1/2007	7437.39	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/31/2007	7437	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/30/2007	7436.31	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/29/2007	7436.51	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/28/2007	7436.85	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/27/2007	7436.83	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/26/2007	7436.2	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/25/2007	7436.47	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/24/2007	7436.77	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/23/2007	7437.18	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/22/2007	7437.25	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/21/2007	7436.72	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/20/2007	7436.24	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/19/2007	7436.28	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/18/2007	7436.54	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/17/2007	7436.78	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/16/2007	7437.02	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/15/2007	7436.92	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/14/2007	7436.32	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/13/2007	7436.37	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/12/2007	7435.8	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/11/2007	7435.78	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/10/2007	7435.98	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/10/2007	7436.04	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/9/2007	7436.15	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/8/2007	7435.91	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/7/2007	7435.68	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/6/2007	7435.81	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/5/2007	7435.7	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/4/2007	7435.32	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/3/2007	7435.38	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/2/2007	7435.39	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	7/1/2007	7435.39	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/30/2007	7435.54	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/29/2007	7435.68	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/28/2007	7435.82	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/27/2007	7435.95	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/26/2007	7436.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/25/2007	7436.27	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/24/2007	7436.47	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/23/2007	7436.62	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/22/2007	7436.26	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/21/2007	7436.43	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/20/2007	7436.54	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/19/2007	7436.69	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/18/2007	7436.97	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/17/2007	7436.78	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/16/2007	7436.48	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/15/2007	7436.63	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/14/2007	7436.94	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/13/2007	7437.22	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/12/2007	7435.77	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/11/2007	7435.66	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/10/2007	7435.78	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/9/2007	7435.9	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/8/2007	7436.03	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/7/2007	7436.13	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/7/2007	7436.16	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/6/2007	7436.31	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/5/2007	7436.51	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/4/2007	7436.42	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/3/2007	7436.23	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/2/2007	7436.36	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	6/1/2007	7436.52	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/31/2007	7436.69	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/30/2007	7436.91	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/29/2007	7437.18	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/28/2007	7437.47	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/27/2007	7437.25	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/26/2007	7437.44	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/25/2007	7437.01	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/24/2007	7437.25	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/23/2007	7437.15	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/22/2007	7437.71	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/21/2007	7437.77	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/20/2007	7437.55	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/19/2007	7437.55	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/18/2007	7437.34	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/17/2007	7437.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/16/2007	7437.23	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/15/2007	7437.68	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/14/2007	7437.2	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/13/2007	7436.66	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/12/2007	7436.9	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/11/2007	7437.24	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/10/2007	7437.74	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/9/2007	7437.43	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/8/2007	7437.09	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/7/2007	7437.42	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/6/2007	7437.31	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/5/2007	7437.05	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/4/2007	7437.36	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/3/2007	7437.47	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/2/2007	7435.89	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	5/1/2007	7435.83	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/30/2007	7435.9	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/29/2007	7435.98	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/28/2007	7436.11	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/27/2007	7436.29	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/26/2007	7436.51	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/25/2007	7436.57	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/24/2007	7435.98	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/23/2007	7436.02	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/22/2007	7436.12	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/21/2007	7436.23	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/20/2007	7436.37	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/19/2007	7436.54	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/18/2007	7436.72	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/17/2007	7436.95	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/16/2007	7437.24	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/15/2007	7437.72	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/14/2007	7437.6	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/13/2007	7436.44	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/12/2007	7436.39	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/11/2007	7436.67	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/10/2007	7436.77	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/9/2007	7436.46	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/8/2007	7436.07	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/7/2007	7435.65	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/6/2007	7435.76	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/5/2007	7435.89	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/4/2007	7436.03	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/3/2007	7436.24	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/2/2007	7436.39	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/2/2007	7436.5	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	4/1/2007	7436.83	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/31/2007	7436.43	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/30/2007	7436.2	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/29/2007	7436.33	Manual
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/29/2007	7436.43	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/28/2007	7436.71	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/27/2007	7436.99	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/26/2007	7437.51	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/25/2007	7437.92	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/24/2007	7437.76	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/23/2007	7436.8	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/22/2007	7435.31	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/21/2007	7434.86	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/20/2007	7434.97	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/19/2007	7435.08	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/18/2007	7435.19	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/17/2007	7435.29	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/16/2007	7435.42	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/15/2007	7435.55	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/14/2007	7435.63	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/13/2007	7435.7	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/12/2007	7435.78	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/11/2007	7435.85	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/10/2007	7435.91	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/9/2007	7435.97	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/8/2007	7436.04	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/7/2007	7436.15	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/6/2007	7436.32	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/5/2007	7436.58	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/4/2007	7436.81	Transducer
03-B-13	21.5	Single	7671	10	21.5	31.5	2	3.5	3/3/2007	7436.78	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/21/2008	7438.07	Manual
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/21/2008	7438.2	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/20/2008	7438.28	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/19/2008	7438.5	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/18/2008	7438.63	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/17/2008	7438.68	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/16/2008	7438.78	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/15/2008	7438.78	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/14/2008	7438.65	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/13/2008	7438.79	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/12/2008	7438.83	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/11/2008	7438.86	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/10/2008	7438.88	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/9/2008	7438.83	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/8/2008	7438.79	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/7/2008	7438.87	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/6/2008	7438.89	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/5/2008	7438.26	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/4/2008	7437.82	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/3/2008	7437.73	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/2/2008	7437.77	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	2/1/2008	7437.94	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/31/2008	7437.95	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/30/2008	7438.14	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/29/2008	7437.89	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/28/2008	7436.97	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/27/2008	7436.89	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/26/2008	7436.99	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/25/2008	7436.73	Transducer
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	1/25/2008	7436.87	Manual
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	9/17/2007	7437.48	Manual
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	7/11/2007	7434.6	Manual
03-B-9	21.3	Single	7651	10	21.3	31.3	2	3.5	6/7/2007	7434.11	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/24/2008	6770.98	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/23/2008	6770.96	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/22/2008	6770.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/21/2008	6770.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/20/2008	6771	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/19/2008	6770.98	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/18/2008	6771.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/17/2008	6771.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/16/2008	6771.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/15/2008	6771.02	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/14/2008	6771	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/13/2008	6770.97	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/12/2008	6770.94	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/11/2008	6770.91	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/10/2008	6770.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/9/2008	6770.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/8/2008	6770.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/7/2008	6770.9	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/6/2008	6770.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/5/2008	6770.93	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/4/2008	6770.87	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/4/2008	6770.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/3/2008	6770.86	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/2/2008	6770.89	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/1/2008	6770.79	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/29/2008	6770.76	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/28/2008	6770.72	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/27/2008	6770.66	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/26/2008	6770.64	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/25/2008	6770.56	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/24/2008	6770.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/23/2008	6770.04	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/22/2008	6769.93	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/21/2008	6769.79	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/20/2008	6769.65	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/19/2008	6769.54	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/18/2008	6769.4	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/17/2008	6769.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/16/2008	6767.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/15/2008	6766.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/14/2008	6763.51	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/13/2008	6762.48	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/12/2008	6762.58	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/11/2008	6762.56	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/10/2008	6762.64	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/9/2008	6762.9	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/8/2008	6763.19	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/7/2008	6763.43	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/6/2008	6763.7	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/5/2008	6764.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/4/2008	6764.31	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/3/2008	6764.51	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/2/2008	6764.77	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	2/1/2008	6765.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/31/2008	6765.04	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/30/2008	6764.6	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/29/2008	6763.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/28/2008	6760.97	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/27/2008	6761.13	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/26/2008	6761.38	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/25/2008	6761.65	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/24/2008	6761.85	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/23/2008	6762.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/22/2008	6762.26	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/21/2008	6762.5	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/20/2008	6762.69	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/19/2008	6762.91	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/18/2008	6763.19	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/17/2008	6763.42	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/16/2008	6763.66	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/15/2008	6763.8	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/14/2008	6764.02	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/13/2008	6764.26	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/12/2008	6764.5	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/11/2008	6764.71	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/10/2008	6764.94	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/9/2008	6765.13	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/8/2008	6765.14	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/8/2008	6765.39	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/7/2008	6765.67	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/6/2008	6765.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/5/2008	6766.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/4/2008	6766.42	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/3/2008	6766.7	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/2/2008	6766.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	1/1/2008	6767.33	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/31/2007	6767.79	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/30/2007	6768.07	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/29/2007	6768.35	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/28/2007	6768.61	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/27/2007	6768.85	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/26/2007	6769.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/25/2007	6769.22	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/24/2007	6769.37	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/23/2007	6769.53	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/22/2007	6769.7	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/21/2007	6769.82	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/20/2007	6769.87	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/19/2007	6769.93	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/18/2007	6769.97	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/17/2007	6770	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/16/2007	6770	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/15/2007	6770.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/14/2007	6770.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/13/2007	6770.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/12/2007	6769.91	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/11/2007	6769.76	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/10/2007	6769.48	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/9/2007	6769	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/8/2007	6768.63	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/7/2007	6768.48	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/6/2007	6768.38	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/5/2007	6767.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/4/2007	6767.43	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/4/2007	6767.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/3/2007	6766.17	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/2/2007	6765.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	12/1/2007	6758.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/30/2007	6758.1	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/29/2007	6758.12	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/28/2007	6758.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/27/2007	6758.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/26/2007	6758.21	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/25/2007	6758.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/24/2007	6758.27	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/23/2007	6758.28	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/22/2007	6758.29	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/21/2007	6758.34	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/20/2007	6758.36	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/19/2007	6758.38	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/18/2007	6758.42	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/17/2007	6758.46	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/16/2007	6758.47	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/15/2007	6758.49	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/14/2007	6758.55	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/13/2007	6758.57	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/12/2007	6758.63	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/11/2007	6758.67	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/10/2007	6758.71	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/9/2007	6758.74	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/8/2007	6758.78	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/7/2007	6758.82	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/6/2007	6758.87	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/5/2007	6758.94	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/4/2007	6758.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/3/2007	6759.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/2/2007	6759.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	11/1/2007	6759.2	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/31/2007	6759.3	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/30/2007	6759.35	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/29/2007	6759.4	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/28/2007	6759.48	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/27/2007	6759.62	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/26/2007	6759.77	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/25/2007	6759.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/24/2007	6760.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/23/2007	6760.2	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/22/2007	6760.41	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/21/2007	6760.68	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/20/2007	6760.85	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/19/2007	6761.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/18/2007	6761.37	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/17/2007	6761.6	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/16/2007	6761.78	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/15/2007	6761.96	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/14/2007	6762.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/13/2007	6762.35	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/12/2007	6762.51	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/11/2007	6762.68	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/10/2007	6762.85	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/9/2007	6762.95	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/9/2007	6763.04	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/8/2007	6763.26	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/7/2007	6763.48	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/6/2007	6763.67	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/5/2007	6763.83	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/4/2007	6764.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/3/2007	6764.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/2/2007	6764.34	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	10/1/2007	6764.54	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/30/2007	6764.96	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/29/2007	6764.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/28/2007	6764.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/27/2007	6764.32	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/26/2007	6764.48	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/25/2007	6764.72	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/24/2007	6763.98	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/23/2007	6764.01	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/22/2007	6764.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/21/2007	6764.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/20/2007	6763.72	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/19/2007	6763.8	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/18/2007	6763.9	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/17/2007	6763.96	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/16/2007	6763.98	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/15/2007	6764.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/14/2007	6764.1	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/13/2007	6764.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/12/2007	6764.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/11/2007	6764.21	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/10/2007	6764.29	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/10/2007	6764.33	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/9/2007	6764.53	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/8/2007	6764.98	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/7/2007	6764.08	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/6/2007	6762.77	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/5/2007	6762.04	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/4/2007	6762.41	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/3/2007	6761.7	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/2/2007	6759.76	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	9/1/2007	6759.31	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/31/2007	6759.27	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/30/2007	6758.79	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/29/2007	6758.67	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/28/2007	6758.73	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/27/2007	6758.77	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/26/2007	6758.82	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/25/2007	6758.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/24/2007	6758.94	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/23/2007	6758.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/22/2007	6759.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/21/2007	6759.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/20/2007	6759.18	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/19/2007	6759.25	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/18/2007	6759.3	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/17/2007	6759.37	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/16/2007	6759.45	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/15/2007	6759.53	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/14/2007	6759.6	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/13/2007	6759.69	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/12/2007	6759.78	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/11/2007	6759.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/10/2007	6759.94	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/9/2007	6760.02	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/8/2007	6760.07	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/7/2007	6760.1	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/6/2007	6760.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/5/2007	6760.12	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/4/2007	6760.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/3/2007	6760.12	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/2/2007	6760.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	8/1/2007	6760.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/31/2007	6760.24	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/30/2007	6759.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/29/2007	6760.07	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/28/2007	6760.19	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/27/2007	6760.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/26/2007	6760.12	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/25/2007	6760.19	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/24/2007	6760.26	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/23/2007	6760.32	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/22/2007	6760.4	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/21/2007	6760.47	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/20/2007	6760.55	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/19/2007	6760.64	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/18/2007	6760.75	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/17/2007	6760.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/16/2007	6761.14	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/15/2007	6761.22	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/14/2007	6761.4	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/13/2007	6761.62	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/12/2007	6761.83	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/11/2007	6762.03	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/10/2007	6762.24	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/9/2007	6762.45	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/8/2007	6762.66	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/7/2007	6762.84	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/6/2007	6763.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/5/2007	6763.3	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/4/2007	6763.54	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/3/2007	6763.76	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/2/2007	6763.99	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	7/1/2007	6764.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/30/2007	6764.44	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/29/2007	6764.66	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/28/2007	6764.91	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/27/2007	6765.14	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/26/2007	6765.41	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/25/2007	6765.69	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/24/2007	6766	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/23/2007	6766.29	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/22/2007	6766.59	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/21/2007	6766.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/20/2007	6767.26	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/19/2007	6767.65	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/18/2007	6768.02	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/17/2007	6768.3	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/16/2007	6768.57	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/15/2007	6768.83	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/14/2007	6769.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/13/2007	6769.3	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/12/2007	6769.53	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/11/2007	6769.73	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/10/2007	6769.9	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/9/2007	6770.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/8/2007	6770.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/7/2007	6770.31	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/6/2007	6770.39	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/5/2007	6770.41	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/4/2007	6770.43	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/4/2007	6770.44	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/3/2007	6770.43	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/2/2007	6770.38	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	6/1/2007	6770.27	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/31/2007	6770.05	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/30/2007	6769.81	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/29/2007	6769.57	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/28/2007	6769.28	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/27/2007	6768.97	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/26/2007	6768.63	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/25/2007	6768.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/24/2007	6767.81	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/23/2007	6767.44	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/22/2007	6767.21	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/21/2007	6767.07	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/20/2007	6767.04	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/19/2007	6767.13	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/18/2007	6767.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/17/2007	6767.34	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/16/2007	6767.45	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/15/2007	6767.59	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/14/2007	6767.68	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/13/2007	6767.76	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/12/2007	6767.86	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/11/2007	6767.98	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/10/2007	6768.14	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/9/2007	6768.3	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/8/2007	6768.45	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/7/2007	6768.61	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/6/2007	6768.8	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/5/2007	6768.97	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/4/2007	6769.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/3/2007	6769.28	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/2/2007	6769.44	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	5/1/2007	6769.61	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/30/2007	6769.77	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/29/2007	6769.91	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/28/2007	6770.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/27/2007	6770.23	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/26/2007	6770.37	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/25/2007	6770.51	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/24/2007	6770.67	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/23/2007	6770.82	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/22/2007	6770.94	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/21/2007	6771.03	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/20/2007	6771.06	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/19/2007	6771.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/18/2007	6771.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/17/2007	6771.14	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/16/2007	6771.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/15/2007	6771.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/14/2007	6771.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/13/2007	6771.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/12/2007	6771.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/11/2007	6771.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/10/2007	6771.21	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/9/2007	6771.2	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/8/2007	6771.21	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/7/2007	6771.19	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/6/2007	6771.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/5/2007	6771.18	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/4/2007	6771.16	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/3/2007	6771.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/2/2007	6771.18	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	4/1/2007	6771.17	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/31/2007	6771.15	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/30/2007	6771.11	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/29/2007	6771.07	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/28/2007	6771.04	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/27/2007	6770.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/26/2007	6770.79	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/25/2007	6770.56	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/24/2007	6770.19	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/23/2007	6769.32	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/22/2007	6765.92	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/21/2007	6761.94	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/21/2007	6757.36	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/20/2007	6757.37	Manual
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/20/2007	6756.81	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/19/2007	6756.81	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/18/2007	6756.81	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/17/2007	6756.8	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/16/2007	6756.8	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/15/2007	6756.83	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/14/2007	6756.84	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/13/2007	6756.84	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/12/2007	6756.83	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/11/2007	6756.86	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/10/2007	6756.86	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/9/2007	6756.87	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/8/2007	6756.87	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/7/2007	6756.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/6/2007	6756.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/5/2007	6756.87	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/4/2007	6756.88	Transducer
18-BG-1	10	Single	5741	25	10	35	2	2.5	3/3/2007	6756.93	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/24/2008	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/23/2008	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/22/2008	6764.88	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/21/2008	6764.89	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/20/2008	6764.9	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/19/2008	6764.9	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/18/2008	6764.92	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/17/2008	6764.94	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/16/2008	6764.96	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/15/2008	6765.02	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/14/2008	6765	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/13/2008	6764.95	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/12/2008	6764.55	Manual
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/12/2008	6764.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/11/2008	6764.96	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/10/2008	6765.08	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/9/2008	6765.07	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/8/2008	6765.08	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/7/2008	6765.07	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/6/2008	6765.09	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/5/2008	6765.11	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/4/2008	6765.12	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/3/2008	6765.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/2/2008	6765.23	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	3/1/2008	6765.19	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/29/2008	6765.19	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/28/2008	6765.15	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/27/2008	6765.15	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/26/2008	6765.24	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/25/2008	6765.5	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/24/2008	6765.13	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/23/2008	6765.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/22/2008	6765.09	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/21/2008	6765.06	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/20/2008	6765.03	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/19/2008	6765.03	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/18/2008	6765.09	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/17/2008	6765.26	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/16/2008	6765.28	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/15/2008	6765.3	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/14/2008	6765.06	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/13/2008	6764.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/12/2008	6764.81	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/11/2008	6764.79	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/10/2008	6764.71	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/9/2008	6764.73	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/8/2008	6764.79	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/7/2008	6764.75	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/6/2008	6764.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/5/2008	6764.81	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/4/2008	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/3/2008	6764.75	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/2/2008	6764.73	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	2/1/2008	6764.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/31/2008	6764.83	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/30/2008	6764.9	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/29/2008	6765.22	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/28/2008	6764.47	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/27/2008	6764.39	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/26/2008	6764.38	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/25/2008	6764.44	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/24/2008	6764.43	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/23/2008	6764.44	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/22/2008	6764.43	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/21/2008	6764.5	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/20/2008	6764.49	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/19/2008	6764.47	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/18/2008	6764.54	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/17/2008	6764.55	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/16/2008	6764.62	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/15/2008	6764.57	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/14/2008	6764.56	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/13/2008	6764.6	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/12/2008	6764.6	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/11/2008	6764.58	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/10/2008	6764.56	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/9/2008	6764.55	Manual
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/9/2008	6764.45	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/8/2008	6764.4	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/7/2008	6764.29	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/6/2008	6764.06	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/5/2008	6763.9	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/4/2008	6763.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/3/2008	6763.64	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/2/2008	6763.52	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	1/1/2008	6763.39	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/31/2007	6763.29	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/30/2007	6763.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/29/2007	6763	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/28/2007	6762.9	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/27/2007	6762.83	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/26/2007	6762.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/25/2007	6762.67	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/24/2007	6762.59	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/23/2007	6762.52	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/22/2007	6762.48	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/21/2007	6762.42	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/20/2007	6762.37	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/19/2007	6762.33	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/18/2007	6762.3	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/17/2007	6762.28	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/16/2007	6762.26	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/15/2007	6762.29	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/14/2007	6762.3	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/13/2007	6762.3	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/12/2007	6762.32	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/11/2007	6762.36	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/10/2007	6762.34	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/9/2007	6762.33	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/8/2007	6762.27	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/7/2007	6762.28	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/6/2007	6762.27	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/5/2007	6761.95	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/4/2007	6762.35	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/3/2007	6762.33	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/2/2007	6762.4	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	12/1/2007	6762.13	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/30/2007	6762.1	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/29/2007	6762.1	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/28/2007	6762.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/27/2007	6762.13	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/26/2007	6762.15	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/25/2007	6762.16	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/24/2007	6762.16	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/23/2007	6762.15	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/22/2007	6762.12	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/21/2007	6762.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/20/2007	6762.11	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/19/2007	6762.09	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/18/2007	6762.07	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/17/2007	6762.05	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/16/2007	6762.01	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/15/2007	6761.96	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/14/2007	6761.94	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/13/2007	6761.88	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/12/2007	6761.85	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/11/2007	6761.8	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/10/2007	6761.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/9/2007	6761.66	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/8/2007	6761.54	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/7/2007	6761.35	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/6/2007	6761.17	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/5/2007	6761	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/4/2007	6760.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/3/2007	6760.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	11/2/2007	6760.73	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/30/2007	6760.71	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/29/2007	6760.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/28/2007	6760.93	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/27/2007	6761.03	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/26/2007	6761.13	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/25/2007	6761.24	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/24/2007	6761.35	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/23/2007	6761.46	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/22/2007	6761.57	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/21/2007	6761.68	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/20/2007	6761.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/19/2007	6761.88	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/18/2007	6761.95	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/17/2007	6762.05	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/16/2007	6762.15	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/15/2007	6762.24	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/14/2007	6762.33	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/13/2007	6762.42	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/12/2007	6762.48	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/11/2007	6762.57	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/10/2007	6762.65	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/9/2007	6762.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/8/2007	6762.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/7/2007	6762.93	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/6/2007	6762.92	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/5/2007	6762.98	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/4/2007	6763.04	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/3/2007	6763.1	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/2/2007	6763.18	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	8/1/2007	6763.27	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/31/2007	6763.43	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/30/2007	6763.25	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/29/2007	6763.29	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/28/2007	6763.35	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/27/2007	6763.4	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/26/2007	6763.41	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/25/2007	6763.46	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/24/2007	6763.5	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/23/2007	6763.55	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/22/2007	6763.61	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/21/2007	6763.63	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/20/2007	6763.65	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/19/2007	6763.67	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/18/2007	6763.72	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/17/2007	6763.79	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/16/2007	6763.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/15/2007	6763.89	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/14/2007	6763.95	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/13/2007	6763.98	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/12/2007	6764.03	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/11/2007	6763.98	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/10/2007	6764.02	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/9/2007	6764.08	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/8/2007	6764.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/7/2007	6764.08	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/6/2007	6764.11	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/5/2007	6764.15	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/4/2007	6764.14	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/3/2007	6764.19	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/2/2007	6764.18	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	7/1/2007	6764.22	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/30/2007	6764.24	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/29/2007	6764.25	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/28/2007	6764.24	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/27/2007	6764.13	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/26/2007	6764.27	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/25/2007	6764.31	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/24/2007	6764.31	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/23/2007	6764.34	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/22/2007	6764.36	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/21/2007	6764.34	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/20/2007	6764.35	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/19/2007	6764.4	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/18/2007	6764.48	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/17/2007	6764.56	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/16/2007	6764.51	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/15/2007	6764.58	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/14/2007	6764.64	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/13/2007	6764.7	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/12/2007	6764.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/11/2007	6764.68	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/10/2007	6764.69	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/9/2007	6764.69	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/8/2007	6764.68	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/7/2007	6764.71	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/6/2007	6764.77	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/5/2007	6764.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/4/2007	6764.79	Manual
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/4/2007	6764.76	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/3/2007	6764.75	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/2/2007	6764.75	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	6/1/2007	6764.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/31/2007	6764.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/30/2007	6764.79	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/29/2007	6764.81	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/28/2007	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/27/2007	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/26/2007	6764.84	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/25/2007	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/24/2007	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/23/2007	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/22/2007	6764.84	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/21/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/20/2007	6764.85	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/19/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/18/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/17/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/16/2007	6764.85	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/15/2007	6764.87	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/14/2007	6764.87	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/13/2007	6764.87	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/12/2007	6764.87	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/11/2007	6764.87	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/10/2007	6764.9	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/9/2007	6764.97	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/8/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/7/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/6/2007	6764.88	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/5/2007	6764.89	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/4/2007	6764.89	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/3/2007	6764.92	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/2/2007	6764.88	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	5/1/2007	6764.87	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/30/2007	6764.88	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/29/2007	6764.87	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/28/2007	6764.84	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/27/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/26/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/25/2007	6764.84	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/24/2007	6764.85	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/23/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/22/2007	6764.85	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/21/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/20/2007	6764.85	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/19/2007	6764.86	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/18/2007	6764.84	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/17/2007	6764.84	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/16/2007	6764.83	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/15/2007	6764.83	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/14/2007	6764.82	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/13/2007	6764.81	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/12/2007	6764.78	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/11/2007	6764.74	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/10/2007	6764.69	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/9/2007	6764.48	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/8/2007	6763.49	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/7/2007	6761.83	Transducer
18-BG-4	2.5	Single	5751	4	2.5	6.5	4	4.5	4/6/2007	6760.68	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/24/2008	6725.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/23/2008	6725.52	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/22/2008	6725.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/21/2008	6725.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/20/2008	6725.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/19/2008	6725.52	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/18/2008	6725.54	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/17/2008	6725.54	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/16/2008	6725.54	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/15/2008	6725.52	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/14/2008	6725.52	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/13/2008	6725.51	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/12/2008	6725.49	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/11/2008	6725.46	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/10/2008	6725.44	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/9/2008	6725.44	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/8/2008	6725.41	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/7/2008	6725.37	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/6/2008	6725.33	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/5/2008	6725.33	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/5/2008	6725.3	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/4/2008	6725.22	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/3/2008	6725.14	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/2/2008	6725.05	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/1/2008	6724.91	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/29/2008	6724.79	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/28/2008	6724.65	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/27/2008	6724.5	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/26/2008	6724.43	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/25/2008	6724.4	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/24/2008	6724.35	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/23/2008	6724.33	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/22/2008	6724.25	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/21/2008	6724.14	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/20/2008	6723.97	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/19/2008	6723.75	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/18/2008	6723.47	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/17/2008	6723.22	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/16/2008	6723.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/15/2008	6722.96	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/14/2008	6722.98	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/13/2008	6722.94	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/12/2008	6722.91	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/11/2008	6722.91	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/10/2008	6722.91	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/9/2008	6722.95	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/8/2008	6722.99	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/7/2008	6723	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/6/2008	6723.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/5/2008	6723.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/4/2008	6723.1	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/3/2008	6723.1	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/2/2008	6723.1	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	2/1/2008	6723.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/31/2008	6723.07	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/30/2008	6723.03	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/30/2008	6722.91	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/29/2008	6722.78	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/28/2008	6722.62	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/27/2008	6722.65	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/26/2008	6722.71	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/25/2008	6722.78	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/24/2008	6722.84	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/23/2008	6722.89	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/22/2008	6722.96	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/21/2008	6723.02	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/20/2008	6723.07	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/19/2008	6723.13	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/18/2008	6723.2	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/17/2008	6723.27	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/16/2008	6723.34	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/15/2008	6723.38	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/14/2008	6723.46	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/13/2008	6723.56	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/12/2008	6723.68	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/11/2008	6723.82	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/10/2008	6724.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/9/2008	6724.11	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/8/2008	6724.19	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/7/2008	6724.26	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/6/2008	6724.27	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/5/2008	6724.31	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/4/2008	6724.35	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/3/2008	6724.39	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/2/2008	6724.43	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	1/1/2008	6724.48	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/31/2007	6724.56	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/30/2007	6724.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/29/2007	6724.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/28/2007	6724.67	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/27/2007	6724.72	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/26/2007	6724.71	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/25/2007	6724.73	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/24/2007	6724.7	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/23/2007	6724.67	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/22/2007	6724.66	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/21/2007	6724.69	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/20/2007	6724.71	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/19/2007	6724.73	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/18/2007	6724.74	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/17/2007	6724.73	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/16/2007	6724.68	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/15/2007	6724.59	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/14/2007	6724.44	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/13/2007	6724.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/12/2007	6724.04	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/11/2007	6723.9	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/10/2007	6723.78	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/9/2007	6723.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/8/2007	6723.38	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/7/2007	6723.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/6/2007	6722.6	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/5/2007	6722.58	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/5/2007	6721.95	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/4/2007	6721.4	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/3/2007	6721.04	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/2/2007	6720.37	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	12/1/2007	6719.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/30/2007	6719.28	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/29/2007	6719.35	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/28/2007	6719.43	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/27/2007	6719.49	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/26/2007	6719.57	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/25/2007	6719.64	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/24/2007	6719.71	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/23/2007	6719.77	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/22/2007	6719.85	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/21/2007	6719.94	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/20/2007	6720.01	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/19/2007	6720.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/18/2007	6720.16	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/17/2007	6720.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/16/2007	6720.3	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/15/2007	6720.37	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/14/2007	6720.45	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/13/2007	6720.52	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/12/2007	6720.61	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/11/2007	6720.69	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/10/2007	6720.77	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/9/2007	6720.84	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/8/2007	6720.92	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/7/2007	6721	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/6/2007	6721.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/5/2007	6721.17	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/4/2007	6721.25	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/3/2007	6721.34	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/2/2007	6721.44	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	11/1/2007	6721.51	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/31/2007	6721.61	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/30/2007	6721.67	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/29/2007	6721.73	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/28/2007	6721.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/27/2007	6721.88	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/26/2007	6721.95	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/25/2007	6721.99	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/24/2007	6722.04	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/23/2007	6722.1	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/22/2007	6722.16	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/21/2007	6722.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/20/2007	6722.27	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/19/2007	6722.32	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/18/2007	6722.39	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/17/2007	6722.43	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/16/2007	6722.46	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/15/2007	6722.5	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/14/2007	6722.55	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/13/2007	6722.59	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/12/2007	6722.61	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/11/2007	6722.64	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/10/2007	6722.66	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/9/2007	6722.68	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/9/2007	6722.69	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/8/2007	6722.72	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/7/2007	6722.76	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/6/2007	6722.78	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/5/2007	6722.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/4/2007	6722.81	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/3/2007	6722.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/2/2007	6722.79	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	10/1/2007	6722.78	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/30/2007	6722.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/29/2007	6722.81	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/28/2007	6722.81	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/27/2007	6722.84	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/26/2007	6722.89	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/25/2007	6722.95	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/24/2007	6722.98	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/23/2007	6723.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/22/2007	6723.09	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/21/2007	6723.12	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/20/2007	6723.15	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/19/2007	6723.21	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/18/2007	6723.25	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/17/2007	6723.29	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/16/2007	6723.32	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/15/2007	6723.35	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/14/2007	6723.36	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/13/2007	6723.36	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/13/2007	6723.35	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/12/2007	6723.28	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/11/2007	6723.14	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/10/2007	6722.92	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/9/2007	6722.58	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/8/2007	6722.19	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/7/2007	6721.85	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/6/2007	6721.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/5/2007	6721.23	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/4/2007	6720.98	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/3/2007	6720.82	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/2/2007	6720.71	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	9/1/2007	6720.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/31/2007	6720.56	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/30/2007	6720.57	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/29/2007	6720.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/28/2007	6720.68	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/27/2007	6720.69	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/26/2007	6720.73	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/25/2007	6720.78	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/24/2007	6720.82	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/23/2007	6720.87	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/22/2007	6720.92	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/21/2007	6720.97	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/20/2007	6721.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/19/2007	6721.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/18/2007	6721.13	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/17/2007	6721.18	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/16/2007	6721.25	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/15/2007	6721.31	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/14/2007	6721.38	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/13/2007	6721.45	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/12/2007	6721.54	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/11/2007	6721.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/10/2007	6721.71	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/9/2007	6721.79	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/8/2007	6721.87	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/7/2007	6721.92	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/6/2007	6721.97	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/5/2007	6722.02	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/4/2007	6722.06	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/3/2007	6722.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/2/2007	6722.1	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	8/1/2007	6722.1	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/31/2007	6722.11	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/30/2007	6722.11	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/29/2007	6722.13	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/28/2007	6722.15	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/27/2007	6722.2	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/26/2007	6722.28	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/25/2007	6722.36	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/24/2007	6722.43	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/23/2007	6722.51	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/22/2007	6722.57	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/21/2007	6722.64	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/20/2007	6722.69	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/19/2007	6722.72	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/18/2007	6722.74	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/17/2007	6722.76	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/16/2007	6722.77	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/15/2007	6722.82	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/14/2007	6722.88	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/13/2007	6722.95	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/12/2007	6722.99	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/11/2007	6723.06	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/10/2007	6723.13	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/9/2007	6723.2	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/8/2007	6723.26	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/7/2007	6723.31	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/6/2007	6723.37	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/5/2007	6723.44	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/4/2007	6723.52	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/3/2007	6723.79	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/3/2007	6723.48	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/2/2007	6723.55	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	7/1/2007	6723.64	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/30/2007	6723.72	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/29/2007	6723.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/28/2007	6723.88	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/27/2007	6723.96	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/26/2007	6724.04	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/25/2007	6724.11	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/24/2007	6724.16	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/23/2007	6724.2	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/22/2007	6724.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/21/2007	6724.26	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/20/2007	6724.29	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/19/2007	6724.31	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/18/2007	6724.32	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/18/2007	6724.32	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/17/2007	6724.3	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/16/2007	6724.28	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/15/2007	6724.26	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/14/2007	6724.21	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/13/2007	6724.16	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/12/2007	6724.09	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/11/2007	6724.02	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/10/2007	6723.95	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/9/2007	6723.87	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/8/2007	6723.81	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/7/2007	6723.76	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/6/2007	6723.7	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/5/2007	6723.64	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/4/2007	6723.63	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/4/2007	6723.61	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/3/2007	6723.59	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/2/2007	6723.58	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	6/1/2007	6723.58	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/31/2007	6723.57	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/30/2007	6723.59	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/29/2007	6723.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/28/2007	6723.62	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/27/2007	6723.64	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/26/2007	6723.67	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/25/2007	6723.7	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/24/2007	6723.75	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/23/2007	6723.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/22/2007	6723.85	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/21/2007	6723.88	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/20/2007	6723.92	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/19/2007	6723.97	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/18/2007	6724.02	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/17/2007	6724.07	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/16/2007	6724.12	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/15/2007	6724.18	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/14/2007	6724.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/13/2007	6724.29	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/12/2007	6724.34	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/11/2007	6724.4	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/10/2007	6724.47	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/9/2007	6724.51	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/8/2007	6724.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/7/2007	6724.58	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/6/2007	6724.65	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/5/2007	6724.71	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/4/2007	6724.75	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/3/2007	6724.8	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/2/2007	6724.81	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	5/1/2007	6724.85	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/30/2007	6724.89	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/29/2007	6724.93	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/28/2007	6724.97	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/27/2007	6725.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/26/2007	6725.07	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/25/2007	6725.11	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/24/2007	6725.16	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/23/2007	6725.2	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/22/2007	6725.24	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/21/2007	6725.28	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/20/2007	6725.31	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/19/2007	6725.35	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/18/2007	6725.36	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/17/2007	6725.39	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/16/2007	6725.42	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/15/2007	6725.42	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/14/2007	6725.4	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/13/2007	6725.42	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/12/2007	6725.41	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/11/2007	6725.4	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/10/2007	6725.39	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/9/2007	6725.36	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/8/2007	6725.32	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/7/2007	6725.28	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/6/2007	6725.23	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/5/2007	6725.17	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/4/2007	6725.08	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/3/2007	6724.97	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/2/2007	6724.81	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	4/1/2007	6724.57	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/31/2007	6724.21	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/30/2007	6723.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/29/2007	6722.59	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/28/2007	6721.03	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/27/2007	6719.96	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/26/2007	6719.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/25/2007	6719.45	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/24/2007	6719.36	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/23/2007	6719.32	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/22/2007	6719.33	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/21/2007	6719.39	Manual
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/21/2007	6719.38	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/20/2007	6719.41	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/19/2007	6719.45	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/18/2007	6719.48	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/17/2007	6719.5	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/16/2007	6719.53	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/15/2007	6719.58	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/14/2007	6719.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/13/2007	6719.6	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/12/2007	6719.61	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/11/2007	6719.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/10/2007	6719.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/9/2007	6719.63	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/8/2007	6719.62	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/7/2007	6719.61	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/6/2007	6719.59	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/5/2007	6719.57	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/4/2007	6719.55	Transducer
18-MW-11	27	Single	7971	20	27	47	2	2.5	3/3/2007	6719.56	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/24/2008	6643.84	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/23/2008	6643.83	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/22/2008	6643.82	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/21/2008	6643.81	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/20/2008	6643.8	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/19/2008	6643.78	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/18/2008	6643.77	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/17/2008	6643.76	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/16/2008	6643.73	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/15/2008	6643.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/14/2008	6643.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/13/2008	6643.64	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/12/2008	6643.61	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/11/2008	6643.57	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/10/2008	6643.55	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/9/2008	6643.53	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/8/2008	6643.49	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/7/2008	6643.47	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/6/2008	6643.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/5/2008	6643.45	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/4/2008	6643.42	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/3/2008	6643.36	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/3/2008	6643.4	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/2/2008	6643.37	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/1/2008	6643.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/29/2008	6643.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/28/2008	6643.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/27/2008	6643.32	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/26/2008	6643.31	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/25/2008	6643.25	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/24/2008	6643.24	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/23/2008	6643.25	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/22/2008	6643.26	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/21/2008	6643.27	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/20/2008	6643.28	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/19/2008	6643.29	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/18/2008	6643.31	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/17/2008	6643.32	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/16/2008	6643.3	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/15/2008	6643.28	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/14/2008	6643.24	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/13/2008	6643.25	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/12/2008	6643.22	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/11/2008	6643.1	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/10/2008	6643.08	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/9/2008	6643.07	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/8/2008	6643.06	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/7/2008	6643.04	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/6/2008	6643.04	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/5/2008	6643.05	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/4/2008	6643.05	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/3/2008	6643.05	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/2/2008	6643.06	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	2/1/2008	6643.08	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/31/2008	6643.12	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/30/2008	6643.18	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/29/2008	6643.23	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/28/2008	6642.93	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/27/2008	6642.92	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/26/2008	6642.92	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/25/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/24/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/23/2008	6642.92	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/22/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/21/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/20/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/19/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/18/2008	6642.93	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/17/2008	6642.94	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	1/17/2008	6642.98	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	12/6/2007	6642.77	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/9/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/8/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/7/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/6/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/5/2007	6642.72	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/4/2007	6642.72	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/3/2007	6642.73	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/2/2007	6642.73	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	11/1/2007	6642.74	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/31/2007	6642.74	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/30/2007	6642.75	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/29/2007	6642.75	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/28/2007	6642.76	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/27/2007	6642.77	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/26/2007	6642.78	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/25/2007	6642.79	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/24/2007	6642.79	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/23/2007	6642.8	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/22/2007	6642.81	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/21/2007	6642.83	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/20/2007	6642.83	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/19/2007	6642.84	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/18/2007	6642.85	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/17/2007	6642.86	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/16/2007	6642.86	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/15/2007	6642.86	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/14/2007	6642.87	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/13/2007	6642.87	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/12/2007	6642.88	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/11/2007	6642.88	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/10/2007	6642.89	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	10/10/2007	6642.89	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/25/2007	6642.96	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/24/2007	6642.94	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/23/2007	6642.92	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/22/2007	6642.89	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/21/2007	6642.86	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/20/2007	6642.83	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/19/2007	6642.8	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/18/2007	6642.76	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/17/2007	6642.73	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/16/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/15/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/14/2007	6642.65	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/13/2007	6642.63	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/12/2007	6642.72	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/12/2007	6642.62	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/11/2007	6642.6	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/10/2007	6642.59	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/9/2007	6642.58	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/8/2007	6642.57	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/7/2007	6642.56	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/6/2007	6642.55	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/5/2007	6642.55	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/4/2007	6642.54	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/3/2007	6642.54	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/2/2007	6642.55	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	9/1/2007	6642.55	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/31/2007	6642.55	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/30/2007	6642.56	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/29/2007	6642.57	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/28/2007	6642.58	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/27/2007	6642.59	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/26/2007	6642.59	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/25/2007	6642.6	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/24/2007	6642.61	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/23/2007	6642.62	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/22/2007	6642.63	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/21/2007	6642.63	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/20/2007	6642.64	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/19/2007	6642.65	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/18/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/17/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/16/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/15/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/14/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/13/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/12/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/11/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/10/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/9/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/8/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/7/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/6/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/5/2007	6642.69	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/4/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/3/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/2/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	8/1/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/31/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/30/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/29/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/28/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/27/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/26/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/25/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/24/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/23/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/22/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/21/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/20/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/19/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/18/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/17/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/16/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/15/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/14/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/13/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/12/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/11/2007	6642.67	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/10/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/9/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/8/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/7/2007	6642.68	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/6/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/5/2007	6642.69	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/4/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/3/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/2/2007	6642.7	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	7/1/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/30/2007	6642.71	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/29/2007	6642.72	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/28/2007	6642.72	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/27/2007	6642.73	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/26/2007	6642.79	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/26/2007	6642.73	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/25/2007	6642.73	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/24/2007	6642.74	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/23/2007	6642.74	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/22/2007	6642.75	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/21/2007	6642.75	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/20/2007	6642.76	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/19/2007	6642.77	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/18/2007	6642.78	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/17/2007	6642.78	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/16/2007	6642.79	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/15/2007	6642.8	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/14/2007	6642.8	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/13/2007	6642.81	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/12/2007	6642.82	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/11/2007	6642.83	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/10/2007	6642.84	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/9/2007	6642.85	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/8/2007	6642.87	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/7/2007	6642.88	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/6/2007	6642.89	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/5/2007	6642.9	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/4/2007	6642.9	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/4/2007	6642.9	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/3/2007	6642.92	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/2/2007	6642.94	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	6/1/2007	6642.95	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/31/2007	6642.97	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/30/2007	6642.99	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/29/2007	6643	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/28/2007	6643.02	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/27/2007	6643.04	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/26/2007	6643.05	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/25/2007	6643.07	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/24/2007	6643.09	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/23/2007	6643.11	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/22/2007	6643.13	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/21/2007	6643.14	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/20/2007	6643.16	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/19/2007	6643.18	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/18/2007	6643.2	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/17/2007	6643.22	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/16/2007	6643.25	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/15/2007	6643.28	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/14/2007	6643.31	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/13/2007	6643.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/12/2007	6643.37	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/11/2007	6643.41	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/10/2007	6643.44	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/9/2007	6643.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/8/2007	6643.49	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/7/2007	6643.53	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/6/2007	6643.58	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/5/2007	6643.61	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/4/2007	6643.63	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/3/2007	6643.63	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/2/2007	6643.63	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	5/1/2007	6643.64	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/30/2007	6643.64	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/29/2007	6643.62	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/28/2007	6643.61	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/27/2007	6643.6	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/26/2007	6643.57	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/25/2007	6643.54	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/24/2007	6643.5	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/23/2007	6643.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/22/2007	6643.4	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/21/2007	6643.35	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/20/2007	6643.29	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/19/2007	6643.23	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/18/2007	6643.16	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/17/2007	6643.1	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/16/2007	6643.03	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/15/2007	6642.94	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/14/2007	6642.86	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/13/2007	6642.8	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/12/2007	6642.72	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/11/2007	6642.66	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/10/2007	6642.61	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/9/2007	6642.56	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/8/2007	6642.54	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/7/2007	6642.51	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/6/2007	6642.49	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/5/2007	6642.48	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/4/2007	6642.47	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/3/2007	6642.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/2/2007	6642.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	4/1/2007	6642.45	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/31/2007	6642.45	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/30/2007	6642.45	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/29/2007	6642.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/28/2007	6642.47	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/27/2007	6642.46	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/26/2007	6642.47	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/25/2007	6642.43	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/24/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/23/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/22/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/21/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/20/2007	6642.32	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/19/2007	6642.3	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/19/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/18/2007	6642.32	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/17/2007	6642.32	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/16/2007	6642.32	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/15/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/14/2007	6642.33	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/13/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/12/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/11/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/10/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/9/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/8/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/7/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/6/2007	6642.38	Manual
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/6/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/5/2007	6642.33	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/4/2007	6642.34	Transducer
18-MW-18	12.5	Single	5311	10.5	12.5	23	2	2.5	3/3/2007	6642.35	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/24/2008	6743.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/23/2008	6743.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/22/2008	6743.89	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/21/2008	6743.91	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/20/2008	6743.91	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/19/2008	6743.94	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/18/2008	6743.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/17/2008	6744.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/16/2008	6744.06	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/15/2008	6744.09	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/14/2008	6744.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/13/2008	6744.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/12/2008	6744.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/11/2008	6743.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/10/2008	6743.98	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/9/2008	6743.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/8/2008	6743.99	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/7/2008	6743.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/6/2008	6743.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/5/2008	6743.98	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/4/2008	6743.99	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/3/2008	6743.99	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/3/2008	6744.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/2/2008	6744.08	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/1/2008	6744.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/29/2008	6744.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/28/2008	6744	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/27/2008	6743.98	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/26/2008	6744.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/25/2008	6744.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/24/2008	6743.87	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/23/2008	6743.8	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/22/2008	6743.83	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/21/2008	6743.78	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/20/2008	6743.76	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/19/2008	6743.7	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/18/2008	6743.71	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/17/2008	6743.8	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/16/2008	6743.67	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/15/2008	6743.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/14/2008	6743.15	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/13/2008	6743.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/12/2008	6743	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/11/2008	6742.9	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/10/2008	6742.84	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/9/2008	6742.83	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/8/2008	6742.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/7/2008	6742.8	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/6/2008	6742.77	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/5/2008	6742.76	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/4/2008	6742.7	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/3/2008	6742.61	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/2/2008	6742.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	2/1/2008	6742.53	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/30/2008	6742.56	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/8/2008	6740.39	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/8/2008	6740.37	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/7/2008	6740.32	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/6/2008	6740.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/5/2008	6740.16	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/4/2008	6740.11	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/3/2008	6740.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/2/2008	6739.99	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	1/1/2008	6739.95	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/31/2007	6739.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/30/2007	6739.91	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/29/2007	6739.87	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/28/2007	6739.83	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/27/2007	6739.81	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/26/2007	6739.73	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/25/2007	6739.69	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/24/2007	6739.62	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/23/2007	6739.56	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/22/2007	6739.54	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/21/2007	6739.48	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/20/2007	6739.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/19/2007	6739.33	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/18/2007	6739.26	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/17/2007	6739.19	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/16/2007	6739.11	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/15/2007	6739.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/14/2007	6738.98	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/13/2007	6738.87	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/12/2007	6738.78	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/11/2007	6738.71	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/10/2007	6738.6	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/9/2007	6738.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/8/2007	6738.44	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/7/2007	6738.39	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/6/2007	6738.34	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/5/2007	6738.34	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/5/2007	6738.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/4/2007	6738.21	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/3/2007	6738.16	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/2/2007	6738.06	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	12/1/2007	6737.59	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/30/2007	6737.5	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/29/2007	6737.44	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/28/2007	6737.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/27/2007	6737.34	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/26/2007	6737.31	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/25/2007	6737.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/24/2007	6737.24	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/23/2007	6737.19	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/22/2007	6737.14	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/21/2007	6737.13	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/20/2007	6737.1	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/19/2007	6737.06	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/18/2007	6737.04	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/17/2007	6737.03	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/16/2007	6736.99	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/15/2007	6736.95	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/14/2007	6736.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/13/2007	6736.95	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/12/2007	6736.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/11/2007	6736.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/10/2007	6736.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/9/2007	6736.95	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/8/2007	6736.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/7/2007	6736.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/6/2007	6736.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/5/2007	6737	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/4/2007	6737.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/3/2007	6737.03	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/2/2007	6737.1	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	11/1/2007	6737.12	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/31/2007	6737.18	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/30/2007	6737.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/29/2007	6737.25	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/28/2007	6737.3	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/27/2007	6737.37	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/26/2007	6737.43	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/25/2007	6737.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/24/2007	6737.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/23/2007	6737.57	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/22/2007	6737.62	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/21/2007	6737.7	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/20/2007	6737.74	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/19/2007	6737.79	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/18/2007	6737.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/17/2007	6737.9	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/16/2007	6737.91	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/15/2007	6737.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/14/2007	6738.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/13/2007	6738.06	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/12/2007	6738.1	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/11/2007	6738.14	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/10/2007	6738.18	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/9/2007	6738.2	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/9/2007	6738.26	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/8/2007	6738.31	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/7/2007	6738.35	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/6/2007	6738.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/5/2007	6738.44	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/4/2007	6738.48	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/3/2007	6738.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/2/2007	6738.55	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	10/1/2007	6738.58	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/30/2007	6738.63	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/29/2007	6738.67	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/28/2007	6738.72	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/27/2007	6738.76	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/26/2007	6738.81	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/25/2007	6738.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/24/2007	6738.88	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/23/2007	6738.9	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/22/2007	6738.93	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/21/2007	6738.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/20/2007	6738.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/19/2007	6739.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/18/2007	6739.04	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/17/2007	6739.09	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/16/2007	6739.13	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/15/2007	6739.17	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/14/2007	6739.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/13/2007	6739.29	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/13/2007	6739.21	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/12/2007	6739.26	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/11/2007	6739.3	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/10/2007	6739.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/9/2007	6739.41	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/8/2007	6739.46	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/7/2007	6739.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/6/2007	6739.57	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/5/2007	6739.62	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/4/2007	6739.67	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/3/2007	6739.72	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/2/2007	6739.78	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	9/1/2007	6739.84	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/31/2007	6739.89	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/30/2007	6739.95	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/29/2007	6740.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/28/2007	6740.09	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/27/2007	6740.15	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/26/2007	6740.21	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/25/2007	6740.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/24/2007	6740.34	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/23/2007	6740.41	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/22/2007	6740.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/21/2007	6740.54	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/20/2007	6740.6	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/19/2007	6740.67	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/18/2007	6740.72	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/17/2007	6740.78	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/16/2007	6740.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/15/2007	6740.91	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/14/2007	6740.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/13/2007	6741.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/12/2007	6741.07	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/11/2007	6741.12	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/10/2007	6741.17	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/9/2007	6741.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/8/2007	6741.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/7/2007	6741.31	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/6/2007	6741.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/5/2007	6741.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/4/2007	6741.43	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/3/2007	6741.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/2/2007	6741.52	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	8/1/2007	6741.57	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/31/2007	6741.62	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/30/2007	6741.61	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/29/2007	6741.65	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/28/2007	6741.69	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/27/2007	6741.73	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/26/2007	6741.78	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/25/2007	6741.81	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/24/2007	6741.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/23/2007	6741.88	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/22/2007	6741.93	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/21/2007	6741.96	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/20/2007	6742	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/19/2007	6742.03	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/18/2007	6742.07	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/17/2007	6742.1	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/16/2007	6742.14	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/15/2007	6742.16	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/14/2007	6742.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/13/2007	6742.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/12/2007	6742.26	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/11/2007	6742.28	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/10/2007	6742.32	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/9/2007	6742.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/8/2007	6742.38	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/7/2007	6742.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/6/2007	6742.42	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/5/2007	6742.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/4/2007	6742.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/3/2007	6742.49	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/2/2007	6742.49	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	7/1/2007	6742.46	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/30/2007	6742.54	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/29/2007	6742.62	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/28/2007	6742.56	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/27/2007	6742.52	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/27/2007	6742.56	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/26/2007	6742.57	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/25/2007	6742.59	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/24/2007	6742.64	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/23/2007	6742.68	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/22/2007	6742.7	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/21/2007	6742.76	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/20/2007	6742.77	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/19/2007	6742.85	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/18/2007	6742.92	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/17/2007	6742.93	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/16/2007	6742.98	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/15/2007	6743.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/14/2007	6743.13	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/13/2007	6743.15	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/12/2007	6743.18	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/11/2007	6743.12	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/10/2007	6743.12	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/9/2007	6743.12	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/8/2007	6743.14	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/7/2007	6743.25	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/6/2007	6743.28	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/5/2007	6743.28	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/4/2007	6743.38	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/4/2007	6743.26	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/3/2007	6743.26	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/2/2007	6743.29	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	6/1/2007	6743.31	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/31/2007	6743.3	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/30/2007	6743.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/29/2007	6743.39	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/28/2007	6743.41	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/27/2007	6743.39	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/26/2007	6743.5	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/25/2007	6743.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/24/2007	6743.38	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/23/2007	6743.39	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/22/2007	6743.42	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/21/2007	6743.46	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/20/2007	6743.41	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/19/2007	6743.44	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/18/2007	6743.45	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/17/2007	6743.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/16/2007	6743.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/15/2007	6743.43	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/14/2007	6743.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/13/2007	6743.38	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/12/2007	6743.38	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/11/2007	6743.39	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/10/2007	6743.42	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/9/2007	6743.45	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/8/2007	6743.32	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/7/2007	6743.3	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/6/2007	6743.3	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/5/2007	6743.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/4/2007	6743.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/3/2007	6743.17	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/2/2007	6742.97	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	5/1/2007	6742.81	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/30/2007	6742.66	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/29/2007	6742.45	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/28/2007	6742.23	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/27/2007	6742.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/26/2007	6741.69	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/25/2007	6741.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/24/2007	6740.95	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/23/2007	6740.48	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/22/2007	6739.93	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/21/2007	6739.45	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/20/2007	6739.08	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/19/2007	6738.76	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/18/2007	6738.46	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/17/2007	6738.27	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/16/2007	6738.14	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/15/2007	6738.05	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/14/2007	6738	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/13/2007	6738.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/12/2007	6738.01	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/11/2007	6738.02	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/10/2007	6738.04	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/9/2007	6738.06	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/8/2007	6738.08	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/7/2007	6738.09	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/6/2007	6738.11	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/5/2007	6738.14	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/4/2007	6738.16	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/3/2007	6738.19	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/2/2007	6738.22	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	4/1/2007	6738.25	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/31/2007	6738.28	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/30/2007	6738.29	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/29/2007	6738.33	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/28/2007	6738.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/27/2007	6738.36	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/26/2007	6738.35	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/26/2007	6738.37	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/25/2007	6738.37	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/24/2007	6738.4	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/23/2007	6738.39	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/22/2007	6738.41	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/21/2007	6738.42	Manual
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/21/2007	6738.45	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/20/2007	6738.47	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/19/2007	6738.51	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/18/2007	6738.53	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/17/2007	6738.55	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/16/2007	6738.57	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/15/2007	6738.62	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/14/2007	6738.65	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/13/2007	6738.66	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/12/2007	6738.68	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/11/2007	6738.71	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/10/2007	6738.74	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/9/2007	6738.76	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/8/2007	6738.78	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/7/2007	6738.81	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/6/2007	6738.84	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/5/2007	6738.87	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/4/2007	6738.9	Transducer
18-MW-8	8	Single	5781	30	8	38	2	2.5	3/3/2007	6738.97	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/24/2008	6726.25	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/23/2008	6726.25	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/22/2008	6726.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/21/2008	6726.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/20/2008	6726.29	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/19/2008	6726.26	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/19/2008	6726.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/18/2008	6726.31	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/17/2008	6726.34	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/16/2008	6726.36	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/15/2008	6726.35	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/14/2008	6726.36	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/13/2008	6726.38	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/12/2008	6726.36	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/11/2008	6726.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/10/2008	6726.29	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/9/2008	6726.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/8/2008	6726.31	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/7/2008	6726.29	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/6/2008	6726.23	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/5/2008	6726.22	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/4/2008	6726.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/3/2008	6726.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/2/2008	6726.07	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/1/2008	6725.93	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/29/2008	6725.88	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/28/2008	6725.83	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/27/2008	6725.75	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/26/2008	6725.76	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/25/2008	6725.72	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/24/2008	6725.61	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/23/2008	6725.61	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/22/2008	6725.54	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/21/2008	6725.46	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/20/2008	6725.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/19/2008	6725.2	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/18/2008	6725.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/17/2008	6725.04	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/16/2008	6724.89	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/15/2008	6724.77	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/14/2008	6724.77	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/13/2008	6724.72	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/12/2008	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/11/2008	6724.61	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/10/2008	6724.56	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/9/2008	6724.63	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/8/2008	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/7/2008	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/6/2008	6724.74	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/5/2008	6724.82	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/4/2008	6724.86	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/3/2008	6724.85	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/2/2008	6724.86	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	2/1/2008	6724.87	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/31/2008	6724.94	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/30/2008	6725	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/30/2008	6724.94	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/29/2008	6725.22	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/28/2008	6724.2	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/27/2008	6724.06	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/26/2008	6724.08	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/25/2008	6724.17	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/24/2008	6724.19	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/23/2008	6724.22	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/22/2008	6724.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/21/2008	6724.37	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/20/2008	6724.38	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/19/2008	6724.42	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/18/2008	6724.53	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/17/2008	6724.57	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/16/2008	6724.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/15/2008	6724.61	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/14/2008	6724.68	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/13/2008	6724.78	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/12/2008	6724.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/11/2008	6724.97	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/10/2008	6725.05	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/9/2008	6725.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/8/2008	6725.17	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/7/2008	6725.26	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/6/2008	6725.22	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/5/2008	6725.22	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/4/2008	6725.25	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/3/2008	6725.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/2/2008	6725.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	1/1/2008	6725.34	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/31/2007	6725.46	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/30/2007	6725.49	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/29/2007	6725.53	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/28/2007	6725.58	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/27/2007	6725.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/26/2007	6725.62	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/25/2007	6725.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/24/2007	6725.62	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/23/2007	6725.62	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/22/2007	6725.7	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/21/2007	6725.73	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/20/2007	6725.73	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/19/2007	6725.73	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/18/2007	6725.73	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/18/2007	6725.69	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/17/2007	6725.68	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/16/2007	6725.64	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/15/2007	6725.62	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/14/2007	6725.58	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/13/2007	6725.5	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/12/2007	6725.48	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/11/2007	6725.38	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/10/2007	6725.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/9/2007	6725.34	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/8/2007	6724.8	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/7/2007	6724.74	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/6/2007	6724.68	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/5/2007	6724.67	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/4/2007	6724.68	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/3/2007	6724.89	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/2/2007	6725.55	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	12/1/2007	6724.41	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/30/2007	6721.5	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/29/2007	6721.49	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/28/2007	6721.62	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/27/2007	6721.55	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/26/2007	6721.65	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/25/2007	6721.72	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/24/2007	6721.77	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/23/2007	6721.79	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/22/2007	6721.76	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/21/2007	6721.92	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/20/2007	6721.93	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/19/2007	6721.95	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/18/2007	6722.03	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/17/2007	6722.13	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/16/2007	6722.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/15/2007	6722.11	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/14/2007	6722.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/13/2007	6722.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/12/2007	6722.4	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/11/2007	6722.51	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/10/2007	6722.55	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/9/2007	6722.58	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/8/2007	6722.63	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/7/2007	6722.67	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/6/2007	6722.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/5/2007	6722.81	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/4/2007	6722.84	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/3/2007	6722.89	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/2/2007	6723.04	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	11/1/2007	6723.04	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/31/2007	6723.17	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/30/2007	6723.18	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/29/2007	6723.16	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/28/2007	6723.19	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/27/2007	6723.3	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/26/2007	6723.42	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/25/2007	6723.38	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/24/2007	6723.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/23/2007	6723.4	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/22/2007	6723.44	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/21/2007	6723.7	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/20/2007	6723.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/19/2007	6723.65	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/18/2007	6723.81	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/17/2007	6723.85	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/16/2007	6723.82	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/15/2007	6723.85	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/14/2007	6723.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/13/2007	6723.94	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/12/2007	6723.93	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/11/2007	6723.91	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/10/2007	6723.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/9/2007	6723.93	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/9/2007	6723.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/8/2007	6723.95	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/7/2007	6724.01	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/6/2007	6724.06	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/5/2007	6724.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/4/2007	6724.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/3/2007	6724.19	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/2/2007	6724.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	10/1/2007	6724.18	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/30/2007	6724.35	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/29/2007	6724.25	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/28/2007	6724.16	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/27/2007	6724.3	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/26/2007	6724.47	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/25/2007	6724.69	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/24/2007	6725.04	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/23/2007	6724.55	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/22/2007	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/21/2007	6725.01	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/20/2007	6724.5	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/19/2007	6724.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/18/2007	6724.83	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/17/2007	6724.53	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/16/2007	6724.55	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/15/2007	6724.59	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/14/2007	6724.65	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/13/2007	6724.67	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/12/2007	6724.74	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/12/2007	6724.67	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/11/2007	6724.63	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/10/2007	6724.63	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/9/2007	6724.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/8/2007	6724.64	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/7/2007	6724.6	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/6/2007	6724.47	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/5/2007	6724.39	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/4/2007	6724.37	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/3/2007	6724.23	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/2/2007	6724.03	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	9/1/2007	6724.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/31/2007	6723.48	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/30/2007	6723.13	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/29/2007	6722.7	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/28/2007	6722.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/27/2007	6723.19	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/26/2007	6722.68	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/25/2007	6722.81	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/24/2007	6722.74	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/23/2007	6722.81	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/22/2007	6722.88	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/21/2007	6722.95	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/20/2007	6723.03	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/19/2007	6723.17	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/18/2007	6723.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/17/2007	6723.19	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/16/2007	6723.31	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/15/2007	6723.39	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/14/2007	6723.44	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/13/2007	6723.5	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/12/2007	6723.58	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/11/2007	6723.65	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/10/2007	6723.7	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/9/2007	6723.79	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/8/2007	6723.97	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/7/2007	6724.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/6/2007	6723.83	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/5/2007	6723.88	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/4/2007	6723.93	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/3/2007	6723.97	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/2/2007	6724.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	8/1/2007	6724.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/31/2007	6724.42	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/30/2007	6724.01	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/29/2007	6724.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/28/2007	6724.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/27/2007	6724.04	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/26/2007	6723.94	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/25/2007	6723.97	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/24/2007	6723.99	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/23/2007	6724.02	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/22/2007	6724.06	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/21/2007	6724.08	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/20/2007	6724.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/19/2007	6724.2	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/18/2007	6724.26	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/17/2007	6724.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/16/2007	6724.36	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/15/2007	6724.19	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/14/2007	6724.21	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/13/2007	6724.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/12/2007	6724.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/11/2007	6724.32	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/10/2007	6724.42	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/9/2007	6724.46	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/8/2007	6724.51	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/7/2007	6724.51	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/6/2007	6724.54	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/5/2007	6724.59	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/4/2007	6724.63	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/3/2007	6724.66	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/2/2007	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	7/1/2007	6724.76	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/30/2007	6724.79	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/29/2007	6724.81	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/28/2007	6724.84	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/28/2007	6724.85	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/27/2007	6724.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/26/2007	6724.96	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/25/2007	6725.01	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/24/2007	6725.05	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/23/2007	6725.08	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/22/2007	6725.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/21/2007	6725.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/20/2007	6725.11	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/19/2007	6725.15	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/18/2007	6725.18	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/17/2007	6725.16	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/16/2007	6725.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/15/2007	6725.13	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/14/2007	6725.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/13/2007	6725.07	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/12/2007	6725.08	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/11/2007	6724.95	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/10/2007	6724.89	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/9/2007	6724.84	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/8/2007	6724.8	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/7/2007	6724.83	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/6/2007	6724.83	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/5/2007	6724.77	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/4/2007	6724.76	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/4/2007	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/3/2007	6724.7	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/2/2007	6724.71	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	6/1/2007	6724.73	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/31/2007	6724.7	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/30/2007	6724.72	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/29/2007	6724.75	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/28/2007	6724.74	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/27/2007	6724.75	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/26/2007	6724.76	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/25/2007	6724.77	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/24/2007	6724.78	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/23/2007	6724.82	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/22/2007	6724.87	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/21/2007	6724.88	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/20/2007	6724.88	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/19/2007	6724.92	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/18/2007	6724.93	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/17/2007	6724.95	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/16/2007	6724.97	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/15/2007	6725.02	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/14/2007	6725.07	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/13/2007	6725.1	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/12/2007	6725.15	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/11/2007	6725.22	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/10/2007	6725.34	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/9/2007	6725.44	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/8/2007	6725.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/7/2007	6725.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/6/2007	6725.42	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/5/2007	6725.49	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/4/2007	6725.53	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/3/2007	6725.6	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/2/2007	6725.53	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	5/1/2007	6725.58	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/30/2007	6725.61	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/29/2007	6725.62	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/28/2007	6725.65	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/27/2007	6725.72	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/26/2007	6725.76	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/25/2007	6725.79	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/24/2007	6725.85	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/23/2007	6725.88	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/22/2007	6725.9	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/21/2007	6725.96	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/20/2007	6725.98	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/19/2007	6726.03	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/18/2007	6726.03	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/17/2007	6726.06	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/16/2007	6726.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/15/2007	6726.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/14/2007	6726.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/13/2007	6726.09	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/12/2007	6726.07	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/11/2007	6726.07	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/10/2007	6726.08	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/9/2007	6726.05	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/8/2007	6726.02	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/7/2007	6725.98	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/6/2007	6725.93	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/5/2007	6725.87	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/4/2007	6725.76	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/3/2007	6725.63	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/2/2007	6725.47	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	4/1/2007	6725.27	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/31/2007	6724.94	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/30/2007	6724.59	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/29/2007	6724.42	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/28/2007	6724.18	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/27/2007	6723.85	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/26/2007	6723.68	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/25/2007	6723.58	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/24/2007	6723.18	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/23/2007	6721.6	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/22/2007	6721.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/21/2007	6721.11	Manual
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/21/2007	6721.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/20/2007	6721.12	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/19/2007	6721.19	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/18/2007	6721.2	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/17/2007	6721.14	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/16/2007	6721.13	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/15/2007	6721.28	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/14/2007	6721.31	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/13/2007	6721.29	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/12/2007	6721.25	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/11/2007	6721.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/10/2007	6721.36	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/9/2007	6721.38	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/8/2007	6721.39	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/7/2007	6721.39	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/6/2007	6721.39	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/5/2007	6721.34	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/4/2007	6721.33	Transducer
18-MW-9	6	Single	5791	25	6	31	2	2.5	3/3/2007	6721.49	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/24/2008	6614.05	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/23/2008	6614.04	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/22/2008	6614.04	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/21/2008	6614.04	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/20/2008	6614.03	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/19/2008	6614.02	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/18/2008	6614.02	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/17/2008	6614.01	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/16/2008	6614	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/15/2008	6613.97	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/14/2008	6613.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/13/2008	6613.92	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/12/2008	6613.9	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/11/2008	6613.87	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/10/2008	6613.85	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/9/2008	6613.84	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/8/2008	6613.82	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/7/2008	6613.84	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/7/2008	6613.79	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/6/2008	6613.77	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/5/2008	6613.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/4/2008	6613.7	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/3/2008	6613.66	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/2/2008	6613.61	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/1/2008	6613.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/29/2008	6613.5	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/28/2008	6613.46	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/27/2008	6613.4	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/26/2008	6613.33	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/25/2008	6613.22	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/24/2008	6613.16	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/23/2008	6613.13	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/22/2008	6613.08	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/21/2008	6613.03	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/20/2008	6612.97	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/19/2008	6612.91	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/18/2008	6612.84	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/17/2008	6612.76	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/16/2008	6612.64	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/15/2008	6612.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/14/2008	6612.45	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/13/2008	6612.38	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/12/2008	6612.34	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/11/2008	6612.35	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/10/2008	6612.38	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/9/2008	6612.43	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/8/2008	6612.48	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/7/2008	6612.51	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/6/2008	6612.51	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/5/2008	6612.48	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/4/2008	6612.44	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/3/2008	6612.39	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/2/2008	6612.36	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	2/1/2008	6612.31	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/31/2008	6612.22	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/30/2008	6612.06	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/29/2008	6611.79	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/28/2008	6611.58	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/27/2008	6611.62	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/26/2008	6611.67	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/25/2008	6611.72	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/24/2008	6611.78	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/23/2008	6611.83	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/22/2008	6611.89	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/21/2008	6611.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/20/2008	6612	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/19/2008	6612.06	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/18/2008	6612.13	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/17/2008	6612.15	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/17/2008	6612.17	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/16/2008	6612.23	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/15/2008	6612.25	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/14/2008	6612.29	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/13/2008	6612.32	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/12/2008	6612.32	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/11/2008	6612.3	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/10/2008	6612.26	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/9/2008	6612.18	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/8/2008	6612.09	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/7/2008	6611.92	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/6/2008	6611.88	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/5/2008	6611.91	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/4/2008	6611.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/3/2008	6611.99	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/2/2008	6612.04	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	1/1/2008	6612.09	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/31/2007	6612.15	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/30/2007	6612.19	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/29/2007	6612.23	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/28/2007	6612.26	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/27/2007	6612.28	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/26/2007	6612.26	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/25/2007	6612.26	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/24/2007	6612.24	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/23/2007	6612.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/22/2007	6612.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/21/2007	6612.23	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/20/2007	6612.26	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/19/2007	6612.31	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/18/2007	6612.36	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/17/2007	6612.4	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/16/2007	6612.41	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/15/2007	6612.42	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/14/2007	6612.39	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/13/2007	6612.33	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/12/2007	6612.25	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/11/2007	6612.17	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/10/2007	6612.07	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/9/2007	6611.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/8/2007	6611.92	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/7/2007	6611.91	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/6/2007	6611.92	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/6/2007	6611.88	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/5/2007	6611.83	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/4/2007	6611.71	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/3/2007	6611.5	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/2/2007	6610.91	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	12/1/2007	6610.31	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/30/2007	6610.32	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/29/2007	6610.33	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/28/2007	6610.34	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/27/2007	6610.34	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/26/2007	6610.35	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/25/2007	6610.36	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/24/2007	6610.37	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/23/2007	6610.38	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/22/2007	6610.39	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/21/2007	6610.4	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/20/2007	6610.4	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/19/2007	6610.41	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/18/2007	6610.42	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/17/2007	6610.43	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/16/2007	6610.44	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/15/2007	6610.45	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/14/2007	6610.46	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/13/2007	6610.46	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/12/2007	6610.48	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/11/2007	6610.49	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/10/2007	6610.5	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/9/2007	6610.51	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/8/2007	6610.51	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/7/2007	6610.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/6/2007	6610.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/5/2007	6610.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/4/2007	6610.56	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/3/2007	6610.58	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/2/2007	6610.6	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	11/1/2007	6610.61	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/31/2007	6610.63	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/30/2007	6610.65	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/29/2007	6610.67	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/28/2007	6610.7	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/27/2007	6610.73	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/26/2007	6610.76	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/25/2007	6610.79	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/24/2007	6610.82	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/23/2007	6610.85	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/22/2007	6610.88	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/21/2007	6610.92	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/20/2007	6610.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/19/2007	6610.97	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/18/2007	6611	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/17/2007	6611.03	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/16/2007	6611.05	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/15/2007	6611.06	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/14/2007	6611.08	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/13/2007	6611.1	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/12/2007	6611.11	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/11/2007	6611.12	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/10/2007	6611.12	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/10/2007	6611.12	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/9/2007	6611.13	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/8/2007	6611.14	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/7/2007	6611.16	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/6/2007	6611.17	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/5/2007	6611.18	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/4/2007	6611.19	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/3/2007	6611.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/2/2007	6611.21	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	10/1/2007	6611.22	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/30/2007	6611.24	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/29/2007	6611.25	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/28/2007	6611.27	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/27/2007	6611.29	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/26/2007	6611.32	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/25/2007	6611.35	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/24/2007	6611.39	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/23/2007	6611.42	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/22/2007	6611.45	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/21/2007	6611.49	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/20/2007	6611.52	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/19/2007	6611.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/18/2007	6611.58	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/17/2007	6611.61	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/16/2007	6611.65	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/15/2007	6611.68	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/14/2007	6611.72	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/13/2007	6611.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/12/2007	6611.76	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/11/2007	6611.8	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/11/2007	6611.77	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/10/2007	6611.77	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/9/2007	6611.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/8/2007	6611.66	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/7/2007	6611.39	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/6/2007	6611.34	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/5/2007	6611.3	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/4/2007	6611.16	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/3/2007	6610.73	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/2/2007	6610.67	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	9/1/2007	6610.63	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/31/2007	6610.47	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/30/2007	6609.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/29/2007	6609.98	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/28/2007	6610.01	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/27/2007	6610.02	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/26/2007	6610.05	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/25/2007	6610.07	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/24/2007	6610.1	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/23/2007	6610.13	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/22/2007	6610.16	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/21/2007	6610.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/20/2007	6610.24	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/19/2007	6610.29	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/18/2007	6610.35	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/17/2007	6610.42	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/16/2007	6610.5	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/15/2007	6610.58	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/14/2007	6610.64	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/13/2007	6610.68	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/12/2007	6610.72	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/11/2007	6610.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/10/2007	6610.77	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/9/2007	6610.79	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/8/2007	6610.79	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/7/2007	6610.78	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/6/2007	6610.77	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/5/2007	6610.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/4/2007	6610.73	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/3/2007	6610.7	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/2/2007	6610.67	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	8/1/2007	6610.63	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/31/2007	6610.6	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/30/2007	6610.56	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/29/2007	6610.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/28/2007	6610.53	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/27/2007	6610.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/26/2007	6610.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/25/2007	6610.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/24/2007	6610.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/23/2007	6610.5	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/22/2007	6610.46	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/21/2007	6610.41	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/20/2007	6610.35	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/19/2007	6610.28	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/18/2007	6610.24	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/17/2007	6610.25	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/16/2007	6610.27	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/15/2007	6610.3	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/14/2007	6610.32	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/13/2007	6610.35	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/12/2007	6610.38	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/11/2007	6610.41	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/10/2007	6610.44	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/9/2007	6610.47	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/8/2007	6610.5	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/7/2007	6610.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/6/2007	6610.57	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/5/2007	6610.6	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/4/2007	6610.65	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/3/2007	6610.69	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/2/2007	6610.73	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	7/1/2007	6610.77	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/30/2007	6610.82	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/29/2007	6610.86	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/28/2007	6610.9	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/27/2007	6610.93	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/26/2007	6610.97	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/25/2007	6610.99	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/25/2007	6610.99	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/24/2007	6611.01	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/23/2007	6611.03	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/22/2007	6611.05	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/21/2007	6611.07	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/20/2007	6611.09	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/19/2007	6611.11	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/18/2007	6611.14	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/17/2007	6611.17	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/16/2007	6611.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/15/2007	6611.24	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/14/2007	6611.28	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/13/2007	6611.32	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/12/2007	6611.37	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/11/2007	6611.42	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/10/2007	6611.49	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/9/2007	6611.56	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/8/2007	6611.64	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/7/2007	6611.7	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/7/2007	6611.73	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/6/2007	6611.82	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/5/2007	6611.9	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/4/2007	6612	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/3/2007	6612.1	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/2/2007	6612.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	6/1/2007	6612.31	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/31/2007	6612.41	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/30/2007	6612.53	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/29/2007	6612.64	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/28/2007	6612.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/27/2007	6612.87	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/26/2007	6612.99	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/25/2007	6613.11	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/24/2007	6613.22	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/23/2007	6613.33	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/22/2007	6613.43	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/21/2007	6613.51	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/20/2007	6613.58	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/19/2007	6613.64	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/18/2007	6613.66	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/17/2007	6613.69	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/16/2007	6613.73	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/15/2007	6613.76	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/14/2007	6613.8	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/13/2007	6613.82	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/12/2007	6613.85	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/11/2007	6613.86	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/10/2007	6613.86	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/9/2007	6613.83	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/8/2007	6613.81	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/7/2007	6613.8	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/6/2007	6613.81	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/5/2007	6613.81	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/4/2007	6613.78	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/3/2007	6613.75	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/2/2007	6613.71	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	5/1/2007	6613.69	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/30/2007	6613.67	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/29/2007	6613.64	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/28/2007	6613.61	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/27/2007	6613.61	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/26/2007	6613.59	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/25/2007	6613.56	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/24/2007	6613.55	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/23/2007	6613.52	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/22/2007	6613.49	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/21/2007	6613.47	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/20/2007	6613.44	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/19/2007	6613.41	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/18/2007	6613.37	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/17/2007	6613.33	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/16/2007	6613.3	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/15/2007	6613.25	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/14/2007	6613.2	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/13/2007	6613.17	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/12/2007	6613.11	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/11/2007	6613.07	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/10/2007	6613.02	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/9/2007	6612.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/8/2007	6612.9	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/7/2007	6612.83	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/6/2007	6612.76	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/5/2007	6612.69	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/4/2007	6612.62	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/3/2007	6612.56	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/2/2007	6612.49	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	4/1/2007	6612.4	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/31/2007	6612.29	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/30/2007	6612.15	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/29/2007	6611.98	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/28/2007	6611.74	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/27/2007	6611.24	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/26/2007	6610.19	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/25/2007	6610.03	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/24/2007	6610.02	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/23/2007	6610	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/22/2007	6610	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/21/2007	6609.99	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/20/2007	6609.95	Manual
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/20/2007	6610	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/19/2007	6610	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/18/2007	6609.98	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/17/2007	6609.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/16/2007	6609.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/15/2007	6609.97	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/14/2007	6609.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/13/2007	6609.93	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/12/2007	6609.91	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/11/2007	6609.94	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/10/2007	6609.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/9/2007	6609.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/8/2007	6609.96	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/7/2007	6609.98	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/6/2007	6609.98	Manual

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/6/2007	6609.94	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/5/2007	6609.95	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/4/2007	6609.99	Transducer
PCO-2	1.5	Single	5331	8	1.5	9.5	4	4.5	3/3/2007	6610.04	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/24/2008	6544.75	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/23/2008	6544.76	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/22/2008	6544.77	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/21/2008	6544.79	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/20/2008	6544.8	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/19/2008	6544.81	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/18/2008	6544.83	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/18/2008	6544.83	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/17/2008	6544.84	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/16/2008	6544.85	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/15/2008	6544.85	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/14/2008	6544.85	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/13/2008	6544.86	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/12/2008	6544.89	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/11/2008	6544.93	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/10/2008	6544.96	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/9/2008	6544.9	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/8/2008	6544.91	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/7/2008	6544.86	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/7/2008	6544.89	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/6/2008	6544.86	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/5/2008	6544.87	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/4/2008	6544.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/3/2008	6544.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/2/2008	6544.86	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/1/2008	6544.81	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/29/2008	6544.82	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/28/2008	6544.84	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/27/2008	6544.89	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/26/2008	6545	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/25/2008	6544.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/24/2008	6544.82	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/23/2008	6544.81	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/22/2008	6544.8	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/21/2008	6544.77	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/20/2008	6544.76	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/19/2008	6544.77	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/18/2008	6544.81	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/17/2008	6544.87	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/16/2008	6544.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/15/2008	6544.84	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/14/2008	6544.84	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/13/2008	6544.8	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/12/2008	6544.8	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/11/2008	6544.76	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/10/2008	6544.69	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/9/2008	6544.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/8/2008	6544.71	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/7/2008	6544.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/6/2008	6544.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/5/2008	6544.72	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/4/2008	6544.74	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/3/2008	6544.75	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/2/2008	6544.79	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	2/1/2008	6544.86	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/31/2008	6544.99	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/30/2008	6545.16	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/29/2008	6545.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/28/2008	6544.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/27/2008	6544.58	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/26/2008	6544.57	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/25/2008	6544.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/24/2008	6544.53	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/23/2008	6544.5	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/22/2008	6544.46	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/21/2008	6544.48	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/20/2008	6544.47	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/19/2008	6544.48	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/18/2008	6544.52	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/17/2008	6544.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/16/2008	6544.55	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/16/2008	6544.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/15/2008	6544.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/14/2008	6544.56	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/13/2008	6544.59	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/12/2008	6544.61	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/11/2008	6544.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/10/2008	6544.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/9/2008	6544.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/8/2008	6544.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/7/2008	6544.69	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/6/2008	6544.6	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/5/2008	6544.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/4/2008	6544.51	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/3/2008	6544.51	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/2/2008	6544.51	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	1/1/2008	6544.52	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/31/2007	6544.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/30/2007	6544.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/29/2007	6544.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/28/2007	6544.57	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/27/2007	6544.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/26/2007	6544.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/25/2007	6544.63	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/24/2007	6544.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/23/2007	6544.66	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/22/2007	6544.67	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/21/2007	6544.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/20/2007	6544.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/19/2007	6544.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/18/2007	6544.61	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/17/2007	6544.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/16/2007	6544.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/15/2007	6544.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/14/2007	6544.68	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/13/2007	6544.71	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/12/2007	6544.74	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/11/2007	6544.79	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/10/2007	6544.72	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/9/2007	6544.83	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/8/2007	6544.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/7/2007	6544.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/6/2007	6544.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/5/2007	6544.67	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/4/2007	6544.63	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/4/2007	6544.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/3/2007	6544.78	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/2/2007	6545.06	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	12/1/2007	6528.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/30/2007	6528.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/29/2007	6528.61	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/28/2007	6528.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/27/2007	6528.59	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/26/2007	6528.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/25/2007	6528.61	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/24/2007	6528.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/23/2007	6528.61	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/22/2007	6528.53	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/21/2007	6528.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/20/2007	6528.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/19/2007	6528.74	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/18/2007	6528.84	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/17/2007	6528.94	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/16/2007	6529.05	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/15/2007	6529.17	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/14/2007	6529.31	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/13/2007	6529.48	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/12/2007	6529.67	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/11/2007	6529.85	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/10/2007	6530.08	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/9/2007	6530.32	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/8/2007	6530.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/7/2007	6530.82	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/6/2007	6531.1	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/5/2007	6531.39	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/4/2007	6531.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/3/2007	6532.02	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/2/2007	6532.21	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/2/2007	6532.39	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	11/1/2007	6532.81	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/31/2007	6533.28	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/30/2007	6533.79	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/29/2007	6534.34	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/28/2007	6534.97	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/27/2007	6535.61	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/26/2007	6536.26	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/25/2007	6536.98	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/24/2007	6537.77	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/23/2007	6538.55	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/22/2007	6539.41	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/21/2007	6540.28	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/20/2007	6541.11	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/19/2007	6541.83	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/18/2007	6542.18	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/17/2007	6542.31	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/16/2007	6542.4	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/15/2007	6542.49	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/14/2007	6542.57	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/13/2007	6542.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/12/2007	6542.72	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/11/2007	6542.78	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/10/2007	6542.82	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/9/2007	6542.87	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/8/2007	6542.91	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/7/2007	6542.95	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/6/2007	6542.99	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/5/2007	6543.04	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/4/2007	6543.07	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/3/2007	6543.11	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/2/2007	6543.15	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	10/1/2007	6543.17	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/30/2007	6543.21	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/29/2007	6543.24	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/28/2007	6543.25	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/27/2007	6543.3	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/26/2007	6543.34	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/25/2007	6543.38	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/24/2007	6543.44	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/23/2007	6543.4	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/22/2007	6543.45	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/21/2007	6543.52	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/20/2007	6543.44	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/19/2007	6543.49	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/18/2007	6543.56	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/17/2007	6543.5	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/16/2007	6543.56	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/15/2007	6543.63	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/14/2007	6543.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/13/2007	6543.78	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/12/2007	6543.86	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/11/2007	6543.92	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/11/2007	6543.94	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/10/2007	6544.04	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/9/2007	6544.14	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/8/2007	6544.19	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/7/2007	6543.77	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/6/2007	6543.36	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/5/2007	6543.38	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/5/2007	6543.35	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/4/2007	6543.25	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	9/3/2007	6529.92	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/29/2007	6528.69	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/28/2007	6528.78	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/27/2007	6528.87	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/26/2007	6528.97	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/25/2007	6529.07	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/24/2007	6529.2	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/23/2007	6529.33	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/22/2007	6529.5	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/21/2007	6529.58	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/20/2007	6529.79	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/19/2007	6530.03	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/18/2007	6530.28	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/17/2007	6530.48	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/16/2007	6530.73	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/15/2007	6530.98	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/14/2007	6531.24	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/13/2007	6531.52	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/12/2007	6531.81	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/11/2007	6532.1	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/10/2007	6532.44	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/9/2007	6532.84	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/8/2007	6533.27	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/7/2007	6533.74	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/6/2007	6534.02	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/6/2007	6534.24	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/5/2007	6534.78	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/4/2007	6535.34	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/3/2007	6535.91	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/2/2007	6536.54	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	6/1/2007	6537.22	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/31/2007	6537.91	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/30/2007	6538.62	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/29/2007	6539.34	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/28/2007	6540.05	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/27/2007	6540.75	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/26/2007	6541.41	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/25/2007	6541.92	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/24/2007	6542.17	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/23/2007	6542.31	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/22/2007	6542.43	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/21/2007	6542.52	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/20/2007	6542.6	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/19/2007	6542.66	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/18/2007	6542.71	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/17/2007	6542.74	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/16/2007	6542.79	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/15/2007	6542.83	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/14/2007	6542.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/13/2007	6542.92	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/12/2007	6542.96	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/11/2007	6543.01	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/10/2007	6543.04	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/9/2007	6543.04	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/8/2007	6542.99	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/7/2007	6543.03	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/6/2007	6543.07	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/5/2007	6543.11	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/4/2007	6543.15	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/3/2007	6543.14	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/2/2007	6543.06	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	5/1/2007	6543.1	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/30/2007	6543.15	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/29/2007	6543.2	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/28/2007	6543.26	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/27/2007	6543.31	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/26/2007	6543.37	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/25/2007	6543.42	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/24/2007	6543.47	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/23/2007	6543.53	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/22/2007	6543.59	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/21/2007	6543.65	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/20/2007	6543.7	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/19/2007	6543.76	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/18/2007	6543.82	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/17/2007	6543.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/16/2007	6543.93	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/15/2007	6543.94	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/14/2007	6543.89	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/13/2007	6543.75	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/12/2007	6543.8	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/11/2007	6543.85	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/10/2007	6543.88	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/9/2007	6543.9	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/8/2007	6543.95	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/7/2007	6544	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/6/2007	6544.05	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/5/2007	6544.11	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/4/2007	6544.09	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/4/2007	6544.17	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/3/2007	6544.23	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/2/2007	6544.29	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	4/1/2007	6544.33	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/31/2007	6544.37	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/30/2007	6544.4	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/29/2007	6544.45	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/28/2007	6544.51	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/27/2007	6544.53	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/26/2007	6544.57	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/25/2007	6544.59	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/24/2007	6544.48	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/23/2007	6544.27	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/22/2007	6544.19	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/21/2007	6544.19	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/20/2007	6544.22	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/19/2007	6544.24	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/18/2007	6544.27	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/17/2007	6544.28	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/16/2007	6544.29	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/15/2007	6544.3	Manual
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/15/2007	6544.3	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/14/2007	6544.3	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/13/2007	6544.3	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/12/2007	6544.3	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/11/2007	6544.31	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/10/2007	6544.32	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/9/2007	6544.33	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/8/2007	6544.34	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/7/2007	6544.35	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/6/2007	6544.36	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/5/2007	6544.38	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/4/2007	6544.41	Transducer
PCO-3	5.7	Single	5341	12	5.7	17.7	4	4.5	3/3/2007	6544.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/24/2008	5884.53	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/23/2008	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/22/2008	5884.58	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/21/2008	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/20/2008	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/19/2008	5884.65	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/18/2008	5884.84	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/17/2008	5885.04	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/16/2008	5885.02	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/15/2008	5884.96	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/14/2008	5884.96	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/13/2008	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/12/2008	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/11/2008	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/10/2008	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/9/2008	5884.83	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/8/2008	5884.68	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/7/2008	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/6/2008	5884.81	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/5/2008	5884.96	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/4/2008	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/3/2008	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/2/2008	5884.94	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/1/2008	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/29/2008	5884.65	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/28/2008	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/27/2008	5884.48	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/26/2008	5884.6	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/25/2008	5884.79	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/24/2008	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/23/2008	5884.94	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/22/2008	5884.84	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/21/2008	5884.89	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/20/2008	5884.74	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/19/2008	5884.69	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/18/2008	5884.75	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/17/2008	5884.96	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/16/2008	5884.76	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/15/2008	5884.81	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/14/2008	5885.11	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/13/2008	5884.68	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/12/2008	5884.72	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/11/2008	5884.63	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/10/2008	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/9/2008	5884.65	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/8/2008	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/7/2008	5884.75	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/6/2008	5884.77	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/5/2008	5885.1	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/4/2008	5885.15	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/3/2008	5884.83	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/2/2008	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	2/1/2008	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/31/2008	5884.97	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/30/2008	5884.92	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/29/2008	5885.17	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/28/2008	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/27/2008	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/26/2008	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/25/2008	5884.77	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/24/2008	5884.71	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/23/2008	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/22/2008	5884.72	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/21/2008	5884.88	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/20/2008	5884.69	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/19/2008	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/18/2008	5884.85	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/17/2008	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/16/2008	5884.98	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/15/2008	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/14/2008	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/13/2008	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/12/2008	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/11/2008	5884.73	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/10/2008	5884.83	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/9/2008	5884.69	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/8/2008	5884.82	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/7/2008	5884.96	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/6/2008	5884.91	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/5/2008	5884.68	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/4/2008	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/3/2008	5884.42	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/2/2008	5884.25	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	1/1/2008	5884.34	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/31/2007	5884.85	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/30/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/29/2007	5884.83	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/28/2007	5884.93	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/27/2007	5885.11	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/26/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/25/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/24/2007	5884.56	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/23/2007	5884.56	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/22/2007	5884.97	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/21/2007	5884.9	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/20/2007	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/19/2007	5884.64	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/18/2007	5884.68	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/17/2007	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/16/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/15/2007	5884.79	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/14/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/13/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/12/2007	5884.63	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/11/2007	5884.96	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/10/2007	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/9/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/8/2007	5884.89	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/7/2007	5884.84	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/6/2007	5884.81	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/5/2007	5884.6	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/4/2007	5884.33	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/3/2007	5884.28	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/2/2007	5884.88	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	12/1/2007	5884.97	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/30/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/29/2007	5884.47	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/28/2007	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/27/2007	5884.42	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/26/2007	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/25/2007	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/24/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/23/2007	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/22/2007	5884.53	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/21/2007	5884.79	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/20/2007	5884.62	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/19/2007	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/18/2007	5884.6	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/17/2007	5884.69	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/16/2007	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/15/2007	5884.32	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/14/2007	5884.59	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/13/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/12/2007	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/11/2007	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/10/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/9/2007	5884.53	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/8/2007	5884.47	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/7/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/6/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/5/2007	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/4/2007	5884.38	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/3/2007	5884.37	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/2/2007	5884.57	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	11/1/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/31/2007	5884.57	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/30/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/29/2007	5884.25	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/28/2007	5884.23	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/27/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/26/2007	5884.6	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/25/2007	5884.36	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/24/2007	5884.18	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/23/2007	5884.3	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/22/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/21/2007	5884.92	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/20/2007	5884.64	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/19/2007	5884.59	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/18/2007	5884.91	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/17/2007	5884.97	Manual
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/17/2007	5884.89	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/16/2007	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/15/2007	5884.68	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/14/2007	5884.79	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/13/2007	5884.77	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/12/2007	5884.63	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/11/2007	5884.53	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/10/2007	5884.38	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/9/2007	5884.3	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/8/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/7/2007	5884.64	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/6/2007	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/5/2007	5884.62	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/4/2007	5884.59	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/3/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/2/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	10/1/2007	5884.27	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/30/2007	5884.58	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/29/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/28/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/27/2007	5884.42	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/26/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/25/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/24/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/23/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/22/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/21/2007	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/20/2007	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/19/2007	5884.48	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/18/2007	5884.55	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/17/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/16/2007	5884.37	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/15/2007	5884.36	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/14/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/13/2007	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/12/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/11/2007	5884.28	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/10/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/9/2007	5884.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/8/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/7/2007	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/6/2007	5884.58	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/5/2007	5884.57	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/4/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/3/2007	5884.31	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/2/2007	5884.29	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	9/1/2007	5884.34	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/31/2007	5884.26	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/30/2007	5884.23	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/29/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/28/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/27/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/26/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/25/2007	5884.47	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/24/2007	5884.55	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/23/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/22/2007	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/21/2007	5884.48	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/20/2007	5884.48	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/19/2007	5884.47	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/18/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/17/2007	5884.36	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/16/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/15/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/14/2007	5884.3	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/13/2007	5884.23	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/12/2007	5884.31	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/11/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/10/2007	5884.35	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/9/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/8/2007	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/7/2007	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/6/2007	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/5/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/4/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/3/2007	5884.36	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/2/2007	5884.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	8/1/2007	5884.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/31/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/30/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/29/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/28/2007	5884.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/27/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/26/2007	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/25/2007	5884.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/24/2007	5884.42	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/23/2007	5884.32	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/22/2007	5884.35	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/21/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/20/2007	5884.42	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/19/2007	5884.44	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/18/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/17/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/16/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/15/2007	5884.35	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/14/2007	5884.33	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/13/2007	5884.37	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/12/2007	5884.3	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/11/2007	5884.33	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/10/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/9/2007	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/8/2007	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/7/2007	5884.32	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/6/2007	5884.27	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/5/2007	5884.31	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/4/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/3/2007	5884.38	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/2/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	7/1/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/30/2007	5884.42	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/29/2007	5884.35	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/28/2007	5884.34	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/27/2007	5884.39	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/26/2007	5884.47	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/25/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/24/2007	5884.55	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/23/2007	5884.48	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/22/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/21/2007	5884.38	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/20/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/19/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/18/2007	5884.69	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/17/2007	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/16/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/15/2007	5884.63	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/14/2007	5884.52	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/13/2007	5884.55	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/12/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/11/2007	5884.6	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/10/2007	5884.53	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/9/2007	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/8/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/7/2007	5884.92	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/6/2007	5884.81	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/5/2007	5884.49	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/4/2007	5884.47	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/3/2007	5884.57	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/2/2007	5884.62	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	6/1/2007	5884.72	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/31/2007	5884.52	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/30/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/29/2007	5884.68	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/28/2007	5884.56	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/27/2007	5884.51	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/26/2007	5884.48	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/25/2007	5884.43	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/24/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/23/2007	5884.73	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/22/2007	5884.86	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/21/2007	5884.7	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/20/2007	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/19/2007	5884.45	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/18/2007	5884.4	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/17/2007	5884.36	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/16/2007	5884.29	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/15/2007	5884.46	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/14/2007	5884.44	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/13/2007	5884.33	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/12/2007	5884.33	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/11/2007	5884.38	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/10/2007	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/9/2007	5884.5	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/8/2007	5884.41	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/7/2007	5884.55	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/6/2007	5884.9	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/5/2007	5885.1	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/4/2007	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/3/2007	5884.74	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/2/2007	5884.62	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	5/1/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/30/2007	5884.54	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/29/2007	5884.3	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/28/2007	5884.33	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/27/2007	5884.65	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/26/2007	5884.65	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/25/2007	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/24/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/23/2007	5884.73	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/22/2007	5884.75	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/21/2007	5884.81	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/20/2007	5884.78	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/19/2007	5884.94	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/18/2007	5884.73	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/18/2007	5884.84	Manual
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/11/2007	5885.01	Manual
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/11/2007	5885.01	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/10/2007	5885.08	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/9/2007	5885.03	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/8/2007	5884.93	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/7/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/6/2007	5884.73	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/5/2007	5884.74	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/4/2007	5884.66	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/3/2007	5884.82	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/2/2007	5884.85	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	4/1/2007	5884.9	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/31/2007	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/30/2007	5884.79	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/29/2007	5884.99	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/28/2007	5885.2	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/27/2007	5884.84	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/26/2007	5884.78	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/25/2007	5884.71	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/24/2007	5884.98	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/23/2007	5884.84	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/22/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/21/2007	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/20/2007	5884.76	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/19/2007	5884.86	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/18/2007	5884.77	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/17/2007	5884.64	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/16/2007	5884.61	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/15/2007	5884.84	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/14/2007	5884.87	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/13/2007	5884.76	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/12/2007	5884.63	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/11/2007	5884.8	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/10/2007	5884.79	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/9/2007	5884.82	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/8/2007	5884.76	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/7/2007	5884.73	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/6/2007	5884.67	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/5/2007	5884.53	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/4/2007	5884.59	Transducer
R-17	1057	P1A	7031	23	1057	1080	4.5	5.3	3/3/2007	5884.89	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/24/2008	5883.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/23/2008	5883.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/22/2008	5883.4	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/21/2008	5883.49	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/20/2008	5883.45	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/19/2008	5883.46	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/18/2008	5883.63	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/17/2008	5883.8	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/16/2008	5883.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/15/2008	5883.73	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/14/2008	5883.76	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/13/2008	5883.65	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/12/2008	5883.45	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/11/2008	5883.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/10/2008	5883.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/9/2008	5883.63	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/8/2008	5883.47	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/7/2008	5883.46	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/6/2008	5883.59	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/5/2008	5883.69	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/4/2008	5883.45	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/3/2008	5883.59	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/2/2008	5883.67	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/1/2008	5883.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/29/2008	5883.46	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/28/2008	5883.46	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/27/2008	5883.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/26/2008	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/25/2008	5883.52	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/24/2008	5883.34	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/23/2008	5883.63	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/22/2008	5883.56	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/21/2008	5883.57	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/20/2008	5883.44	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/19/2008	5883.41	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/18/2008	5883.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/17/2008	5883.71	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/16/2008	5883.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/15/2008	5883.59	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/14/2008	5883.79	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/13/2008	5883.43	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/12/2008	5883.45	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/11/2008	5883.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/10/2008	5883.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/9/2008	5883.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/8/2008	5883.55	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/7/2008	5883.47	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/6/2008	5883.48	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/5/2008	5883.74	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/4/2008	5883.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/3/2008	5883.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/2/2008	5883.49	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	2/1/2008	5883.41	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/31/2008	5883.68	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/30/2008	5883.61	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/29/2008	5883.8	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/28/2008	5883.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/27/2008	5883.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/26/2008	5883.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/25/2008	5883.43	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/24/2008	5883.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/23/2008	5883.31	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/22/2008	5883.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/21/2008	5883.47	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/20/2008	5883.32	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/19/2008	5883.29	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/18/2008	5883.47	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/17/2008	5883.45	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/16/2008	5883.56	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/15/2008	5883.15	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/14/2008	5883.17	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/13/2008	5883.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/12/2008	5883.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/11/2008	5883.31	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/10/2008	5883.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/9/2008	5883.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/8/2008	5883.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/7/2008	5883.48	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/6/2008	5883.44	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/5/2008	5883.25	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/4/2008	5883.15	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/3/2008	5882.99	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/2/2008	5882.86	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	1/1/2008	5882.98	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/31/2007	5883.4	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/30/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/29/2007	5883.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/28/2007	5883.48	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/27/2007	5883.57	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/26/2007	5883.31	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/25/2007	5883.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/24/2007	5883.08	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/23/2007	5883.11	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/22/2007	5883.47	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/21/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/20/2007	5883.2	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/19/2007	5883.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/18/2007	5883.19	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/17/2007	5883.17	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/16/2007	5883.14	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/15/2007	5883.3	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/14/2007	5883.25	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/13/2007	5883.08	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/12/2007	5883.11	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/11/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/10/2007	5883.14	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/9/2007	5883.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/8/2007	5883.3	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/7/2007	5883.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/6/2007	5883.21	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/5/2007	5883.03	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/4/2007	5882.79	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/3/2007	5882.8	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/2/2007	5883.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	12/1/2007	5883.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/30/2007	5883.02	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/29/2007	5882.89	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/28/2007	5883.04	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/27/2007	5882.82	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/26/2007	5883.03	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/25/2007	5883.04	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/24/2007	5883.13	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/23/2007	5882.98	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/22/2007	5882.9	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/21/2007	5883.1	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/20/2007	5882.93	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/19/2007	5882.86	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/18/2007	5882.95	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/17/2007	5883	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/16/2007	5882.83	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/15/2007	5882.66	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/14/2007	5882.85	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/13/2007	5882.69	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/12/2007	5882.9	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/11/2007	5882.93	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/10/2007	5882.84	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/9/2007	5882.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/8/2007	5882.74	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/7/2007	5882.68	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/6/2007	5882.64	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/5/2007	5882.72	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/4/2007	5882.6	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/3/2007	5882.62	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/2/2007	5882.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	11/1/2007	5882.61	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/31/2007	5882.72	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/30/2007	5882.54	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/29/2007	5882.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/28/2007	5882.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/27/2007	5882.52	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/26/2007	5882.65	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/25/2007	5882.43	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/24/2007	5882.31	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/23/2007	5882.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/22/2007	5882.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/21/2007	5882.88	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/20/2007	5882.62	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/19/2007	5882.61	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/18/2007	5882.86	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/17/2007	5882.96	Manual

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/17/2007	5882.93	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/16/2007	5882.75	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/15/2007	5882.77	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/14/2007	5882.89	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/13/2007	5882.86	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/12/2007	5882.75	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/11/2007	5882.68	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/10/2007	5882.57	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/9/2007	5882.54	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/8/2007	5882.64	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/7/2007	5882.79	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/6/2007	5882.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/5/2007	5882.7	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/4/2007	5882.65	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/3/2007	5882.5	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/2/2007	5882.5	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	10/1/2007	5882.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/30/2007	5882.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/29/2007	5882.55	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/28/2007	5882.34	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/27/2007	5882.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/26/2007	5882.48	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/25/2007	5882.52	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/24/2007	5882.6	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/23/2007	5882.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/22/2007	5882.48	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/21/2007	5882.5	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/20/2007	5882.57	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/19/2007	5882.56	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/18/2007	5882.55	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/17/2007	5882.49	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/16/2007	5882.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/15/2007	5882.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/14/2007	5882.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/13/2007	5882.47	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/12/2007	5882.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/11/2007	5882.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/10/2007	5882.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/9/2007	5882.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/8/2007	5882.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/7/2007	5882.43	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/6/2007	5882.45	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/5/2007	5882.48	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/4/2007	5882.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/3/2007	5882.2	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/2/2007	5882.18	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	9/1/2007	5882.09	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/31/2007	5882.08	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/30/2007	5882.08	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/29/2007	5882.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/28/2007	5882.13	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/27/2007	5882.11	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/26/2007	5882.09	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/25/2007	5882.15	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/24/2007	5882.25	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/23/2007	5882.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/22/2007	5882.19	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/21/2007	5882.19	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/20/2007	5882.12	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/19/2007	5882.13	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/18/2007	5882.03	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/17/2007	5882	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/16/2007	5882.07	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/15/2007	5882.05	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/14/2007	5882.03	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/13/2007	5882.04	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/12/2007	5882.07	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/11/2007	5882.06	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/10/2007	5882.08	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/9/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/8/2007	5882.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/7/2007	5882.28	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/6/2007	5882.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/5/2007	5882.21	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/4/2007	5882.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/3/2007	5882.13	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/2/2007	5882.18	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	8/1/2007	5882.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/31/2007	5882.17	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/30/2007	5882.25	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/29/2007	5882.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/28/2007	5882.23	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/27/2007	5882.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/26/2007	5882.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/25/2007	5882.2	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/24/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/23/2007	5882.15	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/22/2007	5882.14	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/21/2007	5882.18	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/20/2007	5882.2	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/19/2007	5882.2	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/18/2007	5882.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/17/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/16/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/15/2007	5882.19	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/14/2007	5882.17	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/13/2007	5882.21	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/12/2007	5882.18	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/11/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/10/2007	5882.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/9/2007	5882.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/8/2007	5882.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/7/2007	5882.19	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/6/2007	5882.16	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/5/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/4/2007	5882.22	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/3/2007	5882.2	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/2/2007	5882.21	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	7/1/2007	5882.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/30/2007	5882.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/29/2007	5882.25	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/28/2007	5882.25	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/27/2007	5882.3	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/26/2007	5882.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/25/2007	5882.42	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/24/2007	5882.42	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/23/2007	5882.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/22/2007	5882.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/21/2007	5882.31	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/20/2007	5882.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/19/2007	5882.53	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/18/2007	5882.67	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/17/2007	5882.5	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/16/2007	5882.54	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/15/2007	5882.61	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/14/2007	5882.61	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/13/2007	5882.67	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/12/2007	5882.67	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/11/2007	5882.6	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/10/2007	5882.6	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/9/2007	5882.68	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/8/2007	5882.74	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/7/2007	5883.05	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/6/2007	5882.98	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/5/2007	5882.73	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/4/2007	5882.72	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/3/2007	5882.73	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/2/2007	5882.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	6/1/2007	5882.82	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/31/2007	5882.73	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/30/2007	5882.87	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/29/2007	5882.99	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/28/2007	5882.88	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/27/2007	5882.84	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/26/2007	5882.78	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/25/2007	5882.82	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/24/2007	5882.87	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/23/2007	5883.02	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/22/2007	5883.15	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/21/2007	5882.99	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/20/2007	5882.86	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/19/2007	5882.79	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/18/2007	5882.79	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/17/2007	5882.76	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/16/2007	5882.8	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/15/2007	5882.86	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/14/2007	5882.77	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/13/2007	5882.72	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/12/2007	5882.8	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/11/2007	5882.92	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/10/2007	5883.08	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/9/2007	5883.12	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/8/2007	5883.09	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/7/2007	5883.17	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/6/2007	5883.43	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/5/2007	5883.57	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/4/2007	5883.4	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/3/2007	5883.3	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/2/2007	5883.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	5/1/2007	5883.24	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/30/2007	5883.11	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/29/2007	5883.01	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/28/2007	5883.1	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/27/2007	5883.26	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/26/2007	5883.26	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/25/2007	5883.29	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/24/2007	5883.35	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/23/2007	5883.31	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/22/2007	5883.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/21/2007	5883.4	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/20/2007	5883.44	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/19/2007	5883.54	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/18/2007	5883.32	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/17/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/16/2007	5883.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/15/2007	5883.29	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/14/2007	5883.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/13/2007	5883.66	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/12/2007	5883.58	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/11/2007	5883.55	Manual
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/11/2007	5883.62	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/10/2007	5883.63	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/9/2007	5883.54	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/8/2007	5883.44	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/7/2007	5883.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/6/2007	5883.27	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/5/2007	5883.3	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/4/2007	5883.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/3/2007	5883.42	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/2/2007	5883.36	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	4/1/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/31/2007	5883.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/30/2007	5883.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/29/2007	5883.53	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/28/2007	5883.71	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/27/2007	5883.41	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/26/2007	5883.39	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/25/2007	5883.27	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/24/2007	5883.51	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/23/2007	5883.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/22/2007	5883.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/21/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/20/2007	5883.26	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/19/2007	5883.3	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/18/2007	5883.26	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/17/2007	5883.14	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/16/2007	5883.17	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/15/2007	5883.38	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/14/2007	5883.42	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/13/2007	5883.32	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/12/2007	5883.18	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/11/2007	5883.32	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/10/2007	5883.33	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/9/2007	5883.37	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/8/2007	5883.34	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/7/2007	5883.29	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/6/2007	5883.21	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/5/2007	5883.04	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/4/2007	5883.12	Transducer
R-17	1124	P2A	7041	10	1124	1134	4.5	5.3	3/3/2007	5883.43	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/24/2008	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/23/2008	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/22/2008	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/21/2008	6117	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/20/2008	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/19/2008	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/18/2008	6117.2	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/17/2008	6117.4	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/16/2008	6117.35	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/15/2008	6117.3	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/14/2008	6117.3	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/13/2008	6117.19	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/12/2008	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/11/2008	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/10/2008	6116.86	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/9/2008	6117.18	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/8/2008	6117.03	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/7/2008	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/6/2008	6117.16	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/5/2008	6117.3	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/4/2008	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/3/2008	6117.18	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/2/2008	6117.26	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/1/2008	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/29/2008	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/28/2008	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/27/2008	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/26/2008	6116.97	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/25/2008	6117.13	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/24/2008	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/23/2008	6117.27	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/22/2008	6117.2	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/21/2008	6117.22	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/20/2008	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/19/2008	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/18/2008	6117.14	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/17/2008	6117.34	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/16/2008	6117.13	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/15/2008	6117.21	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/14/2008	6117.45	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/13/2008	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/12/2008	6117.1	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/11/2008	6117	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/10/2008	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/9/2008	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/8/2008	6117.23	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/7/2008	6117.14	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/6/2008	6117.17	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/5/2008	6117.47	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/4/2008	6117.52	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/3/2008	6117.22	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/2/2008	6117.2	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	2/1/2008	6117.07	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/31/2008	6117.39	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/30/2008	6117.3	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/29/2008	6117.53	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/28/2008	6117.21	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/27/2008	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/26/2008	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/25/2008	6117.14	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/24/2008	6117.08	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/23/2008	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/22/2008	6117.1	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/21/2008	6117.24	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/20/2008	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/19/2008	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/18/2008	6117.26	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/17/2008	6117.24	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/16/2008	6117.37	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/15/2008	6116.93	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/14/2008	6116.93	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/13/2008	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/12/2008	6117.17	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/11/2008	6117.13	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/10/2008	6117.21	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/9/2008	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/8/2008	6117.24	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/7/2008	6117.33	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/6/2008	6117.27	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/5/2008	6117.07	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/4/2008	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/3/2008	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/2/2008	6116.68	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	1/1/2008	6116.79	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/31/2007	6117.23	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/30/2007	6117.2	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/29/2007	6117.23	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/28/2007	6117.33	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/27/2007	6117.46	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/26/2007	6117.18	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/25/2007	6117.15	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/24/2007	6116.94	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/23/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/22/2007	6117.38	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/21/2007	6117.27	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/20/2007	6117.08	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/19/2007	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/18/2007	6117.1	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/17/2007	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/16/2007	6117.01	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/15/2007	6117.21	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/14/2007	6117.17	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/13/2007	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/12/2007	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/11/2007	6117.32	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/10/2007	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/9/2007	6117.18	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/8/2007	6117.24	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/7/2007	6117.22	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/6/2007	6117.17	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/5/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/4/2007	6116.73	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/3/2007	6116.71	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/2/2007	6117.29	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	12/1/2007	6117.33	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/30/2007	6117	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/29/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/28/2007	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/27/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/26/2007	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/25/2007	6117.08	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/24/2007	6117.19	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/23/2007	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/22/2007	6116.94	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/21/2007	6117.17	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/20/2007	6117.01	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/19/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/18/2007	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/17/2007	6117.07	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/16/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/15/2007	6116.73	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/14/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/13/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/12/2007	6117.03	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/11/2007	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/10/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/9/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/8/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/7/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/6/2007	6116.8	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/5/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/4/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/3/2007	6116.79	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/2/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	11/1/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/31/2007	6116.94	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/30/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/29/2007	6116.62	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/28/2007	6116.6	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/27/2007	6116.8	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/26/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/25/2007	6116.72	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/24/2007	6116.59	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/23/2007	6116.72	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/22/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/21/2007	6117.28	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/20/2007	6117.01	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/19/2007	6117	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/18/2007	6117.29	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/17/2007	6117.3	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/16/2007	6117.1	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/15/2007	6117.07	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/14/2007	6117.19	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/13/2007	6117.16	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/12/2007	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/11/2007	6116.97	Manual
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/11/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/10/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/9/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/8/2007	6116.94	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/7/2007	6117.11	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/6/2007	6117.12	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/5/2007	6117.08	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/4/2007	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/3/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/2/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	10/1/2007	6116.73	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/30/2007	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/29/2007	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/28/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/27/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/26/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/25/2007	6116.93	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/24/2007	6117.08	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/23/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/22/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/21/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/20/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/19/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/18/2007	6117.01	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/17/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/16/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/15/2007	6116.79	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/14/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/13/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/12/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/11/2007	6116.74	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/10/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/9/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/8/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/7/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/6/2007	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/5/2007	6117.02	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/4/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/3/2007	6116.76	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/2/2007	6116.75	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	9/1/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/31/2007	6116.7	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/30/2007	6116.67	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/29/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/28/2007	6116.88	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/27/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/26/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/25/2007	6116.93	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/24/2007	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/23/2007	6117	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/22/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/21/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/20/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/19/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/18/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/17/2007	6116.79	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/16/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/15/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/14/2007	6116.71	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/13/2007	6116.67	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/12/2007	6116.75	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/11/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/10/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/9/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/8/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/7/2007	6116.94	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/6/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/5/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/4/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/3/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/2/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	8/1/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/31/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/30/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/29/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/28/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/27/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/26/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/25/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/24/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/23/2007	6116.74	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/22/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/21/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/20/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/19/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/18/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/17/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/16/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/15/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/14/2007	6116.74	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/13/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/12/2007	6116.71	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/11/2007	6116.76	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/10/2007	6116.87	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/9/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/8/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/7/2007	6116.72	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/6/2007	6116.67	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/5/2007	6116.69	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/4/2007	6116.8	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/3/2007	6116.79	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/2/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	7/1/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/30/2007	6116.8	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/29/2007	6116.76	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/28/2007	6116.74	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/27/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/26/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/25/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/24/2007	6116.93	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/23/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/22/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/21/2007	6116.76	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/20/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/19/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/18/2007	6117.03	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/17/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/16/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/15/2007	6116.97	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/14/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/13/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/12/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/11/2007	6116.97	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/10/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/9/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/8/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/7/2007	6117.28	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/6/2007	6117.13	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/5/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/4/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/3/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/2/2007	6117	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	6/1/2007	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/31/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/30/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/29/2007	6117.03	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/28/2007	6116.94	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/27/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/26/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/25/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/24/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/23/2007	6117.1	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/22/2007	6117.19	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/21/2007	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/20/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/19/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/18/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/17/2007	6116.78	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/16/2007	6116.72	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/15/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/14/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/13/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/12/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/11/2007	6116.82	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/10/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/9/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/8/2007	6116.85	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/7/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/6/2007	6117.24	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/5/2007	6117.37	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/4/2007	6117.19	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/3/2007	6117.08	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/2/2007	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	5/1/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/30/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/29/2007	6116.74	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/28/2007	6116.79	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/27/2007	6117.03	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/26/2007	6117.03	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/25/2007	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/24/2007	6117.15	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/23/2007	6117.1	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/22/2007	6117.14	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/21/2007	6117.15	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/20/2007	6117.13	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/19/2007	6117.25	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/18/2007	6117.01	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/17/2007	6117.09	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/16/2007	6117.06	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/15/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/14/2007	6116.99	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/13/2007	6117.31	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/12/2007	6117.19	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/11/2007	6117.21	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/10/2007	6117.25	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/9/2007	6117.2	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/8/2007	6117.13	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/7/2007	6116.98	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/6/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/5/2007	6116.89	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/4/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/3/2007	6116.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/2/2007	6117.01	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	4/1/2007	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/31/2007	6117.04	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/30/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/29/2007	6117.14	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/28/2007	6117.4	Manual
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/28/2007	6117.22	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/27/2007	6116.9	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/26/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/25/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/24/2007	6117.05	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/23/2007	6116.93	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/22/2007	6116.87	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/21/2007	6116.95	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/20/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/19/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/18/2007	6116.83	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/17/2007	6116.7	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/16/2007	6116.72	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/15/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/14/2007	6116.96	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/13/2007	6116.86	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/12/2007	6116.74	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/11/2007	6116.91	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/10/2007	6116.88	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/9/2007	6116.92	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/8/2007	6116.84	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/7/2007	6116.81	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/6/2007	6116.77	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/5/2007	6116.63	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/4/2007	6116.72	Transducer
R-18	1358	Single	5861	23	1358	1381	4.46	5.27	3/3/2007	6117.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/24/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/23/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/22/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/21/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/20/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/17/2008	6168.95	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/14/2008	6168.95	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/28/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/27/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/26/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/25/2008	6169.29	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/24/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/23/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/22/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/21/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/20/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/19/2008	6169.31	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/18/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/17/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/16/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/15/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/14/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/13/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/12/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/11/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/10/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/9/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/8/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/7/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/6/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/5/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/4/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/3/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/2/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	2/1/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/31/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/30/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/29/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/28/2008	6169.3	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/27/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/26/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/25/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/24/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/23/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/22/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/21/2008	6169.31	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/20/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/19/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/18/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/17/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/16/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/15/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/14/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/13/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/12/2008	6169.33	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/11/2008	6169.32	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	1/10/2008	6169.27	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	12/7/2007	6168.93	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	9/4/2007	6169.16	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/26/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/25/2007	6169.11	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/24/2007	6169.11	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/23/2007	6169.11	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/22/2007	6169.1	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/21/2007	6169.11	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/20/2007	6169.11	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/19/2007	6169.1	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/18/2007	6169.1	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/17/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/16/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/15/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/14/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/13/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/12/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/11/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/10/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/9/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/8/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/7/2007	6169.1	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/6/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/5/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/4/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/3/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/2/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	6/1/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/31/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/30/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/29/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/28/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/27/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/26/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/25/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/24/2007	6169.09	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/23/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/22/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/21/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/20/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/19/2007	6169.08	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/18/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/17/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/16/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/15/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/14/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/13/2007	6169.07	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/12/2007	6169.06	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/11/2007	6169.06	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/10/2007	6169.06	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/9/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/8/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/7/2007	6169.06	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/6/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/5/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/4/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/3/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/2/2007	6169.05	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	5/1/2007	6169.06	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/30/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/29/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/28/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/27/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/26/2007	6169	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/25/2007	6169.01	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/24/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/23/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/22/2007	6169.06	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/21/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/20/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/19/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/2/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	4/1/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/31/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/30/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/29/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/28/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/27/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/26/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/25/2007	6169.04	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/24/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/23/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/22/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/21/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/20/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/19/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/18/2007	6169.01	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/17/2007	6169.02	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/16/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/15/2007	6169.02	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/14/2007	6169.01	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/13/2007	6169.01	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/12/2007	6169.01	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/11/2007	6169.02	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/10/2007	6169.01	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/9/2007	6169.02	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/8/2007	6169.02	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/7/2007	6169.02	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/6/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/5/2007	6169.03	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/4/2007	6169.05	Transducer
R-19	909.3	MP2A	232	16.3	893.3	909.6	4.5	5	3/3/2007	6169.05	Transducer
R-19	1190.7	MP3A	282	44	1171.4	1215.4	4.5	5	3/17/2008	5887.11	Transducer
R-19	1190.7	MP3A	282	44	1171.4	1215.4	4.5	5	12/7/2007	5887.51	Transducer
R-19	1190.7	MP3A	282	44	1171.4	1215.4	4.5	5	9/6/2007	5887.25	Transducer
R-19	1190.7	MP3A	282	44	1171.4	1215.4	4.5	5	9/4/2007	5887.27	Transducer
R-19	1190.7	MP3A	282	44	1171.4	1215.4	4.5	5	7/2/2007	5887.09	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/24/2008	5881.19	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/23/2008	5881.21	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/22/2008	5881.17	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/21/2008	5881.15	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/20/2008	5881.13	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/13/2008	5881.17	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/12/2008	5881.1	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/28/2008	5881.07	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/27/2008	5881.16	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/26/2008	5881.15	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/25/2008	5881.03	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/24/2008	5881.19	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/23/2008	5881	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/22/2008	5881.01	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/21/2008	5880.97	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/20/2008	5881.01	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/19/2008	5881.09	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/18/2008	5881.1	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/17/2008	5881.03	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/16/2008	5881.09	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/15/2008	5881.1	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/14/2008	5880.97	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/13/2008	5881.1	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/12/2008	5881.09	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/11/2008	5881.09	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/10/2008	5881.14	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/9/2008	5881.1	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/8/2008	5880.97	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/7/2008	5881.06	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/6/2008	5881.07	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/5/2008	5880.96	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/4/2008	5880.89	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/3/2008	5881	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/2/2008	5881.01	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	2/1/2008	5881.1	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/31/2008	5881.03	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/30/2008	5881	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/29/2008	5880.89	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/28/2008	5880.94	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/27/2008	5881.07	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/26/2008	5881.08	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/25/2008	5880.97	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/24/2008	5880.96	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/23/2008	5880.93	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/22/2008	5880.94	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/21/2008	5880.85	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/20/2008	5880.93	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/19/2008	5880.97	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/18/2008	5880.89	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/17/2008	5880.84	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/16/2008	5880.69	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/15/2008	5880.85	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/14/2008	5880.88	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/13/2008	5880.82	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/12/2008	5880.76	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/11/2008	5880.74	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	1/10/2008	5880.71	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	12/6/2007	5880.67	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	12/5/2007	5880.69	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	9/11/2007	5879.93	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	9/10/2007	5879.58	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	9/6/2007	5879.63	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	7/17/2007	5879.12	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	7/2/2007	5879.24	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/28/2007	5879.47	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/25/2007	5879.25	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/24/2007	5879.23	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/23/2007	5879.29	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/22/2007	5879.27	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/21/2007	5879.31	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/20/2007	5879.36	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/19/2007	5879.36	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/18/2007	5879.23	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/17/2007	5879.36	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/16/2007	5879.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/15/2007	5879.35	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/14/2007	5879.47	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/13/2007	5879.42	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/12/2007	5879.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/11/2007	5879.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/10/2007	5879.43	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/9/2007	5879.52	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/8/2007	5879.56	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/7/2007	5879.48	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/6/2007	5879.48	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/5/2007	5879.55	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/4/2007	5879.57	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/3/2007	5879.5	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/2/2007	5879.52	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	6/1/2007	5879.45	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/31/2007	5879.56	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/30/2007	5879.57	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/29/2007	5879.63	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/28/2007	5879.61	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/27/2007	5879.61	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/26/2007	5879.59	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/25/2007	5879.66	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/24/2007	5879.66	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/23/2007	5879.68	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/22/2007	5879.64	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/21/2007	5879.68	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/20/2007	5879.72	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/19/2007	5879.82	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/18/2007	5879.69	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/17/2007	5879.73	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/16/2007	5879.75	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/15/2007	5879.73	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/14/2007	5879.61	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/13/2007	5879.73	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/12/2007	5879.86	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/11/2007	5879.91	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/10/2007	5879.93	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/9/2007	5880	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/8/2007	5880.09	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/7/2007	5880.07	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/6/2007	5880.23	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/5/2007	5880.2	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/4/2007	5880.23	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/3/2007	5880.25	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/2/2007	5880.29	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	5/1/2007	5880.29	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/30/2007	5880.16	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/29/2007	5880.29	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/28/2007	5880.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/27/2007	5880.27	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/26/2007	5880.29	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/25/2007	5880.32	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/24/2007	5880.24	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/23/2007	5880.21	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/22/2007	5880.27	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/21/2007	5880.19	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/20/2007	5880.37	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/19/2007	5880.14	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/2/2007	5880.32	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	4/1/2007	5880.36	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/31/2007	5880.45	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/30/2007	5880.5	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/29/2007	5880.48	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/28/2007	5880.45	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/27/2007	5880.48	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/26/2007	5880.56	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/25/2007	5880.47	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/24/2007	5880.45	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/23/2007	5880.47	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/22/2007	5880.47	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/21/2007	5880.39	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/20/2007	5880.41	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/19/2007	5880.29	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/18/2007	5880.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/17/2007	5880.43	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/16/2007	5880.48	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/15/2007	5880.39	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/14/2007	5880.39	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/13/2007	5880.41	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/12/2007	5880.39	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/11/2007	5880.39	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/10/2007	5880.47	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/9/2007	5880.5	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/8/2007	5880.57	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/7/2007	5880.43	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/6/2007	5880.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/5/2007	5880.38	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/4/2007	5880.45	Transducer
R-19	1412.9	MP4A	352	7.2	1410.2	1417.4	4.5	5	3/3/2007	5880.48	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/24/2008	5878.39	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/23/2008	5878.41	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/22/2008	5878.36	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/21/2008	5878.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/20/2008	5878.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/14/2008	5878.39	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/13/2008	5878.34	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/28/2008	5878.21	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/27/2008	5878.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/26/2008	5878.31	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/25/2008	5878.21	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/24/2008	5878.34	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/23/2008	5878.15	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/22/2008	5878.17	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/21/2008	5878.1	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/20/2008	5878.17	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/19/2008	5878.22	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/18/2008	5878.22	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/17/2008	5878.12	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/16/2008	5878.22	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/15/2008	5878.22	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/14/2008	5878.08	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/13/2008	5878.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/12/2008	5878.22	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/11/2008	5878.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/10/2008	5878.31	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/9/2008	5878.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/8/2008	5878.07	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/7/2008	5878.17	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/6/2008	5878.16	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/5/2008	5878.04	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/4/2008	5877.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/3/2008	5878.09	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/2/2008	5878.14	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	2/1/2008	5878.21	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/31/2008	5878.14	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/30/2008	5878.12	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/29/2008	5877.92	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/28/2008	5877.98	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/27/2008	5878.14	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/26/2008	5878.17	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/25/2008	5878.02	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/24/2008	5878.03	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/23/2008	5878.03	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/22/2008	5878	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/21/2008	5877.91	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/20/2008	5877.98	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/19/2008	5878.05	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/18/2008	5877.95	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/17/2008	5877.9	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/16/2008	5877.8	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/15/2008	5877.98	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/14/2008	5878.04	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/13/2008	5877.97	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/12/2008	5877.92	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/11/2008	5877.88	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	1/10/2008	5877.72	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	12/6/2007	5878.16	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	9/5/2007	5876.5	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	7/17/2007	5875.57	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/26/2007	5876.29	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/25/2007	5875.99	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/24/2007	5875.97	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/23/2007	5876.01	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/22/2007	5876.04	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/21/2007	5876.08	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/20/2007	5876.11	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/19/2007	5876.09	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/18/2007	5875.99	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/17/2007	5876.13	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/16/2007	5876.15	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/15/2007	5876.13	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/14/2007	5876.21	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/13/2007	5876.18	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/12/2007	5876.16	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/11/2007	5876.16	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/10/2007	5876.25	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/9/2007	5876.35	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/8/2007	5876.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/7/2007	5876.25	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/6/2007	5876.25	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/5/2007	5876.34	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/4/2007	5876.35	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/3/2007	5876.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/2/2007	5876.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	6/1/2007	5876.25	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/31/2007	5876.37	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/30/2007	5876.38	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/29/2007	5876.38	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/28/2007	5876.4	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/27/2007	5876.4	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/26/2007	5876.43	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/25/2007	5876.47	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/24/2007	5876.49	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/23/2007	5876.47	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/22/2007	5876.42	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/21/2007	5876.45	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/20/2007	5876.54	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/19/2007	5876.55	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/18/2007	5876.54	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/17/2007	5876.55	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/16/2007	5876.62	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/15/2007	5876.57	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/14/2007	5876.5	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/13/2007	5876.62	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/12/2007	5876.77	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/11/2007	5876.83	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/10/2007	5876.88	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/9/2007	5876.95	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/8/2007	5877.05	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/7/2007	5877.06	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/6/2007	5877.09	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/5/2007	5877.03	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/4/2007	5877.1	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/3/2007	5877.13	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/2/2007	5877.17	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	5/1/2007	5877.13	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/30/2007	5877.06	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/29/2007	5877.18	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/28/2007	5877.27	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/27/2007	5877.17	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/26/2007	5877.13	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/25/2007	5877.15	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/24/2007	5877.11	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/23/2007	5877.1	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/22/2007	5877.12	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/21/2007	5877.06	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/20/2007	5877.25	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/19/2007	5876.94	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/2/2007	5877.24	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	4/1/2007	5877.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/31/2007	5877.35	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/30/2007	5877.42	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/29/2007	5877.38	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/28/2007	5877.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/27/2007	5877.39	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/26/2007	5877.43	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/25/2007	5877.37	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/24/2007	5877.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/23/2007	5877.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/22/2007	5877.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/21/2007	5877.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/20/2007	5877.28	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/19/2007	5877.16	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/18/2007	5877.25	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/17/2007	5877.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/16/2007	5877.35	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/15/2007	5877.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/14/2007	5877.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/13/2007	5877.28	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/12/2007	5877.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/11/2007	5877.3	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/10/2007	5877.35	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/9/2007	5877.4	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/8/2007	5877.42	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/7/2007	5877.31	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/6/2007	5877.26	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/5/2007	5877.33	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/4/2007	5877.38	Transducer
R-19	1586.1	MP5A	402	7.2	1582.6	1589.8	4.5	5	3/3/2007	5877.35	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/24/2008	5871.82	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/23/2008	5871.84	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/22/2008	5871.78	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/21/2008	5871.72	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/20/2008	5871.3	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/14/2008	5871.1	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/28/2008	5871.63	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/27/2008	5871.74	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/26/2008	5871.68	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/25/2008	5871.58	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/24/2008	5871.7	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/23/2008	5871.51	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/22/2008	5871.56	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/21/2008	5871.55	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/20/2008	5871.63	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/19/2008	5871.68	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/18/2008	5871.62	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/17/2008	5871.55	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/16/2008	5871.67	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/15/2008	5871.62	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/14/2008	5871.51	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/13/2008	5871.73	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/12/2008	5871.7	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/11/2008	5871.74	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/10/2008	5871.8	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/9/2008	5871.72	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/8/2008	5871.61	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/7/2008	5871.68	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/6/2008	5871.64	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/5/2008	5871.48	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/4/2008	5871.44	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/3/2008	5871.58	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/2/2008	5871.6	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	2/1/2008	5871.68	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/31/2008	5871.53	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/30/2008	5871.53	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/29/2008	5871.38	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/28/2008	5871.51	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/27/2008	5871.67	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/26/2008	5871.67	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/25/2008	5871.48	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/24/2008	5871.5	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/23/2008	5871.5	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/22/2008	5871.43	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/21/2008	5871.34	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/20/2008	5871.4	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/19/2008	5871.4	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/18/2008	5871.29	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/17/2008	5871.29	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/16/2008	5871.22	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/15/2008	5871.42	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/14/2008	5871.42	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/13/2008	5871.33	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/12/2008	5871.23	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/11/2008	5871.23	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	1/10/2008	5871.17	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	12/6/2007	5871.37	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	9/5/2007	5868.49	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	9/4/2007	5868.63	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	7/17/2007	5866.04	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/27/2007	5867.84	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/25/2007	5868.02	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/24/2007	5868.02	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/23/2007	5868.09	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/22/2007	5868.12	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/21/2007	5868.21	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/20/2007	5868.23	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/19/2007	5868.18	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/18/2007	5868.14	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/17/2007	5868.31	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/16/2007	5868.33	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/15/2007	5868.27	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/14/2007	5868.32	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/13/2007	5868.32	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/12/2007	5868.33	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/11/2007	5868.36	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/10/2007	5868.52	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/9/2007	5868.6	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/8/2007	5868.58	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/7/2007	5868.43	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/6/2007	5868.46	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/5/2007	5868.57	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/4/2007	5868.6	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/3/2007	5868.58	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/2/2007	5868.59	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	6/1/2007	5868.63	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/31/2007	5868.74	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/30/2007	5868.7	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/29/2007	5868.67	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/28/2007	5868.72	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/27/2007	5868.76	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/26/2007	5868.84	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/25/2007	5868.85	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/24/2007	5868.84	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/23/2007	5868.78	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/22/2007	5868.72	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/21/2007	5868.8	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/20/2007	5868.89	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/19/2007	5868.95	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/18/2007	5869.01	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/17/2007	5869.05	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/16/2007	5869.12	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/15/2007	5869.1	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/14/2007	5869.24	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/13/2007	5869.42	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/12/2007	5869.57	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/11/2007	5869.69	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/10/2007	5869.74	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/9/2007	5869.84	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/8/2007	5869.98	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/7/2007	5870	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/6/2007	5869.91	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/5/2007	5869.81	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/4/2007	5869.9	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/3/2007	5869.93	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/2/2007	5869.96	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	5/1/2007	5869.93	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/30/2007	5870	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/29/2007	5870.07	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/28/2007	5870.07	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/27/2007	5869.92	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/26/2007	5869.95	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/25/2007	5869.96	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/24/2007	5869.5	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/2/2007	5870.3	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	4/1/2007	5870.34	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/31/2007	5870.34	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/30/2007	5870.39	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/29/2007	5870.3	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/28/2007	5870.17	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/27/2007	5870.25	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/26/2007	5870.25	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/25/2007	5870.27	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/24/2007	5870.13	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/23/2007	5870.15	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/22/2007	5870.15	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/21/2007	5870.07	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/20/2007	5870.15	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/19/2007	5870.1	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/18/2007	5870.13	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/17/2007	5870.17	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/16/2007	5870.22	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/15/2007	5870.12	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/14/2007	5870.1	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/13/2007	5870.18	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/12/2007	5870.29	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/11/2007	5870.23	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/10/2007	5870.23	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/9/2007	5870.22	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/8/2007	5870.18	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/7/2007	5870.13	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/6/2007	5870.18	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/5/2007	5870.3	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/4/2007	5870.32	Transducer
R-19	1730.1	MP6A	452	7.1	1726.8	1733.9	4.5	5	3/3/2007	5870.18	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	3/24/2008	5869.45	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	3/23/2008	5869.41	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	3/22/2008	5869.35	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	3/21/2008	5869.32	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	3/20/2008	5869.22	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	3/14/2008	5869.1	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	12/7/2007	5868.45	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	9/4/2007	5865.34	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	7/17/2007	5863.61	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/27/2007	5864.97	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/25/2007	5865.05	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/24/2007	5865.01	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/23/2007	5865.08	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/22/2007	5865.17	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/21/2007	5865.27	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/20/2007	5865.31	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/19/2007	5865.24	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/18/2007	5865.2	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/17/2007	5865.36	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/16/2007	5865.38	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/15/2007	5865.36	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/14/2007	5865.38	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/13/2007	5865.38	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/12/2007	5865.41	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/11/2007	5865.47	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/10/2007	5865.62	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/9/2007	5865.69	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/8/2007	5865.69	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/7/2007	5865.55	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/6/2007	5865.54	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/5/2007	5865.69	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/4/2007	5865.66	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/3/2007	5865.69	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/2/2007	5865.73	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	6/1/2007	5865.71	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/31/2007	5865.87	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/30/2007	5865.83	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/29/2007	5865.8	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/28/2007	5865.83	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/27/2007	5865.9	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/26/2007	5865.94	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/25/2007	5865.97	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/24/2007	5865.97	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/23/2007	5865.9	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/22/2007	5865.83	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/21/2007	5865.94	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/20/2007	5865.99	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/19/2007	5866.08	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/18/2007	5866.18	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/17/2007	5866.21	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/16/2007	5866.28	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/15/2007	5866.28	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/14/2007	5866.46	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/13/2007	5866.67	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/12/2007	5866.81	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/11/2007	5866.95	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/10/2007	5867.02	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/9/2007	5867.12	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/8/2007	5867.26	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/7/2007	5867.26	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/6/2007	5867.14	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/5/2007	5867.09	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/4/2007	5867.16	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/3/2007	5867.19	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/2/2007	5867.26	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	5/1/2007	5867.21	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/30/2007	5867.26	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/29/2007	5867.4	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/28/2007	5867.33	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/27/2007	5867.23	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/26/2007	5867.14	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/24/2007	5867.21	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/23/2007	5867.3	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/22/2007	5867.33	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/21/2007	5867.37	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/20/2007	5867.37	Transducer
R-19	1834.7	MP7A	502	7.1	1832.4	1839.5	4.5	5	4/19/2007	5867.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/10/2008	5761.74	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/28/2008	5762.18	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/27/2008	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/26/2008	5762.06	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/25/2008	5762.09	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/24/2008	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/23/2008	5761.94	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/22/2008	5761.91	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/21/2008	5762	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/20/2008	5762.05	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/19/2008	5761.99	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/18/2008	5761.9	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/17/2008	5761.9	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/16/2008	5761.95	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/15/2008	5761.82	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/14/2008	5761.98	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/13/2008	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/12/2008	5762.1	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/11/2008	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/10/2008	5762.12	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/9/2008	5762	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/8/2008	5761.99	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/7/2008	5761.92	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/6/2008	5761.81	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/5/2008	5761.74	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/4/2008	5761.85	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/3/2008	5761.95	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/2/2008	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	2/1/2008	5761.97	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/31/2008	5761.83	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/30/2008	5761.9	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/29/2008	5761.9	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/28/2008	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/27/2008	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/26/2008	5762.09	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/25/2008	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/24/2008	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/23/2008	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/22/2008	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/21/2008	5762.03	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/20/2008	5762.09	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/19/2008	5761.99	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/18/2008	5761.93	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/17/2008	5761.93	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/16/2008	5762.06	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/15/2008	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/14/2008	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/13/2008	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/12/2008	5761.97	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/11/2008	5761.98	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/10/2008	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/9/2008	5762	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/8/2008	5761.82	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/7/2008	5761.91	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/6/2008	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/5/2008	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/4/2008	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/3/2008	5762.4	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/2/2008	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	1/1/2008	5762.06	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/31/2007	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/30/2007	5761.94	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/29/2007	5761.88	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/28/2007	5761.77	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/27/2007	5761.93	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/26/2007	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/25/2007	5762.11	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/24/2007	5762.11	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/23/2007	5761.97	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/22/2007	5761.83	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/21/2007	5761.98	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/20/2007	5762	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/18/2007	5761.74	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/12/2007	5761.98	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/11/2007	5761.98	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/10/2007	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/9/2007	5761.93	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/8/2007	5761.96	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/7/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/6/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/5/2007	5762.3	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/4/2007	5762.33	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/3/2007	5762.1	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/2/2007	5761.9	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	12/1/2007	5762.11	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/30/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/29/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/28/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/27/2007	5762.12	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/26/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/25/2007	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/24/2007	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/23/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/22/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/21/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/20/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/19/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/18/2007	5762.12	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/17/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/16/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/15/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/14/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/13/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/12/2007	5762.05	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/11/2007	5762.1	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/10/2007	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/9/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/8/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/7/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/6/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/5/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/4/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/3/2007	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/2/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	11/1/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/31/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/30/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/29/2007	5762.39	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/28/2007	5762.31	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/27/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/26/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/25/2007	5762.39	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/24/2007	5762.35	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/23/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/22/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/21/2007	5761.98	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/20/2007	5762.05	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/19/2007	5761.93	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/18/2007	5761.83	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/17/2007	5761.93	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/16/2007	5761.99	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/15/2007	5761.95	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/14/2007	5761.95	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/13/2007	5762.04	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/12/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/11/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/10/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/9/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/8/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/7/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/6/2007	5762.07	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/5/2007	5762.12	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/4/2007	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/3/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/2/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	10/1/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/30/2007	5762.1	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/29/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/28/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/27/2007	5762.18	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/26/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/25/2007	5762.1	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/24/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/23/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/22/2007	5762.13	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/21/2007	5762.11	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/19/2007	5762.14	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/18/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/14/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/13/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/12/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/11/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/10/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/9/2007	5762.18	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/8/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/7/2007	5762.13	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/6/2007	5762.14	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/5/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/4/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/3/2007	5762.31	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/2/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	9/1/2007	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/31/2007	5762.31	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/30/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/29/2007	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/28/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/27/2007	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/26/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/25/2007	5762.13	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/24/2007	5762.12	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/23/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/22/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/21/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/20/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/19/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/18/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/17/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/16/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/15/2007	5762.3	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/14/2007	5762.33	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/13/2007	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/12/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/11/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/10/2007	5762.24	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/9/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/8/2007	5762.18	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/7/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/6/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/5/2007	5762.24	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/4/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/3/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/2/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	8/1/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/31/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/30/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/29/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/28/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/27/2007	5762.24	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/26/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/25/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/24/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/23/2007	5762.3	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/22/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/21/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/20/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/19/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/18/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/17/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/16/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/15/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/14/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/13/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/12/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/10/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/3/2007	5762.33	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/2/2007	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	7/1/2007	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/30/2007	5762.34	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/29/2007	5762.35	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/28/2007	5762.34	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/27/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/26/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/25/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/24/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/23/2007	5762.31	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/22/2007	5762.34	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/21/2007	5762.34	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/20/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/19/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/18/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/17/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/16/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/15/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/14/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/13/2007	5762.26	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/12/2007	5762.24	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/11/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/10/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/9/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/8/2007	5762.06	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/7/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/6/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/5/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/4/2007	5762.24	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/3/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/2/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	6/1/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/31/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/30/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/29/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/28/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/27/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/26/2007	5762.3	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/25/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/24/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/23/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/22/2007	5762.13	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/21/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/20/2007	5762.35	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/19/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/18/2007	5762.41	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/17/2007	5762.42	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/16/2007	5762.4	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/15/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/14/2007	5762.38	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/13/2007	5762.4	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/12/2007	5762.38	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/11/2007	5762.33	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/10/2007	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/9/2007	5762.32	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/8/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/7/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/6/2007	5761.99	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/5/2007	5762.03	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/4/2007	5762.14	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/3/2007	5762.22	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/2/2007	5762.27	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	5/1/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/30/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/29/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/28/2007	5762.25	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/27/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/26/2007	5762.19	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/25/2007	5762.13	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/24/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/23/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/22/2007	5762.1	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/21/2007	5762.14	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/20/2007	5762.13	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/19/2007	5762.17	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/18/2007	5762.2	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/17/2007	5762.18	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/16/2007	5762.21	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/15/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/14/2007	5762.06	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/13/2007	5762.03	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/12/2007	5762.06	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/11/2007	5762.02	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/10/2007	5762.08	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/9/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/8/2007	5762.24	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/7/2007	5762.29	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/6/2007	5762.28	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/5/2007	5762.3	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/4/2007	5762.23	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/3/2007	5762.15	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	4/2/2007	5762.16	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/22/2007	5761.95	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/19/2007	5762.34	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/18/2007	5762.43	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/17/2007	5762.44	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/16/2007	5762.35	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/15/2007	5762.33	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/14/2007	5762.35	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/13/2007	5762.42	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/12/2007	5762.4	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/11/2007	5762.34	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/10/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/9/2007	5762.37	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/8/2007	5762.47	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/7/2007	5762.48	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/6/2007	5762.54	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/5/2007	5762.53	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/4/2007	5762.33	Transducer
R-22	907.1	MP1A	682	41.9	872.3	914.2	4.5	5.56	3/3/2007	5762.12	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/4/2008	5754.7	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/28/2008	5755.08	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/27/2008	5755.09	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/26/2008	5755.01	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/25/2008	5755.01	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/24/2008	5754.96	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/23/2008	5754.91	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/22/2008	5754.92	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/21/2008	5754.96	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/20/2008	5754.99	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/19/2008	5754.98	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/18/2008	5754.93	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/17/2008	5754.94	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/16/2008	5754.98	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/15/2008	5754.94	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/14/2008	5754.98	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/13/2008	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/12/2008	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/11/2008	5755.1	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/10/2008	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/9/2008	5754.99	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/8/2008	5754.96	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/7/2008	5754.95	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/6/2008	5754.9	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/5/2008	5754.86	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/4/2008	5754.92	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/3/2008	5755	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/2/2008	5755.02	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	2/1/2008	5755.02	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/31/2008	5754.96	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/30/2008	5754.98	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/29/2008	5754.99	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/28/2008	5755.13	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/27/2008	5755.16	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/26/2008	5755.11	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/25/2008	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/24/2008	5755.07	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/23/2008	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/22/2008	5755.03	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/21/2008	5755.06	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/20/2008	5755.1	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/19/2008	5755.07	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/18/2008	5755.04	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/17/2008	5755.05	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/16/2008	5755.12	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/15/2008	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/14/2008	5755.14	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/13/2008	5755.08	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/12/2008	5755.05	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/11/2008	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/10/2008	5755.04	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/9/2008	5755.05	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/8/2008	5754.99	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/7/2008	5755.03	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/6/2008	5755.11	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/5/2008	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/4/2008	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/3/2008	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/2/2008	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	1/1/2008	5755.14	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/31/2007	5755.04	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/30/2007	5755.03	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/29/2007	5755	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/28/2007	5754.95	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/27/2007	5755.01	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/26/2007	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/25/2007	5755.13	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/24/2007	5755.15	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/23/2007	5755.09	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/22/2007	5755.02	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/21/2007	5755.12	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/20/2007	5755.12	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/18/2007	5754.86	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/17/2007	5754.82	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/12/2007	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/11/2007	5755.05	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/10/2007	5755.1	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/9/2007	5755.05	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/8/2007	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/7/2007	5755.11	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/6/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/5/2007	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/4/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/3/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/2/2007	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	12/1/2007	5755.16	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/30/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/29/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/28/2007	5755.18	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/27/2007	5755.17	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/26/2007	5755.11	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/25/2007	5755.11	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/24/2007	5755.12	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/23/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/22/2007	5755.17	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/21/2007	5755.15	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/20/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/19/2007	5755.22	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/18/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/17/2007	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/16/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/15/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/14/2007	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/13/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/12/2007	5755.14	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/11/2007	5755.17	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/10/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/9/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/8/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/7/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/6/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/5/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/4/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/3/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/2/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	11/1/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/31/2007	5755.26	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/30/2007	5755.33	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/29/2007	5755.33	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/28/2007	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/27/2007	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/26/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/25/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/24/2007	5755.29	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/23/2007	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/22/2007	5755.06	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/21/2007	5755	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/20/2007	5755.04	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/19/2007	5754.98	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/18/2007	5754.92	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/17/2007	5754.96	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/16/2007	5755.03	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/15/2007	5755.02	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/14/2007	5755.03	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/13/2007	5755.1	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/12/2007	5755.18	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/11/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/10/2007	5755.27	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/9/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/8/2007	5755.15	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/7/2007	5755.12	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/6/2007	5755.14	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/5/2007	5755.17	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/4/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/3/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/2/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	10/1/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/30/2007	5755.14	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/29/2007	5755.18	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/28/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/27/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/26/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/25/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/24/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/23/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/22/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/21/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/18/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/14/2007	5755.26	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/13/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/12/2007	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/11/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/10/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/9/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/8/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/7/2007	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/6/2007	5755.2	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/5/2007	5755.24	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/4/2007	5755.29	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/3/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/2/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	9/1/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/31/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/30/2007	5755.26	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/29/2007	5755.22	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/28/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/27/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/26/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/25/2007	5755.18	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/24/2007	5755.17	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/23/2007	5755.19	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/22/2007	5755.21	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/21/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/20/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/19/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/18/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/17/2007	5755.28	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/16/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/15/2007	5755.31	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/14/2007	5755.34	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/13/2007	5755.32	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/12/2007	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/11/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/10/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/9/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/8/2007	5755.22	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/7/2007	5755.23	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/6/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/5/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/4/2007	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/3/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/2/2007	5755.25	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	8/1/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/31/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/30/2007	5755.27	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/29/2007	5755.28	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/28/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/27/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/26/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/25/2007	5755.33	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/24/2007	5755.36	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/23/2007	5755.37	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/22/2007	5755.35	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/21/2007	5755.33	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/20/2007	5755.33	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/19/2007	5755.34	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/18/2007	5755.35	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/17/2007	5755.37	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/16/2007	5755.39	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/15/2007	5755.41	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/14/2007	5755.42	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/13/2007	5755.39	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/12/2007	5755.33	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/11/2007	5755.37	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/10/2007	5755.3	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/3/2007	5755.46	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/2/2007	5755.45	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	7/1/2007	5755.45	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/30/2007	5755.48	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/29/2007	5755.5	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/28/2007	5755.49	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/27/2007	5755.46	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/26/2007	5755.43	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/25/2007	5755.43	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/24/2007	5755.45	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/23/2007	5755.49	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/22/2007	5755.51	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/21/2007	5755.51	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/20/2007	5755.48	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/19/2007	5755.42	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/18/2007	5755.43	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/17/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/16/2007	5755.45	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/15/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/14/2007	5755.49	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/13/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/12/2007	5755.46	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/11/2007	5755.48	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/10/2007	5755.5	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/9/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/8/2007	5755.39	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/7/2007	5755.37	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/6/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/5/2007	5755.53	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/4/2007	5755.52	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/3/2007	5755.5	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/2/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	6/1/2007	5755.5	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/31/2007	5755.54	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/30/2007	5755.52	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/29/2007	5755.53	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/28/2007	5755.58	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/27/2007	5755.59	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/26/2007	5755.61	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/25/2007	5755.58	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/24/2007	5755.53	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/23/2007	5755.5	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/22/2007	5755.54	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/21/2007	5755.6	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/20/2007	5755.65	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/19/2007	5755.68	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/18/2007	5755.71	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/17/2007	5755.72	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/16/2007	5755.7	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/15/2007	5755.68	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/14/2007	5755.7	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/13/2007	5755.72	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/12/2007	5755.72	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/11/2007	5755.69	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/10/2007	5755.66	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/9/2007	5755.67	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/8/2007	5755.63	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/7/2007	5755.54	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/6/2007	5755.47	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/5/2007	5755.5	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/4/2007	5755.57	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/3/2007	5755.63	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/2/2007	5755.66	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	5/1/2007	5755.68	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/30/2007	5755.73	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/29/2007	5755.75	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/28/2007	5755.68	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/27/2007	5755.62	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/26/2007	5755.62	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/25/2007	5755.58	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/24/2007	5755.58	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/23/2007	5755.6	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/22/2007	5755.58	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/21/2007	5755.59	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/20/2007	5755.59	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/19/2007	5755.6	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/18/2007	5755.64	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/17/2007	5755.62	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/16/2007	5755.66	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/15/2007	5755.66	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/14/2007	5755.59	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/13/2007	5755.56	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/12/2007	5755.6	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/11/2007	5755.58	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/10/2007	5755.6	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/9/2007	5755.65	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/8/2007	5755.72	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/7/2007	5755.76	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/6/2007	5755.76	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/5/2007	5755.77	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/4/2007	5755.74	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/3/2007	5755.68	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	4/2/2007	5755.63	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/20/2007	5755.51	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/19/2007	5755.77	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/18/2007	5755.83	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/17/2007	5755.85	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/16/2007	5755.82	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/15/2007	5755.78	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/14/2007	5755.81	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/13/2007	5755.85	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/12/2007	5755.85	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/11/2007	5755.81	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/10/2007	5755.83	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/9/2007	5755.83	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/8/2007	5755.86	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/7/2007	5755.87	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/6/2007	5755.9	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/5/2007	5755.88	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/4/2007	5755.77	Transducer
R-22	962.8	MP2A	722	41.9	947	988.9	4.5	5.56	3/3/2007	5755.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/5/2008	5699.14	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/28/2008	5699.41	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/27/2008	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/26/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/25/2008	5699.35	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/24/2008	5699.48	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/23/2008	5699.36	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/22/2008	5699.41	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/21/2008	5699.34	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/20/2008	5699.37	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/19/2008	5699.39	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/18/2008	5699.41	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/17/2008	5699.37	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/16/2008	5699.41	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/15/2008	5699.48	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/14/2008	5699.37	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/13/2008	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/12/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/11/2008	5699.41	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/10/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/9/2008	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/8/2008	5699.34	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/7/2008	5699.36	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/6/2008	5699.4	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/5/2008	5699.36	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/4/2008	5699.35	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/3/2008	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/2/2008	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	2/1/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/31/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/30/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/29/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/28/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/27/2008	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/26/2008	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/25/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/24/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/23/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/22/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/21/2008	5699.39	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/20/2008	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/19/2008	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/18/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/17/2008	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/16/2008	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/15/2008	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/14/2008	5699.54	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/13/2008	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/12/2008	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/11/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/10/2008	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/9/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/8/2008	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/7/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/6/2008	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/5/2008	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/4/2008	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/3/2008	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/2/2008	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	1/1/2008	5699.55	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/31/2007	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/30/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/29/2007	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/28/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/27/2007	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/26/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/25/2007	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/24/2007	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/23/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/22/2007	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/21/2007	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/20/2007	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/18/2007	5699.33	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/12/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/11/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/10/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/9/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/8/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/7/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/6/2007	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/5/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/4/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/3/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/2/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	12/1/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/30/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/29/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/28/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/27/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/26/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/25/2007	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/24/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/23/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/22/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/21/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/20/2007	5699.58	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/19/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/18/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/17/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/16/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/15/2007	5699.68	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/14/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/13/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/12/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/11/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/10/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/9/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/8/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/7/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/6/2007	5699.68	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/5/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/4/2007	5699.66	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/3/2007	5699.71	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/2/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	11/1/2007	5699.71	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/31/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/30/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/29/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/28/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/27/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/26/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/25/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/24/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/23/2007	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/22/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/21/2007	5699.43	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/20/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/19/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/18/2007	5699.48	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/17/2007	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/16/2007	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/15/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/14/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/13/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/12/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/11/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/10/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/9/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/8/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/7/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/6/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/5/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/4/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/3/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/2/2007	5699.58	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	10/1/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/30/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/29/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/28/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/27/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/26/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/25/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/24/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/23/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/22/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/21/2007	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/17/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/14/2007	5699.49	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/13/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/12/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/11/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/10/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/9/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/8/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/7/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/6/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/5/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/4/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/3/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/2/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	9/1/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/31/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/30/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/29/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/28/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/27/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/26/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/25/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/24/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/23/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/22/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/21/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/20/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/19/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/18/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/17/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/16/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/15/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/14/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/13/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/12/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/11/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/10/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/9/2007	5699.58	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/8/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/7/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/6/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/5/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/4/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/3/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/2/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	8/1/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/31/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/30/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/29/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/28/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/27/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/26/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/25/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/24/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/23/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/22/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/21/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/20/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/19/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/18/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/17/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/16/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/15/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/14/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/13/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/12/2007	5699.42	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/9/2007	5699.3	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/3/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/2/2007	5699.64	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	7/1/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/30/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/29/2007	5699.61	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/28/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/27/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/26/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/25/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/24/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/23/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/22/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/21/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/20/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/19/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/18/2007	5699.55	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/17/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/16/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/15/2007	5699.55	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/14/2007	5699.56	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/13/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/12/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/11/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/10/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/9/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/8/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/7/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/6/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/5/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/4/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/3/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/2/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	6/1/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/31/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/30/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/29/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/28/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/27/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/26/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/25/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/24/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/23/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/22/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/21/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/20/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/19/2007	5699.65	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/18/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/17/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/16/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/15/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/14/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/13/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/12/2007	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/11/2007	5699.55	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/10/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/9/2007	5699.5	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/8/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/7/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/6/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/5/2007	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/4/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/3/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/2/2007	5699.55	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	5/1/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/30/2007	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/29/2007	5699.48	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/28/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/27/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/26/2007	5699.44	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/25/2007	5699.5	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/24/2007	5699.47	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/23/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/22/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/21/2007	5699.48	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/20/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/19/2007	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/18/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/17/2007	5699.5	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/16/2007	5699.5	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/15/2007	5699.46	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/14/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/13/2007	5699.44	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/12/2007	5699.5	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/11/2007	5699.52	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/10/2007	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/9/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/8/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/7/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/6/2007	5699.59	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/5/2007	5699.54	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/4/2007	5699.55	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/3/2007	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	4/2/2007	5699.4	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/21/2007	5699.3	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/20/2007	5699.28	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/19/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/18/2007	5699.56	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/17/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/16/2007	5699.63	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/15/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/14/2007	5699.58	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/13/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/12/2007	5699.65	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/11/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/10/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/9/2007	5699.62	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/8/2007	5699.6	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/7/2007	5699.57	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/6/2007	5699.53	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/5/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/4/2007	5699.51	Transducer
R-22	1273.5	MP3A	772	6.7	1272.2	1278.9	4.5	5.56	3/3/2007	5699.48	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/5/2008	5693.69	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/28/2008	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/27/2008	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/26/2008	5693.88	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/25/2008	5693.83	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/24/2008	5693.84	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/23/2008	5693.81	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/22/2008	5693.83	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/21/2008	5693.82	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/20/2008	5693.85	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/19/2008	5693.84	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/18/2008	5693.83	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/17/2008	5693.83	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/16/2008	5693.86	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/15/2008	5693.88	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/14/2008	5693.88	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/13/2008	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/12/2008	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/11/2008	5693.86	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/10/2008	5693.86	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/9/2008	5693.85	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/8/2008	5693.83	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/7/2008	5693.82	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/6/2008	5693.8	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/5/2008	5693.8	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/4/2008	5693.84	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/3/2008	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/2/2008	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	2/1/2008	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/31/2008	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/30/2008	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/29/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/28/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/27/2008	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/26/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/25/2008	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/24/2008	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/23/2008	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/22/2008	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/21/2008	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/20/2008	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/19/2008	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/18/2008	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/17/2008	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/16/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/15/2008	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/14/2008	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/13/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/12/2008	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/11/2008	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/10/2008	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/9/2008	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/8/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/7/2008	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/6/2008	5694	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/5/2008	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/4/2008	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/3/2008	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/2/2008	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	1/1/2008	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/31/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/30/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/29/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/28/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/27/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/26/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/25/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/24/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/23/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/22/2007	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/21/2007	5693.99	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/20/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/18/2007	5693.79	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/12/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/11/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/10/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/9/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/8/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/7/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/6/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/5/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/4/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/3/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/2/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	12/1/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/30/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/29/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/28/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/27/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/26/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/25/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/24/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/23/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/22/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/21/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/20/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/19/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/18/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/17/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/16/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/15/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/14/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/13/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/12/2007	5694.07	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/11/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/10/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/9/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/8/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/7/2007	5694.17	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/6/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/5/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/4/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/3/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/2/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	11/1/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/31/2007	5694.14	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/30/2007	5694.12	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/29/2007	5694.11	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/28/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/27/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/26/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/25/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/24/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/23/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/22/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/21/2007	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/20/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/19/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/18/2007	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/17/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/16/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/15/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/14/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/13/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/12/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/11/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/10/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/9/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/8/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/7/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/6/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/5/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/4/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/3/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/2/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	10/1/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/30/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/29/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/28/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/27/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/26/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/25/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/24/2007	5694.04	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/23/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/22/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/21/2007	5694.11	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/14/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/13/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/12/2007	5694.12	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/11/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/10/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/9/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/8/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/7/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/6/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/5/2007	5694.11	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/4/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/3/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/2/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	9/1/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/31/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/30/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/29/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/28/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/27/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/26/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/25/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/24/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/23/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/22/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/21/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/20/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/19/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/18/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/17/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/16/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/15/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/14/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/13/2007	5694.13	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/12/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/11/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/10/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/9/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/8/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/7/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/6/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/5/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/4/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/3/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/2/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	8/1/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/31/2007	5694.07	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/30/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/29/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/28/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/27/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/26/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/25/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/24/2007	5694.11	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/23/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/22/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/21/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/20/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/19/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/18/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/17/2007	5694.07	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/16/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/15/2007	5694.09	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/14/2007	5694.1	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/13/2007	5694.12	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/12/2007	5694.11	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/10/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/3/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/2/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	7/1/2007	5694.08	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/30/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/29/2007	5694.06	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/28/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/27/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/26/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/25/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/24/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/23/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/22/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/21/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/20/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/19/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/18/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/17/2007	5693.99	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/16/2007	5693.99	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/15/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/14/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/13/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/12/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/11/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/10/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/9/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/8/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/7/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/6/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/5/2007	5694	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/4/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/3/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/2/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	6/1/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/31/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/30/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/29/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/28/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/27/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/26/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/25/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/24/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/23/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/22/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/21/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/20/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/19/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/18/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/17/2007	5694.05	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/16/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/15/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/14/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/13/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/12/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/11/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/10/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/9/2007	5693.92	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/8/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/7/2007	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/6/2007	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/5/2007	5693.88	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/4/2007	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/3/2007	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/2/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	5/1/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/30/2007	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/29/2007	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/28/2007	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/27/2007	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/26/2007	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/25/2007	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/24/2007	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/23/2007	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/22/2007	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/21/2007	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/20/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/19/2007	5693.87	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/18/2007	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/17/2007	5693.89	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/16/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/15/2007	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/14/2007	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/13/2007	5693.89	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/12/2007	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/11/2007	5693.91	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/10/2007	5693.93	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/9/2007	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/8/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/7/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/6/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/5/2007	5693.96	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/4/2007	5693.94	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/3/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	4/2/2007	5693.97	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/22/2007	5693.88	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/19/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/18/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/17/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/16/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/15/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/14/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/13/2007	5694.04	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/12/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/11/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/10/2007	5694.01	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/9/2007	5694.03	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/8/2007	5694.02	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/7/2007	5694	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/6/2007	5693.98	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/5/2007	5693.95	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/4/2007	5693.9	Transducer
R-22	1378	MP4A	822	6.7	1378.2	1384.9	4.5	5.56	3/3/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/5/2008	5693.61	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/28/2008	5693.81	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/27/2008	5693.84	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/26/2008	5693.79	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/25/2008	5693.77	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/24/2008	5693.78	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/23/2008	5693.73	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/22/2008	5693.76	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/21/2008	5693.74	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/20/2008	5693.78	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/19/2008	5693.76	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/18/2008	5693.78	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/17/2008	5693.76	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/16/2008	5693.82	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/15/2008	5693.83	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/14/2008	5693.83	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/13/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/12/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/11/2008	5693.81	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/10/2008	5693.81	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/9/2008	5693.77	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/8/2008	5693.72	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/7/2008	5693.74	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/6/2008	5693.76	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/5/2008	5693.74	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/4/2008	5693.78	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/3/2008	5693.81	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/2/2008	5693.83	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	2/1/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/31/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/30/2008	5693.84	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/29/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/28/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/27/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/26/2008	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/25/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/24/2008	5693.83	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/23/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/22/2008	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/21/2008	5693.83	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/20/2008	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/19/2008	5693.89	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/18/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/17/2008	5693.9	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/16/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/15/2008	5693.9	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/14/2008	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/13/2008	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/12/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/11/2008	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/10/2008	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/9/2008	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/8/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/7/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/6/2008	5693.9	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/5/2008	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/4/2008	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/3/2008	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/2/2008	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	1/1/2008	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/31/2007	5693.81	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/30/2007	5693.83	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/29/2007	5693.83	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/28/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/27/2007	5693.81	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/26/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/25/2007	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/24/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/23/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/22/2007	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/21/2007	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/20/2007	5693.82	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/18/2007	5693.7	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/12/2007	5693.9	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/11/2007	5693.89	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/10/2007	5693.9	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/9/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/8/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/7/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/6/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/5/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/4/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/3/2007	5694	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/2/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	12/1/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/30/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/29/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/28/2007	5693.94	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/27/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/26/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/25/2007	5693.94	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/24/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/23/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/22/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/21/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/20/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/19/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/18/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/17/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/16/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/15/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/14/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/13/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/12/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/11/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/10/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/9/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/8/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/7/2007	5694.09	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/6/2007	5694.09	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/5/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/4/2007	5694.08	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/3/2007	5694.08	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/2/2007	5694.07	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	11/1/2007	5694.09	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/31/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/30/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/29/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/28/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/27/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/26/2007	5694	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/25/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/24/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/23/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/22/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/21/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/20/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/19/2007	5693.89	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/18/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/17/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/16/2007	5693.9	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/15/2007	5693.91	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/14/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/13/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/12/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/11/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/10/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/9/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/8/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/7/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/6/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/5/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/4/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/3/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/2/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	10/1/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/30/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/29/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/28/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/27/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/26/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/25/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/24/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/23/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/22/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/21/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/17/2007	5693.91	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/13/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/12/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/11/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/10/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/9/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/8/2007	5694.02	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/7/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/6/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/5/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/4/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/3/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/2/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	9/1/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/31/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/30/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/29/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/28/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/27/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/26/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/25/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/24/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/23/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/22/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/21/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/20/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/19/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/18/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/17/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/16/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/15/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/14/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/13/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/12/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/11/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/10/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/9/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/8/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/7/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/6/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/5/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/4/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/3/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/2/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	8/1/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/31/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/30/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/29/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/28/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/27/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/26/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/25/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/24/2007	5694.06	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/23/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/22/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/21/2007	5694.07	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/20/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/19/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/18/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/17/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/16/2007	5694.08	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/15/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/14/2007	5694.07	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/13/2007	5694.04	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/12/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/10/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/3/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/2/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	7/1/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/30/2007	5694.05	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/29/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/28/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/27/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/26/2007	5694	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/25/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/24/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/23/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/22/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/21/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/20/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/19/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/18/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/17/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/16/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/15/2007	5693.94	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/14/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/13/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/12/2007	5693.92	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/11/2007	5693.92	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/10/2007	5693.92	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/9/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/8/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/7/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/6/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/5/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/4/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/3/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/2/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	6/1/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/31/2007	5693.96	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/30/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/29/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/28/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/27/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/26/2007	5693.98	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/25/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/24/2007	5693.96	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/23/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/22/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/21/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/20/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/19/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/18/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/17/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/16/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/15/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/14/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/13/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/12/2007	5693.94	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/11/2007	5693.92	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/10/2007	5693.89	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/9/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/8/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/7/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/6/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/5/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/4/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/3/2007	5693.89	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/2/2007	5693.91	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	5/1/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/30/2007	5693.92	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/29/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/28/2007	5693.91	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/27/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/26/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/25/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/24/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/23/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/22/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/21/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/20/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/19/2007	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/18/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/17/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/16/2007	5693.86	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/15/2007	5693.85	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/14/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/13/2007	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/12/2007	5693.89	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/11/2007	5693.91	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/10/2007	5693.91	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/9/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/8/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/7/2007	5693.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/6/2007	5693.98	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/5/2007	5693.94	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/4/2007	5693.93	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/3/2007	5693.88	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	4/2/2007	5693.77	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/22/2007	5693.75	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/19/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/18/2007	5694	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/17/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/16/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/15/2007	5693.99	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/14/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/13/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/12/2007	5694.02	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/11/2007	5694.01	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/10/2007	5694.03	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/9/2007	5694	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/8/2007	5694	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/7/2007	5693.97	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/6/2007	5693.95	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/5/2007	5693.92	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/4/2007	5693.87	Transducer
R-22	1448.2	MP5A	872	5	1447.3	1452.3	4.5	5.56	3/3/2007	5693.85	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/24/2008	5697.17	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/23/2008	5697.14	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/22/2008	5697.21	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/21/2008	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/20/2008	5697.27	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/19/2008	5697.23	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/18/2008	5697.42	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/17/2008	5697.65	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/16/2008	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/15/2008	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/14/2008	5697.64	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/13/2008	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/12/2008	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/11/2008	5697.16	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/10/2008	5697.12	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/9/2008	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/8/2008	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/7/2008	5697.26	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/6/2008	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/5/2008	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/4/2008	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/3/2008	5697.42	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/2/2008	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/1/2008	5697.11	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/29/2008	5697.3	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/28/2008	5697.35	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/27/2008	5697.1	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/26/2008	5697.19	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/25/2008	5697.38	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/24/2008	5697.12	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/23/2008	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/22/2008	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/21/2008	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/20/2008	5697.34	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/19/2008	5697.28	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/18/2008	5697.35	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/17/2008	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/16/2008	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/15/2008	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/14/2008	5697.75	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/13/2008	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/12/2008	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/11/2008	5697.28	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/10/2008	5697.12	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/9/2008	5697.25	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/8/2008	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/7/2008	5697.34	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/6/2008	5697.34	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/5/2008	5697.7	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/4/2008	5697.75	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/3/2008	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/2/2008	5697.4	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	2/1/2008	5697.24	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/31/2008	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/30/2008	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/29/2008	5697.81	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/28/2008	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/27/2008	5697.13	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/26/2008	5697.1	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/25/2008	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/24/2008	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/23/2008	5697.3	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/22/2008	5697.34	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/21/2008	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/20/2008	5697.28	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/19/2008	5697.2	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/18/2008	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/17/2008	5697.42	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/16/2008	5697.62	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/15/2008	5697.15	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/14/2008	5697.12	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/13/2008	5697.27	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/12/2008	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/11/2008	5697.35	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/10/2008	5697.44	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/9/2008	5697.3	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/8/2008	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/7/2008	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/6/2008	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/5/2008	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/4/2008	5697.28	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/3/2008	5697.07	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/2/2008	5696.84	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	1/1/2008	5696.91	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/31/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/30/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/29/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/28/2007	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/27/2007	5697.72	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/26/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/25/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/24/2007	5697.17	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/23/2007	5697.16	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/22/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/21/2007	5697.56	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/20/2007	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/19/2007	5697.29	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/18/2007	5697.37	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/17/2007	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/16/2007	5697.25	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/15/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/14/2007	5697.48	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/13/2007	5697.26	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/12/2007	5697.29	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/11/2007	5697.65	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/10/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/9/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/8/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/7/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/6/2007	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/5/2007	5697.37	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/4/2007	5697.06	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/3/2007	5696.98	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/2/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	12/1/2007	5697.72	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/30/2007	5697.35	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/29/2007	5697.2	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/28/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/27/2007	5697.16	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/26/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/25/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/24/2007	5697.56	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/23/2007	5697.4	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/22/2007	5697.27	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/21/2007	5697.56	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/20/2007	5697.42	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/19/2007	5697.29	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/18/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/17/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/16/2007	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/15/2007	5697.11	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/14/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/13/2007	5697.22	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/12/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/11/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/10/2007	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/9/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/8/2007	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/7/2007	5697.24	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/6/2007	5697.2	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/5/2007	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/4/2007	5697.18	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/3/2007	5697.17	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/2/2007	5697.37	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	11/1/2007	5697.18	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/31/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/30/2007	5697.23	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/29/2007	5697.05	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/28/2007	5696.99	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/27/2007	5697.21	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/26/2007	5697.38	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/25/2007	5697.12	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/24/2007	5696.92	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/23/2007	5696.99	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/22/2007	5697.05	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/21/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/20/2007	5697.33	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/19/2007	5697.26	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/18/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/17/2007	5697.66	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/16/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/15/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/14/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/13/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/12/2007	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/11/2007	5697.44	Manual
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/11/2007	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/10/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/9/2007	5697.26	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/8/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/7/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/6/2007	5697.66	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/5/2007	5697.63	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/4/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/3/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/2/2007	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	10/1/2007	5697.27	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/30/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/29/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/28/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/27/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/26/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/25/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/24/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/23/2007	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/22/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/21/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/20/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/19/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/18/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/17/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/16/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/15/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/14/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/13/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/12/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/11/2007	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/10/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/9/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/8/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/7/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/6/2007	5697.65	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/5/2007	5697.66	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/4/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/3/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/2/2007	5697.38	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	9/1/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/31/2007	5697.33	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/30/2007	5697.27	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/29/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/28/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/27/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/26/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/25/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/24/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/23/2007	5697.62	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/22/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/21/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/20/2007	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/19/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/18/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/17/2007	5697.46	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/16/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/15/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/14/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/13/2007	5697.33	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/12/2007	5697.4	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/11/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/10/2007	5697.42	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/9/2007	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/8/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/7/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/6/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/5/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/4/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/3/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/2/2007	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	8/1/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/31/2007	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/30/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/29/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/28/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/27/2007	5697.48	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/26/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/25/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/24/2007	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/23/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/22/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/21/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/20/2007	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/19/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/18/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/17/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/16/2007	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/15/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/14/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/13/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/12/2007	5697.37	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/11/2007	5697.41	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/10/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/9/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/8/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/7/2007	5697.4	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/6/2007	5697.33	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/5/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/4/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/3/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/2/2007	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	7/1/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/30/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/29/2007	5697.39	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/28/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/27/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/26/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/25/2007	5697.56	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/24/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/23/2007	5697.52	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/22/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/21/2007	5697.38	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/20/2007	5697.39	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/19/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/18/2007	5697.68	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/17/2007	5697.48	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/16/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/15/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/14/2007	5697.48	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/13/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/12/2007	5697.56	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/11/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/10/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/9/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/8/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/7/2007	5697.88	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/6/2007	5697.78	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/5/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/4/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/3/2007	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/2/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	6/1/2007	5697.72	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/31/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/30/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/29/2007	5697.69	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/28/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/27/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/26/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/25/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/24/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/23/2007	5697.7	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/22/2007	5697.82	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/21/2007	5697.71	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/20/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/19/2007	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/18/2007	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/17/2007	5697.42	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/16/2007	5697.35	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/15/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/14/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/13/2007	5697.38	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/12/2007	5697.36	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/11/2007	5697.39	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/10/2007	5697.47	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/9/2007	5697.45	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/8/2007	5697.37	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/7/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/6/2007	5697.76	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/5/2007	5697.96	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/4/2007	5697.78	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/3/2007	5697.67	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/2/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	5/1/2007	5697.59	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/30/2007	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/29/2007	5697.31	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/28/2007	5697.32	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/27/2007	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/26/2007	5697.55	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/25/2007	5697.56	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/24/2007	5697.67	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/23/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/22/2007	5697.65	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/21/2007	5697.72	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/20/2007	5697.69	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/19/2007	5697.82	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/18/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/17/2007	5697.67	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/16/2007	5697.66	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/15/2007	5697.51	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/14/2007	5697.49	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/13/2007	5697.87	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/12/2007	5697.74	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/11/2007	5697.77	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/10/2007	5697.88	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/9/2007	5697.82	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/8/2007	5697.74	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/7/2007	5697.6	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/6/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/5/2007	5697.54	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/4/2007	5697.46	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/3/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/2/2007	5697.67	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	4/1/2007	5697.69	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/31/2007	5697.67	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/30/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/29/2007	5697.79	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/28/2007	5698.02	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/27/2007	5697.68	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/26/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/25/2007	5697.53	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/24/2007	5697.8	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/23/2007	5697.69	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/22/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/21/2007	5697.72	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/20/2007	5697.62	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/19/2007	5697.73	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/18/2007	5697.64	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/17/2007	5697.48	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/16/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/15/2007	5697.67	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/14/2007	5697.7	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/13/2007	5697.58	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/12/2007	5697.44	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/11/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/10/2007	5697.61	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/9/2007	5697.63	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/8/2007	5697.57	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/7/2007	5697.58	Manual
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/7/2007	5697.5	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/6/2007	5697.43	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/5/2007	5697.25	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/4/2007	5697.26	Transducer
R-23	816	Single	1771	57.2	816	873.2	4.5	5.56	3/3/2007	5697.56	Transducer
R-23i	400.3	P1A	7001	19.7	400.3	420	2.1	2.4	9/11/2007	6122.29	Manual
R-23i	400.3	P1A	7001	19.7	400.3	420	2.1	2.4	6/5/2007	6121.76	Manual
R-23i	400.3	P1A	7001	19.7	400.3	420	2.1	2.4	3/19/2007	6122.13	Manual
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/24/2008	6077.29	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/23/2008	6077.27	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/22/2008	6077.35	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/21/2008	6077.45	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/20/2008	6077.43	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/19/2008	6077.39	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/18/2008	6077.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/17/2008	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/16/2008	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/15/2008	6077.62	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/14/2008	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/13/2008	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/12/2008	6077.48	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/11/2008	6077.35	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/10/2008	6077.32	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/9/2008	6077.66	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/8/2008	6077.52	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/7/2008	6077.47	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/6/2008	6077.6	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/5/2008	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/4/2008	6077.51	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/3/2008	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/2/2008	6077.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/1/2008	6077.32	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/29/2008	6077.51	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/28/2008	6077.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/27/2008	6077.34	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/26/2008	6077.44	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/25/2008	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/24/2008	6077.38	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/23/2008	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/22/2008	6077.69	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/21/2008	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/20/2008	6077.59	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/19/2008	6077.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/18/2008	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/17/2008	6077.82	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/16/2008	6077.62	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/15/2008	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/14/2008	6077.97	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/13/2008	6077.56	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/12/2008	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/11/2008	6077.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/10/2008	6077.4	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/9/2008	6077.53	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/8/2008	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/7/2008	6077.63	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/6/2008	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/5/2008	6077.96	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/4/2008	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/3/2008	6077.72	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/2/2008	6077.7	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	2/1/2008	6077.56	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/31/2008	6077.83	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/30/2008	6077.81	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/29/2008	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/28/2008	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/27/2008	6077.43	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/26/2008	6077.41	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/25/2008	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/24/2008	6077.62	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/23/2008	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/22/2008	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/21/2008	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/20/2008	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/19/2008	6077.53	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/18/2008	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/17/2008	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/16/2008	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/15/2008	6077.48	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/14/2008	6077.47	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/13/2008	6077.62	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/12/2008	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/11/2008	6077.69	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/10/2008	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/9/2008	6077.65	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/8/2008	6077.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/7/2008	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/6/2008	6077.88	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/5/2008	6077.7	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/4/2008	6077.59	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/3/2008	6077.42	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/2/2008	6077.22	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	1/1/2008	6077.32	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/31/2007	6077.81	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/30/2007	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/29/2007	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/28/2007	6077.88	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/27/2007	6078.07	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/26/2007	6077.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/25/2007	6077.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/24/2007	6077.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/23/2007	6077.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/22/2007	6077.94	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/21/2007	6077.89	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/20/2007	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/19/2007	6077.66	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/18/2007	6077.65	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/17/2007	6077.63	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/16/2007	6077.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/15/2007	6077.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/14/2007	6077.81	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/13/2007	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/12/2007	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/11/2007	6077.98	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/10/2007	6077.72	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/9/2007	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/8/2007	6077.91	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/7/2007	6077.9	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/6/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/5/2007	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/4/2007	6077.4	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/3/2007	6077.35	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/2/2007	6077.93	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	12/1/2007	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/30/2007	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/29/2007	6077.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/28/2007	6077.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/27/2007	6077.52	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/26/2007	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/25/2007	6077.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/24/2007	6077.88	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/23/2007	6077.73	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/22/2007	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/21/2007	6077.88	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/20/2007	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/19/2007	6077.63	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/18/2007	6077.72	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/17/2007	6077.82	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/16/2007	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/15/2007	6077.47	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/14/2007	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/13/2007	6077.58	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/12/2007	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/11/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/10/2007	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/9/2007	6077.7	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/8/2007	6077.67	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/7/2007	6077.6	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/6/2007	6077.58	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/5/2007	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/4/2007	6077.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/3/2007	6077.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/2/2007	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	11/1/2007	6077.58	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/31/2007	6077.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/30/2007	6077.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/29/2007	6077.49	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/28/2007	6077.45	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/27/2007	6077.66	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/26/2007	6077.82	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/25/2007	6077.59	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/24/2007	6077.42	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/23/2007	6077.52	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/22/2007	6077.58	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/21/2007	6078.12	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/20/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/19/2007	6077.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/18/2007	6078.09	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/17/2007	6078.18	Manual
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/17/2007	6078.16	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/16/2007	6077.96	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/15/2007	6077.93	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/14/2007	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/13/2007	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/12/2007	6077.91	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/11/2007	6077.82	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/10/2007	6077.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/9/2007	6077.6	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/8/2007	6077.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/7/2007	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/6/2007	6077.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/5/2007	6077.93	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/4/2007	6077.9	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/3/2007	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/2/2007	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	10/1/2007	6077.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/30/2007	6077.9	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/29/2007	6077.94	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/28/2007	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/27/2007	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/26/2007	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/25/2007	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/24/2007	6077.95	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/23/2007	6077.89	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/22/2007	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/21/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/20/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/19/2007	6077.83	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/18/2007	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/17/2007	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/16/2007	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/15/2007	6077.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/14/2007	6077.82	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/13/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/12/2007	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/11/2007	6077.65	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/10/2007	6077.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/9/2007	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/8/2007	6077.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/7/2007	6077.91	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/6/2007	6078.08	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/5/2007	6078.08	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/4/2007	6077.94	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/3/2007	6077.83	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/2/2007	6077.83	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	9/1/2007	6077.86	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/31/2007	6077.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/30/2007	6077.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/29/2007	6077.93	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/28/2007	6077.98	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/27/2007	6077.97	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/26/2007	6077.98	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/25/2007	6078.02	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/24/2007	6078.09	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/23/2007	6078.1	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/22/2007	6078.07	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/21/2007	6078.02	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/20/2007	6078.04	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/19/2007	6078.05	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/18/2007	6077.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/17/2007	6077.93	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/16/2007	6077.99	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/15/2007	6077.97	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/14/2007	6077.88	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/13/2007	6077.83	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/12/2007	6077.9	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/11/2007	6077.97	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/10/2007	6077.93	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/9/2007	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/8/2007	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/7/2007	6078.1	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/6/2007	6078.09	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/5/2007	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/4/2007	6077.99	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/3/2007	6077.96	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/2/2007	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	8/1/2007	6078.05	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/31/2007	6078.04	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/30/2007	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/29/2007	6078.08	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/28/2007	6078.07	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/27/2007	6078.01	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/26/2007	6078.13	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/25/2007	6078.07	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/24/2007	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/23/2007	6077.95	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/22/2007	6077.98	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/21/2007	6078.03	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/20/2007	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/19/2007	6078.07	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/18/2007	6078.07	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/17/2007	6078.08	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/16/2007	6078.05	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/15/2007	6078	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/14/2007	6077.97	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/13/2007	6078.01	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/12/2007	6077.94	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/11/2007	6077.98	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/10/2007	6078.11	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/9/2007	6078.16	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/8/2007	6078.15	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/7/2007	6077.97	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/6/2007	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/5/2007	6077.95	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/4/2007	6078.06	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/3/2007	6078.04	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/2/2007	6078.05	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	7/1/2007	6078.1	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/30/2007	6078.07	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/29/2007	6078.01	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/28/2007	6077.99	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/27/2007	6078.02	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/26/2007	6078.12	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/25/2007	6078.18	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/24/2007	6078.18	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/23/2007	6078.11	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/22/2007	6078.04	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/21/2007	6077.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/20/2007	6078.2	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/19/2007	6078.33	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/18/2007	6078.47	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/17/2007	6078.28	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/16/2007	6078.3	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/15/2007	6078.4	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/14/2007	6078.29	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/13/2007	6078.3	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/12/2007	6078.35	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/11/2007	6078.38	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/10/2007	6078.28	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/9/2007	6078.25	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/8/2007	6078.33	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/7/2007	6078.64	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/6/2007	6078.53	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/5/2007	6078.27	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/4/2007	6078.26	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	6/3/2007	6078.28	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	5/5/2007	6078.77	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	5/4/2007	6078.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	5/3/2007	6078.62	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	5/2/2007	6078.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	5/1/2007	6078.55	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/30/2007	6078.49	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/29/2007	6078.3	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/28/2007	6078.31	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/27/2007	6078.53	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/26/2007	6078.5	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/25/2007	6078.44	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/24/2007	6078.53	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/23/2007	6078.71	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/22/2007	6078.72	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/21/2007	6078.78	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/20/2007	6078.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/19/2007	6078.87	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/18/2007	6078.65	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/17/2007	6078.72	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/16/2007	6078.71	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/15/2007	6078.58	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/14/2007	6078.57	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/13/2007	6078.92	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/12/2007	6078.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/11/2007	6078.81	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/10/2007	6078.9	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/9/2007	6078.84	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/8/2007	6078.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/7/2007	6078.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/6/2007	6078.56	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/5/2007	6078.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/4/2007	6078.5	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/3/2007	6078.65	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/2/2007	6078.7	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	4/1/2007	6078.72	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/31/2007	6078.69	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/30/2007	6078.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/29/2007	6078.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/28/2007	6079.01	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/27/2007	6078.68	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/26/2007	6078.62	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/25/2007	6078.54	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/24/2007	6078.8	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/23/2007	6078.69	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/22/2007	6078.63	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/21/2007	6078.7	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/20/2007	6078.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/19/2007	6079.14	Manual
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/19/2007	6078.83	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/18/2007	6078.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/17/2007	6078.6	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/16/2007	6078.57	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/15/2007	6078.79	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/14/2007	6078.82	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/13/2007	6078.71	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/12/2007	6078.58	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/11/2007	6078.74	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/10/2007	6078.75	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/9/2007	6078.76	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/8/2007	6078.7	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/7/2007	6078.67	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/6/2007	6078.61	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/5/2007	6078.45	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/4/2007	6078.48	Transducer
R-23i	470.2	P2A	7011	9.9	470.2	480.1	4.5	5.3	3/3/2007	6078.76	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/24/2008	6068.78	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/23/2008	6068.78	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/22/2008	6068.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/21/2008	6068.94	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/20/2008	6068.93	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/19/2008	6068.92	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/18/2008	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/17/2008	6069.2	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/16/2008	6069.16	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/15/2008	6069.01	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/14/2008	6069.02	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/13/2008	6068.93	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/12/2008	6068.77	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/11/2008	6068.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/10/2008	6068.67	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/9/2008	6068.92	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/8/2008	6068.81	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/7/2008	6068.79	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/6/2008	6068.9	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/5/2008	6069.01	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/4/2008	6068.81	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/3/2008	6068.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/2/2008	6069	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/1/2008	6068.65	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/29/2008	6068.8	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/28/2008	6068.85	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/27/2008	6068.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/26/2008	6068.78	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/25/2008	6068.92	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/24/2008	6068.76	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/23/2008	6069.06	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/22/2008	6069	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/21/2008	6069.03	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/20/2008	6068.92	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/19/2008	6068.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/18/2008	6068.96	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/17/2008	6069.11	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/16/2008	6068.96	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/15/2008	6069.03	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/14/2008	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/13/2008	6068.9	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/12/2008	6068.95	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/11/2008	6068.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/10/2008	6068.8	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/9/2008	6068.91	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/8/2008	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/7/2008	6068.99	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/6/2008	6069.01	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/5/2008	6069.26	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/4/2008	6069.3	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/3/2008	6069.05	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/2/2008	6069.04	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	2/1/2008	6068.93	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/31/2008	6069.16	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/30/2008	6069.13	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/29/2008	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/28/2008	6069.08	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/27/2008	6068.81	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/26/2008	6068.82	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/25/2008	6069.02	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/24/2008	6068.98	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/23/2008	6068.97	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/22/2008	6069	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/21/2008	6069.12	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/20/2008	6068.96	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/19/2008	6068.93	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/18/2008	6069.1	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/17/2008	6069.09	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/16/2008	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/15/2008	6068.88	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/14/2008	6068.88	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/13/2008	6069	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/12/2008	6069.1	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/11/2008	6069.06	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/10/2008	6069.14	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/9/2008	6069.03	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/8/2008	6069.14	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/7/2008	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/6/2008	6069.19	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/5/2008	6069.03	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/4/2008	6068.94	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/3/2008	6068.81	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/2/2008	6068.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	1/1/2008	6068.79	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/31/2007	6069.17	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/30/2007	6069.12	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/29/2007	6069.15	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/28/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/27/2007	6069.35	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/26/2007	6069.12	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/25/2007	6069.12	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/24/2007	6068.95	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/23/2007	6068.98	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/22/2007	6069.32	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/21/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/20/2007	6069.11	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/19/2007	6069.12	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/18/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/17/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/16/2007	6069.15	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/15/2007	6069.27	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/14/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/13/2007	6069.09	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/12/2007	6069.12	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/11/2007	6069.37	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/10/2007	6069.16	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/9/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/8/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/7/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/6/2007	6069.25	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/5/2007	6069.11	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/4/2007	6068.91	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/3/2007	6068.9	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/2/2007	6069.35	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	12/1/2007	6069.4	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/30/2007	6069.11	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/29/2007	6069.01	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/28/2007	6069.18	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/27/2007	6069	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/26/2007	6069.18	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/25/2007	6069.19	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/24/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/23/2007	6069.15	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/22/2007	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/21/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/20/2007	6069.17	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/19/2007	6069.09	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/18/2007	6069.16	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/17/2007	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/16/2007	6069.08	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/15/2007	6068.96	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/14/2007	6069.17	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/13/2007	6069.05	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/12/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/11/2007	6069.26	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/10/2007	6069.2	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/9/2007	6069.14	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/8/2007	6069.11	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/7/2007	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/6/2007	6069.05	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/5/2007	6069.14	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/4/2007	6069.06	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/3/2007	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/2/2007	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	11/1/2007	6069.08	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/31/2007	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/30/2007	6069.1	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/29/2007	6068.99	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/28/2007	6068.97	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/27/2007	6069.14	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/26/2007	6069.26	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/25/2007	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/24/2007	6068.97	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/23/2007	6069.06	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/22/2007	6069.14	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/21/2007	6069.54	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/20/2007	6069.34	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/19/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/18/2007	6069.55	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/17/2007	6069.63	Manual
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/17/2007	6069.61	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/16/2007	6069.45	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/15/2007	6069.43	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/14/2007	6069.53	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/13/2007	6069.52	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/12/2007	6069.4	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/11/2007	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/10/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/9/2007	6069.19	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/8/2007	6069.32	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/7/2007	6069.46	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/6/2007	6069.47	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/5/2007	6069.46	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/4/2007	6069.41	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/3/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/2/2007	6069.3	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	10/1/2007	6069.21	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/30/2007	6069.45	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/29/2007	6069.48	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/28/2007	6069.34	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/27/2007	6069.34	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/26/2007	6069.36	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/25/2007	6069.4	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/24/2007	6069.53	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/23/2007	6069.47	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/22/2007	6069.41	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/21/2007	6069.46	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/20/2007	6069.45	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/19/2007	6069.44	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/18/2007	6069.53	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/17/2007	6069.5	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/16/2007	6069.38	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/15/2007	6069.38	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/14/2007	6069.44	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/13/2007	6069.47	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/12/2007	6069.41	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/11/2007	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/10/2007	6069.46	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/9/2007	6069.44	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/8/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/7/2007	6069.19	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/6/2007	6069.28	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/5/2007	6069.27	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/4/2007	6069.15	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/3/2007	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/2/2007	6069.07	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	9/1/2007	6069.1	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/31/2007	6069.05	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/30/2007	6069.03	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/29/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/28/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/27/2007	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/26/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/25/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/24/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/23/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/22/2007	6069.26	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/21/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/20/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/19/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/18/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/17/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/16/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/15/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/14/2007	6069.22	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/13/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/12/2007	6069.25	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/11/2007	6069.26	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/10/2007	6069.27	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/9/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/8/2007	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/7/2007	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/6/2007	6069.3	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/5/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/4/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/3/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/2/2007	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	8/1/2007	6069.32	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/31/2007	6069.32	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/30/2007	6069.32	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/29/2007	6069.33	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/28/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/27/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/26/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/25/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/24/2007	6069.27	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/23/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/22/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/21/2007	6069.3	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/20/2007	6069.31	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/19/2007	6069.3	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/18/2007	6069.3	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/17/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/16/2007	6069.28	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/15/2007	6069.25	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/14/2007	6069.24	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/13/2007	6069.29	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/12/2007	6069.23	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/11/2007	6069.35	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/10/2007	6069.37	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/9/2007	6069.36	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/8/2007	6069.35	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/7/2007	6069.35	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/6/2007	6069.36	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/5/2007	6069.41	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/4/2007	6069.5	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/3/2007	6069.51	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/2/2007	6069.52	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	7/1/2007	6069.53	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/30/2007	6069.55	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/29/2007	6069.56	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/28/2007	6069.59	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/27/2007	6069.62	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/26/2007	6069.65	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/25/2007	6069.67	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/24/2007	6069.69	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/23/2007	6069.62	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/22/2007	6069.54	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/21/2007	6069.51	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/20/2007	6070.45	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/19/2007	6070.48	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/18/2007	6070.48	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/17/2007	6070.47	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/16/2007	6070.49	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/15/2007	6070.5	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/14/2007	6070.49	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/13/2007	6070.51	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/12/2007	6070.52	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/11/2007	6070.58	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/10/2007	6070.52	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/9/2007	6070.54	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/8/2007	6070.65	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/7/2007	6070.93	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/6/2007	6070.88	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	6/5/2007	6070.78	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	5/4/2007	6071.09	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	5/3/2007	6070.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	5/2/2007	6070.77	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	5/1/2007	6070.76	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/30/2007	6070.71	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/29/2007	6070.59	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/28/2007	6070.66	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/27/2007	6070.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/26/2007	6070.93	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/25/2007	6070.92	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/24/2007	6071.04	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/23/2007	6070.97	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/22/2007	6070.94	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/21/2007	6070.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/20/2007	6070.87	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/19/2007	6070.88	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/18/2007	6070.89	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/17/2007	6070.88	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/16/2007	6070.86	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/15/2007	6070.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/14/2007	6070.86	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/13/2007	6070.86	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/12/2007	6070.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/11/2007	6070.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/10/2007	6070.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/9/2007	6070.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/8/2007	6070.84	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/7/2007	6070.76	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/6/2007	6070.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/5/2007	6070.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/4/2007	6070.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/3/2007	6070.68	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/2/2007	6070.69	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	4/1/2007	6070.69	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/31/2007	6070.7	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/30/2007	6070.63	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/29/2007	6070.6	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/28/2007	6070.58	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/27/2007	6070.54	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/26/2007	6070.54	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/25/2007	6070.55	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/24/2007	6070.53	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/23/2007	6070.5	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/22/2007	6070.49	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/21/2007	6070.51	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/20/2007	6070.43	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/19/2007	6070.71	Manual
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/19/2007	6070.73	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/18/2007	6070.73	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/17/2007	6070.71	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/16/2007	6070.72	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/15/2007	6070.72	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/14/2007	6070.69	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/13/2007	6070.66	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/12/2007	6070.66	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/11/2007	6070.65	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/10/2007	6070.61	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/9/2007	6070.59	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/8/2007	6070.55	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/7/2007	6070.54	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/6/2007	6070.52	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/5/2007	6070.52	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/4/2007	6070.62	Transducer
R-23i	524	P3A	7021	23	524	547	4.5	5.3	3/3/2007	6070.89	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	9/17/2007	5858.39	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/31/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/30/2007	5858.78	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/29/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/28/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/27/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/26/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/25/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/24/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/23/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/22/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/21/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/20/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/19/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/18/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/17/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/16/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/15/2007	5858.8	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/14/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/13/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/12/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/11/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/10/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/9/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/8/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/7/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/6/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/5/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/4/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/3/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/2/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	8/1/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/31/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/30/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/29/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/28/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/27/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/26/2007	5858.78	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/25/2007	5858.79	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/24/2007	5858.78	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/23/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/22/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/21/2007	5858.78	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/20/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/19/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/18/2007	5858.82	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/17/2007	5858.82	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/16/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/15/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/14/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/13/2007	5858.78	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/12/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/5/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/2/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	7/1/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/30/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/29/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/28/2007	5858.72	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/27/2007	5858.71	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/26/2007	5858.72	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/25/2007	5858.72	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/24/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/23/2007	5858.72	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/22/2007	5858.7	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/21/2007	5858.7	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/20/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/19/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/18/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/17/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/16/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/15/2007	5858.67	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/14/2007	5858.67	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/13/2007	5858.66	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/12/2007	5858.65	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/11/2007	5858.64	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/10/2007	5858.63	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/9/2007	5858.65	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/8/2007	5858.68	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/7/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/6/2007	5858.68	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/5/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/4/2007	5858.69	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/3/2007	5858.71	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/2/2007	5858.71	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	6/1/2007	5858.72	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/31/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/30/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/29/2007	5858.75	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/28/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/27/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/26/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/25/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/24/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/23/2007	5858.84	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/22/2007	5858.86	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/21/2007	5858.87	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/20/2007	5858.88	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/19/2007	5858.88	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/18/2007	5858.87	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/17/2007	5858.85	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/16/2007	5858.84	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/15/2007	5858.83	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/14/2007	5858.83	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/13/2007	5858.82	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/12/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/11/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/10/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/9/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/8/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/7/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/6/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/5/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/4/2007	5858.82	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/3/2007	5858.83	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/2/2007	5858.85	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	5/1/2007	5858.83	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/30/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/29/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/28/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/27/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/26/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/25/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/24/2007	5858.74	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/23/2007	5858.73	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/22/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/21/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/20/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/19/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/18/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/17/2007	5858.77	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/16/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/15/2007	5858.76	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/14/2007	5858.79	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/13/2007	5858.81	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/12/2007	5858.83	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/11/2007	5858.87	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/10/2007	5858.89	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/9/2007	5858.91	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/8/2007	5858.92	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/7/2007	5858.93	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/6/2007	5858.92	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/5/2007	5858.89	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/4/2007	5858.88	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/3/2007	5858.87	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/2/2007	5858.87	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	4/1/2007	5858.89	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/31/2007	5858.89	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/30/2007	5858.91	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/29/2007	5858.92	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/27/2007	5858.71	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/26/2007	5858.67	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/22/2007	5858.92	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/21/2007	5858.93	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/20/2007	5858.93	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/19/2007	5858.93	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/18/2007	5858.93	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/17/2007	5858.93	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/16/2007	5858.94	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/15/2007	5858.94	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/14/2007	5858.95	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/13/2007	5858.95	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/12/2007	5858.95	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/11/2007	5858.95	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/10/2007	5858.95	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/9/2007	5858.94	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/8/2007	5858.92	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/7/2007	5858.88	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/6/2007	5858.82	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/5/2007	5858.75	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/4/2007	5858.72	Transducer
R-32	870.9	MP1A	1031	7.7	867.5	875.2	4.5	5.56	3/3/2007	5858.71	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	9/17/2007	5847.83	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/31/2007	5847.83	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/30/2007	5847.81	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/29/2007	5847.72	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/28/2007	5847.72	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/27/2007	5847.71	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/26/2007	5847.71	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/25/2007	5847.7	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/24/2007	5847.72	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/23/2007	5847.67	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/22/2007	5847.63	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/21/2007	5847.64	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/20/2007	5847.62	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/19/2007	5847.6	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/18/2007	5847.6	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/17/2007	5847.6	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/16/2007	5847.56	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/15/2007	5847.55	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/14/2007	5847.53	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/13/2007	5847.53	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/12/2007	5847.48	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/11/2007	5847.42	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/10/2007	5847.39	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/9/2007	5847.35	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/8/2007	5847.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/7/2007	5847.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/6/2007	5847.3	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/5/2007	5847.3	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/4/2007	5847.3	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/3/2007	5847.3	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/2/2007	5847.3	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	8/1/2007	5847.34	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/31/2007	5847.39	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/30/2007	5847.35	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/29/2007	5847.34	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/28/2007	5847.34	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/27/2007	5847.37	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/26/2007	5847.37	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/25/2007	5847.44	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/24/2007	5847.37	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/23/2007	5847.39	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/22/2007	5847.37	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/21/2007	5847.39	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/20/2007	5847.42	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/19/2007	5847.46	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/18/2007	5847.53	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/17/2007	5847.51	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/16/2007	5847.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/15/2007	5847.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/14/2007	5847.39	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/13/2007	5847.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/12/2007	5847.3	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/2/2007	5847.97	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	7/1/2007	5847.97	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/30/2007	5848.04	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/29/2007	5848.04	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/28/2007	5848.06	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/27/2007	5848.06	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/26/2007	5848.04	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/25/2007	5848.02	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/24/2007	5848	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/23/2007	5848.04	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/22/2007	5848	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/21/2007	5848.04	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/20/2007	5848.09	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/19/2007	5848.08	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/18/2007	5848.01	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/17/2007	5848.1	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/16/2007	5848.09	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/15/2007	5848.07	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/14/2007	5848.11	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/13/2007	5848.09	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/12/2007	5848.07	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/11/2007	5848.06	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/10/2007	5848.07	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/9/2007	5848.18	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/8/2007	5848.29	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/7/2007	5848.25	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/6/2007	5848.2	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/5/2007	5848.25	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/4/2007	5848.27	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/3/2007	5848.25	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/2/2007	5848.27	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	6/1/2007	5848.22	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/31/2007	5848.29	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/30/2007	5848.32	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/29/2007	5848.29	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/28/2007	5848.32	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/27/2007	5848.33	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/26/2007	5848.34	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/25/2007	5848.37	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/24/2007	5848.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/23/2007	5848.43	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/22/2007	5848.36	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/21/2007	5848.34	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/20/2007	5848.36	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/19/2007	5848.36	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/18/2007	5848.37	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/17/2007	5848.41	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/16/2007	5848.43	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/15/2007	5848.39	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/14/2007	5848.36	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/13/2007	5848.43	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/12/2007	5848.52	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/11/2007	5848.53	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/10/2007	5848.55	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/9/2007	5848.59	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/8/2007	5848.66	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/7/2007	5848.73	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/6/2007	5848.76	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/5/2007	5848.66	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/4/2007	5848.71	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/3/2007	5848.76	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/2/2007	5848.75	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	5/1/2007	5848.75	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/30/2007	5848.68	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/29/2007	5848.75	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/28/2007	5848.82	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/27/2007	5848.75	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/26/2007	5848.75	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/25/2007	5848.78	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/24/2007	5848.73	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/23/2007	5848.73	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/22/2007	5848.76	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/21/2007	5848.73	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/20/2007	5848.82	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/19/2007	5848.76	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/18/2007	5848.8	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/17/2007	5848.78	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/16/2007	5848.76	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/15/2007	5848.82	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/14/2007	5848.94	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/13/2007	5848.85	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/12/2007	5848.9	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/11/2007	5848.96	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/10/2007	5848.85	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/9/2007	5848.87	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/8/2007	5848.89	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/7/2007	5848.94	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/6/2007	5848.96	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/5/2007	5848.94	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/4/2007	5848.98	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/3/2007	5848.94	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/2/2007	5848.83	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	4/1/2007	5848.89	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/31/2007	5848.9	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/30/2007	5848.94	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/29/2007	5848.84	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/26/2007	5848.98	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/22/2007	5848.92	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/21/2007	5848.85	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/20/2007	5848.89	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/19/2007	5848.83	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/18/2007	5848.83	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/17/2007	5848.87	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/16/2007	5848.92	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/15/2007	5848.83	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/14/2007	5848.85	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/13/2007	5848.85	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/12/2007	5848.92	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/11/2007	5848.92	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/10/2007	5848.92	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/9/2007	5848.94	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/8/2007	5848.89	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/7/2007	5848.8	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/6/2007	5848.78	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/5/2007	5848.82	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/4/2007	5848.85	Transducer
R-32	933.1	MP2A	1081	3.1	931.8	934.9	4.5	5.56	3/3/2007	5848.83	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	9/17/2007	5848.4	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/31/2007	5848.33	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/30/2007	5848.32	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/29/2007	5848.18	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/28/2007	5848.2	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/27/2007	5848.18	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/26/2007	5848.16	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/25/2007	5848.18	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/24/2007	5848.19	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/23/2007	5848.13	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/22/2007	5848.11	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/21/2007	5848.09	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/20/2007	5848.04	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/19/2007	5848.06	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/18/2007	5848.04	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/17/2007	5848.04	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/16/2007	5848.02	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/15/2007	5847.99	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/14/2007	5847.99	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/13/2007	5847.94	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/12/2007	5847.89	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/11/2007	5847.84	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/10/2007	5847.78	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/9/2007	5847.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/8/2007	5847.8	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/7/2007	5847.78	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/6/2007	5847.66	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/5/2007	5847.65	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/4/2007	5847.64	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/3/2007	5847.64	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/2/2007	5847.64	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	8/1/2007	5847.68	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/31/2007	5847.75	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/30/2007	5847.7	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/29/2007	5847.68	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/28/2007	5847.68	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/27/2007	5847.7	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/26/2007	5847.72	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/25/2007	5847.8	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/24/2007	5847.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/23/2007	5847.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/22/2007	5847.7	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/21/2007	5847.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/20/2007	5847.78	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/19/2007	5847.84	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/18/2007	5847.91	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/17/2007	5847.89	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/16/2007	5847.78	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/15/2007	5847.76	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/14/2007	5847.77	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/13/2007	5847.76	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/12/2007	5847.66	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/6/2007	5848.21	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/5/2007	5848.3	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/2/2007	5848.42	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	7/1/2007	5848.42	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/30/2007	5848.49	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/29/2007	5848.5	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/28/2007	5848.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/27/2007	5848.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/26/2007	5848.5	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/25/2007	5848.47	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/24/2007	5848.47	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/23/2007	5848.47	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/22/2007	5848.49	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/21/2007	5848.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/20/2007	5848.56	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/19/2007	5848.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/18/2007	5848.47	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/17/2007	5848.54	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/16/2007	5848.58	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/15/2007	5848.54	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/14/2007	5848.6	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/13/2007	5848.56	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/12/2007	5848.54	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/11/2007	5848.5	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/10/2007	5848.54	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/9/2007	5848.63	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/8/2007	5848.78	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/7/2007	5848.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/6/2007	5848.66	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/5/2007	5848.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/4/2007	5848.75	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/3/2007	5848.73	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/2/2007	5848.75	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	6/1/2007	5848.69	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/31/2007	5848.8	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/30/2007	5848.82	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/29/2007	5848.8	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/28/2007	5848.82	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/27/2007	5848.82	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/26/2007	5848.85	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/25/2007	5848.87	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/24/2007	5848.92	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/23/2007	5848.91	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/22/2007	5848.85	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/21/2007	5848.85	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/20/2007	5848.87	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/19/2007	5848.85	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/18/2007	5848.84	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/17/2007	5848.91	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/16/2007	5848.94	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/15/2007	5848.87	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/14/2007	5848.87	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/13/2007	5848.96	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/12/2007	5849.04	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/11/2007	5849.09	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/10/2007	5849.1	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/9/2007	5849.16	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/8/2007	5849.25	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/7/2007	5849.3	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/6/2007	5849.36	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/5/2007	5849.27	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/4/2007	5849.3	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/3/2007	5849.36	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/2/2007	5849.39	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	5/1/2007	5849.36	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/30/2007	5849.29	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/29/2007	5849.39	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/28/2007	5849.46	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/27/2007	5849.36	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/26/2007	5849.37	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/25/2007	5849.39	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/24/2007	5849.33	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/23/2007	5849.36	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/22/2007	5849.41	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/21/2007	5849.36	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/20/2007	5849.48	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/19/2007	5849.39	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/18/2007	5849.44	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/17/2007	5849.42	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/16/2007	5849.39	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/15/2007	5849.46	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/14/2007	5849.58	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/13/2007	5849.51	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/12/2007	5849.56	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/11/2007	5849.6	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/10/2007	5849.49	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/9/2007	5849.51	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/8/2007	5849.55	Transducer

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/7/2007	5849.58	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/6/2007	5849.63	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/5/2007	5849.6	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/4/2007	5849.67	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/3/2007	5849.61	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/2/2007	5849.51	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	4/1/2007	5849.55	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/31/2007	5849.58	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/30/2007	5849.63	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/29/2007	5849.6	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/28/2007	5849.57	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/27/2007	5849.55	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/22/2007	5849.55	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/21/2007	5849.48	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/20/2007	5849.49	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/19/2007	5849.44	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/18/2007	5849.46	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/17/2007	5849.49	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/16/2007	5849.55	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/15/2007	5849.46	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/14/2007	5849.46	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/13/2007	5849.48	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/12/2007	5849.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/11/2007	5849.55	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/10/2007	5849.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/9/2007	5849.56	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/8/2007	5849.53	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/7/2007	5849.42	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/6/2007	5849.39	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/5/2007	5849.44	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/4/2007	5849.49	Transducer
R-32	976	MP3A	1101	7.7	972.9	980.6	4.5	5.56	3/3/2007	5849.49	Transducer

Appendix D

Analytical Results

The following symbols, abbreviations, and acronyms are used throughout Appendix D.

—	none
*	(Inorganic) The result for this analyte in the Los Alamos National Laboratory (Laboratory) replicate analysis was outside acceptance criteria.
B	(Organic) This analyte was detected in the associated Laboratory method blank and the sample. (B) (Inorganic) The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
CS	client sample
CST	control sample triplicate
DUP	duplicate sample
E	(Organic) The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma–atomic emission spectroscopy). The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption) The result for this analyte failed one or more Contract Laboratory Program acceptance criteria as explained in the case narrative.
EES6	The Laboratory's Earth and Environmental Sciences Division (Hydrology, Geochemistry, and Geology Group)
EPA	U.S. Environmental Protection Agency
F	filtered
FD	field duplicate
FTB	field trip blank
GELC	General Engineering Laboratories
GEO	Geochron Analytical Laboratory
H	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
HUFFMAN	Huffman Analytical Laboratory
Inorg	inorganic
J	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
J-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.

LLEE	low-level electrolytic extraction
LT	(Rad) The result for this analyte is affected by spectral interference.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
MDA	material disposal area
MDL	method detection limit
Met	metals
mV	millivolt
n/a	not applicable
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PARA	Paragon Analytical Laboratory
R	rejected
Rad	radionuclides
STSL	Severn Trent St. Louis Analytical Laboratory
SV	semivolatile organics
TPU	total propagated uncertainty
U	not detected
UF	unfiltered
UMTL	University of Miami Tritium Laboratory
VOA	volatile organic analysis
WG	groundwater
WM	snowmelt
WP	persistent water
WS	surface water

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a ^a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	41.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	23.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	55.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	62.8	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	42.9	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	42.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	62.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.32	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.6	n/a	n/a	3.60E-02	mg/L	E	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	35.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	42.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	64.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.9	n/a	n/a	3.60E-02	mg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	35.9	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	483	n/a	n/a	3.30E+00	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	566	n/a	n/a	6.60E+00	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	82.7	n/a	n/a	6.60E-01	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	119	n/a	n/a	6.60E-01	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	414	n/a	n/a	3.30E+00	mg/L	n/a	J	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.117	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.085	n/a	n/a	3.30E-02	mg/L	J	J	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.191	n/a	n/a	3.30E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.188	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.105	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	140	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	220	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	32.8	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	35.8	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	118	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	139	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	225	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	39.4	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	39.8	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	120	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	8.2	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	12.3	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.31	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.25	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.17	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	8.22	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	12.9	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.39	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.05	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.33	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.0885	n/a	n/a	5.00E-02	mg/L	J	J	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.18	n/a	n/a	1.00E-01	mg/L	J	J	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.123	n/a	n/a	1.00E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.029	n/a	n/a	1.00E-02	mg/L	J	JN-, J-	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.18	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0852	n/a	n/a	5.00E-02	µg/L	J	J	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0654	n/a	n/a	5.00E-02	µg/L	J	J	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0959	n/a	n/a	5.00E-02	µg/L	J	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.331	n/a	n/a	5.00E-02	µg/L	n/a	J-	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.144	n/a	n/a	5.00E-02	µg/L	J	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	14.5	n/a	n/a	5.00E-02	mg/L	N	J+	08-824	CAPA-08-11018	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	11.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.51	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.41	n/a	n/a	5.00E-02	mg/L	E	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	10.5	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	14.5	n/a	n/a	5.00E-02	mg/L	N	J+	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	11.6	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.58	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.23	n/a	n/a	5.00E-02	mg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	10.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	30.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	18.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	17.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	258	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	291	n/a	n/a	2.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	75.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	93.1	n/a	n/a	4.50E-02	mg/L	E	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	290	n/a	n/a	2.25E-01	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	262	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	300	n/a	n/a	2.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	74.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	91.8	n/a	n/a	4.50E-02	mg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	251	n/a	n/a	2.25E-01	mg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1780	n/a	n/a	1.00E+00	μS/cm	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	20400	n/a	n/a	1.00E+00	μS/cm	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	449	n/a	n/a	1.00E+00	μS/cm	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	590	n/a	n/a	1.00E+00	μS/cm	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1590	n/a	n/a	1.00E+00	μS/cm	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	11.7	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	6.35	n/a	n/a	1.00E-01	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.25	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	898	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	1200	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	305	n/a	n/a	2.38E+00	mg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	341	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	817	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183441				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1480	n/a	n/a	6.80E+01	µg/L	E	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1580	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	458	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	705	n/a	n/a	6.80E+01	µg/L	*	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	13400	n/a	n/a	6.80E+01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	8820	n/a	n/a	6.80E+01	µg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2560	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	284	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	416	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	65.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	74.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	235	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	286	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	434	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	102	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	87	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	241	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	26.4	n/a	n/a	1.00E+01	µg/L	J	J	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	31.1	n/a	n/a	1.00E+01	µg/L	J	J	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	44.7	n/a	n/a	1.00E+01	µg/L	J	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	47.8	n/a	n/a	1.00E+01	µg/L	J	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	33.4	n/a	n/a	1.00E+01	µg/L	J	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	28.4	n/a	n/a	1.00E+01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	31.6	n/a	n/a	1.00E+01	µg/L	J	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	45.3	n/a	n/a	1.00E+01	µg/L	J	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	49.8	n/a	n/a	1.00E+01	µg/L	J	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	34.3	n/a	n/a	1.00E+01	µg/L	J	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	94.3	n/a	n/a	2.50E+01	µg/L	J	J	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	107	n/a	n/a	2.50E+01	µg/L	*	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2200	n/a	n/a	2.50E+01	µg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	800	n/a	n/a	1.80E+01	µg/L	E	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	933	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	256	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	377	n/a	n/a	2.50E+01	µg/L	*	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	7520	n/a	n/a	2.50E+01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	4850	n/a	n/a	1.80E+01	µg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1390	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	4.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.56	n/a	n/a	5.00E-01	µg/L	J	J	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	8.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	4.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.2	n/a	n/a	2.00E+00	µg/L	J	J	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	40.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	19.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	15.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8	n/a	n/a	2.00E+00	µg/L	J	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	66.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	33	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	16.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.45	n/a	n/a	1.00E-01	µg/L	J	J	08-824	CAPA-08-11018	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.48	n/a	n/a	1.00E-01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.6	n/a	n/a	5.00E-01	µg/L	*	J	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.9	n/a	n/a	5.00E-01	µg/L	*	J	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	9.7	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	11.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	248	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	384	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	55.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	61.4	n/a	n/a	1.00E+00	µg/L	E	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	209	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	250	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	400	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	62.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	63.9	n/a	n/a	1.00E+00	µg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	210	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.42	n/a	n/a	3.00E-01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<>												

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	22.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	9.7	n/a	n/a	2.00E+00	µg/L	J	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0145	3.33E-03	4.30E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00501	1.00E-03	3.10E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00712	1.87E-03	4.23E-02	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00444	3.43E-03	4.37E-02	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0129	2.04E-03	3.67E-02	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00606	1.23E-03	4.40E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00094	1.07E-03	2.90E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0112	2.83E-03	6.34E-02	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0146	2.39E-03	3.52E-02	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00788	2.22E-03	3.80E-02	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0359	4.33E-01	4.30E+00	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2.49	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.06	3.83E-01	4.14E+00	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.03	6.70E-01	3.37E+00	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.01	4.03E-01	3.74E+00	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.22	4.33E-01	4.40E+00	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.404	4.67E-01	4.70E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.25	3.00E-01	3.13E+00	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	3.45	3.60E-01	3.45E+00	n/a	pCi/L	UI	R	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.156	3.93E-01	3.83E+00	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.643	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.06	4.00E-01	4.50E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.79	4.67E-01	4.17E+00	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	4.45	1.03E+00	4.02E+00	n/a	pCi/L	UI	R	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.48	3.90E-01	4.16E+00	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.83	2.70E-01	3.50E+00	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.952	4.00E-01	4.20E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.74	3.47E-01	2.25E+00	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.908	3.13E-01	3.40E+00	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.184	3.17E-01	3.15E+00	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	90.5	2.77E+01	2.80E+02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	45.2	1.77E+01	1.30E+02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	79.1	2.83E+01	3.18E+02	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	80	2.19E+01	2.71E+02	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	62.2	1.82E+01	2.09E+02	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	79	2.07E+01	2.90E+02	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	91.4	2.83E+01	2.70E+02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	58.6	1.95E+02	2.62E+02	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	55.3	2.01E+01	1.95E+02	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	72.1	1.64E+01	3.04E+02	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-17	3.07E+00	2.80E+01	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.55	4.33E+00	3.00E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-5.92	3.10E+00	2.87E+01	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	26.8	3.90E+00	2.71E+01	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.22	2.84E+00	2.81E+01	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.3	3.67E+00	3.00E+01	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.888	4.00E+00	3.50E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.78	2.07E+00	1.92E+01	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	6.15	2.80E+00	2.60E+01	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.53	3.07E+00	2.54E+01	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0128	2.80E-03	3.50E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00821	2.27E-03	2.90E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00196	2.60E-03	3.87E-02	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0112	3.06E-03	2.62E-02	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00495	1.65E-03	1.69E-02	n/a	pCi/L	U						

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0108	2.87E-03	2.70E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00968	3.23E-03	3.87E-02	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	n/a	0.0396	3.43E-03	3.26E-02	n/a	pCi/L	n/a	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00667	1.36E-03	1.71E-02	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00734	2.30E-03	3.70E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0115	3.07E-03	2.80E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0182	2.76E-03	4.56E-02	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00561	2.25E-03	2.90E-02	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00495	1.23E-03	2.45E-02	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00402	2.13E-03	4.10E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00772	1.53E-03	2.60E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00967	2.55E-03	4.57E-02	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0256	2.60E-03	3.61E-02	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00666	1.76E-03	2.47E-02	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	29.9	6.33E+00	3.30E+01	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14	6.00E+00	6.90E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-13	5.53E+00	4.57E+01	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-35.9	5.27E+00	4.87E+01	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	32.7	6.50E+00	3.36E+01	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	20.7	8.33E+00	3.50E+01	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-0.305	6.00E+00	6.20E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.49	4.03E+00	2.84E+01	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-14.3	4.43E+00	4.30E+01	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	28.1	5.03E+00	1.99E+01	n/a	pCi/L	UI	R	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.937	7.33E-02	3.70E-01	n/a	pCi/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.845	8.67E-02	6.50E-01	n/a	pCi/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	1.15	9.00E-02	5.70E-01	n/a	pCi/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.599	1.13E-01	1.10E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.104	4.00E-01	3.80E+00	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.282	4.67E+01	4.60E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.706	3.57E-01	3.32E+00	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.736	3.63E-01	3.41E+00	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.279	4.00E-01	3.83E+00	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.72	3.67E-01	3.50E+00	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.289	4.00E-01	4.00E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0747	2.82E-01	2.77E+00	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.704	2.64E-01	2.26E+00	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.377	3.47E-01	3.50E+00	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.89	1.10E-01	6.50E-01	n/a	pCi/L	n/a	n/a	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	2.31	8.67E-02	2.60E-01	n/a	pCi/L	n/a	n/a	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.458	5.43E-02	4.82E-01	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0529	3.00E-02	3.62E-01	n/a	pCi/L	U	JN-, U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.22	5.63E-02	4.23E-01	n/a	pCi/L	n/a	J	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.48	8.67E-02	4.60E-01	n/a	pCi/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.88	7.67E-02	2.90E-01	n/a	pCi/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.117	3.18E-02	3.16E-01	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.00605	3.47E-02	3.52E-01	n/a	pCi/L	U	JN-, U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1	4.93E-02	3.25E-01	n/a	pCi/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	493	2.63E+01	1.90E+02	n/a	pCi/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	191	1.97E+01	1.80E+02	n/a	pCi/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	290	1.94E+01	1.52E+02	n/a	pCi/L	n/a	J	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	482	2.62E+01	1.42E+02	n/a	pCi/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	640	1.82E+01	1.47E+02	n/a	pCi/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0444	3.67E-03	6.80E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0329	3.67E-03	6.40E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.105	9.27E-03	1.03E-01	n/a	pCi/L	n/a	J	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.152	7.33E-03	2.81E-02	n/a	pCi/L	n/a	n/a	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F																		

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0356	4.00E-03	9.30E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0234	4.33E-03	7.20E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.223	1.33E-02	1.13E-01	n/a	pCi/L	n/a	J	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.218	8.53E-03	3.02E-02	n/a	pCi/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.155	6.63E-03	4.95E-02	n/a	pCi/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0	1.87E-03	3.40E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00428	2.27E-03	2.80E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0159	3.83E-03	8.05E-02	n/a	pCi/L	U	U	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-2.32E-09	2.81E-03	3.76E-02	n/a	pCi/L	U	U	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0155	2.47E-03	3.12E-02	n/a	pCi/L	U	U	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0	1.07E-03	4.70E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00241	1.80E-03	3.20E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0104	3.50E-03	8.82E-02	n/a	pCi/L	U	U	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0209	3.50E-03	4.04E-02	n/a	pCi/L	U	U	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0134	2.12E-03	3.14E-02	n/a	pCi/L	U	U	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0204	2.87E-03	4.60E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11018	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.019	2.67E-03	3.70E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9317	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.124	9.10E-03	9.02E-02	n/a	pCi/L	n/a	J	194078	GF07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.104	5.73E-03	3.74E-02	n/a	pCi/L	n/a	J	189433	GF07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.183	7.13E-03	3.75E-02	n/a	pCi/L	n/a	n/a	183441	GF07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0229	3.10E-03	6.30E-02	n/a	pCi/L	U	U	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0195	3.33E-03	4.20E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.242	1.39E-02	9.88E-02	n/a	pCi/L	n/a	J	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.178	7.57E-03	4.02E-02	n/a	pCi/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.146	6.10E-03	3.77E-02	n/a	pCi/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	DL	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	183	n/a	n/a	4.10E+00	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	RE	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	179	n/a	n/a	4.20E+00	µg/L	n/a	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	14	n/a	n/a	1.10E+00	µg/L	n/a	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	75.2	n/a	n/a	1.04E+00	µg/L	n/a	J-	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	102	n/a	n/a	1.03E+00	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	72.7	n/a	n/a	1.01E+00	µg/L	n/a	J	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.293	n/a	n/a	2.50E-01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.391	n/a	n/a	2.50E-01	µg/L	J	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.801	n/a	n/a	2.50E-01	µg/L	J	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Chloroform	n/a	1.3	n/a	n/a	1.00E+00	µg/L	J	J	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.662	n/a	n/a	2.50E-01	µg/L	J	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.668	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.44	n/a	n/a	2.50E-01	µg/L	J	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	1.35	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	0.981	n/a	n/a	3.00E-01	µg/L	J	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	2.93	n/a	n/a	3.00E-01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	2.29	n/a	n/a	1.20E+00	µg/L	J	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	2.78	n/a	n/a	3.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	2.31	n/a	n/a	6.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	1.61	n/a	n/a	3.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	3	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	1.95	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	5.73	n/a	n/a	3.00E-01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	4.68	n/a	n/a	1.20E+00	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	4.8	n/a	n/a	3.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	2.79	n/a	n/a	6.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1-]	n/a	2.28	n/a	n/a	3.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	n/a	377	n/a	n/a	2.00E+01	µg/L	n/a	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	n/a	n/a	2.00E+01	µg/L	U	R	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	n/a	147	n/a	n/a	2.00E+01	µg/L	n/a	J, J+	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	<	200	n/a	n/a	8.00E+01	µg/L	U	UJ, R	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	n/a	215	n/a	n/a	2.00E+01	µg/L	n/a	J-, J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10																							

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	n/a	165	n/a	n/a	2.00E+01	µg/L	n/a	J-, J	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	52.5	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	53.4	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	173	n/a	n/a	3.00E-01	µg/L	E	J-, J	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	140	n/a	n/a	1.20E+00	µg/L	n/a	J-	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	206	n/a	n/a	3.00E-01	µg/L	E	J	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	134	n/a	n/a	6.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	81.2	n/a	n/a	3.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	0.509	n/a	n/a	2.50E-01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	0.534	n/a	n/a	2.50E-01	µg/L	J	J	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.45	n/a	n/a	2.50E-01	µg/L	n/a	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethene	<	4	n/a	n/a	1.00E+00	µg/L	U	UJ	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.98	n/a	n/a	2.50E-01	µg/L	n/a	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.63	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.26	n/a	n/a	2.50E-01	µg/L	n/a	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	n/a	0.314	n/a	n/a	2.50E-01	µg/L	J	J	08-824	CAPA-08-11019	GELC	n/a	n/a
03-B-10	7661	20.6	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	n/a	0.486	n/a	n/a	2.50E-01	µg/L	J	J	08-824	CAPA-08-11017	GELC	n/a	n/a
03-B-10	7661	20.6	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	1	n/a	n/a	2.50E-01	µg/L	U	U	08-416	CAPA-08-9319	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	09/18/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	4	n/a	n/a	1.00E+00	µg/L	U	UJ	194078	GU07090G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	2	n/a	n/a	5.00E-01	µg/L	U	UJ	189433	GU07060G3B1001	GELC	n/a	n/a
03-B-10	7661	20.6	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	183441	GU07030G3B1001	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.4	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.4	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	24.1	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.6	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	64.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	40.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide	n/a	0.134	n/a	n/a	6.70E-02	mg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.108	n/a	n/a	6.70E-02	mg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	<	0.2	n/a	n/a	6.60E-02	mg/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	<	0.066	n/a	n/a	6.60E-02	mg/L	U	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.188	n/a	n/a	6.60E-02	mg/L	J	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.333	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	49.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	49	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	57	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.09	n/a	n/a	3.60E-02	mg/L	E	J	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	36.6	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	50.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	49.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	53.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.87	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.56	n/a	n/a	3.60E-02	mg/L	E	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	37.8	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	n/a	552	n/a	n/a	3.30E+00	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	550	n/a	n/a	3.30E+00	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	610	n/a	n/a	6.60E+00	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	73	n/a	n/a	6.60E-01	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	104	n/a	n/a	6.60E-01	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	387	n/a	n/a	3.30E+00	mg/L	n/a	J	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	n/a	0.117	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.132	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.11	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.19	n/a	n/a	3.30E-02	mg/L	n/a	J+	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.189	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.103	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	165	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	162	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	189	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	30.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	30.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	122	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	167	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	164	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	180	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	41.3	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	35.6	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	127	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	9.82	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	9.63	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	11.4	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	1.87	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.49	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	10.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	9.86	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	10.9	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.05	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.85	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.89	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.134	n/a	n/a	5.00E-02	mg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.157	n/a	n/a	5.00E-02	mg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.1	n/a	n/a	5.00E-02	mg/L	J	J	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.031	n/a	n/a	1.00E-02	mg/L	J	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.291	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	n/a	0.0669	n/a	n/a	5.00E-02	µg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0644	n/a	n/a	5.00E-02	µg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0546	n/a	n/a	5.00E-02	µg/L	J	J	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0518	n/a	n/a	5.00E-02	µg/L	J	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.309	n/a	n/a	5.00E-02	µg/L	n/a	J-	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a</									

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	83.5	n/a	n/a	4.50E-02	mg/L	E	J	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	258	n/a	n/a	2.25E-01	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	308	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	302	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	338	n/a	n/a	2.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	68	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	82.5	n/a	n/a	4.50E-02	mg/L	E	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	246	n/a	n/a	2.25E-01	mg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	n/a	2020	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	2020	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	20500	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	408	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	552	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1530	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	n/a	14	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.85	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	11.7	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	1030	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	1050	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	1230	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	294	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	295	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	795	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	n/a	4.27	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	4.21	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.56	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.61	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	8.07	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	4.28	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	n/a	6.4	n/a	n/a	1.00E-02	SU	H	J-	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.33	n/a	n/a	1.00E-02	SU	H	J-	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.1	n/a	n/a	1.00E-02	SU	H	J-	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.69	n/a	n/a	1.00E-02	SU	H	J	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.32	n/a	n/a	1.00E-02	SU	H	J	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.05	n/a	n/a	1.00E-02	SU	H	J	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	101	n/a	n/a	6.80E+01	µg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	89.5	n/a	n/a	6.80E+01	µg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	81.1	n/a	n/a	6.80E+01	µg/L	J	J	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4590	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	196	n/a	n/a	6.80E+01	µg/L	EJ	J	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	782	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	473	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	475	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2060	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	20800	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	9320	n/a	n/a	6.80E+01	µg/L	E	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3500	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	n/a	335	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	331	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	414	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	65.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	57.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	227	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	n/a	339	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	333	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	396	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	119	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	84.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	245	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Boron	n/a	23.3	n/a	n/a	1.00E+01	µg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	24.6	n/a	n/a	1.00E+01	µg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	26.8	n/a	n/a	1.00E+01	µg/L	J	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	43.9	n/a	n/a	1.00E+01	µg/L	J	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	50.4	n/a	n/a	1.00E+01	µg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	36.4	n/a	n/a	1.00E+01	µg/L	J	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Boron	n/a	23.9	n/a	n/a	1.00E+01	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	24.8	n/a	n/a	1.00E+01	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	25.4	n/a	n/a	1.00E+01	µg/L	J	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	46	n/a	n/a	1.00E+01	µg/L	J	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	52.1	n/a	n/a	1.00E+01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	35.6	n/a	n/a	1.00E+01	µg/L	J	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Iron	n/a	209	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	154	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	94.7	n/a	n/a	2.50E+01	µg/L	J	J	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2380	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	129	n/a	n/a	1.80E+01	µg/L	E	J, U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	445	n/a	n/a	1.80E+01	µg/L	n/a	J+	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	n/a	366	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	366	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1160	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	14200	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	5200	n/a	n/a	1.80E+01	µg/L	E	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1700	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.78	n/a	n/a	5.00E-01	µg/L	J	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6020	Lead	n/a	0.57	n/a	n/a	5.00E-01	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.57	n/a	n/a	5.00E-01	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	J	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	12.6	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	6.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	n/a	39.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	34.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	11	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	48.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	33.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.5	n/a	n/a	2.00E+00	µg/L	J	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	n/a	37.2	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	36.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	15.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	94.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	54.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	0.55	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.55	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	0.61	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.6	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6020	Nickel	n/a	3.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.3	n/a	n/a	5.00E-01	µg/L	*	J	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	n/a	3.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	7.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.3	n/a	n/a	5.00E-01	µg/L	*	J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	n/a	10.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	10.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	11	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	n/a	296	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	293	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	375	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	51.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	53	n/a	n/a	1.00E+00	µg/L	E	J	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	213	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	n/a	301	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	295	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	356	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	61.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	56.9	n/a	n/a	1.00E+00	µg/L	E	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	220	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.12	n/a	n/a	5.00E-02	µg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.12	n/a	n/a	5.00E-02	µg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.057	n/a	n/a	5.00E-02	µg/L	J	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.35	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.32	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.12	n/a	n/a	5.00E-02	µg/L	J	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.17	n/a	n/a	5.00E-02	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.16	n/a	n/a	5.00E-02	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.11	n/a	n/a	5.00E-02	µg/L	J	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.93	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.74	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.21	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	n/a	9	n/a	n/a	2.00E+00	µg/L	J	J	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	9.6	n/a	n/a	2.00E+00	µg/L	J	J	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	13.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	4.5	n/a	n/a	2.00E+00	µg/L	J	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.3	n/a	n/a	2.00E+00	µg/L	J	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	n/a	10.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	17.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	50	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	27.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	11	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	BHC[delta-]	n/a	0.0122	n/a	n/a	5.40E-03	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	BHC[delta-]	<	0.0211	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	BHC[delta-]	<	0.0211	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	BHC[delta-]	<	0.0217	n/a	n/a	5.43E-03	µg/L	U	UJ	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	BHC[delta-]	<	0.0204	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	DDD[4,4'-]	n/a	0.0452	n/a	n/a	5.40E-03	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDD[4,4'-]	<	0.0421	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDD[4,4'-]	<	0.0421	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDD[4,4'-]	<	0.0435	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDD[4,4'-]	<	0.0408	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	DDE[4,4'-]	n/a	0.0442	n/a	n/a	5.40E-03	µg/L	P	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDE[4,4'-]	<	0.0421	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDE[4,4'-]	<	0.0421	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDE[4,4'-]	<	0.0435	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDE[4,4'-]	<	0.0408	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	DDT[4,4'-]	n/a	0.0452	n/a	n/a	1.10E-02	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDT[4,4'-]	<	0.0421	n/a	n/a	1.10E-02	µg/L	U	UJ	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDT[4,4'-]	<	0.0421	n/a	n/a	1.05E-02	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDT[4,4'-]	<	0.0435	n/a	n/a	1.09E-02	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	DDT[4,4'-]	<	0.0408	n/a	n/a	1.02E-02	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	Dieldrin	n/a	0.0103	n/a	n/a	5.40E-03	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Dieldrin	<	0.0421	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Dieldrin	<	0.0421	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Dieldrin	<	0.0435	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Dieldrin	<	0.0408	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan I	n/a	0.00834	n/a	n/a	5.40E-03	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan I	<	0.0211	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan I	<	0.0211	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan I	<	0.0217	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan I	<	0.0204	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan II	n/a	0.0122	n/a	n/a	5.40E-03	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan II	<	0.0421	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan II	<	0.0421	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan II	<	0.0435	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan II	<	0.0408	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan Sulfate	n/a	0.00946	n/a	n/a	5.40E-03	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan Sulfate	<	0.0421	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan Sulfate	<	0.0421	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan Sulfate	<	0.0435	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endosulfan Sulfate	<	0.0408	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Pest	SW-846:8081A	Endrin	n/a	0.0145	n/a	n/a	5.40E-03	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endrin	<	0.0421	n/a	n/a	5.30E-03	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endrin	<	0.0421	n/a	n/a	5.26E-03	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endrin	<	0.0435	n/a	n/a	5.43E-03	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Pest	SW-846:8081A	Endrin	<	0.0408	n/a	n/a	5.10E-03	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	HASL-300	Americium-241	<	-0.00508	1.63E-03	4.10E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.005	1.00E-03	4.30E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0215	3.13E-03	3.20E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00406	1.46E-03	4.65E-02	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00818	3.73E-03	4.12E-02	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00836	1.80E-03	4.48E-02	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	HASL-300	Americium-241	<	0.00123	1.13E-03	4.20E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00194	7.67E-04	4.50E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000972	3.20E-03	3.00E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00135	1.49E-03	5.88E-02	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00715	3.57E-03	4.40E-02	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00506	2.20E-03	4.69E-02	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	0.986	3.33E-01	3.40E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.81	5.33E-01	4.10E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.685	5.33E-01	5.20E+00	n/a								

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.882	3.90E-01	3.63E+00	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.146	2.22E-01	2.22E+00	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	-2.73	4.33E-01	3.60E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.96	3.17E-01	3.50E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.84	4.00E-01	4.00E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.16	3.77E-01	3.43E+00	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.276	3.87E-01	3.75E+00	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.91	4.30E-01	4.64E+00	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	0.00435	3.33E-01	3.40E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.986	4.00E-01	4.30E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.428	5.00E-01	4.80E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.3	2.46E-01	2.81E+00	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.08	3.67E-01	3.26E+00	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	3.01	4.83E-01	2.30E+00	n/a	pCi/L	UI	R	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.678	5.00E-01	4.60E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.939	2.93E-01	2.60E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.22	4.33E-01	3.60E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.53	3.47E-01	3.94E+00	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.08	3.50E-01	3.72E+00	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.36	4.93E-01	5.26E+00	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	152	3.33E+01	4.70E+02	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	96.1	2.40E+01	3.40E+02	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	112	2.37E+01	3.90E+02	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	58.7	4.23E+01	2.48E+02	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.9	1.64E+01	2.08E+02	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	57.9	2.93E+01	1.60E+02	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	110	4.67E+01	3.80E+02	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	104	2.27E+01	2.90E+02	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	154	4.00E+01	3.70E+02	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	75.8	1.86E+01	2.45E+02	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	100	2.81E+01	3.48E+02	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.5	1.69E+01	2.28E+02	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	3.51	3.17E+00	2.40E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.74	3.67E+00	3.10E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	10.8	2.53E+00	2.10E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-11	2.52E+00	1.95E+01	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.8	2.67E+00	2.42E+01	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.29	1.76E+00	1.69E+01	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	12	3.33E+00	3.40E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.45	2.83E+00	2.60E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	22	3.10E+00	2.90E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.35	2.57E+00	2.28E+01	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	6.06	2.55E+00	2.59E+01	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.56	4.03E+00	3.27E+01	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	0.0138	3.67E-03	4.40E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0049	2.83E-03	4.70E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00451	1.50E-03	4.10E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00121	2.66E-03	3.51E-02	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00157	2.03E-03	2.20E-02	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00339	1.79E-03	1.74E-02	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0.0124	3.20E-03	4.80E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00551	2.80E-03	3.50E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	9.33E-04	3.60E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00716	2.88E-03	3.97E-02	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0082	3.33E-03	2.87E-02	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	8.40E-04	1.83E-02	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.0115	3.17E-03	4.70E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0123</											

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0158	2.93E-03	4.70E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00028	1.75E-03	4.13E-02	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00314	1.28E-03	2.43E-02	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00169	1.26E-03	2.51E-02	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00989	2.33E-03	5.10E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00184	2.03E-03	3.80E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00201	2.23E-03	4.20E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0084	1.87E-03	4.68E-02	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0164	2.38E-03	3.18E-02	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0196	2.32E-03	2.64E-02	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	23.1	7.33E+00	2.90E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.04	6.33E+00	4.30E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-15.8	6.00E+00	5.10E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-2.94	4.27E+00	3.94E+01	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-14.7	4.30E+00	3.62E+01	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	36.8	4.33E+00	1.71E+01	n/a	pCi/L	UI	R	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	9.32	7.33E+00	4.90E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	16.3	4.33E+00	3.40E+01	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	n/a	74.3	5.33E+00	3.50E+01	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	5.96	5.63E+00	3.45E+01	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	7.54	6.17E+00	4.92E+01	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	0.912	6.07E+00	6.37E+01	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:903.1	Radium-226	n/a	0.501	4.67E-02	2.70E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.333	4.67E-02	3.90E-01	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.384	4.33E-02	3.10E-01	n/a	pCi/L	n/a	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:904	Radium-228	n/a	2.3	1.43E-01	6.40E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	1.21	1.07E-01	7.70E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	1.46	1.03E-01	6.20E-01	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	0.575	3.67E-01	3.40E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.618	4.00E-01	4.10E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.43	5.33E-01	4.60E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.515	3.04E-01	3.05E+00	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.162	3.97E-01	3.93E+00	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.4	2.11E-01	2.17E+00	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	-1.38	4.67E-01	3.80E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.426	3.33E-01	3.50E+00	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.67	4.33E-01	3.70E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.32	3.43E-01	3.66E+00	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.83	3.73E-01	3.19E+00	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.08	4.17E-01	3.51E+00	n/a	pCi/L	U	U	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	n/a	1.37	8.67E-02	5.40E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.889	7.00E-02	5.10E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.9	9.67E-02	4.80E-01	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.73	6.33E-02	5.24E-01	n/a	pCi/L	n/a	J	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0647	2.93E-02	3.04E-01	n/a	pCi/L	U	JN-, U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.141	5.07E-02	5.18E-01	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	n/a	1.75	1.20E-01	8.90E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.19	8.33E-02	5.70E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.86	8.67E-02	4.00E-01	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.182	2.45E-02	2.33E-01	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.175	4.70E-02	4.81E-01	n/a	pCi/L	U	JN-, U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	1.44	6.73E-02	5.00E-01	n/a	pCi/L	n/a	J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	EPA:906.0	Tritium	n/a	1540	5.67E+01	1.90E+02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	1560	5.67E+01	1.90E+02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	96.4	1.77E+01	1.70E+02	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	217	1.81E+01	1.55E+02	n/a	pCi/L	n/a	J	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	n/a	623	3.05E+01	1.40E+02	n/a	pCi/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium</													

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	<	0.0644	4.00E-03	7.10E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0608	4.33E-03	6.90E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.066	4.33E-03	6.80E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.114	8.60E-03	9.93E-02	n/a	pCi/L	n/a	J	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.205	8.20E-03	2.93E-02	n/a	pCi/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.141	6.40E-03	4.95E-02	n/a	pCi/L	n/a	J	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.111	5.67E-03	6.70E-02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0947	5.00E-03	6.50E-02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.139	6.33E-03	7.50E-02	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.264	1.64E-02	1.32E-01	n/a	pCi/L	n/a	J	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.222	9.40E-03	3.60E-02	n/a	pCi/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.187	7.17E-03	4.70E-02	n/a	pCi/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.00241	8.00E-04	3.60E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0118	2.10E-03	3.50E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0181	2.17E-03	3.00E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00298	3.40E-03	7.78E-02	n/a	pCi/L	U	U	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00508	2.08E-03	3.92E-02	n/a	pCi/L	U	U	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.029	3.47E-03	3.14E-02	n/a	pCi/L	U	U	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0158	2.00E-03	3.30E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0132	2.33E-03	3.30E-02	n/a	pCi/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0149	2.07E-03	3.30E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0202	6.83E-03	1.03E-01	n/a	pCi/L	U	U	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00937	2.33E-03	4.82E-02	n/a	pCi/L	U	U	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0361	2.99E-03	2.99E-02	n/a	pCi/L	n/a	J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.0546	4.00E-03	4.90E-02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11399	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0551	3.67E-03	4.70E-02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11022	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0477	3.23E-03	3.90E-02	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9315	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.109	8.40E-03	8.72E-02	n/a	pCi/L	n/a	J	193817	GF07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.148	7.30E-03	3.90E-02	n/a	pCi/L	n/a	n/a	189433	GF07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.132	5.77E-03	3.77E-02	n/a	pCi/L	n/a	n/a	183441	GF07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.0474	3.33E-03	4.50E-02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0607	4.00E-03	4.40E-02	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.103	5.33E-03	4.30E-02	n/a	pCi/L	n/a	n/a	08-422	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.254	1.60E-02	1.16E-01	n/a	pCi/L	n/a	J	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.222	9.50E-03	4.80E-02	n/a	pCi/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.141	5.93E-03	3.58E-02	n/a	pCi/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	DL	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	746	n/a	n/a	1.10E+01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	21	n/a	n/a	1.10E+00	µg/L	n/a	n/a	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	24.1	n/a	n/a	1.09E+00	µg/L	n/a	J, J-	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	146	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	33.1	n/a	n/a	1.02E+00	µg/L	n/a	J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	n/a	1.69	n/a	n/a	1.30E+00	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	<	5	n/a	n/a	1.30E+00	µg/L	U	U	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	<	5	n/a	n/a	1.30E+00	µg/L	U	UJ	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	<	5	n/a	n/a	1.25E+00	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	n/a	2.23	n/a	n/a	1.25E+00	µg/L	J	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Acetone	<	10	n/a	n/a	2.50E+00	µg/L	U	UJ	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Chloroform	n/a	0.473	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.391	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	<	1	n/a	n/a	2.50E-01	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.504	n/a	n/a	2.50E-01	µg/L	J	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.562	n/a	n/a	2.50E-01	µg/L	J	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.641	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.581	n/a	n/a	2.50E-01	µg/L	J	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Chloroform	n/a	0.715	n/a	n/a	5.00E-01	µg/L	J	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a	2.73	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1-]	n/a												

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1,-]	n/a	1.51	n/a	n/a	3.00E-01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1,-]	n/a	2.37	n/a	n/a	3.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethane[1,1,-]	n/a	2.31	n/a	n/a	6.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethane[1,1,-]	n/a	2.11	n/a	n/a	3.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethane[1,1,-]	n/a	1.99	n/a	n/a	6.00E-01	µg/L	J	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	5.64	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	5.37	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	1.47	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	2.24	n/a	n/a	3.00E-01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	3.88	n/a	n/a	3.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	2.83	n/a	n/a	6.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	3.1	n/a	n/a	3.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dichloroethene[1,1,-]	n/a	2.8	n/a	n/a	6.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	1220	n/a	n/a	2.00E+01	µg/L	n/a	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	1050	n/a	n/a	2.00E+01	µg/L	n/a	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	38.8	n/a	n/a	2.00E+01	µg/L	J	J	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	72.7	n/a	n/a	2.00E+01	µg/L	n/a	J	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	311	n/a	n/a	2.00E+01	µg/L	n/a	J, J-	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	251	n/a	n/a	4.00E+01	µg/L	n/a	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	68.3	n/a	n/a	2.00E+01	µg/L	n/a	J-, J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Dioxane[1,4,-]	n/a	45.1	n/a	n/a	4.00E+01	µg/L	J	J-, J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	92.2	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	79.9	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	41.5	n/a	n/a	3.00E-01	µg/L	n/a	n/a	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	79.4	n/a	n/a	3.00E-01	µg/L	n/a	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	123	n/a	n/a	3.00E-01	µg/L	E	J	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	104	n/a	n/a	6.00E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	133	n/a	n/a	3.00E-01	µg/L	E	J	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,1,-]	n/a	141	n/a	n/a	6.00E-01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	n/a	0.33	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	n/a	0.285	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	<	2	n/a	n/a	5.00E-01	µg/L	U	UJ	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethane[1,1,2,-]	<	2	n/a	n/a	5.00E-01	µg/L	U	UJ	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	FD	Voa	SW-846:8260B	Trichloroethene	n/a	0.871	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11398	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	0.734	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	0.527	n/a	n/a	2.50E-01	µg/L	J	J	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	0.784	n/a	n/a	2.50E-01	µg/L	J	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.08	n/a	n/a	2.50E-01	µg/L	n/a	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.11	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.46	n/a	n/a	2.50E-01	µg/L	n/a	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trichloroethene	n/a	1.73	n/a	n/a	5.00E-01	µg/L	J	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/17/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	n/a	0.279	n/a	n/a	2.50E-01	µg/L	J	J	08-827	CAPA-08-11020	GELC	n/a	n/a
03-B-13	7671	21.5	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	U	08-419	CAPA-08-9316	GELC	n/a	n/a
03-B-13	7671	21.5	09/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	193817	GU07090G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	07/10/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	<	2	n/a	n/a	5.00E-01	µg/L	U	UJ	189433	GU07060G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	183441	GU07030G3B1301	GELC	n/a	n/a
03-B-13	7671	21.5	03/29/07	WG	UF	RE	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4,-]	<	2	n/a	n/a	5.00E-01	µg/L	U	UJ	183441	GU07030G3B1301	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	38.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	46.5	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	41.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.5	n/a	n/a	7.25E-01	mg/L	n/a	n/a	182907				

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.1	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	25.9	n/a	n/a	1.30E-01	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	17.4	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	18	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	17.7	n/a	n/a	1.32E-01	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	15.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.115	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.112	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.167	n/a	n/a	3.30E-02	mg/L	n/a	J+	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.129	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.116	n/a	n/a	3.30E-02	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	52.4	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	48.1	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.8	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	51.7	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	48.7	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	56.6	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.78	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.87	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.68	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.18	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.15	n/a	n/a	8.50E-02	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.82	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.93	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.66	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium													

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.78	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.65	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.89	n/a	n/a	5.00E-02	mg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	45.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	33.4	n/a	n/a	3.20E-02	mg/L	n/a	J+	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	36.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	201	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	179	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	194	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	192	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	210	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.81	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	11.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.9	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.9	n/a	n/a	1.00E-01	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	117	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	157	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	172	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	159	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	102	n/a	n/a	2.38E+00	mg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.045	n/a	n/a	2.90E-02	mg/L	J	JN-	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.371	n/a	n/a	2.90E-02	mg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	RE	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.143	n/a	n/a	2.90E-02	mg/L	H	JN-, J	190842	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.061	n/a	n/a	2.90E-02	mg/L	J	J-	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.162	n/a	n/a	2.90E-02	mg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.051	n/a	n/a	2.90E-02	mg/L	J	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	RE	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.042	n/a	n/a	2.90E-02	mg/L	HJ	J, JN-	190842	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.21	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.65	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.61	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.14	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.84	n/a	n/a	3.30E-01	mg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.71	n/a	n/a	1.00E-02	SU	H	J-	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.65	n/a	n/a	1.00E-02	SU	H	J-	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.7	n/a	n/a	1.00E-02	SU	H	J	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.32	n/a	n/a	1.00E-02	SU	H	J	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.44	n/a	n/a	1.00E-02	SU	H	J	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1420	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2850	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3520	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	816	n/a	n/a	6.80E+01	µg/L	n/a	J	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	692	n/a	n/a	6.80E+01	µg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1790	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4680	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3880	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2490	n/a	n/a	6.80E+01	µg/L	n/a	J	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2120	n/a	n/a	6.80E+01	µg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	76.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	89.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	86.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	76.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	85.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	77.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	94.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	86.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	82.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	90.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	663	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1400	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1660	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	412	n/a	n/a	1.80E+01	µg/L	n/a	J	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	329	n/a	n/a	1.80E+01	µg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	857	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2320	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1810	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1300	n/a	n/a	1.80E+01	µg/L	n/a	J	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1060	n/a	n/a	1.80E+01	µg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.6	n/a	n/a	2.00E+00	µg/L	J	J	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.7	n/a	n/a	2.00E+00	µg/L	J	J	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.5	n/a	n/a	2.00E+00	µg/L	J	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3	n/a	n/a	2.00E+00	µg/L	J	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.2	n/a	n/a	2.00E+00	µg/L	J	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6.8	n/a	n/a	2.00E+00	µg/L	n/a	J	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	11.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	16.2	n/a	n/a	2.00E+00	µg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.81	n/a	n/a	5.00E-01	µg/L	J	J	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.69	n/a	n/a	5.00E-01	µg/L	J	J	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.2	n/a	n/a	5.00E-01	µg/L	J	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.96	n/a	n/a	5.00E-01	µg/L	J	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.65	n/a	n/a	5.00E-01	µg/L	J	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.89	n/a	n/a	5.00E-01	µg/L	J	J	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.2	n/a	n/a	5.00E-01	µg/L	J	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	33.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	44.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	97.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	104	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	98	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	92.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	107	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	97.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	103	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	96.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	93.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	103	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.083	n/a	n/a	5.00E-02	µg/L	J	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.11	n/a	n/a	5.00E-02	µg/L	J	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.055	n/a	n/a	5.00E-02	µg/L	J	n/a	188896	GF07060G18B101	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.071	n/a	n/a	5.00E-02	µg/L	J	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.051	n/a	n/a	5.00E-02	µg/L	J	J	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.12	n/a	n/a	5.00E-02	µg/L	J	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.11	n/a	n/a	5.00E-02	µg/L	J	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.089	n/a	n/a	5.00E-02	µg/L	J	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.13	n/a	n/a	5.00E-02	µg/L	J	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.7	n/a	n/a	1.00E+00	µg/L	J	J	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.4	n/a	n/a	1.00E+00	µg/L	J	J	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.2	n/a	n/a	1.00E+00	µg/L	J	n/a	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.7	n/a	n/a	1.00E+00	µg/L	J	n/a	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.5	n/a	n/a	1.00E+00	µg/L	J	n/a	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.7	n/a	n/a	1.00E+00	µg/L	J	J	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.9	n/a	n/a	1.00E+00	µg/L	J	J	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.2	n/a	n/a	1.00E+00	µg/L	J	n/a	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	n/a	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2	n/a	n/a	1.00E+00	µg/L	J	n/a	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00919	3.33E-03	4.10E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0142	2.87E-03	3.90E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	n/a	0.0917	8.03E-03	5.82E-02	n/a	pCi/L	n/a	J	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00454	3.70E-03	4.21E-02	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.000788	3.63E-03	3.88E-02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00327	2.77E-03	3.90E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0092	3.33E-03	4.10E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00341	1.34E-03	4.38E-02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00715	4.63E-03	4.02E-02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00366	2.17E-03	3.55E-02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.428	5.00E-01	4.60E+00	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.667	6.00E-01	5.20E+00	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.751	3.37E-01	3.21E+00	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.63	4.27E-01	4.43E+00	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.764	4.83E-01	3.97E+00	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0448	5.67E-01	4.80E+00	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.927	2.80E-01	3.90E+00	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.0864	4.00E-01	3.87E+00	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.939	4.47E-01	4.51E+00	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.0113	4.53E-01	4.40E+00	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.814	5.33E-01	5.10E+00	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.93	5.00E-01	3.70E+00	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.58	3.47E-01	2.95E+00	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.489	5.23E-01	4.65E+00	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.93	4.53E-01	3.86E+00	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.997	4.67E-01	4.80E+00	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.5	4.33E-01	4.50E+00	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.548	3.70E-01	3.65E+00	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.514	4.00E-01	3.74E+00	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.62	4.27E-01	3.64E+00	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	228	3.33E+01	4.40E+02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	82.5	2.73E+01	3.60E+02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	66.7	3.37E+01	2.61E+02	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	114	2.79E+01	2.86E+02	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	66.6	1.95E+01	1.92E+02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	245	3.67E+01	4.50E+02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	101	2.77E+01	3.50E+02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	83.4	2.15E+01	2.25E+02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	77.5	1.92E+01	3.21E+02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	80.4	2.55E+01	2.66E+02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.01	4.33E+00	4.20E+01	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.75	2.23E+00	2.20E+01	n/a	pCi/L	U	U	08-329				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.2	2.78E+00	2.53E+01	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-42.6	4.63E+00	3.34E+01	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-11.9	3.06E+00	2.87E+01	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	18.5	3.33E+00	3.30E+01	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	3.54	2.60E+00	2.60E+01	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	6.39	3.18E+00	2.84E+01	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	7.02	2.47E+00	2.14E+01	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.4	3.53E+00	3.21E+01	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0044	1.27E-03	4.20E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00472	1.10E-03	4.20E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00529	1.32E-03	2.82E-02	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-9.03E-10	1.55E-03	2.65E-02	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00242	2.42E-03	1.77E-02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00425	3.33E-03	4.10E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-2.67E-10	1.07E-03	4.00E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00854	1.51E-03	2.73E-02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00767	1.57E-03	2.68E-02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00287	4.97E-03	2.11E-02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0044	1.03E-03	4.50E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00944	4.33E-03	4.00E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00529	1.32E-03	3.33E-02	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-9.02E-10	1.55E-03	2.94E-02	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00967	2.28E-03	2.80E-02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.23E-03	4.30E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00224	1.30E-03	3.80E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00683	1.40E-03	3.22E-02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00575	1.69E-03	2.97E-02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0115	3.03E-03	3.33E-02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14.3	7.00E+00	7.60E+01	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-2.2	6.00E+00	5.60E+01	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	13.7	5.00E+00	5.08E+01	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-26.7	6.87E+00	5.66E+01	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-7.99	6.73E+00	6.65E+01	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	2.98	6.00E+00	5.80E+01	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	19	5.67E+00	4.30E+01	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-11.7	5.90E+00	4.97E+01	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-8.84	5.90E+00	5.63E+01	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.9	5.70E+00	5.86E+01	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.327	4.67E-02	3.90E-01	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.71	1.03E-01	5.00E-01	n/a	pCi/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.266	6.00E-02	6.00E-01	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.731	7.33E-02	5.60E-01	n/a	pCi/L	n/a	n/a	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.622	5.33E-01	4.50E+00	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.321	4.67E-01	4.40E+00	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.26	3.53E-01	3.18E+00	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.599	4.07E-01	4.13E+00	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.61	4.43E-01	4.83E+00	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.239	5.00E-01	4.80E+00	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.425	3.67E-01	3.80E+00	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.668	3.80E-01	3.90E+00	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.36	3.77E-01	4.08E+00	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.789	3.57E-01	3.76E+00	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.111	3.27E-02	3.40E-01	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.205	3.67E-02	4.50E-01	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0453	4.47E-02	4.80E-01	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.317	4.40E-02	5.28E-01	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0437	4.20E-02	4.73E-01	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0401											

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0897	4.33E-02	4.70E-01	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.107	2.61E-02	2.75E-01	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.023	4.40E-02	5.00E-01	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0677	4.57E-02	4.89E-01	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	24.17101	2.48E+00	2.59E+00	n/a	pCi/L	n/a	n/a	08-749	CAPA-08-10936	ARSL	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	64.1793	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-328	CAPA-08-9353	UMTL	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	68.9688	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2400	UU07090G18B101	UMTL	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	72.4811	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2363	UU07060G18B101	UMTL	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	68.3302	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2320	UU07030G18B101	UMTL	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0218	2.93E-03	8.50E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0123	2.97E-03	8.30E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0307	5.77E-03	8.23E-02	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0453	4.67E-03	3.59E-02	n/a	pCi/L	n/a	J	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0256	4.57E-03	8.23E-02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0287	4.00E-03	8.40E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0239	4.00E-03	8.00E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0431	4.93E-03	8.60E-02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0262	3.67E-03	3.39E-02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0448	5.10E-03	8.86E-02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.015	2.27E-03	4.40E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00608	2.50E-03	4.30E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00253	1.91E-03	6.45E-02	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00622	2.93E-03	4.80E-02	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0198	3.50E-03	5.81E-02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00887	2.20E-03	4.30E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00886	2.20E-03	4.10E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00528	2.82E-03	6.74E-02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00883	3.26E-03	4.54E-02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00426	3.18E-03	6.25E-02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0145	2.00E-03	5.60E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10935	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0123	2.97E-03	5.10E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9352	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0185	3.60E-03	7.23E-02	n/a	pCi/L	U	U	193554	GF07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0101	3.93E-03	4.78E-02	n/a	pCi/L	U	U	188896	GF07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0192	2.64E-03	7.50E-02	n/a	pCi/L	U	U	182907	GF07030G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0407	3.67E-03	5.50E-02	n/a	pCi/L	U	U	08-740	CAPA-08-10936	GELC	n/a	n/a
18-BG-1	5741	10	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0287	3.33E-03	5.00E-02	n/a	pCi/L	U	U	08-329	CAPA-08-9353	GELC	n/a	n/a
18-BG-1	5741	10	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0259	3.57E-03	7.55E-02	n/a	pCi/L	U	U	193554	GU07090G18B101	GELC	n/a	n/a
18-BG-1	5741	10	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0143	3.57E-03	4.52E-02	n/a	pCi/L	U	U	188896	GU07060G18B101	GELC	n/a	n/a
18-BG-1	5741	10	03/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0241	3.08E-03	8.07E-02	n/a	pCi/L	U	U	182907	GU07030G18B101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	39.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	39.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	50.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	42.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	47.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	17.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	22.5	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	17.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.6	n/a	n/a	3.60E-02	mg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	23.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a					

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	26.9	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	20.1	n/a	n/a	1.30E-01	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	21.4	n/a	n/a	1.32E-01	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	21.8	n/a	n/a	1.32E-01	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	49.1	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	n/a	0.12	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.115	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.116	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.153	n/a	n/a	3.30E-02	mg/L	n/a	J+	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.137	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.114	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	65.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	64.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54.8	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	85.6	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	65.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	64.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	61.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	60.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	88.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	5.4	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.34	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.81	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.96	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.57	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.14	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	5.46	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.38	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.14	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.05	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.64	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.36	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	2.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	2.27	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05																				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.77	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.6	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.59	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	36	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	32.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	36.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	16.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	21.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	16.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	22.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	n/a	224	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	223	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	200	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	233	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	215	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	323	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	n/a	12.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	11.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	142	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	134	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	145	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	155	n/a	n/a	2.38E+00	mg/L	n/a	J	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	164	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	202	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.63	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.48	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.28	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.8	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.7	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.39	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	n/a	6.87	n/a	n/a	1.00E-02	SU	H	J-	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.86	n/a	n/a	1.00E-02	SU	H	J-	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.91	n/a	n/a	1.00E-02	SU	H	J-	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.65	n/a	n/a	1.00E-02	SU	H	J	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.64	n/a	n/a	1.00E-02	SU	H	J	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.67	n/a	n/a	1.00E-02	SU	H	J	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	502	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	538	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	584	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	969	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	517	n/a	n/a	6.80E+01	µg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	762	n/a	n/a	6.80E+01	µg/L	N*	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	927	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	960	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1630	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1380	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1340	n/a	n/a	6.80E+01	µg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	265	n/a	n/a	6.80E+01	µg/L	N*	J+, J	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	n/a	89.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	88.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	88.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	87.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	79.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	130	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	n/a	90.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	90.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	95.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	91.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	84.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	137	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Iron	n/a	218	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	250	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	299	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	545	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	238	n/a	n/a	1.80E+01	µg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	375	n/a	n/a	1.80E+01	µg/L	*	J+	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	n/a	406	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	431	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	822	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	643	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	629	n/a	n/a	1.80E+01	µg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	111	n/a	n/a	1.80E+01	µg/L	*	J	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.8	n/a	n/a	2.00E+00	µg/L	J	J	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.1	n/a	n/a	2.00E+00	µg/L	J	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	n/a	3.4	n/a	n/a	2.00E+00	µg/L	J	J	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.7	n/a	n/a	2.00E+00	µg/L	J	J	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6.7	n/a	n/a	2.00E+00	µg/L	J	J	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5	n/a	n/a	2.00E+00	µg/L	J	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.9	n/a	n/a	2.00E+00	µg/L	J	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	0.45	n/a	n/a	1.00E-01	µg/L	J	J	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.46	n/a	n/a	1.00E-01	µg/L	J	J	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	0.41	n/a	n/a	1.00E-01	µg/L	J	J	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.47	n/a	n/a	1.00E-01	µg/L	J	J	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.62	n/a	n/a	5.00E-01	µg/L	J	J	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.64	n/a	n/a	5.00E-01	µg/L	J	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.78	n/a	n/a	5.00E-01	µg/L	J	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.54	n/a	n/a	5.00E-01	µg/L	J	J	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.85	n/a	n/a	5.00E-01	µg/L	J	J	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.7	n/a	n/a	5.00E-01	µg/L	J	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.72	n/a	n/a	5.00E-01	µg/L	J	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	n/a	33.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	33.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	35.9	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	n/a	116	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	114	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	114	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	111	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	106	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	163	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	n/a	115	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	113	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	117	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	114	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	106	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	167	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.55	n/a	n/a	4.00E-01	µg/L	J	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.44	n/a	n/a	3.00E-01	µg/L	J	J	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	J	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.3	n/a	n/a	1.00E+00	µg/L	J	J	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	J	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.6	n/a	n/a	1.00E+00	µg/L	J	n/a	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	1.6	n/a	n/a	1.00E+00	µg/L	J	J	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.6	n/a	n/a	1.00E+00	µg/L	J	J	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.8	n/a	n/a	1.00E+00	µg/L	J	J	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.5	n/a	n/a	1.00E+00	µg/L	J	n/a	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.4	n/a	n/a	1.00E+00	µg/L	J	n/a	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.4	n/a	n/a	1.00E+00	µg/L	J	n/a	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	n/a	4.2	n/a	n/a	2.00E+00	µg/L	J	J	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.5	n/a	n/a	2.00E+00	µg/L	J	J	08-7				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0118	2.24E-03	3.83E-02	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-3.3	4.33E-01	3.60E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.0497	3.67E-01	3.60E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.826	5.33E-01	5.40E+00	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.405	3.27E-01	3.19E+00	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.18	4.67E-01	4.84E+00	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.94	4.13E-01	4.48E+00	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	-1.29	5.33E-01	4.00E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.03	5.67E-01	5.70E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.384	5.00E-01	4.90E+00	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.677	2.82E-01	2.87E+00	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.462	5.03E-01	4.94E+00	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.416	5.17E-01	4.60E+00	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.57	4.67E-01	4.60E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.651	3.30E-01	3.00E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.462	4.67E-01	4.40E+00	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.708	3.67E-01	3.42E+00	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.63	4.83E-01	5.19E+00	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.378	4.30E-01	4.20E+00	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	0.818	4.33E-01	4.40E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	3.33	7.00E-01	5.50E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.102	5.33E-01	4.40E+00	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.308	2.64E-01	2.47E+00	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.164	4.87E-01	4.65E+00	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.0128	4.63E-01	4.56E+00	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	315	4.33E+01	5.60E+02	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	310	5.67E+01	3.40E+02	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	89.3	1.73E+01	2.50E+02	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	43	1.36E+01	1.64E+02	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	98.9	3.28E+01	2.52E+02	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	51.9	1.16E+01	2.16E+02	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	341	5.00E+01	5.80E+02	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	359	4.67E+01	4.80E+02	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	152	3.67E+01	3.60E+02	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	63.9	1.82E+01	1.74E+02	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	97.7	2.77E+01	3.50E+02	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	63.1	2.41E+01	1.84E+02	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	26.5	4.67E+00	3.20E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	32.7	3.33E+00	2.80E+01	n/a	pCi/L	UI	R	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.81	3.67E+00	3.40E+01	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.76	2.68E+00	2.58E+01	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.13	3.37E+00	3.40E+01	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-1.98	3.63E+00	3.46E+01	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	20.3	4.67E+00	3.40E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	33.7	9.00E+00	4.70E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.52	4.00E+00	3.80E+01	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.73	2.14E+00	1.84E+01	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.42	2.56E+00	2.08E+01	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	16.4	3.60E+00	3.28E+01	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00271	4.67E-03	5.20E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00891	4.67E-03	5.70E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00434	1.43E-03	3.90E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00426	3.18E-03	3.41E-02	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00177	1.32E-03	2.47E-02	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00306	1.44E-03	1.57E-02	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00745	4.00E-03	4.80E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0114	5.67E-03	5.50E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-4.95E-10	1.40E-03	3.70E-02	n/a	pCi/L	U	U	08-				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00394	2.27E-03	3.15E-02	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00336	7.93E-04	2.35E-02	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.007	1.43E-03	1.79E-02	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00271	2.03E-03	5.50E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0178	2.80E-03	6.10E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.30E-03	3.70E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0128	2.25E-03	4.02E-02	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00177	1.56E-03	2.74E-02	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0138	1.54E-03	2.27E-02	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00496	2.03E-03	5.10E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0314	3.33E-03	5.80E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00415	1.70E-03	3.50E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0059	1.47E-03	3.72E-02	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00504	1.12E-03	2.60E-02	n/a	pCi/L	U	J, U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0105	1.66E-03	2.59E-02	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	-1.26	4.67E+00	4.80E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	17.2	5.67E+00	5.50E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	4.04	6.33E+00	3.50E+01	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	16.3	4.90E+00	3.49E+01	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-6.3	5.73E+00	5.80E+01	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	29.8	7.70E+00	3.78E+01	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	8.34	6.67E+00	4.80E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.3	6.67E+00	5.30E+01	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	20.6	6.33E+00	5.10E+01	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	24.1	4.93E+00	2.74E+01	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	16.9	6.57E+00	6.29E+01	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	0.259	5.90E+00	5.61E+01	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:903.1	Radium-226	n/a	0.769	6.33E-02	4.30E-01	n/a	pCi/L	n/a	n/a	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.272	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.445	5.00E-02	4.00E-01	n/a	pCi/L	n/a	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:904	Radium-228	<	0.0982	6.67E-02	7.20E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.39	9.00E-02	9.00E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.898	9.33E-02	7.50E-01	n/a	pCi/L	n/a	n/a	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	2.64	4.00E-01	4.50E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.337	3.33E-01	3.50E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.401	5.00E-01	4.30E+00	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.63	4.23E-01	4.05E+00	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.02	4.40E-01	4.62E+00	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.38	4.97E-01	3.74E+00	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	-0.665	4.67E-01	4.50E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.74	5.67E-01	5.30E+00	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.948	5.00E-01	5.30E+00	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.38	2.58E-01	2.62E+00	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.279	4.97E-01	4.89E+00	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.65	4.97E-01	5.27E+00	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.0498	3.30E-02	3.60E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.00533	3.67E-02	4.20E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.292	4.33E-02	4.50E-01	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0821	2.23E-02	2.37E-01	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.349	4.77E-02	5.46E-01	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.232	3.77E-02	3.58E-01	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.317	4.33E-02	3.90E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0103	2.03E-02	2.40E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0267	2.83E-02	2.90E-01	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0855	2.50E-02	2.50E-01	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0308	3.21E-02	3.76E-01	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.31	4.27E-02	3.96E-01	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	LLEE	Tritium	n/a												

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	43.23322	4.39E+00	3.80E+00	n/a	pCi/L	n/a	n/a	08-755	CAPA-08-11105	ARSL	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	65.7758	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-339	CAPA-08-9341	UMTL	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	70.246	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2403	UU07090G181101	UMTL	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	71.5232	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2363	UU07060G181101	UMTL	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	70.5653	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2324	UU07030G181101	UMTL	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	<	0.0227	2.57E-03	6.60E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0407	2.87E-03	5.90E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0253	3.33E-03	9.40E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0112	2.71E-03	8.96E-02	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	-0.0112	4.57E-03	7.98E-02	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0829	4.40E-03	4.63E-02	n/a	pCi/L	n/a	J	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	<	0.03	2.57E-03	6.60E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0183	2.30E-03	6.40E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0498	4.00E-03	8.40E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0311	4.03E-03	8.28E-02	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0844	7.50E-03	8.02E-02	n/a	pCi/L	n/a	J	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0387	3.50E-03	4.60E-02	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.00702	1.37E-03	3.40E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0021	7.00E-04	3.10E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00695	2.33E-03	4.90E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00281	2.08E-03	7.02E-02	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0138	5.67E-03	1.07E-01	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0125	1.99E-03	2.94E-02	n/a	pCi/L	U	U	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0116	1.73E-03	3.40E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00907	1.53E-03	3.30E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00923	3.10E-03	4.30E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00259	8.67E-04	6.49E-02	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00696	2.32E-03	1.07E-01	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00831	1.70E-03	2.92E-02	n/a	pCi/L	U	U	183362	GU07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	<	0.0189	2.20E-03	4.40E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11109	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0221	2.23E-03	3.90E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11107	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0281	4.33E-03	5.90E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9343	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0179	3.53E-03	7.87E-02	n/a	pCi/L	U	U	193817	GF07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0392	6.80E-03	1.06E-01	n/a	pCi/L	U	U	189079	GF07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0491	3.63E-03	3.53E-02	n/a	pCi/L	n/a	J	183362	GF07030G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	<	0.0338	2.73E-03	4.30E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11108	GELC	n/a	n/a
18-MW-11	7971	27	03/05/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0147	1.77E-03	4.20E-02	n/a	pCi/L	U	U	08-756	CAPA-08-11105	GELC	n/a	n/a
18-MW-11	7971	27	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0224	3.33E-03	5.20E-02	n/a	pCi/L	U	U	08-338	CAPA-08-9341	GELC	n/a	n/a
18-MW-11	7971	27	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.029	4.40E-03	7.27E-02	n/a	pCi/L	U	U	193817	GU07090G181101	GELC	n/a	n/a
18-MW-11	7971	27	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0169	6.23E-03	1.07E-01	n/a	pCi/L	U	U	189079	GU07060G181101	GELC	n/a	n/a
18-MW-11	7971	27	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.037	3.24E-03	3.51E-02	n/a	pCi/L	n/a	J	183362	GU07030G181101	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	68.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	80.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	83.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	80.4	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	74.6	n/a	n/a	7.25E-01	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	51	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	32.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	27.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	30.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	55	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	53.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	32.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	27	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	30	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	57.1	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	176	n/a	n/a	1.30E+00	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS																	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	72.5	n/a	n/a	6.60E-01	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	92.5	n/a	n/a	6.60E-01	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	200	n/a	n/a	1.32E+00	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.123	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.141	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.179	n/a	n/a	3.30E-02	mg/L	n/a	J+	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.173	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.121	n/a	n/a	3.30E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	191	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	121	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	103	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	115	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	207	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	200	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	121	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	102	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	114	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	217	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	15.5	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	9.75	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	8.52	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	9.57	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	16.8	n/a	n/a	8.50E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	16.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	9.82	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	8.45	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	9.51	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	18	n/a	n/a	8.50E-02	mg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.54	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.33	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.782	n/a	n/a	1.00E-02	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.16	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.05	n/a	n/a	1.00E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.242	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.174	n/a	n/a	5.00E-02	µg/L	J	J	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.201	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.228	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.162	n/a	n/a	5.00E-02	µg/L	J	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	6.94	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.3	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.85	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.53	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	6.15	n/a	n/a	5.00E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	7.23	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.36	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.93	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.62	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	7.34	n/a	n/a	5.00E-02	mg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	35.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	31.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	30.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	71.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	54.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	54.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	62.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	96.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	75.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	54.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	53.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	60.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	99.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	828	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	508	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	488	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	576	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	980	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.7	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	17.6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	19.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	16.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	422	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	333	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	289	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	385	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	516	n/a	n/a	2.38E+00	mg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.107	n/a	n/a	2.90E-02	mg/L	n/a	JN-	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.107	n/a	n/a	2.90E-02	mg/L	n/a	JN-	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.104	n/a	n/a	1.00E-02	mg/L	n/a	J-	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.046	n/a	n/a	2.90E-02	mg/L	J	J-	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	n/a	n/a	2.90E-02	mg/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.045	n/a	n/a	2.90E-02	mg/L	J	JN-	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.106	n/a	n/a	1.00E-02	mg/L	n/a	J-	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.6	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.64	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.09	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.45	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.66	n/a	n/a	3.30E-01	mg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.05	n/a	n/a	1.00E-02	SU	H	J-	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.05	n/a	n/a	1.00E-02	SU	H	J-	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.91	n/a	n/a	1.00E-02	SU	H	J	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.49	n/a	n/a	1.00E-02	SU	H	J	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.83	n/a	n/a	1.00E-02	SU	H	J	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	200	n/a	n/a	6.80E+01	µg/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	209	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	498	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	90.6	n/a	n/a	6.80E+01	µg/L	J	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	75.7	n/a	n/a	6.80E+01	µg/L	J	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	333	n/a	n/a	6.80E+01	µg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	256	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	178	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	154	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	167	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	320	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	268	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	182	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	152	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	168	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	326	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	100	n/a	n/a	2.50E+01	µg/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	25	n/a	n/a	2.50E+01	µg/L	U	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	212	n/a	n/a	1.80E+01	µg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	51.9	n/a	n/a	1.80E+01	µg/L	J	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	109	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	283	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	50.4	n/a	n/a	2.50E+01	µg/L	J	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	147	n/a	n/a	1.80E+01	µg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	246	n/a	n/a	1.80E+01	µg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.8	n/a	n/a	2.00E+00	µg/L	J	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.4	n/a	n/a	2.00E+00	µg/L	J	J	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	7.1	n/a	n/a	2.00E+00	µg/L	J	J	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.8	n/a	n/a	2.00E+00	µg/L	J	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	J	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.87	n/a	n/a	5.00E-01	µg/L	J	J	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	J	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	31.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	35.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	333	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	223	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	195	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	209	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	389	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	350	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	223	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	193	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	208	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	390	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.28	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.17	n/a	n/a	5.00E-02	µg/L	J	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.17	n/a	n/a	5.00E-02	µg/L	J	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.23	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.58	n/a	n/a	5.00E-02	µg/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.29	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.22	n/a	n/a	5.00E-02	µg/L	n/a	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.17	n/a	n/a	5.00E-02	µg/L	J	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.25	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.54	n/a	n/a	5.00E-02	µg/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0152	3.33E-03	4.10E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00115	6.67E-04	4.00E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00323	3.06E-03	4.31E-02	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0123	3.77E-03	4.16E-02	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000935	3.33E-03	4.08E-02	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00902	2.87E-03	3.70E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00733	1.30E-03	4.20E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0108	2.46E-03	4.65E-02	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0174	3.77E-03	4.15E-02	n/a	pCi/L	U	U	188738				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.031	4.27E-03	4.46E-02	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.52	4.33E-01	3.90E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.85	4.67E-01	4.40E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.08	6.70E-01	6.41E+00	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.656	3.87E-01	3.73E+00	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.06	3.60E-01	3.27E+00	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.38	4.00E-01	3.80E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0947	2.20E-01	2.20E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.893	4.20E-01	4.34E+00	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.06	4.27E-01	3.94E+00	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.241	4.50E-01	4.43E+00	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.01	3.67E-01	3.90E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0481	5.00E-01	4.90E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	4.22	6.37E-01	7.04E+00	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.876	4.10E-01	4.27E+00	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.685	5.60E-01	3.97E+00	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.121	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.323	2.30E-01	2.20E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.908	4.57E-01	4.20E+00	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.46	5.90E-01	4.10E+00	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.26	4.47E-01	3.65E+00	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	164	3.33E+01	3.90E+02	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	141	2.80E+01	3.40E+02	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	86.2	3.63E+01	2.76E+02	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	60.7	2.23E+01	2.12E+02	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.1	1.96E+01	3.21E+02	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	214	3.67E+01	4.10E+02	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.9	1.23E+01	1.30E+02	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	66.9	2.65E+01	1.73E+02	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	72	3.97E+01	1.89E+02	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	107	4.97E+01	5.31E+02	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.66	4.00E+00	3.70E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	19.4	4.67E+00	3.40E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.3	2.45E+00	2.22E+01	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-13.7	3.53E+00	2.87E+01	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.92	2.93E+00	2.79E+01	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.67	3.23E+00	3.30E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.6	1.63E+00	1.60E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.51	3.07E+00	3.03E+01	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.91	3.21E+00	3.17E+01	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	13.1	2.40E+00	2.34E+01	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00709	3.67E-03	4.60E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00616	3.33E-03	3.70E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00194	1.12E-03	3.10E-02	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0104	1.64E-03	2.42E-02	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00841	2.09E-03	2.06E-02	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0042	2.97E-03	4.10E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0193	4.33E-03	4.90E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.99E-03	3.02E-02	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00158	1.18E-03	2.21E-02	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	3.28E-03	1.80E-02	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00236	2.83E-03	4.80E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0041	1.93E-03	3.50E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00388	1.58E-03	3.66E-02	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00173	1.52E-03	2.68E-02	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0112	2.96E-03	3.24E-02	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0168	2.23E-03	4.30E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-M																							

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00943	2.44E-03	3.56E-02	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00158	1.39E-03	2.45E-02	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00491	2.01E-03	2.84E-02	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-13.3	6.00E+00	6.40E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	26.7	6.00E+00	6.70E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-16.2	7.60E+00	6.95E+01	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	74.2	7.10E+00	3.05E+01	n/a	pCi/L	UI	R	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-2.48	5.77E+00	5.10E+01	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.44	5.67E+00	5.60E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	42.4	4.00E+00	2.30E+01	n/a	pCi/L	UI	R	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.11	6.23E+00	6.78E+01	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	7.18	5.77E+00	5.69E+01	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.4	4.93E+00	5.07E+01	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.43	5.33E-02	4.60E-01	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.26	8.33E-02	4.20E-01	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	1.25	9.33E-02	5.50E-01	n/a	pCi/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.172	3.67E-02	3.70E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.5	4.67E-01	4.70E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.826	4.00E-01	3.60E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.86	6.80E-01	5.76E+00	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.411	4.20E-01	4.24E+00	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.83	3.77E-01	4.15E+00	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.17	4.00E-01	3.60E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.965	2.40E-01	2.30E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.15	5.03E-01	4.95E+00	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.914	4.57E-01	4.35E+00	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.443	6.87E-01	3.81E+00	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.123	4.33E-02	5.00E-01	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.169	3.23E-02	3.60E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.101	4.13E-02	4.80E-01	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-1.39	2.88E-02	4.82E-01	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.321	4.53E-02	4.18E-01	n/a	pCi/L	U	U	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0313	3.27E-02	3.80E-01	n/a	pCi/L	U	U	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.121	3.67E-02	3.60E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.358	4.87E-02	4.41E-01	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.313	4.20E-02	3.91E-01	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.209	3.73E-02	3.60E-01	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	46.52201	4.70E+00	3.70E+00	n/a	pCi/L	n/a	n/a	08-750	CAPA-08-10941	ARSL	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	50.7687	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-381	CAPA-08-9305	UMTL	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	72.1618	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2403	UU07090G181801	UMTL	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	81.4215	5.43E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2361	UU07060G181801	UMTL	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	93.5549	9.58E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2320	UU07030G181801	UMTL	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.217	9.67E-03	1.00E-01	n/a	pCi/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.148	7.00E-03	8.30E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.115	8.90E-03	8.83E-02	n/a	pCi/L	n/a	J	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.215	8.10E-03	2.90E-02	n/a	pCi/L	n/a	n/a	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.551	1.64E-02	6.38E-02	n/a	pCi/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.221	1.00E-02	9.70E-02	n/a	pCi/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.145	8.67E-03	1.00E-01	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.176	1.18E-02	1.04E-01	n/a	pCi/L	n/a	J	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.197	8.43E-03	2.68E-02	n/a	pCi/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.506	1.61E-02	7.07E-02	n/a	pCi/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0179	2.70E-03	5.20E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0152	2.70E-03	4.30E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.000109	3.17E-03	6.92E-02	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0151	2.66E-03	3.88E-02	n/a	pCi/L	U	U	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.046	4.07E-03	4.50E-02	n/a	pCi/L	n/a	J	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5																					

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	8.93E-10	3.07E-03	5.20E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0224	4.43E-03	8.12E-02	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00929	2.45E-03	3.59E-02	n/a	pCi/L	U	U	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0476	4.33E-03	4.99E-02	n/a	pCi/L	U	U	182773	GU07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0985	6.00E-03	6.70E-02	n/a	pCi/L	n/a	n/a	08-729	CAPA-08-10943	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0567	4.00E-03	5.10E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9306	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0642	6.20E-03	7.76E-02	n/a	pCi/L	U	U	193715	GF07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0894	4.90E-03	3.86E-02	n/a	pCi/L	n/a	J	188738	GF07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.189	8.17E-03	5.81E-02	n/a	pCi/L	n/a	n/a	182773	GF07030G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.102	6.00E-03	6.40E-02	n/a	pCi/L	n/a	n/a	08-729	CAPA-08-10941	GELC	n/a	n/a
18-MW-18	5311	12.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0878	6.67E-03	6.30E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9305	GELC	n/a	n/a
18-MW-18	5311	12.5	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0258	5.37E-03	9.09E-02	n/a	pCi/L	U	U	193715	GU07090G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.109	5.43E-03	3.57E-02	n/a	pCi/L	n/a	n/a	188738	GU07060G181801	GELC	n/a	n/a
18-MW-18	5311	12.5	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.223	9.80E-03	6.44E-02	n/a	pCi/L	n/a	n/a	182773	GU07030G181801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	44	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	57	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	54.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	41.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	43.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.8	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.7	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.9	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	18.2	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	19.6	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	20	n/a	n/a	1.32E-01	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	20	n/a	n/a	1.32E-01	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	21.3	n/a	n/a	1.32E-01	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.172	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.187	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.214	n/a	n/a	3.30E-02	mg/L	n/a	J+	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.173	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.169	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59.8	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57.6	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.38	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.37	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.62	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.22	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.54	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.38	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.36	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.46	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.29	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.52	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.01	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.19	n/a	n/a	1.00E-02	mg/L	n/a	J-	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.156	n/a	n/a	1.00E-02	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.54	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.429	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.121	n/a	n/a	5.00E-02	µg/L	J	J	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	<	0.2	n/a	n/a	5.00E-02	µg/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.128	n/a	n/a	5.00E-02	µg/L	J	J-	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0695	n/a	n/a	5.00E-02	µg/L	J	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.99	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.33	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.23	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.05	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.99	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.32	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.02	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.1	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.99	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	36.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	33.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	33	n/a	n/a	3.20E-02	mg/L	n/a	J-	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	201	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	197	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	230	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	211	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	217	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	16.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.7	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	16.9	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	16.6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	140	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	141	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	153	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	162	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	165	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.034	n/a	n/a	1.00E-02	mg/L	J	JN-	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.101	n/a	n/a	2.90E-02	mg/L	n/a	J-	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	n/a	n/a	2.90E-02	mg/L	U	UJ	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	188819	GU07060G18M801	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.46	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.28	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.76	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.11	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.11	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.83	n/a	n/a	1.00E-02	SU	H	J-	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.36	n/a	n/a	1.00E-02	SU	H	J-	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.68	n/a	n/a	1.00E-02	SU	H	J	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.42	n/a	n/a	1.00E-02	SU	H	J	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.45	n/a	n/a	1.00E-02	SU	H	J	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	608	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	285	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	211	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	311	n/a	n/a	6.80E+01	µg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	282	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	823	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	307	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	315	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	895	n/a	n/a	6.80E+01	µg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	337	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	61.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	70.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	73.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	65.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	69.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	62.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	70	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	71	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	69	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	70.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	313	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	144	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	97.4	n/a	n/a	2.50E+01	µg/L	J	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	175	n/a	n/a	1.80E+01	µg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	143	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	430	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	165	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	151	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	515	n/a	n/a	1.80E+01	µg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	188	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6	n/a	n/a	2.00E+00	µg/L	J	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.9	n/a	n/a	2.00E+00	µg/L	J	J	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.67	n/a	n/a	5.00E-01	µg/L	J	J	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.64	n/a	n/a	5.00E-01	µg/L	J	J	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.69	n/a	n/a	5.00E-01	µg/L	J	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.95	n/a	n/a	5.00E-01	µg/L	J	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.79	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.97	n/a	n/a	5.00E-01	µg/L	J	J	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.61	n/a	n/a	5.00E-01	µg/L	J	J	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	n/a	193817	GU07090G18M801	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.84	n/a	n/a	5.00E-01	µg/L	J	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.73	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	32.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	34.9	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	94.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	103	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	107	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	97.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	103	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	93.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	103	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	103	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	96.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	102	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.74	n/a	n/a	3.00E-01	µg/L	J	J	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.49	n/a	n/a	4.00E-01	µg/L	J	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.62	n/a	n/a	4.00E-01	µg/L	J	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.37	n/a	n/a	3.00E-01	µg/L	J	J	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.2	n/a	n/a	5.00E-02	µg/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.065	n/a	n/a	5.00E-02	µg/L	J	J	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.2	n/a	n/a	5.00E-02	µg/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.05	n/a	n/a	5.00E-02	µg/L	J	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	J	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.1	n/a	n/a	1.00E+00	µg/L	J	n/a	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.9	n/a	n/a	1.00E+00	µg/L	J	J	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.3	n/a	n/a	1.00E+00	µg/L	J	n/a	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	n/a	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	2.60E-03	4.10E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00779	2.33E-03	3.80E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00771	1.36E-03	4.40E-02	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00171	1.61E-03	2.93E-02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0117	3.43E-03	4.23E-02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00153	3.67E-03	3.70E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00715	3.23E-03	4.10E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0165	3.73E-03	4.84E-02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00715	2.20E-03	3.29E-02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0175	2.37E-03	4.50E-02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.123	5.00E-01	5.00E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.441	3.30E-01	3.10E+00	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.15	3.80E-01	2.60E+00	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.861	4.23E-01	4.26E+00	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.927	4.10E-01	4.26E+00	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.325	4.00E-01	3.80E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.98	5.00E-01	5.40E+00	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.9	3.97E-01	3.19E+00	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.185	3.80E-01	3.70E+00	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.35	4.10E-01	4.30E+00	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-4.07	5.33E-01	3.90E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.12	3.67E-01	3.90E+00	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.58	3.47E-01	3.37E+00	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.36	3.90E-01	3.34E+00	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.58	4.33E-01	3.86E+00	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.958	4.67E-01	4.30E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.2	5.00E-01	5.50E+00	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.00246	3.27E-01	3.24E+00	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.2	4.50E-01	4.44E+00	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.06	4.03E-01	4.52E+00	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	147	4.33E+01	3.80E+02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	101	2.73E+01	2.50E+02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	92.3	2.48E+01	2.94E+02	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	100	2.52E+01	2.58E+02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	49.5	1.54E+01	1.99E+02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	122	2.47E+01	3.00E+02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	102	2.67E+01	2.80E+02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	67.7	1.44E+01	2.44E+02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73.7	3.67E+01	2.44E+02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	83.8	3.73E+01	2.82E+02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	19	4.67E+00	3.00E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	3.57	2.90E+00	2.90E+01	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-21.7	3.21E+00	2.30E+01	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.19	3.87E+00	3.39E+01	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-13.4	3.63E+00	3.32E+01	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.2	3.67E+00	3.60E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.6	4.00E+00	3.70E+01	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.04	2.18E+00	2.13E+01	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	13.6	2.92E+00	2.88E+01	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.14	3.06E+00	2.96E+01	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00453	3.67E-03	4.40E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00418	1.40E-03	3.70E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0125	2.64E-03	3.60E-02	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-4.81E-10	1.35E-03	2.82E-02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00626	1.28E-03	1.60E-02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00494	4.33E-03	4.80E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00207	1.20E-03	3.70E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00788	2.63E-03	4.20E-02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-9.4E-10	1.86E-03	2.76E-02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00568	1.89E-03	1.94E-02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0068	2.00E-03	4.60E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00418	2.60E-03	3.60E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0104	1.80E-03	4.24E-02	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00202	1.50E-03	3.13E-02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00156	9.03E-04	2.32E-02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00247	2.47E-03	5.00E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0083	1.97E-03	3.50E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.47E-03	4.96E-02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00394	9.30E-04	3.06E-02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0284	2.78E-03	2.80E-02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14.6	7.00E+00	3.90E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.95	7.67E+00	3.50E+01	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	51.3	4.07E+00	2.73E+01	n/a	pCi/L	UI	R	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	33.2	6.33E+00	4.37E+01	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-11.4	6.50E+00	6.37E+01	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-15.8	6.33E+00	6.10E+01	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-16.6	6.67E+00	6.50E+01	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.25	5.03E+00	4.67E+01	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-10	5.33E+00	5.00E+01	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	20.7	6.00E+00	2.94E+01	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.802	7.00E-02	4.80E-01	n/a	pCi/L	n/a	n/a	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.36	8.67E-02	4.40E-01	n/a	pCi/L	n/a	n/a	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.205	5.67E-02	5.80E-01	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.33	5.67E-02	5.20E-01	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.675	7.00E-01	5.60E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.39	3.67E-01	4.20E+00	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.866	3.31E-01	3.06E+00	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0192	3.90E-01	3.83E+00	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.324	4.40E-01	4.46E+00	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.359	5.33E-01	4.60E+00	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.6	4.67E-01	4.20E+00	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.591	3.15E-01	2.98E+00	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.39	3.90E-01	4.41E+00	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.44	3.87E-01	3.97E+00	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.146	3.17E-02	3.20E-01	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.345	4.00E-02	4.10E-01	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.227	2.78E-02	2.61E-01	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.121	4.60E-02	5.39E-01	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.134	3.07E-02	3.09E-01	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.086	2.17E-02	2.90E-01	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.235	3.33E-02	3.30E-01	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.094	2.87E-02	3.00E-01	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.242	5.43E-02	5.43E-01	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.194	2.87E-02	2.72E-01	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	41.60479	4.23E+00	3.64E+00	n/a	pCi/L	n/a	n/a	08-750	CAPA-08-10938	ARSL	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	76.9513	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-341	CAPA-08-9310	UMTL	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	84.6145	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2403	UU07090G18M801	UMTL	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	89.7233	9.58E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2361	UU07060G18M801	UMTL	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	93.8742	9.58E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2321	UU07030G18M801	UMTL	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0188	2.40E-03	9.40E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0217	3.10E-03	7.30E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0367	6.53E-03	1.13E-01	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0317	4.27E-03	3.48E-02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0372	4.23E-03	7.28E-02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0284	3.20E-03	8.30E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0385	4.33E-03	8.60E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0572	6.00E-03	8.47E-02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0296	3.90E-03	3.51E-02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.047	4.50E-03	6.13E-02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0199	2.73E-03	4.80E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0	1.27E-03	3.70E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0068	5.50E-03	8.87E-02	n/a	pCi/L	U	U	193817	GF07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00604	1.43E-03	4.66E-02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0164	2.92E-03	4.62E-02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0	1.37E-03	4.20E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00317	2.37E-03	4.40E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0104	3.28E-03	6.64E-02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00305	1.44E-03	4.70E-02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0	1.84E-03	3.89E-02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00804	3.23E-03	6.20E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10940	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00651	2.80E-03	4.50E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9309	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	F	CS	n/a	Rad	HASL-300														

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00244	4.23E-03	4.64E-02	n/a	pCi/L	U	U	188819	GF07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0106	2.52E-03	5.55E-02	n/a	pCi/L	U	U	183003	GF07030G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/03/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0142	2.50E-03	5.40E-02	n/a	pCi/L	U	U	08-729	CAPA-08-10938	GELC	n/a	n/a
18-MW-8	5781	8	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00257	3.67E-03	5.40E-02	n/a	pCi/L	U	U	08-342	CAPA-08-9310	GELC	n/a	n/a
18-MW-8	5781	8	09/13/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0148	3.40E-03	7.44E-02	n/a	pCi/L	U	U	193817	GU07090G18M801	GELC	n/a	n/a
18-MW-8	5781	8	06/27/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00739	3.77E-03	4.68E-02	n/a	pCi/L	U	U	188819	GU07060G18M801	GELC	n/a	n/a
18-MW-8	5781	8	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0201	2.50E-03	4.67E-02	n/a	pCi/L	U	U	183003	GU07030G18M801	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	44.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	50.7	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.6	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	39.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	50.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	n/a	0.0547	n/a	n/a	3.00E-02	mg/L	J	J	08-847	CAPA-08-10954	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	20.3	n/a	n/a	1.30E-01	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	19.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	21.7	n/a	n/a	1.32E-01	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	25.6	n/a	n/a	1.32E-01	mg/L	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	35.3	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.139	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.157	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.179	n/a	n/a	3.30E-02	mg/L	n/a	J+	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.153	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.135	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	53.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	53.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	60.9	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	49.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	60.7	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.36	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.48	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.04	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.65	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.09	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.855	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.47	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.765	n/a	n/a	1.00E-02	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.48	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.98	n/a	n/a	1.00E-01	mg/L	n/a	JN-	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.312	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.342	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.247	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.431	n/a	n/a	5.00E-02	µg/L	n/a	J-	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.327	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.28	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.61	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.48	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.59	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.69	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.47	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	34.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	32.4	n/a	n/a	3.20E-02	mg/L	n/a	J+	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	32.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	n/a	0.31	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-847	CAPA-08-10954	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	866	n/a	n/a	2.30E-01	mg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	195	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	196	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	232	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	224	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	288	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	11.6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.7	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	11.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	140	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	137	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	145	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	167	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	199	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.039	n/a	n/a	2.90E-02	mg/L	J	n/a	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.075	n/a	n/a	1.00E-02	mg/L	J	JN-	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.066	n/a	n/a	2.90E-02	mg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	n/a	n/a	2.90E-02	mg/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	n/a	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.02	n/a	n/a	2.00E-02	mg/L	U	UJ	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.66	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.66	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.55	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.32	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.75	n/a	n/a	1.00E-02	SU	H	J-	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.73	n/a	n/a	1.00E-02	SU	H	J-	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.77	n/a	n/a	1.00E-02	SU	H	J	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.29	n/a	n/a	1.00E-02	SU	H	J	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.45	n/a	n/a	1.00E-02	SU	H	J	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	184	n/a	n/a	6.80E+01	µg/L	J	J	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	306	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	195	n/a	n/a	6.80E+01	µg/L	J	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	682	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	468	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	340	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	73	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	78.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	87.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	70.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	80	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	86.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.5	n/a	n/a	2.50E+00	µg/L	J	J	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Copper	<	10	n/a	n/a	3.00E+00	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Copper	<	3	n/a	n/a	3.00E+00	µg/L	U	R	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Copper	n/a	3.4	n/a	n/a	3.00E+00	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Copper	<	10	n/a	n/a	3.00E+00	µg/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Copper	<	3	n/a	n/a	3.00E+00	µg/L	U	R	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	102	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	178	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	80.6	n/a	n/a	2.50E+01	µg/L	J	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	320	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	257	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	153	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.8	n/a	n/a	2.00E+00	µg/L	J	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.5	n/a	n/a	2.00E+00	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	J	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.63	n/a	n/a	5.00E-01	µg/L	J	J	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.57	n/a	n/a	5.00E-01	µg/L	J	J	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.65	n/a	n/a	5.00E-01	µg/L	J	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.71	n/a	n/a	5.00E-01	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.59	n/a	n/a	5.00E-01	µg/L	J	J	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.55	n/a	n/a	5.00E-01	µg/L	J	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Selenium	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Selenium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Selenium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Selenium	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Selenium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	32.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	31.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	98.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	105	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	113	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	93	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	106	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	113	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.4	n/a	n/a	3.00E-01	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.2	n/a	n/a	5.00E-02	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.052	n/a	n/a	5.00E-02	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.2	n/a	n/a	5.00E-02	µg/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	FB	Metals	SW-846:6010B	Zinc	n/a	8.7	n/a	n/a	2.00E+00	µg/L	J	J	08-847	CAPA-08-10954	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.1	n/a	n/a	2.00E+00	µg/L	J	J	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	J	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	1.67E-03	3.20E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0117	3.33E-03	3.20E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00105	2.09E-03	4.22E-02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00947	3.60E-03	3.73E-02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00449	2.32E-03	5.05E-02	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00377	1.13E-03	3.40E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00216	3.20E-03	3.30E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0115	4.37E-03	4.48E-02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0026	1.42E-03	3.93E-02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.000586	2.84E-03	5.31E-02	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.873	5.67E-01	5.00E+00	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	4.07	6.67E-01	3.80E+00	n/a	pCi/L	UI	R	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.208	3.80E-01	3.84E+00	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.116	3.23E-01	3.11E+00	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.417	4.23E-01	4.01E+00	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.436	4.00E-01	3.70E+00	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.453	4.33E-01	4.50E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.894	4.70E-01	4.83E+00	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.15	8.70E-01	5.47E+00	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.05	4.63E-01	4.12E+00	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.01	4.67E-01	5.20E+00	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.125	3.33E-01	3.40E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.73	4.57E-01	4.36E+00	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.285	3.93E-01	3.76E+00	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.137	4.20E-01	4.15E+00	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.34	4.67E-01	3.50E+00	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.246	6.00E-01	3.50E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	3.17	4.77E-01	5.66E+00	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.86	4.73E-01	5.20E+00	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.207	4.00E-01	3.86E+00	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	77.6	2.97E+01	2.60E+02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	124	2.17E+01	2.70E+02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	53.2	3.90E+01	1.62E+02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	64.5	2.12E+01	2.74E+02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	89.1	2.14E+01	3.35E+02	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	68.1	2.53E+01	2.30E+02	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	135	8.00E+01	3.40E+02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	46	1.95E+01	1.14E+02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	104	2.39E+01	3.04E+02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	79.2	1.82E+01	2.61E+02	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-5.71	4.00E+00	3.40E+01	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	13.5	3.07E+00	3.10E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.64	3.27E+00	3.00E+01	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.59	2.87E+00	2.72E+01	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-20.2	3.60E+00	3.13E+01	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.54	2.40E+00	2.50E+01	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	29.6	4.67E+00	3.70E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	10	3.22E+00	3.30E+01	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.05	4.07E+00	4.09E+01	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.2	3.05E+00	2.59E+01	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00184	2.03E-03	3.40E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00233	7.67E-04	4.20E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0154	2.57E-03	3.07E-02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.002	1.16E-03	2.80E-02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-4.69E-10	1.31E-03	2.02E-02	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	7.00E-04	3.80E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	7.33E-04	3.90E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00394	2.27E-03	3.15E-02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00206	1.53E-03	2.88E-02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00211	1.57E-03	2.16E-02	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00184	1.63E-03	3.30E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.47E-03	4.80E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00384	2.22E-03	3.63E-02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.008	2.31E-03	3.10E-02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-9.37E-10	1.60E-03	2.92E-02	n/a	pCi/L	U	U, J	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00209	1.00E-03	3.70E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00217	1.60E-03	4.50E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00591	1.97E-03	3.72E-02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00411	1.94E-03	3.19E-02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00211	2.53E-03	3.12E-02	n/a	pCi/L	U	U, J	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	11.8	7.00E+00	4.70E+01	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	4.16	5.00E+00	4.80E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	7.35	4.97E+00	5.20E+01	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.83	6.83E+00	4.46E+01	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.84	6.43E+00	5.17E+01	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	17.6	7.00E+00	3.50E+01	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	16.8	6.33E+00	7.00E+01	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	37.4	6.27E+00	5.22E+01	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	51.2	7.07E+00	4.91E+01	n/a	pCi/L	UI	R	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	10.2	7.67E+00	4.07E+01	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.916	7.33E-02	4.80E-01	n/a	pCi/L	n/a	n/a	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.454	5.33E-02	4.40E-01	n/a	pCi/L	n/a	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.198	5.67E-02	5.90E-01	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.348	5.67E-02	5.40E-01	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.32	3.67E-01	3.00E+00	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.5	3.33E-01	3.20E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.631	4.23E-01	4.29E+00	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.315	3.23E-01	3.26E+00	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.698	4.37E-01	4.46E+00	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.668	4.33E-01	4.30E+00	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.06	5.00E-01	3.80E+00	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.46	3.93E-01	3.31E+00	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.765	5.17E-01	4.07E+00	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.774	3.70E-01	3.86E+00	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0758	4.00E-02	4.40E-01	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.249	3.10E-02	3.40E-01	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.195	1.81E-02	2.77E-01	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.119	4.47E-02	4.58E-01	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.208	3.47E-02	3.35E-01	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.179	3.67E-02	5.00E-01	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.00771	2.83E-02	2.90E-01	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.17	3.87E-02	4.72E-01	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.136	2.91E-02	3.79E-01	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0643	2.55E-02	3.02E-01	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0466	3.33E-03	6.60E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0461	3.20E-03	6.80E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	-0.00737	4.53E-03	9.39E-02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0163	2.59E-03	3.31E-02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0324	5.73E-03	5.91E-02	n/a	pCi/L	U	J, U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0303	2.67E-03	7.40E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0454	3.33E-03	6.70E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.00609	3.60E-03	8.29E-02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0217	2.32E-03	3.09E-02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0201	3.90E-03	6.12E-02	n/a	pCi/L	U	U, J	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00887	1.83E-03	3.30E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00912	1.53E-03	3.00E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00288	2.17E-03	7.36E-02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00287	1.66E-03	4.44E-02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00267	3.21E-03	3.75E-02	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00998	1.67E-03	3.70E-02	n/a	pCi/L							

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00898	1.83E-03	3.00E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.0000514	2.10E-03	6.49E-02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00268	1.26E-03	4.13E-02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00276	1.59E-03	3.88E-02	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0143	2.27E-03	4.50E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10952	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0203	2.27E-03	4.00E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9360	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00228	2.61E-03	8.25E-02	n/a	pCi/L	U	U	193715	GF07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00697	2.80E-03	4.41E-02	n/a	pCi/L	U	U	188896	GF07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0108	3.30E-03	4.50E-02	n/a	pCi/L	U	U	183054	GF07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0242	2.37E-03	5.00E-02	n/a	pCi/L	U	U	08-847	CAPA-08-10950	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00726	1.50E-03	3.90E-02	n/a	pCi/L	U	U	08-422	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0186	3.63E-03	7.28E-02	n/a	pCi/L	U	U	193715	GU07090G18M901	GELC	n/a	n/a
18-MW-9	5791	6	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	-0.00217	2.17E-03	4.11E-02	n/a	pCi/L	U	U	188896	GU07060G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0112	2.24E-03	4.66E-02	n/a	pCi/L	U	U	183054	GU07030G18M901	GELC	n/a	n/a
18-MW-9	5791	6	03/19/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	n/a	0.252	n/a	n/a	2.50E-01	µg/L	J	J	08-847	CAPA-08-10951	GELC	n/a	n/a
18-MW-9	5791	6	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	1	n/a	n/a	2.50E-01	µg/L	U	U	08-419	CAPA-08-9362	GELC	n/a	n/a
18-MW-9	5791	6	09/12/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Trimethylbenzene[1,2,4-]	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	193715	GU07090G18M901	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	57.7	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	60.1	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	65.9	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	59.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	57.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	18	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.6	n/a	n/a	3.60E-02	mg/L	E	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	18.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	18.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.5	n/a	n/a	3.60E-02	mg/L	E	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	18.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	27.2	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	15.1	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	15.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	12.1	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	27.5	n/a	n/a	1.32E-01	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.228	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.257	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.243	n/a	n/a	3.30E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.279	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.243	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	64.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	61.5	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	56.1	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	67.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	68	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	62.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	66.5	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	68.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.87	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	5791	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.51	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	5791	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.64	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.2	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.31	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	5791	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.31	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.16	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.49	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.19	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.52	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.755	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.925	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.895	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.64	n/a	n/a	5.00E-02	mg/L	n/a	J-	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.796	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.629	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.698	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.704	n/a	n/a	5.00E-02	µg/L	n/a	J	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.639	n/a	n/a	5.00E-02	µg/L	n/a	J-	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.606	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.94	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.01	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.88	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.82	n/a	n/a	5.00E-02	mg/L	E	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.5	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.45	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.74	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.81	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.8	n/a	n/a	5.00E-02	mg/L	E	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.64	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	45.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	41.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	56.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	20.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.1	n/a	n/a	4.50E-02	mg/L	E	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	21.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	20.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.6	n/a	n/a	4.50E-02	mg/L	E	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	19.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	247	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	183	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	222	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	203	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	248	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.36	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	3.6	n/a	n/a	1.10E+00	mg/L	J	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	4.2	n/a	n/a	1.14E+00	mg/L	J	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	38.4	n/a	n/a	1.14E+00	mg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	2.8	n/a	n/a	1.14E+00	mg/L	J	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/07/06	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	10	n/a	n/a	2.85E+00	mg/L	J	n/a	177502	GU061200GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	170	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	164	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	165	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	119	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	168	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.148	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.112	n/a	n/a	2.90E-02	mg/L	n/a	J-, JN-	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.261	n/a	n/a	2.90E-02	mg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/07/06	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.152	n/a	n/a	1.00E-02	mg/L	n/a	U	177502	GF061200GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.149	n/a	n/a	2.90E-02	mg/L	n/a	J-	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.366	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.137	n/a	n/a	2.90E-02	mg/L	n/a	J-, JN-	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.34	n/a	n/a	2.90E-02	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/07/06	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.172	n/a	n/a	1.00E-02	mg/L	n/a	n/a	177502	GU061200GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.89	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.45	n/a	n/a	6.60E-01	mg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.52	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.64	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/07/06	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.08	n/a	n/a	3.30E-01	mg/L	n/a	n/a	177502	GU061200GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.135	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.081	n/a	n/a	2.40E-02	mg/L	n/a	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.058	n/a	n/a	2.40E-02	mg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	n/a	n/a	2.40E-02	mg/L	n/a	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.085	n/a	n/a	2.40E-02	mg/L	n/a	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.63	n/a	n/a	1.00E-02	SU	H	J-	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.55	n/a	n/a	1.00E-02	SU	H	J-	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.82	n/a	n/a	1.00E-02	SU	H	J	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.63	n/a	n/a	1.00E-02	SU	H	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.73	n/a	n/a	1.00E-02	SU	H	J	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	1.1	n/a	n/a	1.00E-01	µg/L	n/a	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	7.66	n/a	n/a	1.00E-01	µg/L	n/a	J	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	3.6	n/a	n/a	1.04E-01	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	1.79	n/a	n/a	1.04E-01	µg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	1.98	n/a	n/a	1.04E-01	µg/L	n/a	J+	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	1.68	n/a	n/a	1.30E-01	µg/L	n/a	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	6.42	n/a	n/a	1.30E-01	µg/L	n/a	J	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	4.15	n/a	n/a	1.30E-01	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	2.17	n/a	n/a	1.30E-01	µg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	2.48	n/a	n/a	1.30E-01	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	831	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2550	n/a	n/a	6.80E+01	µg/L	N	J+	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1520	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	552	n/a	n/a	6.80E+01	µg/L	E	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4500	n/a	n/a	6.80E+01	µg/L	N	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5230	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	8130	n/a	n/a	6.80E+01	µg/L	N	J+	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	9940	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	685	n/a	n/a	6.80E+01	µg/L	E	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	9350	n/a	n/a	6.80E+01	µg/L	N	J+	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	66.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	64.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	70	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	56.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	82	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	85.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	85.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	99.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	69.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	102	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.8	n/a	n/a	1.00E+01	µg/L	J	J	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	16.2	n/a	n/a	1.00E+01	µg/L	J	J	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	19.4	n/a	n/a	1.00E+01	µg/L	J	n/a	193122	GF070800GSLB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.9	n/a	n/a	1.00E+01	µg/L	J	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	17.6	n/a	n/a	1.00E+01	µg/L	J	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	16.8	n/a	n/a	1.00E+01	µg/L	J	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	17.1	n/a	n/a	1.00E+01	µg/L	J	J	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	20.3	n/a	n/a	1.00E+01	µg/L	J	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.7	n/a	n/a	1.00E+01	µg/L	J	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	17.5	n/a	n/a	1.00E+01	µg/L	J	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	409	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1260	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	768	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	253	n/a	n/a	1.80E+01	µg/L	E	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2200	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2500	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	4200	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	5120	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	404	n/a	n/a	1.80E+01	µg/L	E	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	4600	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.88	n/a	n/a	5.00E-01	µg/L	J	J	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.6	n/a	n/a	5.00E-01	µg/L	J	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	3.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.3	n/a	n/a	2.00E+00	µg/L	J	J	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.7	n/a	n/a	2.00E+00	µg/L	J	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.3	n/a	n/a	2.00E+00	µg/L	J	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	17.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	25.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	29.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	25	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.5	n/a	n/a	2.00E+00	µg/L	J	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.89	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.81	n/a	n/a	5.00E-01	µg/L	J	J	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	J	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.97	n/a	n/a	5.00E-01	µg/L	J	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.98	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	6.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.2	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	38.9	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	48.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	111	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	93.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	106	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	94.9	n/a	n/a	1.00E+00	µg/L	E	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	112	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	115	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	98.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	111	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	94	n/a	n/a	1.00E+00	µg/L	E	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	117	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.37	n/a	n/a	3.00E-01	µg/L	J	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.24	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.18	n/a	n/a	5.00E-02	µg/L	J	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.24	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.36	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.49	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.59	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.43	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.36	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.53	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.4	n/a	n/a	1.00E+00	µg/L	J	J	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.5	n/a	n/a	1.00E+00	µg/L	J	J	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4	n/a	n/a	1.00E+00	µg/L	J	JN-	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.7	n/a	n/a	1.00E+00	µg/L	J	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	9.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	9.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	2.7	n/a	n/a	2.00E+00	µg/L	J	J	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	5.7	n/a	n/a	2.00E+00	µg/L	J	J	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2.7	n/a	n/a	2.00E+00	µg/L	J	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2.3	n/a	n/a	2.00E+00	µg/L	J	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	6.9	n/a	n/a	2.00E+00	µg/L	J	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	8	n/a	n/a	2.00E+00	µg/L	J	J	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	13.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	16.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	3.4	n/a	n/a	2.00E+00	µg/L	J	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	16.7	n/a	n/a	2.00E+00	µg/L	n/a	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00106	1.60E-03	4.10E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00974	3.67E-03	4.30E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00783	1.24E-03	3.35E-02	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.000225	1.66E-03	3.97E-02	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00245	2.02E-03	3.27E-02	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00318	8.67E-04	4.10E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00119	2.60E-03	4.00E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00368	1.39E-03	3.42E-02	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000358	7.57E-04	3.65E-02	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00541	2.62E-03	4.00E-02	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.39	4.33E-01	3.60E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.553	3.67E-01	3.90E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.02	3.63E-01	3.72E+00	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	5.15	6.63E-01	5.18E+00	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2.2	4.43E-01	3.51E+00	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0103	3.00E-01	2.90E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.504	2.97E-01	2.80E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.95	4.63E-01	5.03E+00	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.212	3.67E-01	3.58E+00	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.492	4.37E-01	4.13E+00	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.26	3.33E-01	2.90E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.52	4.33E-01	3.70E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.03	4.67E-01	4.23E+00	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.504	5.10E-01	4.77E+00	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.51	4.07E-01	4.68E+00	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.819	3.30E-01	3.10E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.527	3.23E-01	3.00E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.542	4.43E-01	4.07E+00	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.266	3.60E-01	3.48E+00	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.788	4.23E-01	4.33E+00	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	128	2.90E+01	3.60E+02	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	78.5	2.47E+01	2.20E+02	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	85.7	2.59E+01	3.34E+02	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	109	3.31E+01	3.89E+02	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	81.5	2.09E+01	2.46E+02	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	83.5	1.73E+01	3.00E+02	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.5	1.90E+01	2.10E+02	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	66.7	1.77E+01	2.83E+02	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	50.2	3.83E+01	2.13E+02	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	54.1	2.97E+01	2.61E+02	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-17.3	3.27E+00	2.90E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	22.7	5.00E+00	2.40E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.33	2.93E+00	2.30E+01	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	13.4	2.54E+00	1.56E+01	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-17.6	3.67E+00	3.14E+01	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.35	2.17E+00	2.10E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.73	4.33E+00	2.10E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-14	2.23E+00	1.93E+01	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.08	2.57E+00	2.58E+01	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.55	3.37E+00	3.14E+01	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0034	1.97E-03	3.10E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00358	2.53E-03	3.20E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00187	1.87E-03	3.45E-02	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00184	1.62E-03	2.58E-02	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00589	1.96E-03	1.51E-02	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00174	6.00E-04	3.20E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0046	1.53E-03	4.10E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.47E-03	4.08E-02	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00822	2.38E-03	2.88E-02	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.28E-03	1.61E-02	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0034	1.80E-03	3.00E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.53E-03	3.10E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00561	1.65E-03	3.30E-02	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00184	1.84E-03	2.86E-02	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0132	1.78E-03	2.18E-02	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00349	8.33E-04	3.10E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0046	1.87E-03	3.90E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00442	2.33E-03	3.90E-02	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00822	1.94E-03	3.19E-02	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00784	1.89E-03	2.33E-02	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	4.19	5.67E+00	4.00E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	13.1	5.33E+00	5.90E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14.8	5.67E+00	3.83E+01	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	32.4	6.83E+00	4.52E+01	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	15.6	5.63E+00	4.59E+01	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-21.7	4.67E+00	4.30E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-9.13	4.33E+00	4.10E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	4.52	7.80E+00	3.92E+01	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-7.13	5.30E+00	4.96E+01	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	9.33	7.93E+00	4.39E+01	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	09/09/04	WG	F	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.681	8.03E-02	6.75E-01	n/a	pCi/L	n/a	J	121197	GF04070GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.579	6.33E-02	4.90E-01	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.426	6.00E-02	5.10E-01	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.528	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0643	4.67E-01	4.30E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.971	3.67E-01	2.95E+00	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.603	5.67E-01	4.50E+00	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.53	4.60E-01	5.13E+00	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.322	3.10E-01	3.10E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.23	3.07E-01	3.40E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.42	4.67E-01	4.06E+00	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.648	4.07E-01	3.87E+00	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.0157	4.87E-01	4.07E+00	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.264	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.00904	1.80E-02	1.80E-01	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.178	2.25E-02	2.14E-01	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.15	3.13E-02	3.98E-01	n/a	pCi/L	U	JN-, U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0304	3.24E-02	3.62E-01	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.262	4.33E-02	4.80E-01	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.107	1.30E-02	1.20E-01	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.133	3.77E-02	3.86E-01	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0896	3.43E-02	3.61E-01	n/a	pCi/L	U	JN-, U	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0461	2.83E-02	3.52E-01	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	35.28265	3.58E+00	2.97E+00	n/a	pCi/L	n/a	n/a	08-788	CAPA-08-10974	ARSL	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	77.9092	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-305	CAPA-08-9215	UMTL	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	65.7758	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2393	UU070800GSLB01	UMTL	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	54.6003	6.39E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2364	UU070600GSLB01	UMTL	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	98.3444	1.06E+00	2.87E-01	n/a	pCi/L	n/a	n/a	2323	UU070300GSLB01	UMTL	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.139	6.00E-03	5.90E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.157	6.67E-03	6.60E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.106	5.83E-03	4.96E-02	n/a	pCi/L	n/a	J	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.101	5.37E-03	2.82E-02	n/a	pCi/L	n/a	n/a	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.16	6.50E-03	4.72E-02	n/a	pCi/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.214	7.67E-03	6.10E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.254	9.00E-03	6.70E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.164	8.03E-03	5.99E-02	n/a	pCi/L	n/a	J	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.141	6.07E-03	2.58E-02	n/a	pCi/L	n/a	n/a	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.296	9.50E-03	4.69E-02	n/a	pCi/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00619	1.53E-03	3.00E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0196	2.33E-03	3.40E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00743	2.48E-03	3.53E-02	n/a	pCi/L	U	U	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00735	1.83E-03	3.78E-02	n/a	pCi/L	U	U	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0149	2.15E-03	3.00E-02	n/a	pCi/L	U	U	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00646	1.27E-03	3.10E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0221	2.73E-03	3.40E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00896	2.99E-03	4.26E-02	n/a	pCi/L	U	U	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0156	2.25E-03	3.45E-02	n/a	pCi/L	U	U	189433	GU070600GSLB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0254	2.68E-03	2.98E-02	n/a	pCi/L	U	U	183217	GU070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0718	4.00E-03	3.80E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10975	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.129	6.00E-03	4.10E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9216	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0781	4.63E-03	3.92E-02	n/a	pCi/L	n/a	J	193122	GF070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0555	4.00E-03	3.76E-02	n/a	pCi/L	n/a	J	189433	GF070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.165	6.63E-03	3.60E-02	n/a	pCi/L	n/a	n/a	183217	GF070300GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.167	6.67E-03	4.00E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10974	GELC	n/a	n/a
Bulldog Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.21	8.00E-03	4.10E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9215	GELC	n/a	n/a
Bulldog Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.143	6.97E-03	4.73E-02	n/a	pCi/L	n/a	n/a	193122	GU070800GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0849	5.20E-03	3.43E-02	n/a	pCi/L	n/a	J	189433	GU070600GSLB01	GELC	n/a	n/a
Bulldog Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.204	7.37E-03	3.57E-02	n/a	pCi/L	n/a	n/a	183217	GU070300GSLB01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	29.9	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	29.4	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	40.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	44.4	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	37.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	27.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	10.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.39	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.8	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	10.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.53	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.9	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	n/a	15	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	14.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	8.42	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	16.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	4.91	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	11.3	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	EPA:335.3	Cyanide (Total)	n/a	0.00217	n/a	n/a	1.50E-03	mg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	n/a	0.00303	n/a	n/a	1.50E-03	mg/L	J	J	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	n/a	0.00928	n/a	n/a	1.50E-03	mg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	n/a	n/a	1.50E-03	mg/L	U	R, UJ	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	n/a	n/a	1.50E-03	mg/L	U	UJ	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	n/a	n/a	1.50E-03	mg/L	U	UJ	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	n/a	0.101	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.085	n/a	n/a	3.30E-02	mg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.083	n/a	n/a	3.30E-02	mg/L	J	J	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.144	n/a	n/a	3.30E-02	mg/L	n/a	J+	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.124	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.101	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	41.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	41.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	49	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	36.7	n/a	n/a	4.25E-01	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	43.2	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	42.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	44.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	52.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	60.8	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.3	n/a	n/a	4.25E-01	mg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	43.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	3.78	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.69	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.55	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.19	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.21	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.93	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	3.98	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.13	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.14	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	6.04	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.27	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.97	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.29	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.299	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.54	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.395	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.076	n/a	n/a	1.00E-02	mg/L	n/a	J-, U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.514	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	n/a	0.382	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.349	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.347	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.25	n/a	n/a	5.00E-02	µg/L	n/a	J	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.238	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.405	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	2.82	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.74	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.24	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.29	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.57	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.83	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	3.06	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.16	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.79	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.85	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.66	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.82	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	53.8	n/a	n/a	3.20E-02	mg/L	n/a	J	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	38.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	43.9											

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	121	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	141	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	n/a	10.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.98	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.37	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	7.19	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	1.2	n/a	n/a	1.10E+00	mg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	2.2	n/a	n/a	1.14E+00	mg/L	J	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	n/a	n/a	2.28E+00	mg/L	U	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	n/a	n/a	2.28E+00	mg/L	U	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	12/12/06	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	n/a	n/a	2.28E+00	mg/L	U	n/a	177782	GU061200GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	136	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	128	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	148	n/a	n/a	2.40E+00	mg/L	n/a	J	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	176	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	103	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	144	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.207	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	n/a	n/a	1.45E-01	mg/L	U	UJ	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.14	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	12/12/06	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.045	n/a	n/a	1.00E-02	mg/L	J	U	177782	GF061200GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.261	n/a	n/a	2.90E-02	mg/L	n/a	J-	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.28	n/a	n/a	2.90E-02	mg/L	n/a	J-	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.399	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.131	n/a	n/a	2.90E-02	mg/L	n/a	JN-	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.219	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	12/12/06	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	177782	GU061200GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.1	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	6.92	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.96	n/a	n/a	6.60E-01	mg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.07	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.94	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	12/12/06	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.2	n/a	n/a	3.30E-01	mg/L	n/a	n/a	177782	GU061200GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.073	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.104	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.026	n/a	n/a	2.40E-02	mg/L	J	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.083	n/a	n/a	2.40E-02	mg/L	n/a	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.083	n/a	n/a	2.40E-02	mg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.081	n/a	n/a	1.00E-02	mg/L	n/a	J+, U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	n/a	6.53	n/a	n/a	1.00E-02	SU	H	J-	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7	n/a	n/a	1.00E-02	SU	H	J-	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.25	n/a	n/a	1.00E-02	SU	H	J-	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.76	n/a	n/a	1.00E-02	SU	H	J	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.51	n/a	n/a	1.00E-02	SU	H	J	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.42	n/a	n/a	1.00E-02	SU	H	J	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	4040	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2740	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	6630	n/a	n/a	6.80E+01	µg/L	N	J+	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5610	n/a	n/a	6.80E+01	µg/L	n/a	J	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	649	n/a	n/a	6.80E+01	µg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4200	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	6220	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	6320	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	11400	n/a	n/a	6.80E+01	µg/L	N	J+	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	11200	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	693	n/a	n/a	6.80E+01	µg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4740	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	n/a	52.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	47.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	62.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	64.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	38.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	59.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	n/a	59	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	61.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	83.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	83.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	40	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	64	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Iron	n/a	1880	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1240	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	3400	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	3090	n/a	n/a	2.50E+01	µg/L	n/a	J	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	276	n/a	n/a	2.50E+01	µg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1890	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	n/a	2900	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2960	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	6000	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	6090	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	305	n/a	n/a	2.50E+01	µg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2300	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6020	Lead	n/a	1	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.87	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.8	n/a	n/a	5.00E-01	µg/L	J	J	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6020	Lead	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	3.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	4.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	n/a	9.3	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.9	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	22.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.5	n/a	n/a	2.00E+00	µg/L	J	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	n/a	14.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	15.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	33.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	29.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.8	n/a	n/a	2.00E+00	µg/L	J	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	13.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	0.26	n/a	n/a	1.00E-01	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.24	n/a	n/a	1.00E-01	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.3	n/a	n/a	2.00E+00	µg/L	J	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	0.27	n/a	n/a	1.00E-01	µg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.29	n/a	n/a	1.00E-01	µg/L	J	J	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6020	Nickel	n/a	1.6	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.73	n/a	n/a	5.00E-01	µg/L	J	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	n/a	2.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.77	n/a	n/a	5.00E-01	µg/L	J	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	n/a	42.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	38.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	55.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	n/a	83	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	82.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	90.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	99.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	73.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	83.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	n/a	84.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	87.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	95	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	106	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	74.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	84.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.14	n/a	n/a	5.00E-02	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.13	n/a	n/a	5.00E-02	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.18	n/a	n/a	5.00E-02	µg/L	J	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.23	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.057	n/a	n/a	5.00E-02	µg/L	J	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.19	n/a	n/a	5.00E-02	µg/L	J	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.2	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.2	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.35	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.34	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.062	n/a	n/a	5.00E-02	µg/L	J	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.24	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	4.9	n/a	n/a	1.00E+00	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.6	n/a	n/a	1.00E+00	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.9	n/a	n/a	1.00E+00	µg/L	J	n/a	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.9	n/a	n/a	1.00E+00	µg/L	J	n/a	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	6.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	9.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2	n/a	n/a	1.00E+00	µg/L	J	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	n/a	5	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	8.2	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	11.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193201	GF070800GSMH01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	3.6	n/a	n/a	2.00E+00	µg/L	J	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	10	n/a	n/a	2.00E+00	µg/L	J	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	n/a	7.8	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	7.6	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	16.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	19	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	3.2	n/a	n/a	2.00E+00	µg/L	J	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	9.1	n/a	n/a	2.00E+00	µg/L	J	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	HASL-300	Americium-241	<	0.00466	3.67E-03	3.90E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00589	2.97E-03	4.30E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000185	1.90E-03	4.70E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00352	8.93E-04	3.59E-02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0162	3.47E-03	3.14E-02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000878	3.05E-03	4.34E-02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	HASL-300	Americium-241	<	-0.0027	3.33E-03	4.40E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00929	3.17E-03	4.30E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00154	1.57E-03	4.40E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00963	1.07E-03	4.07E-02	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00412	2.52E-03	3.03E-02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0121	3.37E-03	4.61E-02	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-2.1	7.00E-01	5.50E+00	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2.16	5.67E-01	5.00E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2.25	6.33E-01	5.40E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2	4.03E-01	4.38E+00	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.629	3.60E-01	3.45E+00	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.498	4.00E-01	3.79E+00	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	1.83	6.33E-01	5.70E+00	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.764	4.67E-01	4.90E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.88	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.198	4.30E-01	4.18E+00	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.06	4.43E-01	4.67E+00	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	9.81	1.35E+00	3.88E+00	n/a	pCi/L	UI	R	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	6.82	4.67E-01	6.60E+00	n/a	pCi/L	UI	R	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.231	5.33E-01	5.50E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.1	5.00E-01	4.40E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.543	4.37E-01	4.43E+00	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.389	4.33E-01	4.16E+00	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.59	4.53E-01	3.95E+00	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.687	5.00E-01	4.80E+00	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	3.66	4.00E-01	5.30E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.65	4.33E-01	4.60E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.37	4.27E-01	3.84E+00	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.36	4.27E-01	3.80E+00	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.308	3.73E-01	3.57E+00	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	281	4.67E+01	4.00E+02	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	288	4.33E+01	5.80E+02	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	144	2.60E+01	3.20E+02	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	85.8	2.28E+01	2.54E+02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	67	1.76E+01	2.00E+02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	63.8	1.42E+01	2.08E+02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	279	5.33E+01	6.00E+02	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	293	4.00E+01	4.30E+02	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	172	3.10E+01	3.90E+02	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	97.6	2.17E+01	2.20E+02	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	49.3	1.55E+01	1.58E+02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	81.7	2.03E+01	2.48E+02	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-11.7	4.67E+00	4.50E+01	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.78	5.00E+00	4.70E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.11	3.07E+00	2.20E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-41.6	3.67E+00	2.88E+01	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.09	3.09E+00	3.05E+01	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-27.4	4.10E+00	3.08E+01	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	23.5	5.00E+00	4.10E+01	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	13.7	4.67E+00	3.90E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	29.9	3.17E+00	2.90E+01	n/a	pCi/L	UI	R	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.96	3.17E+00	3.25E+01	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	18	4.47E+00	3.34E+01	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	6.24	2.90E+00	2.87E+01	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	0.00924	2.97E-03	3.40E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00162	2.10E-03	3.00E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00595	3.67E-03	3.50E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00579	2.14E-03	3.56E-02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00324	2.02E-03	2.27E-02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00565	1.41E-03	1.93E-02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0	3.30E-03	3.50E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00226	2.70E-03	4.10E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-2.83E-10	1.13E-03	4.20E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00721	2.89E-03	4.43E-02	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00665	1.92E-03	2.33E-02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0025	1.87E-03	2.56E-02	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00739	1.50E-03	3.30E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00807	1.43E-03	2.90E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	4.73E-10	1.63E-03	3.40E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00965	1.94E-03	3.41E-02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0227	2.55E-03	2.51E-02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00753	1.99E-03	2.79E-02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00966	1.70E-03	3.50E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00451	1.30E-03	4.00E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-1.13E-09	1.93E-03	4.10E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.012	2.13E-03	4.24E-02	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00831	2.15E-03	2.58E-02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.015	2.37E-03	3.71E-02	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	-18.4	7.00E+00	7.00E+01	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	8.39	9.00E+00	5.90E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	24.1	6.33E+00	7.00E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14.8	6.30E+00	5.36E+01	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-32.2	5.57E+00	4.82E+01	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	0.177	5.20E+00	5.11E+01	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	27	6.33E+00	6.70E+01	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-13.6	6.67E+00	6.40E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-26	4.67E+00	4.10E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	25.7	5.60E+00	6.36E+01	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-17.3	5.60E+00	5.09E+01	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.56	4.93E+00	3.63E+01	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	09/09/04	WG	F	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.31	9.10E-02	5.76E-01	n/a	pCi/L	n/a	J	121197	GF04070GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	09/09/04	WG	F	DUP	n/a	Rad	EPA:901.1	Radium-226	<	3.88	6.60E-01	7.38E+00	n/a	pCi/L	U	n/a	121005	GF04070GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	09/09/04	WG	F	DUP	n/a	Rad	EPA:903.1	Radium-226	n/a	1.02	7.67E-02	5.37E-01	n/a	pCi/L	n/a	n/a	121197	GF04070GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:903.1	Radium-226	n/a	2.05	1.07E-01	3.40E-01	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	2.72	1.27E-01	3.40E-01	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:904	Radium-228	<	0.451	6.67E-02	6.10E-01	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	3.13	1.73E-01	5.70E-01	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	-0.489	5.67E-01	5.50E+00	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.16	5.33E-01	5.70E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.795	5.00E-01	5.10E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.5	2.42E-01	4.12E+00	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	3.14	4.00E-01	4.76E+00	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.949	4.77E-01	4.33E+00	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	-0.382	5.33E-01	5.20E+00	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.25	5.33E-01	5.10E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.593	3.33E-01	3.30E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.53	4.47E-01	4.24E+00	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.54	5.40E-01	4.00E+00	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.84	4.13E-01	3.84E+00	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.0235	4.00E-02	4.80E-01	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.125	4.33E-02	4.70E-01	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.121	2.70E-02	3.10E-01	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.254	4.30E-02	4.10E-01	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.22	4.37E-02	4.29E-01	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0132	3.67E-02	4.13E-01	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.0617	4.33E-02	4.90E-01	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0386	4.00E-02	4.60E-01	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0405	2.47E-02	2.70E-01	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.16	2.03E-02	2.20E-01	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0781	4.33E-02	4.96E-01	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.173	2.84E-02	3.33E-01	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	LLEE	Tritium	n/a	26.34225	2.74E+00	3.19E+00	n/a	pCi/L	n/a	n/a	08-793	CAPA-08-11013	ARSL	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	30.84438	3.17E+00	3.35E+00	n/a	pCi/L	n/a	n/a	08-793	CAPA-08-10961	ARSL	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	61.3056	6.39E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-309	CAPA-08-9232	UMTL	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	49.8108	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2400	UU070800GSMH01	UMTL	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	38.316	4.26E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2364	UU070600GSMH01	UMTL	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	76.632	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2320	UU070300GSMH01	UMTL	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.0707	4.33E-03	6.40E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0769	4.33E-03	6.40E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0527	3.67E-03	7.10E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0558	5.27E-03	5.76E-02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0173	2.71E-03	3.08E-02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0517	4.17E-03	6.16E-02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.0644	4.00E-03	6.10E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0856	4.67E-03	6.70E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.111	6.00E-03	7.70E-02	n/a	pCi/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0781	5.73E-03	5.86E-02	n/a	pCi/L	n/a	J	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0197	3.37E-03	3.12E-02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.129	6.63E-03	6.30E-02	n/a	pCi/L	n/a	J	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.00448	1.50E-03	3.30E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0113	2.00E-03	3.30E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0104	2.13E-03	3.60E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00862	3.18E-03	4.09E-02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.008	1.55E-03	4.12E-02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00834	1.61E-03	3.91E-02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.00645	1.90E-03	3.10E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00235	1.77E-03	3.40E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0142	2.53E-03	4.00E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00585	2.39E-03	4.17E-02	n/a	pCi/L	U	U	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00542	2.21E-03	4.18E-02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00853	2.13E-03	4.00E-02	n/a	pCi/L	U	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	<	0.0217	2.30E-03	4.20E-02	n/a	pCi/L	U	U	08-784	CAPA-08-11012	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0531	3.67E-03	4.20E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10962	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0464	3.67E-03	4.40E-02	n/a	pCi/L	n/a	n/a	08-310	CAPA-08-9231	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0279	4.53E-03	4.54E-02	n/a	pCi/L	U	U	193201	GF070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00863	3.22E-03	4.10E-02	n/a	pCi/L	U	U	189308	GF070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0247	3.13E-03	4.69E-02	n/a	pCi/L	U	U	183003	GF070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.0592	3.67E-03	4.00E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.04	3.27E-03	4.40E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.076	4.67E-03	4.80E-02	n/a	pCi/L	n/a	n/a	08-310	CAPA-08-9232	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.102	5.77E-03	4.62E-02	n/a	pCi/L	n/a	J	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0131	2.54E-03	4.16E-02	n/a	pCi/L	U	U	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0782	4.83E-03	4.80E-02	n/a	pCi/L	n/a	J	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	n/a	2.68	n/a	n/a	1.30E+00	µg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	<	5	n/a	n/a	1.30E+00	µg/L	U	UJ	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	n/a	1.72	n/a	n/a	1.25E+00	µg/L	J	J-	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	<	5	n/a	n/a	1.25E+00	µg/L	U	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Acetone	<	2.36	n/a	n/a	1.25E+00	µg/L	J	U	183003	GU070300GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	FD	Voa	SW-846:8260B	Butanone[2-]	n/a	3.73	n/a	n/a	1.30E+00	µg/L	J	J	08-784	CAPA-08-11013	GELC	n/a	n/a
Homestead Spring	-	-	03/11/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	n/a	1.33	n/a	n/a	1.30E+00	µg/L	J	J	08-784	CAPA-08-10961	GELC	n/a	n/a
Homestead Spring	-	-	12/03/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	<	5	n/a	n/a	1.30E+00	µg/L	U	UJ	08-310	CAPA-08-9232	GELC	n/a	n/a
Homestead Spring	-	-	09/05/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	n/a	4.1	n/a	n/a	1.25E+00	µg/L	J	J-	193201	GU070800GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	07/09/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	<	5	n/a	n/a	1.25E+00	µg/L	U	n/a	189308	GU070600GSMH01	GELC	n/a	n/a
Homestead Spring	-	-	03/21/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	<	5	n/a	n/a	1.25E+00	µg/L	U	n/a	183003	GU070300GSMH01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	42.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	41.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.6	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	44.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	40.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.7	n/a	n/a	3.60E-02	mg/L	E	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	n/a	0.0387	n/a	n/a	3.00E-02	mg/L	J	J	08-789	CAPA-08-10983	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.7	n/a	n/a	3.60E-02	mg/L	E	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	27.5	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	20.5	n/a	n/a	1.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	12	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	24.9	n/a	n/a	1.32E-01	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.13	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.125	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.123	n/a	n/a	3.30E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.152	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.134	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	60.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54.5	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	43.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	65.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	43.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.79	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.06	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.5	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.44	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.86	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.87	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.15	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.49	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.5	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.54	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.51	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.207	n/a	n/a	1.00E-02	mg/L	n/a	J-	189433	GF070600GSLK01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.509	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.515	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.5	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.436	n/a	n/a	5.00E-02	µg/L	n/a	J	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.377	n/a	n/a	5.00E-02	µg/L	n/a	J-	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.472	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.36	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.08	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.52	n/a	n/a	5.00E-02	mg/L	E	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.6	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.35	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.86	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.59	n/a	n/a	5.00E-02	mg/L	E	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	49.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	34.7	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	79.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	18.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	14.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.1	n/a	n/a	4.50E-02	mg/L	E	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	n/a	0.197	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10983	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	17.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	14.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10	n/a	n/a	4.50E-02	mg/L	E	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	216	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	181	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	173	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	148	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	208	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.19	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	6.93	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.39	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	3.2	n/a	n/a	1.10E+00	mg/L	J	J	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	10.8	n/a	n/a	2.28E+00	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	4	n/a	n/a	1.14E+00	mg/L	J	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	4.8	n/a	n/a	1.14E+00	mg/L	J	n/a	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	12/07/06	WG	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	n/a	n/a	2.28E+00	mg/L	U	n/a	177502	GU061200GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	172	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	151	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	126	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	116	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	207	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.19	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.128	n/a	n/a	2.90E-02	mg/L	n/a	J-, JN-	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.497	n/a	n/a	2.90E-02	mg/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	12/07/06	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.139	n/a	n/a	1.00E-02	mg/L	n/a	U	177502	GF061200GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.227	n/a	n/a	2.90E-02	mg/L	n/a	J-	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.458	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.086	n/a	n/a	2.90E-02	mg/L	J	J-, JN-	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.508	n/a	n/a	2.90E-02	mg/L	n/a	n/a	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	12/07/06	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.15	n/a	n/a	1.00E-02	mg/L	n/a	U	177502	GU061200GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.88	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	6.31	n/a	n/a	6.60E-01	mg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	8.35	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	12/07/06	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.36	n/a	n/a	3.30E-01	mg/L	n/a	n/a	177502	GU061200GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.097	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.048	n/a	n/a	2.40E-02	mg/L	J	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.104	n/a	n/a	2.40E-02	mg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.049	n/a	n/a	2.40E-02	mg/L	J	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.126	n/a	n/a	2.40E-02	mg/L	n/a	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.54	n/a	n/a	1.00E-02	SU	H	J-	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.18	n/a	n/a	1.00E-02	SU	H	J-	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.55	n/a	n/a	1.00E-02	SU	H	J	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.62	n/a	n/a	1.00E-02	SU	H	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.3	n/a	n/a	1.00E-02	SU	H	J	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3410	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5660	n/a	n/a	6.80E+01	µg/L	N	J+	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4620	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	388	n/a	n/a	6.80E+01	µg/L	E	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	6640	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	13000	n/a	n/a	6.80E+01	µg/L	N	J+	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	12600	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1150	n/a	n/a	6.80E+01	µg/L	E	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	5	n/a	n/a	1.50E+00	µg/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	7	n/a	n/a	1.50E+00	µg/L	n/a	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2.1	n/a	n/a	1.50E+00	µg/L	J	J	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2.1	n/a	n/a	1.50E+00	µg/L	J	J	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	5.8	n/a	n/a	1.50E+00	µg/L	n/a	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	68.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	75.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	69.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	44.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	92.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	115	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	104	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	47.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.3	n/a	n/a	1.00E+01	µg/L	J	J	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	18.2	n/a	n/a	1.00E+01	µg/L	J	J	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	22.6	n/a	n/a	1.00E+01	µg/L	J	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.3	n/a	n/a	1.00E+01	µg/L	J	J	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	20.4	n/a	n/a	1.00E+01	µg/L	J	J	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	24.8	n/a	n/a	1.00E+01	µg/L	J	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1540	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2800	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2270	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	175	n/a	n/a	1.80E+01	µg/L	E	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	3220	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	6920	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	6430	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	660	n/a	n/a	1.80E+01	µg/L	E	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.8	n/a	n/a	5.00E-01	µg/L	J	J	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	J	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-789	CAPA-08-10981	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	6	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	4.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	7.5	n/a	n/a	2.00E+00	µg/L	J	J	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	20.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.5	n/a	n/a	2.00E+00	µg/L	J	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	56.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	85.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	66.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.1	n/a	n/a	2.00E+00	µg/L	J	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.88	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	42.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	51.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.41	n/a	n/a	2.00E-01	µg/L	JN	J-	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	2.3	n/a	n/a	2.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.81	n/a	n/a	2.00E-01	µg/L	J	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	<	0.2	n/a	n/a	2.00E-01	µg/L	U	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.81	n/a	n/a	2.00E-01	µg/L	JN	J-	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	5.5	n/a	n/a	2.00E-01	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	2.6	n/a	n/a	2.00E-01	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.29	n/a	n/a	2.00E-01	µg/L	J	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	113	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	105	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	101	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	78.8	n/a	n/a	1.00E+00	µg/L	E	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	112	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	112	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	105	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	78.9	n/a	n/a	1.00E+00	µg/L	E	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.27	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.37	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.31	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.17	n/a	n/a	5.00E-02	µg/L	J	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.44	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.4	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.97	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.28	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.6	n/a	n/a	1.00E+00	µg/L	J	n/a	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	9.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	13.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	12.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	5.6	n/a	n/a	2.00E+00	µg/L	J	J	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	10.2	n/a	n/a	2.00E+00	µg/L	n/a	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2.2	n/a	n/a	2.00E+00	µg/L	J	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	11.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	22.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	22.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	5.2	n/a	n/a	2.00E+00	µg/L	J	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0227	3.67E-03	4.60E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00524	2.50E-03	3.80E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0015	1.76E-03	3.28E-02	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.012	1.81E-03	3.91E-02	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00662	2.78E-03	3.99E-02	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0214	3.67E-03	4.10E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0361	3.67E-03	4.40E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.000463	1.48E-03	3.75E-02	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000684	1.38E-03	3.48E-02	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0000868	2.30E-03	4.86E-02	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.417	3.67E-01	3.60E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.0345	4.33E-01	4.50E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.97	3.50E-01	2.97E+00	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.519	5.93E-01	4.06E+00	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.12	4.10E-01	4.42E+00	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.202	7.33E-01	5.80E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.165	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.37	4.50E-01	4.36E+00	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.16	4.53E-01	4.50E+00	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.727	6.03E-01	3.44E+00	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.37	4.00E-01	3.70E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.38	4.00E-01	3.70E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.5	3.60E-01	3.58E+00	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.652	3.26E-01	3.45E+00	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.65	4.17E-01	4.12E+00	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	3.08	5.00E-01	5.50E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.35	4.67E-01	5.00E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.89	7.63E-01	4.90E+00	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.868	4.03E-01	3.65E+00	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.679	3.77E-01	3.90E+00	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	152	3.00E+01	4.60E+02	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	116	4.33E+01	3.70E+02	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	76.6	2.21E+01	2.88E+02	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	59.7	4.03E+01	2.50E+02	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	99.7	2.10E+01	3.54E+02	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	156	3.33E+01	4.10E+02	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	111	2.70E+01	3.20E+02	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	76.5	2.31E+01	2.63E+02	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	59	1.28E+02	1.83E+02	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	79	3.43E+01	4.24E+02	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.1	3.10E+00	3.00E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	9.16	3.67E+00	3.70E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.34	2.53E+00	2.58E+01	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.6	2.91E+00	2.61E+01	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.58	3.11E+00	2.99E+01	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.48	2.40E+00	2.30E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-14.9	3.27E+00	2.80E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-14	1.97E+00	1.76E+01	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.4	2.30E+00	2.15E+01	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.44	2.93E+00	2.81E+01	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0114	2.23E-03	3.00E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kielling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00413	1.37E-03	3.70E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kielling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0044	3.60E-03	4.06E-02	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00191	1.11E-03	2.68E-02	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kielling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00322	1.86E-03	1.65E-02	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.90E-03	3.30E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00708	1.57E-03	4.20E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0154	2.11E-03	4.73E-02	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00566	2.27E-03	2.64E-02	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00305	1.61E-03	1.57E-02	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00814	1.80E-03	2.90E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0124	2.20E-03	3.50E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.011	4.70E-03	3.88E-02	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00957	1.69E-03	2.97E-02	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00805	1.94E-03	2.39E-02	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00721	1.70E-03	3.20E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0118	2.63E-03	4.00E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00513	2.10E-03	4.53E-02	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00188	1.66E-03	2.92E-02	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0061	1.44E-03	2.26E-02	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	54.6	6.00E+00	4.60E+01	n/a	pCi/L	UI	R	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	30.1	6.67E+00	4.50E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	3.97	4.53E+00	4.68E+01	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-26.1	5.37E+00	5.20E+01	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	38.8	6.13E+00	3.04E+01	n/a	pCi/L	UI	R	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	19	6.33E+00	6.60E+01	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	8.97	5.67E+00	4.30E+01	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	10.9	5.60E+00	4.34E+01	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-18.1	5.13E+00	4.78E+01	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	30.6	6.77E+00	3.75E+01	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	09/09/04	WG	F	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.167	5.10E-02	5.31E-01	n/a	pCi/L	U	U	121197	GF04070GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.548	5.67E-02	4.40E-01	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.584	6.33E-02	5.20E-01	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.313	4.33E-01	4.20E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.718	3.33E-01	3.60E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.46	4.20E-01	4.00E+00	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.611	3.37E-01	2.60E+00	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.421	4.43E-01	4.13E+00	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.789	5.00E-01	4.40E+00	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.202	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.31	5.17E-01	4.68E+00	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-3.13	4.30E-01	3.19E+00	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.26	5.00E-01	3.44E+00	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.383	5.00E-02	4.60E-01	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.126	1.50E-02	1.40E-01	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.052	2.85E-02	2.97E-01	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.23	3.80E-02	4.87E-01	n/a	pCi/L	U	U, JN-	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0672	3.37E-02	3.69E-01	n/a	pCi/L	U	U	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.206	4.00E-02	4.70E-01	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.102	4.00E-02	4.00E-01	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.188	2.47E-02	2.63E-01	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.079	2.84E-02	3.49E-01	n/a	pCi/L	U	U, JN-	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0731	3.08E-02	3.85E-01	n/a	pCi/L	U	U	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	29.43946	3.01E+00	2.97E+00	n/a	pCi/L	n/a	n/a	08-788	CAPA-08-10981	ARSL	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	102.4953	1.17E+00	2.87E-01	n/a	pCi/L	n/a	n/a	08-305	CAPA-08-9210	UMTL	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	80.7829	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2393	UU070800GSLK01	UMTL	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	50.4494	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2364	UU070600GSLK01	UMTL	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	121.6533	1.42E+00	2.87E-01	n/a	pCi/L	n/a	n/a	2323	UU070300GSLK01	UMTL	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.16	6.33E-03	6.20E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.103	5.00E-03	6.20E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.101	6.33E-03	6.11E-02	n/a	pCi/L	n/a	J	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0707	4.27E-03	2.80E-02	n/a	pCi/L	n/a	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.338	1.04E-02	4.51E-02	n/a	pCi/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.28	9.33E-03	6.40E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.264	9.67E-03	7.00E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.389	1.21E-02	5.02E-02	n/a	pCi/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.101	5.27E-03	2.89E-02	n/a	pCi/L	n/a	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.389	1.14E-02	4.75E-02	n/a	pCi/L	n/a	n/a	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0109	1.93E-03	3.20E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00679	2.00E-03	3.20E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00609	2.03E-03	4.34E-02	n/a	pCi/L	U	U	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00243	1.40E-03	3.75E-02	n/a	pCi/L	U	U	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0326	3.09E-03	2.86E-02	n/a	pCi/L	n/a	J	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0226	2.43E-03	3.30E-02	n/a	pCi/L	U	U	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0129	2.30E-03	3.60E-02	n/a	pCi/L	U	U	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0225	2.54E-03	3.57E-02	n/a	pCi/L	U	U	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.01	1.68E-03	3.87E-02	n/a	pCi/L	U	U	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0407	3.21E-03	3.02E-02	n/a	pCi/L	n/a	J	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.097	4.67E-03	4.10E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10979	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0788	4.67E-03	3.80E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9211	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0862	5.47E-03	4.82E-02	n/a	pCi/L	n/a	J	193122	GF070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0511	3.60E-03	3.73E-02	n/a	pCi/L	n/a	J	189433	GF070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.328	1.01E-02	3.44E-02	n/a	pCi/L	n/a	n/a	183217	GF070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.207	7.67E-03	4.20E-02	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.226	8.67E-03	4.40E-02	n/a	pCi/L	n/a	n/a	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.267	9.37E-03	3.96E-02	n/a	pCi/L	n/a	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.081	4.93E-03	3.85E-02	n/a	pCi/L	n/a	J	189433	GU070600GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.29	9.30E-03	3.62E-02	n/a	pCi/L	n/a	n/a	183217	GU070300GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	03/11/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	n/a	1.8	n/a	n/a	1.30E+00	µg/L	J	J	08-789	CAPA-08-10981	GELC	n/a	n/a
Kieling Spring	-	-	12/03/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	<	5	n/a	n/a	1.30E+00	µg/L	U	UJ	08-306	CAPA-08-9210	GELC	n/a	n/a
Kieling Spring	-	-	09/04/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	<	5	n/a	n/a	1.25E+00	µg/L	U	n/a	193122	GU070800GSLK01	GELC	n/a	n/a
Kieling Spring	-	-	07/10/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Butanone[2-]	n/a	2.76	n/a	n/a	1.25E+00	µg/L	J	n/a	189433	GU070600GSLK01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	25.4	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	30.9	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	34.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	30.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	21.4	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	7.17	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	6.56	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	7.15	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	6.88	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	6.66	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	7.21	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	6.39	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	7.22	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	6.81	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	6.87	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.8	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.13	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.04	n/a	n/a	6.60E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.15	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.16	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.1	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.102	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.131	n/a	n/a	3.30E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.106	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.092	n/a	n/a	3.30E-02	mg/L	J	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	30.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	27.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	29.9	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	28.4	n/a	n/a	4.25E-01	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	27.8	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	30.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	27.2	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	30.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	28.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	28.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.96	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.76	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.93	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.73	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.72	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.02	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.73	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.95	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.69	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.85	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.383	n/a	n/a	5.00E-02	mg/L	n/a	J-	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.238	n/a	n/a	1.00E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.117	n/a	n/a	1.00E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.038	n/a	n/a	1.00E-02	mg/L	J	J-, JN-	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.352	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.474	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.313	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.293	n/a	n/a	5.00E-02	µg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.368	n/a	n/a	5.00E-02	µg/L	n/a	J-	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.429	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.26	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.07	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.91	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.72	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.01	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.42	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.02	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.95	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.68	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.09	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	38	n/a	n/a	3.20E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	38.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	38.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.13	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	3.98	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	3.96	n/a	n/a	4.50E-02	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	3.82	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	3.58	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.14	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	3.89	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.13	n/a	n/a	4.50E-02	mg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	3.88	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	84.7	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	74.8	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	81.4	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	81.9	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	84.8	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.21	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.77	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.02	n/a	n/a	1.00E-01	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.17	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	114	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	72	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	83	n/a	n/a	2.38E+00	mg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	83	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	113	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	10.7	n/a	n/a	1.45E-01	mg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.155	n/a	n/a	2.90E-02	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	n/a	n/a	2.90E-02	mg/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.043	n/a	n/a	2.90E-02	mg/L	J	JN-	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	1.14	n/a	n/a	2.90E-02	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.92	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.61	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.51	n/a	n/a	3.30E-01	mg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.73	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.9	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.18	n/a	n/a	1.00E-02	SU	H	J-	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.48	n/a	n/a	1.00E-02	SU	H	J-	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.7	n/a	n/a	1.00E-02	SU	H	J	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.32	n/a	n/a	1.00E-02	SU	H	J	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.07	n/a	n/a	1.00E-02	SU	H	J	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2130	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	740	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	146	n/a	n/a	6.80E+01	µg/L	J	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	558	n/a	n/a	6.80E+01	µg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1770	n/a	n/a	6.80E+01	µg/L	N*	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3750	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	829	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	226	n/a	n/a	6.80E+01	µg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	675	n/a	n/a	6.80E+01	µg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2860	n/a	n/a	6.80E+01	µg/L	N*	J+, J	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	2.4	n/a	n/a	1.50E+00	µg/L	J	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	UJ	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2.1	n/a	n/a	1.50E+00	µg/L	J	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	1.6	n/a	n/a	1.50E+00	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.8	n/a	n/a	1.50E+00	µg/L	J	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	UJ	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	1.9	n/a	n/a	1.50E+00	µg/L	J	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	35.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	22	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	21.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	22.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	28.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	37.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	22.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	22.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	39.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	2.50E+00	µg/L	J	J	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	UJ	194213	GF070900GSCP01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	6.2	n/a	n/a	1.00E+00	µg/L	*	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	2.50E+00	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	UJ	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.3	n/a	n/a	1.00E+00	µg/L	J	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	10.3	n/a	n/a	1.00E+00	µg/L	*	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	668	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	232	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	53.4	n/a	n/a	2.50E+01	µg/L	J	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	166	n/a	n/a	2.50E+01	µg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	623	n/a	n/a	1.80E+01	µg/L	*	J+	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1140	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	262	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	80.6	n/a	n/a	2.50E+01	µg/L	J	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	212	n/a	n/a	2.50E+01	µg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	905	n/a	n/a	1.80E+01	µg/L	*	J	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.67	n/a	n/a	5.00E-01	µg/L	J	J	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.83	n/a	n/a	5.00E-01	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.84	n/a	n/a	5.00E-01	µg/L	J	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.1	n/a	n/a	2.00E+00	µg/L	J	J	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2	n/a	n/a	2.00E+00	µg/L	J	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.8	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	7.4	n/a	n/a	2.00E+00	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.8	n/a	n/a	2.00E+00	µg/L	J	J	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1	n/a	n/a	5.00E-01	µg/L	J	J	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.6	n/a	n/a	5.00E-01	µg/L	J	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.59	n/a	n/a	5.00E-01	µg/L	J	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.66	n/a	n/a	5.00E-01	µg/L	J	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	43.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	37.7	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	67.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	63.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	66.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	65.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	60.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	68.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	62.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	68.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	64.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GU070600GSCP01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	63.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.13	n/a	n/a	5.00E-02	µg/L	J	J	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.069	n/a	n/a	5.00E-02	µg/L	J	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.069	n/a	n/a	5.00E-02	µg/L	J	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.053	n/a	n/a	5.00E-02	µg/L	J	n/a	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.081	n/a	n/a	5.00E-02	µg/L	J	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.15	n/a	n/a	5.00E-02	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.2	n/a	n/a	5.00E-02	µg/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.15	n/a	n/a	5.00E-02	µg/L	J	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	2.3	n/a	n/a	2.00E+00	µg/L	J	J	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	UJ	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.2	n/a	n/a	2.00E+00	µg/L	J	J	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	UJ	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	4	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	1.83E-03	3.50E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0211	3.03E-03	3.30E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.000162	2.09E-04	5.06E-02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00135	1.15E-03	3.43E-02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0146	1.91E-03	4.39E-02	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00524	2.47E-03	3.80E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0102	3.67E-03	2.80E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000623	9.50E-04	4.51E-02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0204	2.44E-03	3.42E-02	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000118	2.72E-03	3.63E-02	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.86	4.00E-01	3.60E+00	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.427	3.67E-01	3.60E+00	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.811	3.67E-01	3.47E+00	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.948	4.87E-01	4.63E+00	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.45	3.67E-01	3.83E+00	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.402	4.67E-01	4.50E+00	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0982	4.67E-01	4.50E+00	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.275	3.19E-01	3.15E+00	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.8	3.26E-01	3.08E+00	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0342	3.60E-01	3.49E+00	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.2	4.33E-01	3.90E+00	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.155	3.33E-01	3.20E+00	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0876	3.40E-01	3.38E+00	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.14	4.83E-01	5.09E+00	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.501	4.70E-01	3.75E+00	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0633	5.00E-01	4.90E+00	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.107	4.00E-01	3.80E+00	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.175	3.29E-01	2.81E+00	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.01	3.33E-01	2.73E+00	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.283	3.50E-01	3.33E+00	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	122	2.73E+01	3.30E+02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	68.2	4.33E+01	2.10E+02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	43.9	1.87E+01	1.74E+02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	53.3	1.29E+01	1.69E+02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	81.5	2.04E+01	2.73E+02	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	92	9.33E+01	4.00E+02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	93.9	2.03E+01	2.30E+02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.4	2.71E+01	2.09E+02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	80.4	6.90E+01	2.73E+02	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	92.8	2.09E+01	2.83E+02	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.06	2.53E+00	2.60E+01	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	11.9	2.23E+00	2.20E+01	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.84	2.32E+00	1.63E+01	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.29	4.23E+00	3.75E+01	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.04	5.03E+00	3.08E+01	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.4	3.33E+00	3.10E+01	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.3	3.67E+00	3.40E+01	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	3.74	3.26E+00	2.15E+01	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.39	2.75E+00	2.48E+01	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.73	2.72E+00	2.59E+01	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00673	2.23E-03	3.10E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00672	2.23E-03	4.00E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0136	4.37E-03	4.35E-02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00894	3.67E-03	3.13E-02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	6.33E-04	1.95E-02	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00883	1.77E-03	3.20E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	8.00E-04	4.30E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00477	4.07E-03	3.82E-02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0222	3.50E-03	2.82E-02	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00998	2.00E-03	2.05E-02	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00504	1.27E-03	3.00E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00448	1.83E-03	4.60E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00816	3.01E-03	5.14E-02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00224	2.24E-03	3.47E-02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00571	2.10E-03	2.82E-02	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00176	1.33E-03	3.20E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00236	2.37E-03	4.90E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-1.14E-09	2.25E-03	4.51E-02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	4.81E-10	1.90E-03	3.13E-02	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.014	2.58E-03	2.96E-02	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	9.47	6.33E+00	4.00E+01	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-10.6	6.67E+00	4.80E+01	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-10.7	5.37E+00	4.56E+01	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.8	4.60E+00	4.91E+01	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-26.6	4.93E+00	4.32E+01	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	74.1	9.00E+00	4.00E+01	n/a	pCi/L	UI	R	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-8.75	5.33E+00	5.00E+01	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	8.43	6.33E+00	2.80E+01	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-6.92	3.87E+00	3.87E+01	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	73.2	7.30E+00	3.59E+01	n/a	pCi/L	UI	R	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	09/16/04	WG	F	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.374	6.23E-02	5.61E-01	n/a	pCi/L	U	U	121725	GF04070GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.562	5.67E-02	3.40E-01	n/a	pCi/L	n/a	n/a	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.444	6.67E-02	6.10E-01	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	3.45	6.67E-01	4.40E+00	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0118	3.67E-01	3.80E+00	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.48	3.60E-01	3.08E+00	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.12	5.20E-01	5.45E+00	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.44	5.83E-01	3.55E+00	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.09	6.00E-01	5.30E+00	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.11	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.5	3.32E-01	3.77E+00	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.147	2.98E-01	2.82E+00	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.544	3.67E-01	3.44E+00	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.321	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.00896	3.17E-02	3.20E-01	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0466	4.00E-02	4.45E-01	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0362	4.40E-02	4.53E-01	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0557	3.12E-02	3.46E-01	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.171	3.67E-02	4.90E-01	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.155	2.50E-02	2.70E-01	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.186	4.33E-02	4.35E-01	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.396	4.43E-02	4.08E-01	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.136	3.04E-02	4.12E-01	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0478	4.33E-03	7.00E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0442	3.07E-03	6.60E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0331	4.57E-03	7.37E-02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0204	3.97E-03	2.90E-02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0494	3.77E-03	4.67E-02	n/a	pCi/L	n/a	J	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0614	4.33E-03	7.70E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0507	3.33E-03	6.30E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.018	3.08E-03	7.98E-02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0533	3.97E-03	2.62E-02	n/a	pCi/L	n/a	J	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.103	4.83E-03	4.47E-02	n/a	pCi/L	n/a	J	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0142	1.97E-03	3.50E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00875	1.47E-03	2.90E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0114	2.76E-03	5.77E-02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	6.01E-10	2.37E-03	3.89E-02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0168	2.24E-03	2.96E-02	n/a	pCi/L	U	U	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00785	2.30E-03	3.90E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00836	1.70E-03	2.80E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.0025	1.85E-03	6.26E-02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00454	1.07E-03	3.51E-02	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0202	2.36E-03	2.84E-02	n/a	pCi/L	U	U	183362	GU070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0382	3.33E-03	4.80E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10960	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0265	2.33E-03	3.80E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9293	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0184	3.16E-03	6.47E-02	n/a	pCi/L	U	U	194213	GF070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00408	2.54E-03	3.87E-02	n/a	pCi/L	U	U	189489	GF070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0443	3.50E-03	3.55E-02	n/a	pCi/L	n/a	J	183362	GF070300GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/19/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0508	4.00E-03	5.30E-02	n/a	pCi/L	U	U	08-854	CAPA-08-10958	GELC	n/a	n/a
PC Spring	-	-	12/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.022	2.23E-03	3.60E-02	n/a	pCi/L	U	U	08-448	CAPA-08-9294	GELC	n/a	n/a
PC Spring	-	-	09/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.00797	2.51E-03	7.01E-02	n/a	pCi/L	U	U	194213	GU070900GSCP01	GELC	n/a	n/a
PC Spring	-	-	07/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0313	2.87E-03	3.49E-02	n/a	pCi/L	U	U	189489	GU070600GSCP01	GELC	n/a	n/a
PC Spring	-	-	03/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0767	4.20E-03	3.40E-02	n/a	pCi/L	n/a	J	183362	GU070300GSCP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	62.1	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	73.7	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	90.4	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	96	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	66.8	n/a	n/a	7.25E-01	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.073	n/a	n/a	6.70E-02	mg/L	J	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	<	0.2	n/a	n/a	6.60E-02	mg/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	<	0.066	n/a	n/a	6.60E-02	mg/L	U	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.197	n/a	n/a	6.60E-02	mg/L	J	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	<	0.066	n/a	n/a	6.60E-02	mg/L	U	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	28	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	23.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	28	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	49.7	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	49.1	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	26.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	23.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	28.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	52.2	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	58.4	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	43.9	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	51.4	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	118	n/a	n/a	6.60E-01	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	128	n/a	n/a	6.60E-01	mg/L	n/a	J	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.158	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.202	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.215	n/a	n/a	3.30E-02	mg/L	n/a	J+	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.167	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.17	n/a	n/a	3.30E-02	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	101	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	85.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	101	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	180	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	181	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	97.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	84	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	104	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	191	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.52	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	6.38	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.52	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	13.7	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	14.2	n/a	n/a	8.50E-02	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.27	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	6.36	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	7.86	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	14.6	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.104	n/a	n/a	5.00E-02	mg/L	J	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.097	n/a	n/a	1.00E-02	mg/L	n/a	J-	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.026	n/a	n/a	1.00E-02	mg/L	J	JN-	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.017	n/a	n/a	1.70E-02	mg/L	U	UJ, R	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.159	n/a	n/a	5.00E-02	µg/L	J	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.136	n/a	n/a	5.00E-02	µg/L	J	J	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.102	n/a	n/a	5.00E-02	µg/L	J	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Geninorg	SW846 6850	Perchlorate	n/a	0.0612	n/a	n/a	5.00E-02	µg/L	HJ	J	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.9	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.68	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.75	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	6.67	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.91	n/a	n/a	5.00E-02	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.74	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.86	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	5.03	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	7.8	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	33.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	32.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	28.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	31.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	31.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	35.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	51.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	56.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	30.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	30.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	36.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	52.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	365	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	318	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	407	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	654	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	672	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	15.7	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	17.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	198	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	209	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	236	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	392	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	300	n/a	n/a	2.38E+00	mg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.61	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.48	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	4.62	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.68	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.67	n/a	n/a	1.00E-02	SU	H	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.38	n/a	n/a	1.00E-02	SU	H	J	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.93	n/a	n/a	1.00E-02	SU	H	J	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.63	n/a	n/a	1.00E-02	SU	H	J	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.4	n/a	n/a	1.00E-02	SU	H	J	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	162	n/a	n/a	6.80E+01	µg/L	J	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	780	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	574	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	124	n/a	n/a	6.80E+01	µg/L	J	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	514	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2910	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1740	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4430	n/a	n/a	6.80E+01	µg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	90.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	96.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	115	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	190	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	184	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	88.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	109	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	121	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	241	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	70.8	n/a	n/a	2.50E+01	µg/L	J	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	379	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	265	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	83.1	n/a	n/a	1.80E+01	µg/L	J	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	36.1	n/a	n/a	1.80E+01	µg/L	J	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	247	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1650	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	780	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2830	n/a	n/a	1.80E+01	µg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	7.7	n/a	n/a	2.00E+00	µg/L	J	J	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	7.2	n/a	n/a	2.00E+00	µg/L	J	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.2	n/a	n/a	2.00E+00	µg/L	J	J	08-760	CAPA-08-10944	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	35.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.6	n/a	n/a	2.00E+00	µg/L	J	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	100	n/a	n/a	2.00E+00	µg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.1	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.8	n/a	n/a	2.00E+00	µg/L	J	J+, U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.99	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.3	n/a	n/a	2.00E+00	µg/L	J	U, J+	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.97	n/a	n/a	5.00E-01	µg/L	J	J	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.2	n/a	n/a	5.00E-01	µg/L	J	J	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.99	n/a	n/a	5.00E-01	µg/L	J	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.92	n/a	n/a	5.00E-01	µg/L	J	J	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	J	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.3	n/a	n/a	5.00E-01	µg/L	J	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	23.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	32.7	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	167	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	159	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	188	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	320	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	314	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	161	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	157	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	192	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	342	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.079	n/a	n/a	5.00E-02	µg/L	J	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.095	n/a	n/a	5.00E-02	µg/L	J	n/a	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.22	n/a	n/a	5.00E-02	µg/L	n/a	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.2	n/a	n/a	5.00E-02	µg/L	J	U	182907	GF070300G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.065	n/a	n/a	5.00E-02	µg/L	J	J	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.18	n/a	n/a	5.00E-02	µg/L	J	U	08-367	CAPA-08-APA			

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00266	4.50E-03	3.13E-02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.528	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.64	4.33E-01	3.70E+00	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.667	6.07E-01	4.96E+00	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.891	2.65E-01	2.38E+00	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	n/a	9.39	5.83E-01	2.18E+00	n/a	pCi/L	n/a	n/a	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.39	4.33E-01	3.90E+00	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.12	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.45	3.60E-01	3.19E+00	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.149	4.53E-01	4.49E+00	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.539	3.12E-01	3.45E+00	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2	3.67E-01	4.10E+00	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.13	4.33E-01	4.80E+00	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.41	4.60E-01	4.07E+00	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.891	2.61E-01	2.47E+00	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.0719	2.20E-01	2.37E+00	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.308	4.33E-01	4.30E+00	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.02	3.67E-01	3.90E+00	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.492	4.10E-01	3.86E+00	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.245	3.43E-01	3.28E+00	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.609	2.71E-01	3.30E+00	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	91.6	2.17E+01	2.60E+02	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	124	3.30E+01	3.00E+02	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73.7	2.17E+01	2.92E+02	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.7	2.46E+01	2.65E+02	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	76.9	4.80E+01	2.43E+02	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	93.3	1.97E+01	3.20E+02	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	126	2.03E+01	3.00E+02	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	67.7	2.40E+01	2.94E+02	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	94.8	4.10E+01	3.09E+02	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	76.5	2.48E+01	2.51E+02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	6.74	2.70E+00	2.50E+01	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	29.6	3.67E+00	3.80E+01	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.13	2.46E+00	2.40E+01	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-23.2	2.82E+00	2.10E+01	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.59	1.65E+00	1.65E+01	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	11.1	4.00E+00	3.50E+01	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.84	3.00E+00	2.90E+01	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.92	3.01E+00	2.72E+01	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.5	3.05E+00	2.89E+01	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.88	2.17E+00	2.23E+01	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0066	3.67E-03	4.20E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00374	2.17E-03	3.30E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00351	1.85E-03	2.80E-02	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00394	2.46E-03	2.76E-02	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00385	3.63E-03	4.00E-02	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0024	4.00E-03	4.60E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00346	1.83E-03	3.10E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00337	2.38E-03	2.69E-02	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0113	1.94E-03	2.25E-02	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00932	2.24E-03	3.87E-02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0154	2.20E-03	4.50E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0056	1.07E-03	3.20E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.02E-03	3.31E-02	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00197	1.47E-03	3.05E-02	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00385	3.50E-03	3.37E-02	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0024	2.13E-03	4.90E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.											

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00168	1.25E-03	3.18E-02	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00322	1.32E-03	2.50E-02	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00745	1.97E-03	3.27E-02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.41	5.33E+00	5.50E+01	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-23.1	6.00E+00	5.40E+01	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-37.2	6.73E+00	6.19E+01	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	25.2	4.20E+00	2.24E+01	n/a	pCi/L	UI	R	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	n/a	53.9	4.70E+00	2.40E+01	n/a	pCi/L	n/a	J	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	35.9	5.67E+00	3.90E+01	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	19.2	7.00E+00	3.30E+01	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-5.61	4.87E+00	4.49E+01	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	42.9	7.53E+00	4.60E+01	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	26.7	4.80E+00	3.63E+01	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.526	4.67E-02	2.70E-01	n/a	pCi/L	n/a	n/a	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.627	6.67E-02	5.30E-01	n/a	pCi/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.291	5.67E-02	5.60E-01	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	n/a	0.899	8.33E-02	6.20E-01	n/a	pCi/L	n/a	n/a	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.91	4.00E-01	3.60E+00	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.32	5.00E-01	4.40E+00	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.0814	5.07E-01	4.86E+00	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.528	3.47E-01	2.77E+00	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.08	2.76E-01	2.03E+00	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.737	4.67E-01	3.50E+00	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.39	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.501	3.50E-01	3.38E+00	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.273	4.60E-01	4.47E+00	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.212	3.18E-01	3.50E+00	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.332	4.33E-02	3.80E-01	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.212	4.00E-02	4.00E-01	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.253	4.43E-02	4.24E-01	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.72	5.03E-02	3.47E-01	n/a	pCi/L	n/a	J	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.14	2.41E-02	2.94E-01	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.321	5.00E-02	4.70E-01	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.218	3.33E-02	3.30E-01	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.158	4.50E-02	4.59E-01	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.156	2.05E-02	1.95E-01	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.303	2.94E-02	3.11E-01	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	30.14192	3.12E+00	3.61E+00	n/a	pCi/L	n/a	n/a	08-790	CAPA-08-10944	ARSL	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	51.4073	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-366	CAPA-08-9302	UMTL	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	81.7408	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2361	UU070600G2CP01	UMTL	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	40.7	2.11E+01	2.14E+02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0228	3.67E-03	8.90E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0578	4.33E-03	8.80E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0663	6.17E-03	8.54E-02	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0713	4.40E-03	2.60E-02	n/a	pCi/L	n/a	J	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.123	8.57E-03	1.21E-01	n/a	pCi/L	n/a	J	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0378	3.10E-03	6.30E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0597	4.33E-03	8.00E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0536	5.60E-03	8.56E-02	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0882	5.23E-03	2.67E-02	n/a	pCi/L	n/a	n/a	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.116	7.37E-03	1.01E-01	n/a	pCi/L	n/a	J	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00626	2.57E-03	4.60E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0065	2.17E-03	4.50E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0211	4.17E-03	6.69E-02	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	5.39E-10	1.84E-03	3.49E-02	n/a	pCi/L	U	U	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0344	4.97E-03	9.13E-02	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00891	1.50E-03	3.20E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00886	2.20E-03	4.10E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0185	3.67E-03	6.71E-02	n/a	pCi/L	U	U	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00232	2.05E-03	3.58E-02	n/a	pCi/L	U	U	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0329	4.77E-03	7.63E-02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0228	3.67E-03	5.80E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10946	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0342	4.00E-03	5.50E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9301	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.047	5.43E-03	7.50E-02	n/a	pCi/L	U	U	193615	GF070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0822	4.70E-03	3.47E-02	n/a	pCi/L	n/a	J	188669	GF070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0437	5.53E-03	8.58E-02	n/a	pCi/L	U	U	144547	GF05070G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0234	2.20E-03	4.10E-02	n/a	pCi/L	U	U	08-760	CAPA-08-10944	GELC	n/a	n/a
PCO-2	5331	1.5	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0406	4.00E-03	5.00E-02	n/a	pCi/L	U	U	08-367	CAPA-08-9302	GELC	n/a	n/a
PCO-2	5331	1.5	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0815	6.70E-03	7.52E-02	n/a	pCi/L	n/a	J	193615	GU070900G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0826	4.70E-03	3.56E-02	n/a	pCi/L	n/a	J	188669	GU070600G2CP01	GELC	n/a	n/a
PCO-2	5331	1.5	08/30/05	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0631	4.93E-03	7.18E-02	n/a	pCi/L	U	U	144547	GU05070G2CP01	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	303	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	148	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	128	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	261	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	211	n/a	n/a	7.25E-01	mg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	216	n/a	n/a	7.25E-01	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.293	n/a	n/a	6.70E-02	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	<	0.2	n/a	n/a	6.60E-02	mg/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.117	n/a	n/a	6.60E-02	mg/L	J	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.332	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.335	n/a	n/a	6.60E-02	mg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	EPA:300.0	Bromide	n/a	0.348	n/a	n/a	6.60E-02	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	93.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	101	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	68.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	94.5	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	128	n/a	n/a	3.60E-02	mg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	94.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	101	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	68.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	96.1	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	129	n/a	n/a	3.60E-02	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	186	n/a	n/a	1.30E+00	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n												

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	25.4	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	15.7	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	22.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	30.4	n/a	n/a	8.50E-02	mg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	25.8	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	25.8	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	15.9	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	22.6	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	30	n/a	n/a	8.50E-02	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.17	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.08	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.31	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.94	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.43	n/a	n/a	5.00E-02	mg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.13	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.08	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.37	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.96	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.63	n/a	n/a	5.00E-02	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	36	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	32.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	30.8	n/a	n/a	3.20E-02	mg/L	n/a	JN-, J-	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	31.6	n/a	n/a	3.20E-02	mg/L	n/a	J-	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	123	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	139	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	90.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	96.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	111	n/a	n/a	2.25E-01	mg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	126	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	140	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	92.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	95.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	115	n/a	n/a	2.25E-01	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1240	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1310	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	928	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1050	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	1420	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.455	n/a	n/a	1.00E-02	mg/L	n/a	JN-	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	18.8	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	19.4	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	15.1	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	13.8	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	13.4	n/a	n/a	3.30E-01	mg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.3	n/a	n/a	1.00E-02	SU	H	J-	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.05	n/a	n/a	1.00E-02	SU	H	J-	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.94	n/a	n/a	1.00E-02	SU	H	J	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.74	n/a	n/a	1.00E-02	SU	H	J	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.75	n/a	n/a	1.00E-02	SU	H	J	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.15	n/a	n/a	1.00E-02	SU	H	J	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	135	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	147	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	99.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	128	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	203	n/a	n/a	1.00E+00	µg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	137	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	148	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	101	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	127	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	217	n/a	n/a	1.00E+00	µg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	42.3	n/a	n/a	1.00E+01	µg/L	J	J	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	46	n/a	n/a	1.00E+01	µg/L	J	J	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	56	n/a	n/a	1.00E+01	µg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	35.9	n/a	n/a	1.00E+01	µg/L	J	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	39.3	n/a	n/a	1.00E+01	µg/L	J	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	46.8	n/a	n/a	1.00E+01	µg/L	J	J	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	47.1	n/a	n/a	1.00E+01	µg/L	J	J	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	58.8	n/a	n/a	1.00E+01	µg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	38.2	n/a	n/a	1.00E+01	µg/L	J	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	36.8	n/a	n/a	1.00E+01	µg/L	J	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3	n/a	n/a	1.00E+00	µg/L	J	J	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2	n/a	n/a	1.00E+00	µg/L	J	JN-	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	2.4	n/a	n/a	1.00E+00	µg/L	J	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.6	n/a	n/a	2.50E+00	µg/L	J	J	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.3	n/a	n/a	1.00E+00	µg/L	n/a	JN-	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	2.6	n/a	n/a	1.00E+00	µg/L	J	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Cobalt	n/a	1.3	n/a	n/a	1.00E+00	µg/L	J	J	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Cobalt	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Cobalt	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Cobalt	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Cobalt	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	n/a	1.7	n/a	n/a	1.00E+00	µg/L	J	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	n/a	1.7	n/a	n/a	1.00E+00	µg/L	J	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	59.7	n/a	n/a	2.50E+01	µg/L	J	J	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	100	n/a	n/a	2.50E+01	µg/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	76.9	n/a	n/a	2.50E+01	µg/L	J	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	192	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	223	n/a	n/a	1.80E+01	µg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	97	n/a	n/a	2.50E+01	µg/L	J	J	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	46.5	n/a	n/a	2.50E+01	µg/L	J	J	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	201	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	305	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	304	n/a	n/a	1.80E+01	µg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	131	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	11.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	220	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	389	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	322	n/a	n/a	2.00E+00	µg/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	129	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	22	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	245	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	407	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	667	n/a	n/a	2.00E+00	µg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	3.9	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.7	n/a	n/a	2.00E+00	µg/L	J	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	8.7	n/a	n/a	2.00E+00	µg/L	J	J+, U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.7	n/a	n/a	2.00E+00	µg/L	J	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.8	n/a	n/a	2.00E+00	µg/L	J	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	3.9	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.7	n/a	n/a	2.00E+00	µg/L	J	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	8.1	n/a	n/a	2.00E+00	µg/L	J	J+, U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	5.6	n/a	n/a	2.00E+00	µg/L	J	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.2	n/a	n/a	2.00E+00	µg/L	J	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	9.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	11.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	10.6	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	6.2	n/a	n/a	5.00E-01	µg/L	n/a	J+	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	12.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	12.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	13.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5	n/a	n/a	5.00E-01	µg/L	n/a	J+	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	31.7	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	28.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	596	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	608	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	392	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	548	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-																							

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	3.8	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.6	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.54	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.5	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	5.3	n/a	n/a	5.00E-02	µg/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	J	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.6	n/a	n/a	1.00E+00	µg/L	J	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1	n/a	n/a	1.00E+00	µg/L	J	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	J	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.2	n/a	n/a	1.00E+00	µg/L	J	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.5	n/a	n/a	1.00E+00	µg/L	J	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.000184	8.33E-04	4.90E-02	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00136	5.67E-04	4.30E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00964	1.76E-03	4.60E-02	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0098	4.03E-03	4.73E-02	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0027	7.80E-04	2.24E-02	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0041	1.77E-03	6.10E-02	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0035	1.70E-03	4.30E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0135	3.11E-03	4.36E-02	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0126	5.43E-03	5.18E-02	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00242	8.47E-04	2.77E-02	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.93	4.00E-01	4.20E+00	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.44	4.00E-01	3.80E+00	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.237	4.63E-01	4.41E+00	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.46	4.03E-01	3.64E+00	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.43	3.73E-01	3.82E+00	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.27	4.00E-01	3.50E+00	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.458	3.33E-01	3.40E+00	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.05	3.80E-01	3.89E+00	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.297	4.37E-01	4.40E+00	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.539	3.93E-01	3.72E+00	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.659	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.231	3.07E-01	2.60E+00	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.287	3.70E-01	3.58E+00	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.31	4.03E-01	4.34E+00	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0152	4.87E-01	4.79E+00	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.0179	3.67E-01	3.60E+00	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.73	4.00E-01	4.20E+00	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.563	3.87E-01	3.95E+00	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.721	4.60E-01	4.31E+00	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.95	2.99E-01	3.84E+00	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	152	2.70E+01	3.70E+02	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.4	2.27E+01	2.50E+02	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	75.2	1.97E+01	2.60E+02	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	44.5	1.60E+01	1.50E+02	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	109	2.53E+01	3.55E+02	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	100	2.30E+01	2.50E+02	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	116	4.00E+01	3.30E+02	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	77.3	2.31E+01	2.95E+02	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	79.3	1.77E+01	2.65E+02	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	61.1	1.29E+01	2.19E+02	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-1.84	4.00E+00	3.70E+01	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	11.8	2.77E+00	2.60E+01	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-0.0557	2.90E+00	2.77E+01	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-1.29	3.60E+00	3.28E+01	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	14.8	4.07E+00	4.16E+01	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-14.6	3.17E+00	2.80E+01	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	18.5	4.67E+00	2.50E+01	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.66	3.00E+00	2.62E+01	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.63	3.25E+00	3.17E+01	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	6.6	2.61E+00	2.62E+01	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00971	2.30E-03	3.10E-02	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00392	1.13E-03	3.50E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00158	1.18E-03	2.53E-02	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	8.07E-04	1.75E-02	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.019	5.63E-03	2.61E-02	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.73E-03	3.20E-02	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00831	2.67E-03	3.00E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00368	1.94E-03	2.95E-02	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0112	1.77E-03	1.91E-02	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0052	1.53E-03	1.90E-02	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0113	1.80E-03	3.30E-02	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00196	2.37E-03	3.40E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00317	1.29E-03	2.99E-02	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00171	1.71E-03	2.53E-02	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0262	3.30E-03	1.74E-02	n/a	pCi/L	U	R	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0066	1.73E-03	3.40E-02	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0116	1.47E-03	2.80E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00736	1.94E-03	3.48E-02	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0056	1.39E-03	2.77E-02	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0121	2.39E-03	1.27E-02	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-0.232	6.00E+00	6.20E+01	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	2.1	4.33E+00	4.20E+01	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	5.95	5.10E+00	3.30E+01	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-27.9	5.77E+00	5.07E+01	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	3.84	8.33E+00	3.84E+01	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	10.7	5.67E+00	3.50E+01	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	20.4	5.67E+00	3.50E+01	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	11.9	4.83E+00	3.68E+01	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-19	5.57E+00	5.20E+01	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-5.15	4.63E+00	4.08E+01	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	04/10/01	WG	F	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	4.75	9.03E-01	4.53E+00	n/a	pCi/L	n/a	J	40678	GF01041G3CP	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.294	5.00E-02	4.70E-01	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.627	5.33E-02	3.20E-01	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	04/10/01	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	2.93	9.03E-01	4.81E+00	n/a	pCi/L	U	U	40678	GU01041G3CP	GELC	n/a	n/a
PCO-3	5341	5.7	04/10/01	WG	F	CS	n/a	Rad	EPA:901.1	Radium-228	<	9.21	1.82E+00	1.08E+01	n/a	pCi/L	U	U	40678	GF01041G3CP	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	-0.311	6.00E-02	7.40E-01	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.446	5.00E-02	3.80E-01	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	04/10/01	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	4.45	9.60E-01	1.06E+01	n/a	pCi/L	U	U	40678	GU01041G3CP	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.297	5.33E-01	4.40E+00	n/a	pCi/L	U	U	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.332	3.33E-01	3.30E+00	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.663	3.67E-01	3.46E+00	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.45	4.67E-01	4.93E+00	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.2	3.20E-01	3.35E+00	n/a	pCi/L	U	U	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.741	3.67E-01	3.30E+00	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.333	3.67E-01	3.50E+00	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.23	4.07E-01	4.30E+00	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.00898	4.07E-01	4.03E+00	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.77	4.00E-01	4.38E+00	n/a	pCi/L	U	U	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.604	5.67E-02	4.70E-01	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0284	3.20E-02	3.70E-01	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.258	4.87E-02	4.77E-01	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.177	3.60E-02	3.57E-01	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.469	3.28E-02	2.84E-01	n/a	pCi/L	n/a	J	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.383	5.67E-02	5.20E-01	n/a	pCi/L	U	U	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.577	5.00E-02	4.00E-01	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.179	4.53E-02	4.60E-01	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.22	4.93E-02	4.95E-01	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	n/a	0.645	3.53E-02	2.92E-01	n/a	pCi/L	n/a	J	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	1.08	2.83E-02	1.00E-01	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.503	1.73E-02	1.10E-01	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.169	9.90E-03	8.44E-02	n/a	pCi/L	n/a	J	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.659	1.97E-02	6.68E-02	n/a	pCi/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	1.15	2.67E-02	3.86E-02	n/a	pCi/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	1.17	2.87E-02	8.40E-02	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.505	1.93E-02	1.30E-01	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.251	1.21E-02	8.08E-02	n/a	pCi/L	n/a	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.721	2.34E-02	8.94E-02	n/a	pCi/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	1.86	3.93E-02	3.51E-02	n/a	pCi/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0862	6.00E-03	5.10E-02	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0199	4.00E-03	5.60E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.034	4.73E-03	6.61E-02	n/a	pCi/L	U	U	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0422	4.80E-03	4.24E-02	n/a	pCi/L	U	U	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.155	7.10E-03	3.93E-02	n/a	pCi/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0652	5.33E-03	4.20E-02	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0342	4.33E-03	6.80E-02	n/a	pCi/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0301	4.13E-03	6.33E-02	n/a	pCi/L	U	U	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0295	4.53E-03	4.61E-02	n/a	pCi/L	U	U	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0756	5.33E-03	3.58E-02	n/a	pCi/L	n/a	J	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	1.03	2.73E-02	6.90E-02	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10949	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.552	1.83E-02	6.70E-02	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9355	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.245	1.20E-02	7.41E-02	n/a	pCi/L	n/a	n/a	193615	GF070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.588	1.81E-02	5.09E-02	n/a	pCi/L	n/a	n/a	183750	GF070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	1.23	2.81E-02	2.73E-02	n/a	pCi/L	n/a	n/a	177829	GF061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	1.15	2.80E-02	5.70E-02	n/a	pCi/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.529	1.93E-02	8.20E-02	n/a	pCi/L	n/a	n/a	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.184	1.01E-02	7.10E-02	n/a	pCi/L	n/a	J	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.623	1.99E-02	6.81E-02	n/a	pCi/L	n/a	n/a	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	1.66	3.57E-02	2.48E-02	n/a	pCi/L	n/a	n/a	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	03/18/08	WG	UF	DL	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	n/a	1190	n/a	n/a	2.10E+01	µg/L	n/a	n/a	08-840	CAPA-08-10947	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	<	10.5	n/a	n/a	1.10E+00	µg/L	U	U	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	<	10.9	n/a	n/a	1.09E+00	µg/L	U	n/a	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	<	12.3	n/a	n/a	1.23E+00	µg/L	U	UJ	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Svoa	SW-846:8270C	Dioxane[1,4-]	<	10.4	n/a	n/a	1.04E+00	µg/L	U	UJ	177829	GU061200G3CP02	GELC	n/a	n/a
PCO-3	5341	5.7	12/07/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	n/a	n/a	2.00E+01	µg/L	U	R	08-375	CAPA-08-9358	GELC	n/a	n/a
PCO-3	5341	5.7	09/11/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	n/a	n/a	2.00E+01	µg/L	U	R	193615	GU070900G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	04/04/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	n/a	n/a	2.00E+01	µg/L	U	UJ, R	183750	GU070300G3CP01	GELC	n/a	n/a
PCO-3	5341	5.7	12/13/06	WG	UF	CS	n/a	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	n/a	n/a	2.00E+01	µg/L	U	R	177829	GU061200G3CP02	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	28.6	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	28.6	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	29.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	43.9	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	37.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	27.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.087	n/a	n/a	3.00E-02	mg/L	n/a	J-	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.12	n/a	n/a	6.00E-02	mg/L	n/a	J-	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.122	n/a	n/a	6.00E-02	mg/L	n/a	J-	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.03	n/a	n/a	3.00E-02	mg/L	U	UJ	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.035	n/a	n/a	3.00E-02	mg/L	J	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.031	n/a	n/a	1.00E-02	mg/L	J	U	182887	GF07030PPBFB0			

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	9.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.85	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.41	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.13	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	n/a	0.0513	n/a	n/a	3.00E-02	mg/L	J	J	08-844	CAPA-08-11009	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	9.73	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.51	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.24	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:300.0	Chloride	n/a	3.83	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.87	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.47	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.57	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.15	n/a	n/a	6.60E-02	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.89	n/a	n/a	6.60E-02	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	n/a	0.00293	n/a	n/a	1.50E-03	mg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	<	0.005	n/a	n/a	1.50E-03	mg/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	n/a	0.00396	n/a	n/a	1.50E-03	mg/L	J	JN-	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	n/a	0.00449	n/a	n/a	1.50E-03	mg/L	J	JN-	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	n/a	n/a	1.50E-03	mg/L	U	UJ	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:300.0	Fluoride	n/a	0.105	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.098	n/a	n/a	3.30E-02	mg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.071	n/a	n/a	3.30E-02	mg/L	J	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.145	n/a	n/a	3.30E-02	mg/L	n/a	J+	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.094	n/a	n/a	3.30E-02	mg/L	J	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.1	n/a	n/a	3.30E-02	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	38.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	38.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.2	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	40.7	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	36	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	38.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.2	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	40.5	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	36.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	3.39	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.41	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.96	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.55	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.21	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	3.41	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.33	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.96	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.55	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.26	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.281	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.288	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.2	n/a	n/a	1.00E-01	mg/L	J	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.025	n/a	n/a	1.00E-02	mg/L	J	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.011	n/a	n/a	1.00E-02	mg/L	J	JN-	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.275	n/a	n/a	1.00E-02	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	n/a	0.439	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.447	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.273	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.138	n/a	n/a	5.00E-02	µg/L	J	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.237	n/a	n/a	5.00E-02	µg/L	n/a	J+	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.505	n/a	n/a	5.00E-02	µg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	2.41	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.47	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	2.39	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.32	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.06	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.5	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.41	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	39.9	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	39	n/a	n/a	3.20E-02	mg/L	n/a	J+	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	40.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	6.12	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	6.16	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.86	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	5.36	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.62	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	n/a	0.178	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11009	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	6.07	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	5.95	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.82	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	5.17	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	4.63	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	n/a	103	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	104	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	91.7	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	117	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	102	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	106	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:300.0	Sulfate	n/a	12.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.28	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.67	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	7.19	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	1.6	n/a	n/a	1.10E+00	mg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	5.2	n/a	n/a	1.14E+00	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	3	n/a	n/a	1.14E+00	mg/L	J	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	3.6	n/a	n/a	2.28E+00	mg/L	J	n/a	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/05/06	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	n/a	n/a	2.28E+00	mg/L	U	n/a	177176	GU06110PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	106	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	116	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	112	n/a	n/a	2.40E+00	mg/L	n/a	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	107	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	105	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	92	n/a	n/a	2.38E+00	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.124	n/a	n/a	2.90E-02	mg/L	n/a	JN-	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.098	n/a	n/a	2.90E-02	mg/L	J	JN-	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.149	n/a	n/a	1.00E-02	mg/L	n/a	n/a	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.425	n/a	n/a	2.90E-02	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.292	n/a	n/a	2.90E-02	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.073	n/a	n/a	2.90E-02	mg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.107	n/a	n/a	2.90E-02	mg/L	n/a	JN-	193834	GU07090PPBFB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.081	n/a	n/a	2.90E-02	mg/L	J	JN-	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.234	n/a	n/a	1.00E-02	mg/L	n/a	n/a	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	n/a	8.71	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	8.67	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.96	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.37	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.74	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.64	n/a	n/a	3.30E-01	mg/L	n/a	n/a	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Geninorg	EPA:150.1	pH	n/a	7.44	n/a	n/a	1.00E-02	SU	H	J-	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.44	n/a	n/a	1.00E-02	SU	H	J-	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.68	n/a	n/a	1.00E-02	SU	H	J-	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.79	n/a	n/a	1.00E-02	SU	H	J	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.31	n/a	n/a	1.00E-02	SU	H	J	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.38	n/a	n/a	1.00E-02	SU	H	J	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	3220	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3200	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1830	n/a	n/a	6.80E+01	µg/L	*	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	234	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	133	n/a	n/a	6.80E+01	µg/L	J	J	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Aluminum	n/a	3900	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3740	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2700	n/a	n/a	6.80E+01	µg/L	*	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	496	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	289	n/a	n/a	6.80E+01	µg/L	n/a	J	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Barium	n/a	43	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	42.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	36.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	39.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	34.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Barium	n/a	46.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	45.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	40.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	41.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	37.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6020	Cadmium	n/a	0.12	n/a	n/a	1.10E-01	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Cadmium	<	1	n/a	n/a	1.10E-01	µg/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6020	Cadmium	<	0.11	n/a	n/a	1.10E-01	µg/L	U	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6020	Cadmium	<	0.1	n/a	n/a	1.00E-01	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Cadmium	<	1	n/a	n/a	1.10E-01	µg/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6020	Cadmium	<	0.11	n/a	n/a	1.10E-01	µg/L	U	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6020	Cadmium	<	0.1	n/a	n/a	1.00E-01	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6020	Chromium	n/a	4.4	n/a	n/a	2.50E+00	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.1	n/a	n/a	2.50E+00	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FB	Metals	SW-846:6020	Chromium	n/a	2.9	n/a	n/a	2.50E+00	µg/L	J	J	08-844	CAPA-08-11009	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6020	Chromium	n/a	4.5	n/a	n/a	2.50E+00	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.6	n/a	n/a	2.50E+00	µg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Cobalt	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Cobalt	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Cobalt	<	2	n/a	n/a	1.00E+00	µg/L	J	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Cobalt	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	<	5	n/a	n/a	1.00E+00	µg/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Cobalt	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Iron	n/a	1240	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1230	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	783	n/a	n/a	2.50E+01	µg/L	*	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	108	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	51.9	n/a	n/a	1.80E+01	µg/L	J	J	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Iron	n/a	1520	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1480	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1160	n/a	n/a	2.50E+01	µg/L	*	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	229	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	140	n/a	n/a	1.80E+01	µg/L	n/a	J	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6020	Lead	n/a	0.8	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.75	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Lead	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6020	Lead	n/a	0.96	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.98	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.8	n/a	n/a	5.00E-01	µg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	0.55	n/a	n/a	5.00E-01	µg/L	J	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Manganese	n/a	8.7	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	7.8	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.3	n/a	n/a	2.00E+00	µg/L	J	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.3	n/a	n/a	2.00E+00	µg/L	J	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Manganese	n/a	9.9	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	9.7	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.3	n/a	n/a	2.00E+00	µg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6.7	n/a	n/a	2.00E+00	µg/L	J	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.8	n/a	n/a	2.00E+00	µg/L	J	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.3	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.72	n/a	n/a	5.00E-01	µg/L	J	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.59	n/a	n/a	5.00E-01	µg/L	J	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6020	Nickel	n/a	1.3	n/a	n/a	5.00E-01	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.55	n/a	n/a	5.00E-01	µg/L	J	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	n/a	41.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	41.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	37.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Strontium	n/a	78.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	79.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	65.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	82.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	76.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Strontium	n/a	78.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	76.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	65.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	80.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	77.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.62	n/a	n/a	3.00E-01	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.44	n/a	n/a	3.00E-01	µg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.3	n/a	n/a	3.00E-01	µg/L	U	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Tin	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Tin	<	3.1	n/a	n/a	2.50E+00	µg/L	J	U, J+	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Tin	<	2.5	n/a	n/a	2.50E+00	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FB	Metals	SW-846:6010B	Tin	n/a	3.3	n/a	n/a	2.50E+00	µg/L	J	J	08-844	CAPA-08-11009	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Tin	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Tin	<	4.7	n/a	n/a	2.50E+00	µg/L	J	J+, U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Tin	<	2.5	n/a	n/a	2.50E+00	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.13	n/a	n/a	5.00E-02	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.14	n/a	n/a	5.00E-02	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.072	n/a	n/a	5.00E-02	µg/L	J	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.14	n/a	n/a	5.00E-02	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.15	n/a	n/a	5.00E-02	µg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.14	n/a	n/a	5.00E-02	µg/L	J	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.059	n/a	n/a	5.00E-02	µg/L	J	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	4.2	n/a	n/a	1.00E+00	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.5	n/a	n/a	1.00E+00	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.4	n/a	n/a	1.00E+00	µg/L	J	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	3.5	n/a	n/a	1.00E+00	µg/L	J	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.6	n/a	n/a	1.00E+00	µg/L	J	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	4.7	n/a	n/a	1.00E+00	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.7	n/a	n/a	1.00E+00	µg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3	n/a	n/a	1.00E+00	µg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	2.9	n/a	n/a	1.00E+00	µg/L	J	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.7	n/a	n/a	1.00E+00	µg/L	J	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Metals	SW-846:6010B	Zinc	n/a	4.6	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	4.9	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3	n/a	n/a	2.00E+00	µg/L	J	J	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Metals	SW-846:6010B	Zinc	n/a	8	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	5	n/a	n/a	2.00E+00	µg/L	J	J	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.5	n/a	n/a	2.00E+00	µg/L	J	J	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	HASL-300	Americium-241	<	0.00816	2.73E-03	3.80E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00363	2.23E-03	3.60E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00103	5.00E-04	2.90E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00488	5.23E-03	4.71E-02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0023	2.84E-03	3.81E-02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00547	1.16E-03	3.87E-02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	HASL-300	Americium-241	<	0.00168	1.77E-03	3.50E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	1.90E-03	3.60E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00934	1.47E-03	3.20E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0181	2.88E-03	4.37E-02	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00049	9.57E-04	3.08E-02	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0108	2.81E-03	4.02E-02	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-0.104	5.33E-01	5.20E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.45	4.67E-01	4.40E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.23	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.081	3.70E-01	3.71E+00	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.474	2.20E-01	2.25E+00	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.559	3.47E-01	3.49E+00	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	1.69	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.45	3.67E-01	3.90E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.152	4.67E-01	4.80E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.847	3.67E-01	3.39E+00	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.83	2.61E-01	2.72E+00	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.899	4.70E-01	4.70E+00	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-1.26	5.33E-01	5.00E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.19	5.33E-01	5.40E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.39	4.67E-01	3.80E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.07	3.70E-01	3.91E+00	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.958	2.27E-01	2.04E+00	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.608	5.40E-01	3.71E+00	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.336	4.67E-01	4.40E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.47	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.683	4.00E-01	4.10E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.745	3.77E-01	3.56E+00	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.505	2.73E-01	2.76E+00	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.848	4.33E-01	3.96E+00	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	147	3.10E+01	3.50E+02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	78.4	2.10E+01	2.90E+02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	45.2	1.27E+01	1.50E+02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	85.1	3.05E+01	3.05E+02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	43.7	2.53E+01	1.70E+02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	85.5	3.03E+01	3.25E+02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	78.6	2.80E+01	2.60E+02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	50.8	2.73E+01	1.90E+02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	62.6	1.73E+01	1.30E+02	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	68.6	2.09E+01	2.78E+02	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	46.7	2.16E+01	8.55E+01	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	78.4	3.24E+01	4.13E+02	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-9.49	4.67E+00	4.00E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	13.5	4.33E+00	3.80E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	10.3	2.97E+00	3.00E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	11	3.00E+00	2.76E+01	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-14.5	2.28E+00	1.77E+01	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.27	3.43E+00	2.70E+01	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-0.842	2.93E+00	2.90E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-5.59	2.87E+00	2.80E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-0.757	4.33E+00	3.30E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.26	2.78E+00	2.65E+01	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.47	1.98E+00	1.99E+01	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.09	3.18E+00	2.07E+01	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	HASL-300	Plutonium-238	<	0.0019	1.43E-03	3.50E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0018	1.60E-03	3.30E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.33E-03	2.90E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00157	2.16E-03	2.52E-02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00355	1.45E-03	2.48E-02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00761	2.38E-03	1.95E-02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0	5.67E-04	3.10E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	2.00E-03	3.10E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00626	2.87E-03	3.70E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	2.24E-03	2.53E-02	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00174	1.74E-03	2.44E-02	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00349	2.02E-03	1.79E-02	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00759	1.57E-03	3.40E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0126	1.60E-03	3.20E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00163	1.63E-03	2.80E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.011	1.58E-03	2.97E-02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00886	1.57E-03	2.75E-02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0171	3.30E-03	2.82E-02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0	8.00E-04	3.00E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00515	1.00E-03	3.10E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00626	1.57E-03	3.60E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00316	1.29E-03	2.99E-02	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00348	1.84E-03	2.70E-02	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0157	2.27E-03	2.59E-02	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	43.8	7.00E+00	5.00E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	11	6.33E+00	3.90E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-2.51	7.00E+00	6.40E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	5.83	8.80E+00	3.87E+01	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	33.2	6.33E+00	2.00E+01	n/a	pCi/L	UI	R	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-0.106	4.80E+00	4.76E+01	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	-20	5.67E+00	5.50E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	18.9	5.33E+00	5.50E+01	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14.8	7.33E+00	3.50E+01	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-0.79	5.03E+00	4.77E+01	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	25.9	5.03E+00	2.48E+01	n/a	pCi/L	UI	R	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.45	8.23E+00	4.13E+01	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:903.1	Radium-226	<	0.107	5.00E-02	5.50E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.316	6.00E-02	5.70E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:904	Radium-228	<	0.379	6.67E-02	6.10E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.191	5.67E-02	6.00E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	3.74	1.03E+00	5.00E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.649	5.00E-01	4.50E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.17	4.33E-01	3.60E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.81	4.30E-01	3.58E+00	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.0629	2.18E-01	2.14E+00	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.76	3.73E-01	3.13E+00	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	1.89	5.00E-01	4.80E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.212	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.25	4.00E-01	4.40E+00	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.053	3.33E-01	3.32E+00	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.57	2.62E-01	2.32E+00	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.53	4.57E-01	4.69E+00	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.122	4.67E-02	4.80E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.217	4.67E-02	4.80E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.239	4.67E-02	4.70E-01	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0556	3.33E-02	3.70E-01	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.228	3.14E-02	3.00E-01	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.245	3.53E-02	3.42E-01	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.422	5.33E-02	4.70E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.00856	4.33E-02	4.60E-01	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0309	4.00E-02	4.60E-01	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.116	3.57E-02	3.65E-01	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.186	3.08E-02	3.27E-01	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.119	3.03E-02	3.59E-01	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	HASL-300	Uranium-234	<	0.05	4.00E-03	7.90E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0377	3.67E-03	7.70E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0668	4.33E-03	6.90E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0744	6.97E-03	9.19E-02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0228	3.08E-03	3.26E-02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0322	3.33E-03	5.87E-02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-234	<	0.0647	4.33E-03	7.60E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0562	4.00E-03	8.60E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0614	3.67E-03	6.70E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0387	7.47E-03	9.47E-02	n/a	pCi/L	U	U	1938				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0225	2.49E-03	2.91E-02	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.072	4.57E-03	5.80E-02	n/a	pCi/L	n/a	J	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0161	2.23E-03	4.00E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00777	1.93E-03	3.80E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00918	2.43E-03	3.00E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0123	3.37E-03	7.16E-02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00282	1.63E-03	4.36E-02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0053	1.77E-03	3.73E-02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	-0.00258	1.50E-03	3.80E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00289	1.67E-03	4.30E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0067	2.23E-03	2.90E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0222	3.73E-03	7.38E-02	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00757	1.46E-03	3.90E-02	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00523	1.75E-03	3.68E-02	n/a	pCi/L	U	U	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	FD	Rad	HASL-300	Uranium-238	<	0.0369	3.23E-03	5.40E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11010	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0314	3.10E-03	5.20E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11005	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0204	2.57E-03	4.00E-02	n/a	pCi/L	U	U	08-416	CAPA-08-9237	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.016	4.83E-03	8.06E-02	n/a	pCi/L	U	U	193834	GF07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0	1.87E-03	4.34E-02	n/a	pCi/L	U	U	188897	GF07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0279	2.99E-03	4.47E-02	n/a	pCi/L	U	U	182887	GF07030PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-238	<	0.0292	3.30E-03	5.20E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11011	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/19/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0445	4.33E-03	5.80E-02	n/a	pCi/L	U	U	08-844	CAPA-08-11006	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0434	3.17E-03	3.90E-02	n/a	pCi/L	n/a	n/a	08-416	CAPA-08-9236	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	09/13/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0441	5.57E-03	8.30E-02	n/a	pCi/L	U	U	193834	GU07090PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	06/28/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0327	2.95E-03	3.88E-02	n/a	pCi/L	U	U	188897	GU07060PPBFB01	GELC	n/a	n/a
Pajarito 0.5 mi above SR-501	-	-	03/21/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0593	4.27E-03	4.42E-02	n/a	pCi/L	n/a	J	182887	GU07030PPBFB01	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	39.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	37.1	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	53.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	44.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	11	n/a	n/a	7.25E-01	mg/L	n/a	J-	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.053	n/a	n/a	3.00E-02	mg/L	n/a	J-	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.04	n/a	n/a	3.00E-02	mg/L	J	J-	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.033	n/a	n/a	3.00E-02	mg/L	J	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.041	n/a	n/a	3.00E-02	mg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.03	n/a	n/a	3.00E-02	mg/L	U	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Calcium	n/a	14.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.8	n/a	n/a	3.60E-02	mg/L	N	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Calcium	n/a	14	n/a	n/a	3.00E-02	mg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.9	n/a	n/a	3.60E-02	mg/L	N	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	26.6	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	19.8	n/a	n/a	1.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	10.3	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7.46	n/a	n/a	6.60E-02	mg/L	n/a	J	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	14.8	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.122	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.119	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.222	n/a	n/a	3.30E-02	mg/L	n/a	J+	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.181	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.136	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57.2	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	52.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	50.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	50.9	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	44.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	51.6	n/a	n/a	4.25E-01	mg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	52.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	50.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	44.7	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.73	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Magnesium	n/a	4.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.1	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.61	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.03	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Magnesium	n/a	4.03	n/a	n/a	8.50E-02	mg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.39	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.04	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.64	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.174	n/a	n/a	5.00E-02	mg/L	J	J	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.5	n/a	n/a	1.00E-01	mg/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.01	n/a	n/a	1.00E-02	mg/L	J	JN-	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	n/a	n/a	1.00E-02	mg/L	U	UJ	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.259	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.324	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.309	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0658	n/a	n/a	5.00E-02	µg/L	J	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0668	n/a	n/a	5.00E-02	µg/L	J	J+	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.483	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.36	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Potassium	n/a	3.69	n/a	n/a	5.00E-02	mg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.13	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.46	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.46	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.69	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Potassium	n/a	3.63	n/a	n/a	5.00E-02	mg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.43	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.53	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.47	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	39.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	44.1	n/a	n/a	3.20E-02	mg/L	N	J+	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	38.9	n/a	n/a	3.20E-02	mg/L	N	J+	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Sodium	n/a	21.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	n/a	J+	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Sodium	n/a	20.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	n/a	J+	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	197	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	168	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	168	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	148	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	160	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.35	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.92	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	7	n/a	n/a	1.10E+00	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	6.02	n/a	n/a	6.48E-01	mg/L	H	J	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	2.4	n/a	n/a	1.14E+00	mg/L	J	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	3.4	n/a	n/a	1.14E+00	mg/L	J	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	4	n/a	n/a	1.14E+00	mg/L	J	n/a	183582	GU070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	148	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	178	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	126	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	132	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	193	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	6.32	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.63	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.58	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.66	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.96	n/a	n/a	6.60E-01	mg/L	n/a	n/a	183582	GU070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.71	n/a	n/a	1.00E-02	SU	H	J-	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.56	n/a	n/a	1.00E-02	SU	H	J-	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.84	n/a	n/a	1.00E-02	SU	H	J	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.05	n/a	n/a	1.00E-02	SU	H	J	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	0.455	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	0.439	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	1.04	n/a	n/a	1.04E-01	µg/L	n/a	J	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	0.384	n/a	n/a	1.04E-01	µg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Hexp	SW-846:8321A	HMX	n/a	0.402	n/a	n/a	1.04E-01	µg/L	n/a	n/a	183582	GU070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	0.201	n/a	n/a	1.30E-01	µg/L	J	J	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Hexp	SW-846:8321A	RDX	<	0.325	n/a	n/a	1.30E-01	µg/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Hexp	SW-846:8321A	RDX	<	0.325	n/a	n/a	1.30E-01	µg/L	U	UJ	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Hexp	SW-846:8321A	RDX	<	0.325	n/a	n/a	1.30E-01	µg/L	U	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	0.171	n/a	n/a	1.30E-01	µg/L	J	n/a	183582	GU070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2870	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Aluminum	n/a	563	n/a	n/a	6.80E+01	µg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4050	n/a	n/a	6.80E+01	µg/L	n/a	J	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1130	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2320	n/a	n/a	6.80E+01	µg/L	*	J	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5320	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Aluminum	n/a	387	n/a	n/a	6.80E+01	µg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	6270	n/a	n/a	6.80E+01	µg/L	n/a	J	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2690	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	2450	n/a	n/a	6.80E+01	µg/L	*	J	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	65.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Barium	n/a	64.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	68	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	67.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	58.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	76.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Barium	n/a	71.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	76.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	72.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	66.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1310	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Iron	n/a	291	n/a	n/a	2.50E+01	µg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1870	n/a	n/a	2.50E+01	µg/L	n/a	J	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	529	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1160	n/a	n/a	1.80E+01	µg/L	*	J	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2480	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Iron	n/a	233	n/a	n/a	2.50E+01	µg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2920	n/a	n/a	2.50E+01	µg/L	n/a	J	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1250	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1290	n/a	n/a	1.80E+01	µg/L	*	J	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6.6	n/a	n/a	2.00E+00	µg/L	J	J	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Manganese	n/a	13.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	12.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	9.8	n/a	n/a	2.00E+00	µg/L	J	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.6	n/a	n/a	2.00E+00	µg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	15	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Manganese	n/a	15.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	16.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	11.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.52	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.41	n/a	n/a	1.00E-01	µg/L	J	J	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.8	Nickel	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.8	n/a	n/a	5.00E-01	µg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.8	Nickel	n/a	2.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	38.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	43.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.21	n/a	n/a	2.00E-01	µg/L	J	J	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.8	Silver	n/a	0.39	n/a	n/a	2.00E-01	µg/L	J	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.25	n/a	n/a	2.00E-01	µg/L	J	J	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.25	n/a	n/a	2.00E-01	µg/L	J	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.26	n/a	n/a	2.00E-01	µg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.41	n/a	n/a	2.00E-01	µg/L	J	J	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.8	Silver	n/a	0.53	n/a	n/a	2.00E-01	µg/L	J	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.31	n/a	n/a	2.00E-01	µg/L	J	J	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.33	n/a	n/a	2.00E-01	µg/L	J	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.65	n/a	n/a	2.00E-01	µg/L	J	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	98.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	92.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	97.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	84.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	88.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	102	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	95.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	94.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	85.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	85.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183582	GU070300P24301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.091	n/a	n/a	5.00E-02	µg/L	J	J	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.1	n/a	n/a	5.00E-02	µg/L	J	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.12	n/a	n/a	5.00E-02	µg/L	J	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.061	n/a	n/a	5.00E-02	µg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.14	n/a	n/a	5.00E-02	µg/L	J	n/a	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.15	n/a	n/a	5.00E-02	µg/L	J	J	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.13	n/a	n/a	5.00E-02	µg/L	J	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.15	n/a	n/a	5.00E-02	µg/L	J	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.13	n/a	n/a	5.00E-02	µg/L	J	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.21	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183582	GU070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	J	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Vanadium	n/a	2.1	n/a	n/a	1.00E+00	µg/L	J	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	J	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.2	n/a	n/a	1.00E+00	µg/L	J	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.4	n/a	n/a	1.00E+00	µg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Vanadium	n/a	2.2	n/a	n/a	1.00E+00	µg/L	J	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.1	n/a	n/a	1.00E+00	µg/L	J	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	6.5	n/a	n/a	2.00E+00	µg/L	J	J	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Zinc	n/a	5.9	n/a	n/a	2.00E+00	µg/L	J	n/a	202317	GF080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	7	n/a	n/a	2.00E+00	µg/L	J	J	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.2	n/a	n/a	2.00E+00	µg/L	J	n/a	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	9.5	n/a	n/a	2.00E+00	µg/L	J	J	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Zinc	n/a	5.7	n/a	n/a	2.00E+00	µg/L	J	n/a	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	9.6	n/a	n/a	2.00E+00	µg/L	J	J	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	4	n/a	n/a	2.00E+00	µg/L	J	n/a	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	4.4	n/a	n/a	2.00E+00	µg/L	J	n/a	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00766	2.63E-03	3.70E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00644	1.20E-03	2.80E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0011	1.46E-03	4.28E-02	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00291	1.82E-03	3.43E-02	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0049	2.87E-03	4.00E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00431	1.33E-03	4.48E-02	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00324	8.67E-04	3.00E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000848	1.33E-03	4.36E-02	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00914	2.93E-03	3.21E-02	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.592	3.67E-01	3.60E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.986	2.07E-01	1.80E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.463	3.77E-01	3.60E+00	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.01	4.33E-01	3.55E+00	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.69	3.67E-01	3.10E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.652	9.07E-01	5.79E+00	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.534	2.07E-01	2.00E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.03	4.00E-01	4.12E+00	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.31	3.63E-01	3.66E+00	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.269	4.00E-01	3.30E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.36	1.73E-01	1.80E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.0662	3.73E-01	3.66E+00	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.07	5.17E-01	3.97E+00	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.07	3.17E-01	3.40E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.9	6.60E-01	6.81E+00	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.953	2.67E-01	2.40E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.812	4.77E-01	4.96E+00	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.175	3.87E-01	3.72E+00	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	140	6.00E+01	4.50E+02	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	39.7	1.57E+01	1.60E+02	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	78.4	2.32E+01	2.47E+02	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	45.6	1.05E+01	1.33E+02	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73.5	1.97E+01	2.88E+02	n/a	pCi/L	U	U	183582	GF070300P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	60.5	3.33E+01	2.30E+02	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	48.2	1.30E+01	1.30E+02	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	61.8	2.14E+01	2.36E+02	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	77.3	2.22E+01	2.89E+02	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/03/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	76.5	5.53E+01	3.28E+02	n/a	pCi/L	U	U	183582	GU070300P24302	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.2	3.67E+00	3.50E+01	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-17.2	1.93E+00	1.40E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-11.1	3.20E+00	2.97E+01	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-13.5	2.91E+00	2.73E+01	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.09	2.70E+00	2.80E+01	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-20	2.41E+00	1.91E+01	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-5.04	1.53E+00	1.50E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.74	2.78E+00	1.78E+01	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.11	3.40E+00	3.22E+01	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00571	2.33E-03	5.50E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00349	2.03E-03	3.10E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00992	2.26E-03	3.55E-02	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	1.81E-09	3.57E-03	2.65E-02	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00257	8.67E-04	5.00E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00863	2.49E-03	3.95E-02	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.63E-03	3.10E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00558	2.33E-03	3.95E-02	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	2.15E-03	2.60E-02	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00285	2.53E-03	5.80E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00175	1.00E-03	3.00E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.000944	2.02E-03	4.18E-02	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00378	1.55E-03	2.93E-02	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00257	1.50E-03	5.30E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	n/a	0.0518	3.87E-03	4.64E-02	n/a	pCi/L	n/a	J	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0139	2.03E-03	3.00E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0129	2.59E-03	4.66E-02	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00558	2.40E-03	2.89E-02	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-18.5	6.67E+00	6.20E+01	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.14	3.67E+00	1.70E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-24.4	5.67E+00	4.90E+01	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	13.5	5.80E+00	5.14E+01	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-13.9	4.67E+00	5.10E+01	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.3	9.63E+00	5.97E+01	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.21	3.67E+00	2.70E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-17.3	6.23E+00	5.51E+01	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-14.9	5.57E+00	5.47E+01	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.37	5.00E-02	4.30E-01	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.691	8.57E-02	7.05E-01	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.337	4.70E-02	4.02E-01	n/a	pCi/L	U	U	111808	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	1.54	1.27E+00	7.00E+00	n/a	pCi/L	U	U	111808	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	11.8	2.29E+00	1.18E+01	n/a	pCi/L	U	n/a	111877	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	DUP	n/a	Rad	EPA:903.1	Radium-226	<	0.122	3.53E-02	3.67E-01	n/a	pCi/L	U	n/a	111877	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.555	6.67E-02	5.50E-01	n/a	pCi/L	n/a	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	2.38	1.26E-01	1.14E+00	n/a	pCi/L	n/a	J+	111808	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	12	1.30E+00	1.46E+01	n/a	pCi/L	U	U	111808	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	04/27/04	WM	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	12.4	2.73E+00	2.64E+01	n/a	pCi/L	U	n/a	111877	GU04040M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.75	3.10E-01	2.40E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.13	1.77E-01	1.50E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.12	3.31E-01	3.55E+00	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.349	4.77E-01	4.13E+00	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.525	3.33E-01	3.20E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.94	5.90E-01	5.36E+00	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.157	2.03E-01	2.00E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.1	4.13E-01	3.33E+00	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.248	4.17E-01	4.00E+00	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.239	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.315	5.00E-02	4.60E-01	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.109	3.09E-02	3.21E-01	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.134	3.97E-02	4.01E-01	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.262	5.00E-02	4.80E-01	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0502	4.60E-02	4.86E-01	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0447	4.67E-02	4.70E-01	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.198	3.11E-02	3.00E-01	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.119	2.44E-02	2.62E-01	n/a	pCi/L	U	U	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	LLEE	Tritium	n/a	38.98653	3.97E+00	3.67E+00	n/a	pCi/L	n/a	n/a	08-747	CAPA-08-11002	ARSL	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	-6.01	1.87E+01	1.92E+02	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	LLEE	Tritium	n/a	56.1968	6.39E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-418	CAPA-08-9270	UMTL	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	LLEE	Tritium	n/a	49.8108	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2400	UU070900P24301	UMTL	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WP	UF	CS	n/a	Rad	LLEE	Tritium	n/a	48.5336	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2363	UU070600P24301	UMTL	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WP	UF	RE	n/a	Rad	LLEE	Tritium	n/a	46.9371	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2363	UU070600P24301	UMTL	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0423	3.33E-03	7.10E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0417	4.33E-03	7.00E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0222	3.40E-03	7.38E-02	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.016	2.99E-03	2.84E-02	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0449	3.67E-03	7.50E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.179	1.46E-02	2.00E-01	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0454	3.13E-03	6.70E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9270	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0421	5.77E-03	8.87E-02	n/a	pCi/L	U	U	193728	GU070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0432	3.57E-03	2.67E-02	n/a	pCi/L	n/a	J	188820	GU070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00498	2.03E-03	3.60E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11004	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.0445	4.67E-03	3.10E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9271	GELC	n/a	n/a
Pajarito above Twomile	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.0024	2.76E-03	5.78E-02	n/a	pCi/L	U	U	193728	GF070900P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00493	1.17E-03	3.81E-02	n/a	pCi/L	U	U	188820	GF070600P24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0185	2.67E-03	3.80E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11002	GELC	n/a	n/a
Pajarito above Twomile	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00693	6.93E-03	9.87E-02	n/a	pCi/L	U	U	202317	GU080200M24301	GELC	n/a	n/a
Pajarito above Twomile	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00673	1.67E-03	3.									

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.62	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.48	n/a	n/a	3.60E-02	mg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.1	n/a	n/a	3.60E-02	mg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.97	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.97	n/a	n/a	6.60E-02	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.98	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.98	n/a	n/a	6.60E-02	mg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.241	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.244	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.266	n/a	n/a	3.30E-02	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.247	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.251	n/a	n/a	3.30E-02	mg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	36.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	35.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	35.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	34.1	n/a	n/a	4.40E-01	mg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	35.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	38.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	35.2	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.6	n/a	n/a	4.40E-01	mg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.85	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.75	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.8	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.78	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.71	n/a	n/a	8.50E-02	mg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.92	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.76	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.92	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.81	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.01	n/a	n/a	8.50E-02	mg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.215	n/a	n/a	5.00E-02	mg/L	J	J	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.248	n/a	n/a	1.00E-02	mg/L	n/a	J-	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.244	n/a	n/a	1.00E-02	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/																				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	71.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	70.6	n/a	n/a	3.20E-02	mg/L	n/a	J	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.7	n/a	n/a	4.50E-02	mg/L	E	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	13.1	n/a	n/a	4.50E-02	mg/L	E	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.4	n/a	n/a	4.50E-02	mg/L	E	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	13.3	n/a	n/a	4.50E-02	mg/L	E	J	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	120	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	119	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	126	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	131	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	137	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	2.22	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	2.98	n/a	n/a	1.00E-01	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	3.65	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	124	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	129	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	130	n/a	n/a	2.38E+00	mg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	140	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	120	n/a	n/a	2.38E+00	mg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.553	n/a	n/a	3.30E-01	mg/L	J	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.6	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.438	n/a	n/a	3.30E-01	mg/L	J	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	n/a	n/a	3.30E-01	mg/L	U	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.598	n/a	n/a	3.30E-01	mg/L	J	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.153	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.054	n/a	n/a	2.40E-02	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.07	n/a	n/a	2.40E-02	mg/L	n/a	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.051	n/a	n/a	2.40E-02	mg/L	n/a	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.034	n/a	n/a	2.40E-02	mg/L	J	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.9	n/a	n/a	1.00E-02	SU	H	J-	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8.01	n/a	n/a	1.00E-02	SU	H	J-	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.84	n/a	n/a	1.00E-02	SU	H	J	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.81	n/a	n/a	1.00E-02	SU	H	J	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.63	n/a	n/a	1.00E-02	SU	H	J	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	200	n/a	n/a	6.80E+01	µg/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	94.1	n/a	n/a	6.80E+01	µg/L	J	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	76.8	n/a	n/a	6.80E+01	µg/L	J	J	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	212	n/a	n/a	6.80E+01	µg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	<	68	n/a	n/a	6.80E+01	µg/L	U	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	589	n/a	n/a	6.80E+01	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	36	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	37.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	38.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	38.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	35.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	36.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	37.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	40	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	38.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	41.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	12.1	n/a	n/a	1.00E+01	µg/L	J	J	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	50	n/a	n/a	1.00E+01	µg/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.7	n/a	n/a	1.00E+01	µg/L	J	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.4	n/a	n/a	1.00E+01	µg/L	J	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.2	n/a	n/a	1.00E+01	µg/L	J	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	12.9	n/a	n/a	1.00E+01	µg/L	J	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	50	n/a	n/a	1.00E+01	µg/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.7	n/a	n/a	1.00E+01	µg/L	J	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.6	n/a	n/a	2.50E+00	µg/L	J	J	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.6	n/a	n/a	1.00E+00	µg/L	J	J	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.7	n/a	n/a	1.00E+00	µg/L	J	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.2	n/a	n/a	1.00E+00	µg/L	J	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.8	n/a	n/a	1.00E+00	µg/L	J	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.1	n/a	n/a	2.50E+00	µg/L	J	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	11.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.3	n/a	n/a	1.00E+00	µg/L	J	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	12.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	100	n/a	n/a	2.50E+01	µg/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	25.1	n/a	n/a	2.50E+01	µg/L	J	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	22.8	n/a	n/a	1.80E+01	µg/L	J	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	98.9	n/a	n/a	1.80E+01	µg/L	J	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	77.6	n/a	n/a	2.50E+01	µg/L	J	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	67.6	n/a	n/a	2.50E+01	µg/L	J	J	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	202	n/a	n/a	2.50E+01	µg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	81.1	n/a	n/a	1.80E+01	µg/L	J	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	470	n/a	n/a	1.80E+01	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.5	n/a	n/a	2.00E+00	µg/L	J	J	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2	n/a	n/a	2.00E+00	µg/L	J	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.3	n/a	n/a	2.00E+00	µg/L	J	J	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.4	n/a	n/a	2.00E+00	µg/L	J	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.3	n/a	n/a	2.00E+00	µg/L	J	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.7	n/a	n/a	2.00E+00	µg/L	J	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.2	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.6	n/a	n/a	2.00E+00	µg/L	J	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.6	n/a	n/a	2.00E+00	µg/L	J	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3	n/a	n/a	2.00E+00	µg/L	J	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.2	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	5.2	n/a	n/a	2.00E+00	µg/L	J	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.5	n/a	n/a	2.00E+00	µg/L	J	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	3.5	n/a	n/a	2.00E+00	µg/L	J	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	J	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	J	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	6	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	5.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	8.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	70.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	70.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	44.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	40.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	44.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	44.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	42.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	45.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.5	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.71	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.71	n/a	n/a	5.00E-02	µg/L	n/a	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.75	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.65	n/a	n/a	5.00E-02	µg/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.5	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.75	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.69	n/a	n/a	5.00E-02	µg/L	n/a	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.76	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.72	n/a	n/a	5.00E-02	µg/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.8	n/a	n/a	1.00E+00	µg/L	n/a	J	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	J	J	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	4.9	n/a	n/a	1.00E+00	µg/L	J	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	J	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.5	n/a	n/a	1.00E+00	µg/L	J	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.7	n/a	n/a	1.00E+00	µg/L	n/a	J	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.7	n/a	n/a	1.00E+00	µg/L	J	J	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5.9	n/a	n/a	1.00E+00	µg/L	n/a	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.5	n/a	n/a	1.00E+00	µg/L	J	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5.3	n/a	n/a	1.00E+00	µg/L	n/a	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00288	3.67E-03	4.30E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0234	3.67E-03	4.70E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17																							

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.159	2.86E-01	2.91E+00	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.135	4.73E-01	4.58E+00	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.46	4.00E-01	3.30E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.56	3.20E-01	2.60E+00	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.44	3.63E-01	3.13E+00	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.423	4.27E-01	4.37E+00	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-2.6	4.07E-01	3.29E+00	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.9	3.23E+01	2.30E+02	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	64.2	1.70E+01	2.00E+02	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	57.1	2.23E+01	2.42E+02	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	63.4	2.29E+01	2.44E+02	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	90.7	2.50E+01	3.21E+02	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	54.7	2.63E+01	1.70E+02	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	74.6	1.67E+01	2.10E+02	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	148	3.16E+01	2.66E+02	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	84.1	2.21E+01	3.08E+02	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	99.7	2.57E+01	3.09E+02	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.2	3.13E+00	2.50E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.04	1.40E+00	1.30E+01	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.1	3.05E+00	2.72E+01	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-0.0903	2.60E+00	2.06E+01	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.84	2.43E+00	2.17E+01	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.21	2.10E+00	2.00E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.98	1.57E+00	1.60E+01	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	10.3	2.93E+00	2.90E+01	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.22	4.17E+00	3.85E+01	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.3	3.12E+00	2.57E+01	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0142	4.33E-03	4.30E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0154	2.73E-03	3.00E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00663	2.62E-03	3.72E-02	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00207	6.93E-04	2.90E-02	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00183	6.10E-04	2.66E-02	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00221	5.33E-03	4.10E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.90E-03	3.20E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00974	2.15E-03	3.89E-02	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-4.9E-10	1.37E-03	2.87E-02	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	8.43E-04	3.67E-02	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00474	3.17E-03	4.20E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	1.80E-03	2.90E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0102	2.49E-03	4.38E-02	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-4.94E-10	1.38E-03	3.21E-02	n/a	pCi/L	U	J, U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00183	1.61E-03	3.12E-02	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0133	3.30E-03	4.00E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00358	1.70E-03	3.10E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00331	1.37E-03	4.59E-02	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00205	1.19E-03	3.18E-02	n/a	pCi/L	U	U, J	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00253	1.88E-03	4.31E-02	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	28.5	4.00E+00	4.70E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-20.8	4.00E+00	3.10E+01	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	36.8	5.63E+00	3.36E+01	n/a	pCi/L	UI	R	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.1	3.97E+00	3.02E+01	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	4.76	5.77E+00	4.81E+01	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	10.7	6.67E+00	3.50E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	11.5	4.00E+00	2.10E+01	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	4.83	5.13E+00	1.90E+01	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	38.5	6.07E+00	3.86E+01	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	23.1	6.10E+00	3.85E+01	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.33	4.33E-02	3.20E-01	n/a	pCi/L	n/a	U	08-804	CAPA-08-11027	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.55	5.33E-02	4.00E-01	n/a	pCi/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.367	5.33E-02	4.80E-01	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.573	5.67E-02	4.40E-01	n/a	pCi/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.65	3.67E-01	3.30E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.989	3.03E-01	2.80E+00	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.302	3.87E-01	3.75E+00	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.399	2.38E-01	2.42E+00	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.09	4.17E-01	3.41E+00	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.736	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.531	2.33E-01	2.30E+00	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.848	3.73E-01	3.44E+00	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.11	4.83E-01	4.17E+00	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.03	3.83E-01	3.53E+00	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.154	4.67E-02	4.70E-01	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.043	2.73E-02	2.80E-01	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0246	2.70E-02	2.77E-01	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.214	4.40E-02	4.89E-01	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0759	3.40E-02	3.70E-01	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.146	3.33E-02	4.70E-01	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0829	3.67E-02	3.60E-01	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0398	3.33E-02	3.71E-01	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0122	4.67E-02	5.32E-01	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.084	3.53E-02	4.59E-01	n/a	pCi/L	U	U	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.349	1.10E-02	7.00E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.552	1.57E-02	6.90E-02	n/a	pCi/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.399	1.51E-02	6.88E-02	n/a	pCi/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.549	1.58E-02	3.03E-02	n/a	pCi/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.529	1.56E-02	6.13E-02	n/a	pCi/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.304	1.07E-02	7.80E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.526	1.57E-02	7.40E-02	n/a	pCi/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.488	1.74E-02	7.29E-02	n/a	pCi/L	n/a	n/a	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.547	1.60E-02	3.32E-02	n/a	pCi/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.626	1.83E-02	6.65E-02	n/a	pCi/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0223	2.53E-03	3.60E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0127	2.80E-03	3.50E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00845	3.19E-03	5.39E-02	n/a	pCi/L	U	U	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0132	2.33E-03	4.06E-02	n/a	pCi/L	U	U	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.031	3.93E-03	3.59E-02	n/a	pCi/L	U	U	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0221	2.63E-03	4.00E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0245	4.00E-03	3.80E-02	n/a	pCi/L	U	U	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0452	4.87E-03	5.71E-02	n/a	pCi/L	U	U	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0316	3.50E-03	4.44E-02	n/a	pCi/L	U	U	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.052	4.77E-03	3.90E-02	n/a	pCi/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.147	6.67E-03	4.60E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11028	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.228	8.67E-03	4.30E-02	n/a	pCi/L	n/a	n/a	08-353	CAPA-08-9328	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.221	1.05E-02	6.05E-02	n/a	pCi/L	n/a	n/a	194131	GF07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.213	8.50E-03	4.04E-02	n/a	pCi/L	n/a	n/a	189079	GF07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.191	8.80E-03	5.76E-02	n/a	pCi/L	n/a	n/a	185012	GF07040GR17101	GELC	n/a	n/a
R-17	7031	1057	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.156	7.33E-03	5.10E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11027	GELC	n/a	n/a
R-17	7031	1057	12/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.257	9.67E-03	4.60E-02	n/a	pCi/L	n/a	n/a	08-353	CAPA-08-9327	GELC	n/a	n/a
R-17	7031	1057	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.166	9.10E-03	6.40E-02	n/a	pCi/L	n/a	J	194131	GU07080GR17101	GELC	n/a	n/a
R-17	7031	1057	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.237	9.40E-03	4.42E-02	n/a	pCi/L	n/a	n/a	189079	GU07060GR17101	GELC	n/a	n/a
R-17	7031	1057	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.243	1.00E-02	6.25E-02	n/a	pCi/L	n/a	n/a	185012	GU07040GR17101	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.9	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	53.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	52.1	n/a	n/a	7.25E-01	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.8	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	53	n/a	n/a	7.25E-01	mg/L	n/a	n/a	185012	GF070			

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.76	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.82	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.84	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.48	n/a	n/a	3.60E-02	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.88	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.83	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.88	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.46	n/a	n/a	3.60E-02	mg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.02	n/a	n/a	3.60E-02	mg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.68	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.69	n/a	n/a	6.60E-02	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.71	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.7	n/a	n/a	6.60E-02	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.192	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.189	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.222	n/a	n/a	3.30E-02	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.214	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.204	n/a	n/a	3.30E-02	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	34.8	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	32.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	31.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.9	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	34.5	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	32.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	34.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.78	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.81	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.84	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.73	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.71	n/a	n/a	8.50E-02	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.84	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.81	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.86	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07																				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.37	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.35	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.35	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	75.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	73.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	74.3	n/a	n/a	3.20E-02	mg/L	n/a	J	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.64	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.3	n/a	n/a	4.50E-02	mg/L	E	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.87	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.3	n/a	n/a	4.50E-02	mg/L	E	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.65	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.2	n/a	n/a	4.50E-02	mg/L	E	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.84	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.8	n/a	n/a	4.50E-02	mg/L	E	J	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	112	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	102	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	114	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	118	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	119	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.74	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.77	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.67	n/a	n/a	1.00E-01	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.78	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.75	n/a	n/a	1.00E-01	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	118	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	153	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	128	n/a	n/a	2.38E+00	mg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	138	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	98	n/a	n/a	2.38E+00	mg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.537	n/a	n/a	3.30E-01	mg/L	J	J	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.21	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.445	n/a	n/a	3.30E-01	mg/L	J	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.387	n/a	n/a	3.30E-01	mg/L	J	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.46	n/a	n/a	3.30E-01	mg/L	J	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.099	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.027	n/a	n/a	2.40E-02	mg/L	J	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.054	n/a	n/a	2.40E-02	mg/L	n/a	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.048	n/a	n/a	2.40E-02	mg/L	J	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.044	n/a	n/a	2.40E-02	mg/L	J	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.85	n/a	n/a	1.00E-02	SU	H	J-	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.98	n/a	n/a	1.00E-02	SU	H	J-	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.92	n/a	n/a	1.00E-02	SU	H	J	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.78	n/a	n/a	1.00E-02	SU	H	J	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.59	n/a	n/a	1.00E-02	SU	H	J	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	29.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	30.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	31.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	30.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	28.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	29.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	30.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	31.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	30.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	32.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11	n/a	n/a	1.00E+01	µg/L	J	J	08-804	CAPA-08-11031	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.7	n/a	n/a	1.00E+01	µg/L	J	J	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.4	n/a	n/a	1.00E+01	µg/L	J	J	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.3	n/a	n/a	1.00E+01	µg/L	J	J	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.2	n/a	n/a	1.00E+01	µg/L	J	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4	n/a	n/a	2.50E+00	µg/L	J	J	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.4	n/a	n/a	2.50E+00	µg/L	J	J	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	5.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.95	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.5	n/a	n/a	2.00E+00	µg/L	J	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.99	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.6	n/a	n/a	2.00E+00	µg/L	J	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.82	n/a	n/a	5.00E-01	µg/L	J	J	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.85	n/a	n/a	5.00E-01	µg/L	J	J	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.1	n/a	n/a	5.00E-01	µg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.94	n/a	n/a	5.00E-01	µg/L	J	J	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.91	n/a	n/a	5.00E-01	µg/L	J	J	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	73.7	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	75	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	41.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	41.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	42.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	41.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	40.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	42.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	41.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	42.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	41.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	42.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.45	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.43	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.44	n/a	n/a	5.00E-02	µg/L	n/a	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.42	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.42	n/a	n/a	5.00E-02	µg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.47	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.44	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.44	n/a	n/a	5.00E-02	µg/L	n/a	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.41	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.4	n/a	n/a	5.00E-02	µg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.2	n/a	n/a	1.00E+00	µg/L	n/a	J	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.1	n/a	n/a	1.00E+00	µg/L	n/a	J	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00157	1.20E-03	4.30E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0174	2.13E-03	4.10E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0031	1.60E-03	4.25E-02	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00293	9.93E-04	3.40E-02	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0104	2.88E-03	5.91E-02	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	1.17E-03	4.10E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00323	1.90E-03	4.00E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000438	1.00E-03	4.64E-02	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0113	1.56E-03	3.36E-02	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0237	3.57E-03	4.78E-02	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.346	3.27E-01	3.10E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.0991	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.19	3.70E-01	3.46E+00	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.7	4.13E-01	4.11E+00	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.57	5.83E-01	4.05E+00	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2.53	6.33E-01	5.30E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.451	3.17E-01	2.80E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.73	3.10E-01	2.60E+00	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.37	3.90E-01	4.24E+00	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.58	4.33E-01	4.56E+00	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.49	3.67E-01	4.00E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.742	3.07E-01	2.80E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.51	4.07E-01	4.21E+00	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.89	3.83E-01	3.49E+00	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.22	4.73E-01	4.34E+00	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.78	5.67E-01	4.90E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0588	3.33E-01	3.30E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.908	2.82E-01	2.47E+00	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.16	4.00E-01	4.26E+00	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.556	4.23E-01	4.31E+00	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	96.5	2.90E+01	2.70E+02	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	86	2.03E+01	2.20E+02	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	74.8	2.02E+01	2.66E+02	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	59.9	1.77E+01	2.19E+02	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	159	3.70E+01	4.03E+02	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	101	6.33E+01	3.40E+02	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	104	4.33E+01	2.80E+02	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	58.3	1.70E+01	2.08E+02	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	66.9	2.09E+01	2.99E+02	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	158	3.07E+01	3.48E+02	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-1.58	2.47E+00	2.20E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	31.4	5.67E+00	2.30E+01	n/a	pCi/L	UI	R	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-1.66	3.03E+00	2.81E+01	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.686	2.47E+00	2.47E+01	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.78	3.77E+00	3.58E+01	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.38	2.47E+00	2.20E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.47	3.67E+00	2.00E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.69	1.97E+00	1.81E+01	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.27	3.23E+00	3.19E+01	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.8	4.47E+00	3.77E+01	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00228	3.67E-03	4.40E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00529	3.30E-03	4.70E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00398	1.71E-03	3.83E-02	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	6.77E-04	2.84E-02	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00396	9.37E-04	2.88E-02	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	1.96E-09	3.20E-03	4.00E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0166	3.67E-03	4.90E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0126	1.72E-03	4.38E-02	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00229	7.63E-04	3.21E-02	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-2.47E-10	9.77E-04	3.01E-02	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00456	1.87E-03	4.70E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	1.77E-03	4.50E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00397	1.71E-03	4.51E-02	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00609	1.18E-03	3.15E-02	n/a	pCi/L	U	U, J	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00396	1.32E-03	3.37E-02	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00205	2.47E-03	4.20E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00277	3.33E-03	4.70E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00466	2.08E-03	5.16E-02	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00687	2.76E-03	3.55E-02	n/a	pCi/L	U	J, U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00621	1.83E-03	3.53E-02	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-20.9	4.33E+00	4.10E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	7.62	5.33E+00	5.20E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.2	8.73E+00	3.68E+01	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-40.7	4.47E+00	3.75E+01	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	28.9	5.07E+00	3.47E+01	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-10.2	6.00E+00	5.70E+01	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	35.6	5.33E+00	2.80E+01	n/a	pCi/L	UI	R	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-13.8	3.27E+00	3.00E+01	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	65.6	5.50E+00	6.51E+01	n/a	pCi/L	UI	R	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	14.4	6.70E+00	4.32E+01	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.944	6.33E-02	2.00E-01	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.95	1.07E-01	4.40E-01	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	-0.112	4.67E-02	5.70E-01	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	1.46	1.10E-01	7.30E-01	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.17	3.17E-01	2.80E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.971	3.33E-01	3.20E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.382	3.16E-01	3.01E+00	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.56	3.83E-01	3.31E+00	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.81	4.70E-01	4.16E+00	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.462	7.33E-01	5.90E+00	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.09	2.90E-01	2.40E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.348	2.40E-01	2.45E+00	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.755	4.50E-01	4.62E+00	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.0638	4.37E-01	3.64E+00	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.336	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.00611	3.67E-02	4.20E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.146	2.80E-02	2.74E-01	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0795	4.17E-02	4.87E-01	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0919	3.97E-02	4.75E-01	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.206	4.33E-02	4.40E-01	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.124	2.43E-02	2.40E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0305	3.83E-02	4.30E-01	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.184	3.11E-02	4.05E-01	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.114	3.93E-02	4.74E-01	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.312	1.07E-02	7.50E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.326	1.13E-02	7.60E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.316	1.46E-02	8.18E-02	n/a	pCi/L	n/a	n/a	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.253	9.10E-03	2.95E-02	n/a	pCi/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.262	9.70E-03	6.08E-02	n/a	pCi/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.296	1.00E-02	7.50E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.234	9.00E-03	7.20E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.264	1.20E-02	7.37E-02	n/a	pCi/L	n/a	n/a	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.332	1.12E-02	3.20E-02	n/a	pCi/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.297	1.15E-02	7.40E-02	n/a	pCi/L	n/a	n/a	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00797	2.00E-03	3.90E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0196	3.10E-03	3.90E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0152	3.60E-03	6.41E-02	n/a	pCi/L	U	U	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0128	1.92E-03	3.95E-02	n/a	pCi/L	U	U	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0252	2.84E-03	3.56E-02	n/a	pCi/L	U	U	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0102	1.70E-03	3.80E-02	n/a	pCi/L	U	U	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00527	1.77E-03	3.70E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0366	4.37E-03	5.78E-02	n/a	pCi/L	U	U	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0305	3.37E-03	4.28E-02	n/a	pCi/L	U	U	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0204	2.81E-03	4.34E-02	n/a	pCi/L	U	U	185012	GU07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.148	6.67E-03	4.90E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11031	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.152	7.00E-03	4.70E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9331	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.133	9.33E-03	7.18E-02	n/a	pCi/L	n/a	J	194131	GF07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.157	6.87E-03	3.93E-02	n/a	pCi/L	n/a	n/a	189079	GF07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.19	7.90E-03	5.71E-02	n/a	pCi/L	n/a	n/a	185012	GF07040GR17201	GELC	n/a	n/a
R-17	7041	1124	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.171	7.00E-03	5.10E-02	n/a	pCi/L	n/a	n/a	08-804	CAPA-08-11033	GELC	n/a	n/a
R-17	7041	1124	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.104	5.33E-03	4.40E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9332	GELC	n/a	n/a
R-17	7041	1124	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0924	6.63E-03	6.47E-02	n/a	pCi/L	n/a	J	194131	GU07080GR17201	GELC	n/a	n/a
R-17	7041	1124	07/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.132	6.53E-03	4.26E-02	n/a	pCi/L	n/a	n/a	189079	GU07060GR17201	GELC	n/a	n/a
R-17	7041	1124	04/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.16	7.90E-03	6.96E-02	n/a	pCi/L	n/a	J	185012	GU07040GR17201	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	50.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	50.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.6	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	50.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	49.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	9.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.88	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.74	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	n/a	0.0499	n/a	n/a	3.00E-02	mg/L	J	J	08-768	CAPA-08-11042	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	9.99	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.1	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.79	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.84	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	n/a	1.18	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.18	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.23	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.25	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.32	n/a	n/a	6.60E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.32	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	n/a	0.115	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.118	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.103	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.107	n/a	n/a	3.30E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.131	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.127	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	37.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	38.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	39	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	38.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	n/a	38.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	38.8	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	39.8	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.7	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	38.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	3.16	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.27	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.33	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.25	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.29	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	3.26	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.28	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.42	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.23	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.36	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.61	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.69	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.612	n/a	n/a	1.00E-02	mg/L	n/a	J-	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.595	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.605	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.645	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	n/a	0.251	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.249	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.231	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.237	n/a	n/a	5.00E-02	µg/L	n/a	J	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.219	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.232	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	1.14	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.18	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.33	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.13	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.23	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	1.15	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.2	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.35	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.14	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.24	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	59.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	58.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	56.9	n/a	n/a	3.20E-02	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	8.46	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	8.64	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	8.86	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	8.87	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.64	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	n/a	0.0685	n/a	n/a	4.50E-02	mg/L	J	J	08-768	CAPA-08-11042	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	n/a	8.56	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	8.71	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.01	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	8.77	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.43	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	n/a	115	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	115	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	100	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	118	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	116	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	115	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	n/a	1.75	n/a	n/a	1.00E-01	mg/L	n/a	J-	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.77	n/a	n/a	1.00E-01	mg/L	n/a	J-	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.69	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.88	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.76	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	112	n/a	n/a	2.40E+00	mg/L	n/a	J	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	114	n/a	n/a	2.40E+00	mg/L	n/a	J	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	115	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	115	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	188	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	131	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.539	n/a	n/a	3.30E-01	mg/L	J	J	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.461	n/a	n/a	3.30E-01	mg/L	J	J	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.857	n/a	n/a	3.30E-01	mg/L	J	J	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.818	n/a	n/a	3.30E-01	mg/L	J	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.564	n/a	n/a	3.30E-01	mg/L	J	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.668	n/a	n/a	3.30E-01	mg/L	J	n/a	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	n/a	7.79	n/a	n/a	1.00E-02	SU	H	J-	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.85	n/a	n/a	1.00E-02	SU	H	J-	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.63	n/a	n/a	1.00E-02	SU	H	J-	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.69	n/a	n/a	1.00E-02	SU	H	J	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.73	n/a	n/a	1.00E-02	SU	H	J	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.63	n/a	n/a	1.00E-02	SU	H	J	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Hexp	SW-846:8321A	RDX	n/a	0.265	n/a	n/a	1.30E-01	µg/L	J	J	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	0.281	n/a	n/a	1.30E-01	µg/L	J	J	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	0.256	n/a	n/a	1.30E-01	µg/L	J	J-	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	0.246	n/a	n/a	1.30E-01	µg/L	J	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Hexp	SW-846:8321A	RDX	n/a	0.205	n/a	n/a	1.30E-01	µg/L	J	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	n/a	19.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	19.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18</																							

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.6	n/a	n/a	5.00E-01	µg/L	J	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.58	n/a	n/a	5.00E-01	µg/L	J	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	n/a	0.62	n/a	n/a	5.00E-01	µg/L	J	J	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.77	n/a	n/a	5.00E-01	µg/L	J	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.66	n/a	n/a	5.00E-01	µg/L	J	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	n/a	59.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	60.6	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	60	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	n/a	47.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	48.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	50.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	51.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	47.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	n/a	48.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	49	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	51.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	50.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	47.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.37	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.38	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.41	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.36	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.4	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.39	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.39	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.42	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.42	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	3.7	n/a	n/a	1.00E+00	µg/L	J	J	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.7	n/a	n/a	1.00E+00	µg/L	J	J	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.4	n/a	n/a	1.00E+00	µg/L	J	J	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	JN-	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3	n/a	n/a	1.00E+00	µg/L	J	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	J	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.5	n/a	n/a	1.00E+00	µg/L	J	J	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.6	n/a	n/a	1.00E+00	µg/L	J	J	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.9	n/a	n/a	1.00E+00	µg/L	J	JN-	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	HASL-300	Americium-241	<	-0.000913	9.67E-04	4.10E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00324	1.57E-03	5.20E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00336	2.93E-03	4.20E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00158	1.04E-03	3.59E-02	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00903	2.88E-03	3.73E-02	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0217	2.95E-03	5.47E-02	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	HASL-300	Americium-241	<	0.00195	7.67E-04	4.50E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0211	3.33E-03	5.10E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00516	2.77E-03	4.10E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0066	1.30E-03	3.77E-02	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00601	2.61E-03	3.54E-02	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0107	2.56E-03	4.84E-02	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-2.17	3.67E-01	3.20E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.3	3.67E-01	3.40E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0766	2.90E-01	2.90E+00	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.563	4.43E-01	4.30E+00	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.87	3.60E-01	4.90E+00	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.04	2.48E-01	2.30E+00	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	1	3.33E-01	3.60E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.767	5.67E-01	5.10E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.11	4.00E-01	4.00E+00	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.07	4.13E-01	4.21E+00	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.91	5.47E-01	3.18E+00	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.65	4.73E-01	4.87E+00	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-1.42	4.67E-01	4.20E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.218	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.608	3.13E-01	3.30E+00	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.00529	4.53E-01	4.46E+00	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.02	4.40E-01	4.13E+00	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.493	1.95E-01	1.99E+00	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	0.679	2.93E-01	3.20E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.116	5.33E-01	5.10E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.634	5.00E-01	5.00E+00	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.33	3.93E-01	4.30E+00	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.18	6.33E-01	3.78E+00	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.258	4.37E-01	4.35E+00	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	74.2	2.37E+01	2.30E+02	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	91.8	2.37E+01	2.90E+02	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	61	2.30E+01	1.90E+02	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	143	3.83E+01	3.69E+02	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	63.2	2.07E+01	2.19E+02	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	54.4	1.36E+01	1.55E+02	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	65.6	2.30E+01	2.20E+02	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73	2.13E+01	2.70E+02	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	75.2	3.20E+01	2.40E+02	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	71.8	1.93E+01	2.27E+02	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	83.7	2.08E+01	3.21E+02	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	72.6	1.70E+01	2.27E+02	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	15.3	2.83E+00	3.00E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-13.4	2.57E+00	2.40E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.12	2.83E+00	2.20E+01	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-14.5	3.24E+00	3.02E+01	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	17.6	3.53E+00	3.61E+01	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-0.957	1.75E+00	1.74E+01	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-8.52	2.47E+00	2.30E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.65	2.23E+00	2.10E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-11	3.67E+00	3.30E+01	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.08	2.91E+00	2.93E+01	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	14.7	4.77E+00	2.58E+01	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	18.9	3.53E+00	3.03E+01	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00437	1.47E-03	4.00E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00251	1.47E-03	4.60E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00201	1.17E-03	3.60E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00235	3.23E-03	4.34E-02	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00585	2.16E-03	2.73E-02	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	9.40E-04	2.04E-02	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0.00207	7.00E-04	3.80E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	7.33E-04	3.90E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-2.48E-10	1.00E-03	3.70E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0177	5.53E-03	4.67E-02	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0018	1.80E-03	2.52E-02	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00205	6.83E-04	2.10E-02	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00874	1.63E-03	3.90E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.01	2.07E-03	4.50E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0141	2.43E-03	3.40E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0											

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00195	1.45E-03	3.02E-02	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00199	6.67E-04	2.96E-02	n/a	pCi/L	U	U, J	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00413	1.37E-03	3.70E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00429	1.23E-03	3.80E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0188	4.33E-03	3.60E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00506	2.67E-03	4.47E-02	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0018	2.47E-03	2.79E-02	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00205	6.83E-04	3.04E-02	n/a	pCi/L	U	U, J	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	-24.2	4.67E+00	4.90E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	5.75	4.33E+00	4.70E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	2.12	4.67E+00	3.20E+01	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	15.6	6.43E+00	6.32E+01	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	11.1	5.67E+00	3.77E+01	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-5.64	2.50E+00	2.13E+01	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	-4.77	4.33E+00	3.90E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	18.1	5.67E+00	6.00E+01	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	3.89	5.67E+00	5.40E+01	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-3.92	4.80E+00	5.04E+01	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-4.05	5.23E+00	4.95E+01	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-9.73	5.60E+00	5.35E+01	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:903.1	Radium-226	<	0.279	4.67E-02	4.50E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.157	4.00E-02	4.00E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.426	5.67E-02	4.90E-01	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	12/01/05	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	4.59	1.06E+00	6.79E+00	n/a	pCi/L	U	U	151190	GU05110G18R01	GELC	n/a	n/a
R-18	5861	1358	08/25/05	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	10.9	9.87E-01	4.58E+00	n/a	pCi/L	n/a	J	144189	GU05080G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:904	Radium-228	<	0.391	7.00E-02	6.60E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.574	6.67E-02	5.30E-01	n/a	pCi/L	n/a	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.266	4.33E-02	3.80E-01	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	-1.91	3.67E-01	2.80E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	3.68	4.33E-01	3.10E+00	n/a	pCi/L	U	R	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.708	3.20E-01	3.30E+00	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.16	3.70E-01	4.04E+00	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.14	4.00E-01	3.49E+00	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.922	2.36E-01	2.44E+00	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	0.162	2.97E-01	2.70E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.129	4.67E-01	4.40E+00	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0879	4.00E-01	4.00E+00	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.19	4.37E-01	4.66E+00	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.02	3.77E-01	3.94E+00	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.846	1.02E+00	5.10E+00	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.201	3.33E-02	4.50E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0733	2.87E-02	3.70E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0667	3.17E-02	3.70E-01	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0548	1.87E-02	1.88E-01	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0115	2.16E-02	2.21E-01	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.107	2.69E-02	2.73E-01	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.281	5.00E-02	4.80E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0645	4.00E-02	4.60E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0914	4.33E-02	4.80E-01	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0561	2.00E-02	2.00E-01	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0586	1.59E-02	1.72E-01	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0206	2.55E-02	2.96E-01	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	LLEE	Tritium	<	0.76632	6.07E-01	3.10E+00	n/a	pCi/L	U	U	08-791	CAPA-08-11040	ARSL	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	5.55582	1.09E+00	4.50E+00	n/a	pCi/L	n/a	n/a	08-791	CAPA-08-11037	ARSL	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2393	UU070800G18R01	UMTL	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.22351	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2361	UU070600G18R01	UMTL	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	RE	n/a	Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2361	UU070600G18R01	UMTL	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2321	UU070300G18R01	UMTL	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-18	5861	1358	08/16/06	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.03193	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	G-04852-U	UU060800G18R01	UMTL	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.294	1.07E-02	7.90E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.272	9.67E-03	7.10E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.269	1.00E-02	7.30E-02	n/a	pCi/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.212	8.70E-03	5.43E-02	n/a	pCi/L	n/a	n/a	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.237	8.27E-03	2.50E-02	n/a	pCi/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.187	8.43E-03	5.38E-02	n/a	pCi/L	n/a	J	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.257	9.33E-03	7.30E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.243	1.00E-02	8.70E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.253	9.67E-03	7.20E-02	n/a	pCi/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.258	9.57E-03	5.82E-02	n/a	pCi/L	n/a	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.217	7.93E-03	2.52E-02	n/a	pCi/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.243	9.17E-03	4.76E-02	n/a	pCi/L	n/a	J	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0139	3.07E-03	4.00E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00997	2.03E-03	3.60E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0189	3.00E-03	3.80E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0271	3.40E-03	3.86E-02	n/a	pCi/L	U	U	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0109	1.93E-03	3.35E-02	n/a	pCi/L	U	U	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00243	3.33E-03	3.42E-02	n/a	pCi/L	U	U	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0207	2.77E-03	3.80E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0153	2.73E-03	4.50E-02	n/a	pCi/L	U	U	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0185	3.67E-03	3.70E-02	n/a	pCi/L	U	U	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0116	1.95E-03	4.14E-02	n/a	pCi/L	U	U	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0109	2.19E-03	3.37E-02	n/a	pCi/L	U	U	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.015	2.97E-03	3.02E-02	n/a	pCi/L	U	U	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.137	6.67E-03	5.20E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11041	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.135	6.33E-03	4.60E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11039	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.158	7.33E-03	4.60E-02	n/a	pCi/L	n/a	n/a	08-325	CAPA-08-9371	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.125	6.27E-03	4.28E-02	n/a	pCi/L	n/a	J	193122	GF070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.149	6.27E-03	3.34E-02	n/a	pCi/L	n/a	n/a	188738	GF070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0903	6.90E-03	4.10E-02	n/a	pCi/L	n/a	J	183054	GF070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.144	6.33E-03	4.80E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.112	6.67E-03	5.70E-02	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.176	7.67E-03	4.50E-02	n/a	pCi/L	n/a	n/a	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.129	6.30E-03	4.59E-02	n/a	pCi/L	n/a	J	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.15	6.13E-03	3.35E-02	n/a	pCi/L	n/a	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-18	5861	1358	03/22/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.181	7.80E-03	3.63E-02	n/a	pCi/L	n/a	n/a	183054	GU070300G18R01	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	FD	Svoa	SW-846:8270C	Benzoic Acid	n/a	8.33	n/a	n/a	6.30E+00	µg/L	J	J	08-768	CAPA-08-11040	GELC	n/a	n/a
R-18	5861	1358	03/07/08	WG	UF	CS	n/a	Svoa	SW-846:8270C	Benzoic Acid	n/a	8.46	n/a	n/a	6.30E+00	µg/L	J	J	08-768	CAPA-08-11037	GELC	n/a	n/a
R-18	5861	1358	12/04/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Benzoic Acid	<	20.4	n/a	n/a	6.10E+00	µg/L	U	UJ	08-325	CAPA-08-9366	GELC	n/a	n/a
R-18	5861	1358	09/04/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Benzoic Acid	<	23.4	n/a	n/a	7.02E+00	µg/L	U	n/a	193122	GU070800G18R01	GELC	n/a	n/a
R-18	5861	1358	06/26/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Benzoic Acid	<	22.2	n/a	n/a	6.67E+00	µg/L	U	n/a	188738	GU070600G18R01	GELC	n/a	n/a
R-19	232	909.3	07/05/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	30	2.50E+01	1.20E+02	n/a	pCi/L	U	U	9247R	GW19-01-0018	PARA	n/a	n/a
R-19	232	909.3	04/10/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	7	1.50E+01	1.46E+02	n/a	pCi/L	U	U	8672R	GW19-01-0004	PARA	n/a	n/a
R-19	232	909.3	03/14/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.344	5.00E-02	4.30E-01	n/a	pCi/L	U	U	08-832	CAPA-08-11061	GELC	n/a	n/a
R-19	232	909.3	06/10/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	4.35	1.20E+00	8.67E+00	n/a	pCi/L	U	U	114796	GU0406G19R201	GELC	n/a	n/a
R-19	232	909.3	06/10/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.0884	3.29E-02	3.51E-01	n/a	pCi/L	U	U	114796	GU0406G19R201	GELC	n/a	n/a
R-19	232	909.3	03/14/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.0911	5.33E-02	6.00E-01	n/a	pCi/L	U	U	08-832	CAPA-08-11061	GELC	n/a	n/a
R-19	232	909.3	06/10/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	3.79	1.13E+00	1.30E+01	n/a	pCi/L	U	U	114796	GU0406G19R201	GELC	n/a	n/a
R-19	282	1190.7	07/10/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	50	2.17E+01	1.10E+02	n/a	pCi/L	U	U	9272R	GW19-01-0020	PARA	n/a	n/a
R-19	282	1190.7	04/09/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	18	1.33E+01	1.30E+02	n/a	pCi/L	U	U	8672R	GW19-01-0006	PARA	n/a	n/a
R-19	282	1190.7	03/17/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.462	5.00E-02	3.90E-01	n/a	pCi/L	n/a	n/a	08-827	CAPA-08-11068	GELC	n/a	n/a
R-19	282	1190.7	06/14/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.0942	3.50E-02	3.74E-01	n/a	pCi/L	U	U	115069	GU0406G19R301	GELC	n/a	n/a
R-19	282	1190.7	06/14/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	10.4	1.32E+00	6.94E+00	n/a	pCi/L	n/a	JN+	115069	GU0406G19R301	GELC	n/a	n/a
R-19	282	1190.7	03/17/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.0645	4.67E-02	5.10E-01	n/a	pCi/L	U	U	08-827	CAPA-08-11068	GELC	n/a	n/a
R-19	282	1190.7	06/14/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	5.2	1.09E+00	1.31E+01	n/a	pCi/L	U	U	115069	GU0406G19R301	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.9	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	51.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	46	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	49.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.88	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.92	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.84	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.83	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.92	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.88	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.99	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.07	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.73	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	8.86	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.58	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.58	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	<	1.58	n/a	n/a	6.60E-02	mg/L	n/a	UJ	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	1.66	n/a	n/a	6.60E-02	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.209	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.216	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.256	n/a	n/a	3.30E-02	mg/L	n/a	J+	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.253	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.1	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	34	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	32.8	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	33.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.71	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.63	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.67	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.68	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.72	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.69	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	2.72	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/																				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.46	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	<	72.8	n/a	n/a	3.20E-02	mg/L	n/a	UJ	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	73.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.51	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.31	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.65	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.61	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.58	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.47	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.34	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.68	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	9.41	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	108	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	102	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	112	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	113	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.53	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	1.61	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	106	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	130	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	104	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	122	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.157	n/a	n/a	2.90E-02	mg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	UJ	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.053	n/a	n/a	2.90E-02	mg/L	J	J-	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	n/a	n/a	2.90E-02	mg/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	n/a	n/a	1.45E-01	mg/L	U	UJ	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	n/a	n/a	1.45E-01	mg/L	U	UJ	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.335	n/a	n/a	3.30E-01	mg/L	J	J	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	<	0.369	n/a	n/a	3.30E-01	mg/L	J	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	n/a	n/a	3.30E-01	mg/L	U	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	n/a	n/a	3.30E-01	mg/L	U	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.067	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.029	n/a	n/a	2.40E-02	mg/L	J	J	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.045	n/a	n/a	2.40E-02	mg/L	J	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.041	n/a	n/a	2.40E-02	mg/L	J	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.83	n/a	n/a	1.00E-02	SU	H	J-	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.93	n/a	n/a	1.00E-02	SU	H	J-	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.81	n/a	n/a	1.00E-02	SU	H	J	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.71	n/a	n/a	1.00E-02	SU	H	J	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	26.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	26.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	27.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	27.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	28.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	25.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	26.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	27	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	24.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	28.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	12.3	n/a	n/a	1.00E+01	µg/L	J	J	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.3	n/a	n/a	1.00E+01	µg/L	J	J	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	183665	GF07030G19R401	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.2	n/a	n/a	1.00E+01	µg/L	J	J	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.1	n/a	n/a	1.00E+01	µg/L	J	J	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.9	n/a	n/a	1.00E+01	µg/L	J	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3	n/a	n/a	2.50E+00	µg/L	J	J	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.2	n/a	n/a	1.00E+00	µg/L	J	JN-	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3	n/a	n/a	1.00E+00	µg/L	J	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	5.4	n/a	n/a	2.50E+00	µg/L	J	J	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	n/a	JN-	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.8	n/a	n/a	1.00E+00	µg/L	J	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	55.2	n/a	n/a	2.50E+01	µg/L	J	J	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	100	n/a	n/a	2.50E+01	µg/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	25	n/a	n/a	2.50E+01	µg/L	U	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U	UJ	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	97.4	n/a	n/a	2.50E+01	µg/L	J	J	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	100	n/a	n/a	2.50E+01	µg/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	25	n/a	n/a	2.50E+01	µg/L	U	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.8	n/a	n/a	2.00E+00	µg/L	J	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.2	n/a	n/a	2.00E+00	µg/L	J	J	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.5	n/a	n/a	2.00E+00	µg/L	J	J+, U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.8	n/a	n/a	2.00E+00	µg/L	J	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.51	n/a	n/a	5.00E-01	µg/L	J	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.52	n/a	n/a	5.00E-01	µg/L	J	J	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.2	n/a	n/a	5.00E-01	µg/L	J	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.53	n/a	n/a	5.00E-01	µg/L	J	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	71.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	71.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	45	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	46.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	44.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	44.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	44.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	43.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	45.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.32	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.29	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.39	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.31	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.31	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.29	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.7	n/a	n/a	1.00E+00	µg/L	n/a	J	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	J	J	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.8	n/a	n/a	1.00E+00	µg/L	J	n/a	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.3	n/a	n/a	1.00E+00	µg/L	J	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	J	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.5	n/a	n/a	1.00E+00	µg/L	n/a	J	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.7	n/a	n/a	1.00E+00	µg/L	J	J	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.4	n/a	n/a	1.00E+00	µg/L	J	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.1	n/a	n/a	1.00E+00	µg/L	J	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.012	4.33E-03	4.90E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00434	1.50E-03	4.60E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0032	9.60E-04	5.37E-02	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.006	1.33E-03	4.25E-02	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00488	2.84E-03	4.89E-02	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00596	3.67E-03	4.40E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00199	1.30E-03	4.60E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0183	2.35E-03	4.63E-02	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000958	1.29E-03	3.33E-02	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0151	2.73E-03	5.11E-02	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.54	4.00E-01	3.60E+00	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-3.35	6.33E-01	5.00E+00	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0465	3.63E-01	3.62E+00	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.164	3.02E-01	3.06E+00	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.02	3.67E-01	3.76E+00	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.35	4.33E-01	3.30E+00	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.467	3.67E-01	3.30E+00	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.828	4.43E-01	4.10E+00	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.1	4.53E-01	4.87E+00	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.248	3.93E-01	3.98E+00	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.86	4.33E-01	4.40E+00	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.48	5.00E-01	5.40E+00	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.0303	3.40E-01	3.36E+00	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.17	3.12E-01	3.32E+00	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.51	4.47E-01	4.21E+00	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.264	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.56	3.33E-01	3.90E+00	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.66	4.37E-01	4.70E+00	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.22	5.27E-01	5.53E+00	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.321	4.17E-01	4.09E+00	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	74.6	1.53E+01	2.60E+02	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	133	3.20E+02	4.30E+02	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	69	3.80E+01	2.39E+02	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	70.2	3.27E+01	3.09E+02	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	81.7	2.38E+01	2.98E+02	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	80.7	1.90E+01	2.30E+02	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	100	2.63E+01	2.80E+02	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	97	3.04E+01	2.59E+02	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	88.2	2.60E+01	2.50E+02	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	68.2	1.72E+01	2.37E+02	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.7	4.00E+00	3.60E+01	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.39	2.13E+00	2.10E+01	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.31	2.92E+00	2.63E+01	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.63	2.88E+00	2.38E+01	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.39	2.79E+00	2.59E+01	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.7	3.07E+00	2.80E+01	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.16	2.87E+00	2.80E+01	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.62	2.95E+00	2.96E+01	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-6.68	3.70E+00	3.68E+01	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.351	4.10E+00	3.42E+01	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0175	5.67E-03	4.00E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	8.67E-04	4.60E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00556	2.55E-03	2.96E-02	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	7.10E-04	2.99E-02	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00197	1.97E-03	2.02E-02	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00974	2.80E-03	4.50E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00215	1.00E-03	3.80E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00398	3.25E-03	3.18E-02	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00225	1.06E-03	3.15E-02	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00183	1.62E-03	1.88E-02	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0131	2.53E-03	3.90E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00522	1.73E-03	4.50E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00556	1.64E-03	3.50E-02	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0128	2.26E-03	3.31E-02	n/a	pCi/L	U	U, J	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00591	1.97E-03	2.92E-02	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00487	2.80E-03	4.40E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00215	1.90E-03	3.70E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00795	1.63E-03	3.76E-02	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	7.50E-04	3.49E-02	n/a	pCi/L	U	J, U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00916	1.84E-03	2.72E-02	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-34.2	6.00E+00	5.50E+01	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-11.3	6.00E+00	5.90E+01	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	30.1	6.70E+00	2.93E+01	n/a	pCi/L	UI	R	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	38.2	5.07E+00	3.64E+01	n/a	pCi/L	UI	R	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-7.54	4.63E+00	4.39E+01	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	39.4	7.33E+00	3.60E+01	n/a	pCi/L	UI	R	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-15.1	4.33E+00	4.00E+01	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	27.7	6.47E+00	2.69E+01	n/a	pCi/L	UI	R	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	15.4	6.03E+00	6.31E+01	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-24.8	5.90E+00	5.67E+01	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	07/11/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	30	2.50E+01	1.20E+02	n/a	pCi/L	U	U	9289R	GW19-01-0022	PARA	n/a	n/a
R-19	352	1412.9	04/09/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	13	1.27E+01	1.24E+02	n/a	pCi/L	U	U	8672R	GW19-01-0008	PARA	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.385	5.33E-02	4.40E-01	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.634	5.67E-02	4.00E-01	n/a	pCi/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	06/15/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.149	2.94E-02	2.80E-01	n/a	pCi/L	U	U	115129	GU0406G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/15/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	43.8	1.57E+00	6.70E+00	n/a	pCi/L	n/a	n/a	115129	GU0406G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.252	7.67E-02	7.70E-01	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.237	5.00E-02	4.70E-01	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	06/15/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	4.83	1.59E+00	1.42E+01	n/a	pCi/L	U	U	115129	GU0406G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.448	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-807				

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	3.85	5.00E-01	3.00E+00	n/a	pCi/L	UI	R	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.55	3.70E-01	3.24E+00	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.121	3.18E-01	3.10E+00	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.41	3.63E-01	3.85E+00	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.947	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	3.16	4.00E-01	4.50E+00	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.645	3.70E-01	3.50E+00	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.608	6.57E-01	5.37E+00	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.434	4.83E-01	4.76E+00	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0011	3.67E-02	4.20E-01	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.217	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.201	2.50E-02	3.42E-01	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.13	4.70E-02	4.91E-01	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.343	3.22E-02	5.12E-01	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.00362	4.00E-02	4.70E-01	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0279	4.67E-02	4.90E-01	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.241	3.97E-02	4.11E-01	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.278	4.40E-02	5.33E-01	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.102	3.21E-02	4.11E-01	n/a	pCi/L	U	U	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.208	7.67E-03	6.70E-02	n/a	pCi/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.154	7.00E-03	7.50E-02	n/a	pCi/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.169	9.93E-03	8.32E-02	n/a	pCi/L	n/a	J	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.167	7.33E-03	3.18E-02	n/a	pCi/L	n/a	n/a	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.187	8.63E-03	5.40E-02	n/a	pCi/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.209	8.33E-03	6.60E-02	n/a	pCi/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.183	7.67E-03	7.20E-02	n/a	pCi/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.184	1.03E-02	8.45E-02	n/a	pCi/L	n/a	J	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.207	8.87E-03	3.68E-02	n/a	pCi/L	n/a	n/a	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.258	9.07E-03	5.34E-02	n/a	pCi/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0189	2.27E-03	3.40E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0083	2.43E-03	3.90E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0103	3.23E-03	6.52E-02	n/a	pCi/L	U	U	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00551	1.84E-03	4.25E-02	n/a	pCi/L	U	U	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0244	3.83E-03	3.43E-02	n/a	pCi/L	U	U	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0303	2.87E-03	3.40E-02	n/a	pCi/L	U	U	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00798	1.53E-03	3.70E-02	n/a	pCi/L	U	U	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0209	3.50E-03	6.62E-02	n/a	pCi/L	U	U	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0192	2.63E-03	4.93E-02	n/a	pCi/L	U	U	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0386	3.50E-03	3.39E-02	n/a	pCi/L	n/a	J	183665	GU07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.103	5.33E-03	4.40E-02	n/a	pCi/L	n/a	n/a	08-807	CAPA-08-11036	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.101	6.00E-03	4.70E-02	n/a	pCi/L	n/a	n/a	08-372	CAPA-08-9381	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.106	7.60E-03	7.31E-02	n/a	pCi/L	n/a	J	193615	GF07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.116	6.00E-03	4.23E-02	n/a	pCi/L	n/a	J	188990	GF07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.134	7.00E-03	4.11E-02	n/a	pCi/L	n/a	n/a	183665	GF07030G19R401	GELC	n/a	n/a
R-19	352	1412.9	03/13/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.113	5.67E-03	4.30E-02	n/a	pCi/L	n/a	n/a	08-807	CAPA-08-11034	GELC	n/a	n/a
R-19	352	1412.9	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.103	5.67E-03	4.50E-02	n/a	pCi/L	n/a	n/a	08-372	CAPA-08-9380	GELC	n/a	n/a
R-19	352	1412.9	09/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.148	8.97E-03	7.42E-02	n/a	pCi/L	n/a	J	193615	GU07080G19R401	GELC	n/a	n/a
R-19	352	1412.9	06/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.101	6.33E-03	4.90E-02	n/a	pCi/L	n/a	J	188990	GU07060G19R401	GELC	n/a	n/a
R-19	352	1412.9	04/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.135	6.60E-03	4.07E-02	n/a	pCi/L	n/a	n/a	183665	GU07030G19R401	GELC	n/a	n/a
R-19	402	1586.1	07/12/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	-30	2.67E+01	1.30E+02	n/a	pCi/L	U	U	9310R	GW19-01-0024	PARA	n/a	n/a
R-19	402	1586.1	04/05/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	52	1.62E+01	7.90E+01	n/a	pCi/L	U	U	8644R	GW19-01-0010	PARA	n/a	n/a
R-19	402	1586.1	03/14/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0	2.87E-02	3.70E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11069	GELC	n/a	n/a
R-19	402	1586.1	03/14/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.423	6.67E-02	6.10E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11069	GELC	n/a	n/a
R-19	452	1730.1	07/16/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	-110	2.50E+01	1.30E+02	n/a	pCi/L	U	U	9334R	GW19-01-0026	PARA	n/a	n/a
R-19	452	1730.1	04/02/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	1	1.25E+01	6.10E+01	n/a	pCi/L	U	U	8611R	GW19-01-0012	PARA	n/a	n/a
R-19	452	1730.1	03/14/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.501	6.00E-02	4.80E-01	n/a	pCi/L	n/a	U	08-813	CAPA-08-11072	GELC	n/a	n/a
R-19	452	1730.1	03/14/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.314	6.33E-02	6.20E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11072	GELC	n/a	n/a
R-19	502	1834.7	07/28/05	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	273	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	142083	GF0507G1			

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-19	502	1834.7	07/28/05	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.84	n/a	n/a	1.00E-02	SU	H	J	142083	GF0507G19R701	GELC	n/a	n/a
R-19	502	1834.7	07/17/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	-10	2.50E+01	1.20E+02	n/a	pCi/L	U	U	9357R	GW19-01-0028	PARA	n/a	n/a
R-19	502	1834.7	03/30/01	WG	F	CS	n/a	Rad	Gamma Spec	Radium-226	<	0	1.83E+01	9.30E+01	n/a	pCi/L	U	U	8564R	GW19-01-0014	PARA	n/a	n/a
R-19	502	1834.7	03/14/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.129	4.00E-02	4.20E-01	n/a	pCi/L	U	U	08-832	CAPA-08-11084	GELC	n/a	n/a
R-19	502	1834.7	06/16/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	9.61	1.01E+00	6.62E+00	n/a	pCi/L	n/a	J	115129	GU0406G19R701	GELC	n/a	n/a
R-19	502	1834.7	06/16/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.202	3.18E-02	2.92E-01	n/a	pCi/L	U	U	115129	GU0406G19R701	GELC	n/a	n/a
R-19	502	1834.7	03/14/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.0585	4.33E-02	4.70E-01	n/a	pCi/L	U	U	08-832	CAPA-08-11084	GELC	n/a	n/a
R-19	502	1834.7	06/16/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	6.64	1.40E+00	1.60E+01	n/a	pCi/L	U	U	115129	GU0406G19R701	GELC	n/a	n/a
R-22	682	907.1	03/10/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.848	6.67E-02	4.20E-01	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-11085	GELC	n/a	n/a
R-22	682	907.1	06/21/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	10.5	2.30E+00	1.67E+01	n/a	pCi/L	U	R	115578	GU0406G22R101	GELC	n/a	n/a
R-22	682	907.1	06/21/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.752	7.67E-02	5.89E-01	n/a	pCi/L	n/a	JN+	115578	GU0406G22R101	GELC	n/a	n/a
R-22	682	907.1	11/18/03	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.529	3.83E-02	2.19E-01	n/a	pCi/L	n/a	J	102393	GU0311G22R101	GELC	n/a	n/a
R-22	682	907.1	11/18/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	3.01	1.87E+00	9.96E+00	n/a	pCi/L	U	U	102393	GU0311G22R101	GELC	n/a	n/a
R-22	682	907.1	07/08/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	0	9.70E-01	8.16E+00	n/a	pCi/L	U	R	63328	GU0207G22R101	GELC	n/a	n/a
R-22	682	907.1	07/08/02	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.65	5.43E-02	3.82E-01	n/a	pCi/L	n/a	J	63328	GU0207G22R101	GELC	n/a	n/a
R-22	682	907.1	07/08/02	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	3.48	1.36E+00	8.64E+00	n/a	pCi/L	U	n/a	63328	GU0207G22R101	GELC	n/a	n/a
R-22	682	907.1	02/27/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	0.7	8.00E-01	3.90E+00	n/a	pCi/L	U	U	614S	GW22-02-44961	GEL	n/a	n/a
R-22	682	907.1	03/10/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	3.97	2.07E-01	5.80E-01	n/a	pCi/L	n/a	n/a	08-789	CAPA-08-11085	GELC	n/a	n/a
R-22	682	907.1	06/21/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	11.2	3.83E+00	2.90E+01	n/a	pCi/L	U	U	115578	GU0406G22R101	GELC	n/a	n/a
R-22	682	907.1	11/18/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	0	3.57E+00	2.61E+01	n/a	pCi/L	UUI	R	102393	GU0311G22R101	GELC	n/a	n/a
R-22	682	907.1	07/08/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	0.865	1.18E+00	1.39E+01	n/a	pCi/L	U	U	63328	GU0207G22R101	GELC	n/a	n/a
R-22	682	907.1	07/08/02	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	10.8	1.23E+00	1.53E+01	n/a	pCi/L	U	n/a	63328	GU0207G22R101	GELC	n/a	n/a
R-22	682	907.1	02/27/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	7.45	7.67E-01	8.80E+00	n/a	pCi/L	U	U	614S	GW22-02-44961	GEL	n/a	n/a
R-22	682	907.1	03/10/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	3.99125	7.56E-01	3.13E+00	n/a	pCi/L	n/a	n/a	08-788	CAPA-08-11085	ARSL	n/a	n/a
R-22	682	907.1	12/18/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	3.03335	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	08-431	CAPA-08-9403	UMTL	n/a	n/a
R-22	682	907.1	09/19/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	2.80984	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	2403	UU07090G22R101	UMTL	n/a	n/a
R-22	682	907.1	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	3.12914	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	2364	UU07060G22R101	UMTL	n/a	n/a
R-22	682	907.1	03/22/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	2.96949	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	2321	UU07030G22R101	UMTL	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	64.2	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	63.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	62.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	55.8	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	n/a	0.0546	n/a	n/a	3.00E-02	mg/L	J	J	08-743	CAPA-08-11047	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.59	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.63	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.71	n/a	n/a	6.60E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.66	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.325	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.334	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.34	n/a	n/a	3.30E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.343	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	47	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	49	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	50	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	47.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	46	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	47.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	50.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	46.4	n/a	n/a	4.25E-01	mg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.28	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.67	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.59	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.42	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.2	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.54	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.55	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.36	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.816	n/a	n/a	1.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.842	n/a	n/a	1.00E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.88	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.71	n/a	n/a	5.00E-02	mg/L	n/a	J-	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.378	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.398	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.346	n/a	n/a	5.00E-02	µg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.39	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.4	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.31	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.13	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.32	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.34	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.26	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.11	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	66.5	n/a	n/a	3.20E-02	mg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	67.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	E	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	n/a	0.224	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11047	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	E	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	147	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	136	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	145	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	152	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	3.35	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-743	CAPA-08-11048			

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	12.7	n/a	n/a	1.00E+01	µg/L	J	J	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.7	n/a	n/a	1.00E+01	µg/L	J	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.7	n/a	n/a	1.00E+01	µg/L	J	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	12.8	n/a	n/a	1.00E+01	µg/L	J	J	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.8	n/a	n/a	1.00E+01	µg/L	J	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	12.1	n/a	n/a	1.00E+01	µg/L	J	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.2	n/a	n/a	2.50E+00	µg/L	J	J	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.9	n/a	n/a	2.50E+00	µg/L	J	J	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	FB	Metals	SW-846:6020	Chromium	n/a	2.7	n/a	n/a	2.50E+00	µg/L	J	J	08-743	CAPA-08-11047	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.9	n/a	n/a	2.50E+00	µg/L	J	J	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	14.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	5.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.4	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.3	n/a	n/a	2.00E+00	µg/L	J	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.5	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.58	n/a	n/a	5.00E-01	µg/L	J	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.91	n/a	n/a	5.00E-01	µg/L	J	J	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	7.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	64.8	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	67.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	53.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	54	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	52.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	52.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	52.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	52.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	51.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	51.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.37	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.36	n/a	n/a	5.00E-02	µg/L	n/a	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.35	n/a	n/a	5.00E-02	µg/L	n/a	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.43	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.37	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.33	n/a	n/a	5.00E-02	µg/L	n/a	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.37	n/a	n/a	5.00E-02	µg/L	n/a	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.43	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.7	n/a	n/a	1.00E+00	µg/L	J	J	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5.6	n/a	n/a	1.00E+00	µg/L	n/a	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5.3	n/a	n/a	1.00E+00	µg/L	n/a	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	J	J	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.6	n/a	n/a	1.00E+00	µg/L	J	J	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5.8	n/a	n/a	1.00E+00	µg/L	n/a	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	5.4	n/a	n/a	1.00E+00	µg/L	n/a	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	2.37E-03	4.00E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00106	1.10E-03	3.00E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00802	1.73E-03	4.50E-02	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00507	9.80E-04	3.36E-02	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00169	2.49E-03	4.30E-02	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00351	2.20E-03	3.50E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00317	8.67E-04	3.00E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00093	1.06E-03	4.19E-02	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.000388	9.33E-04	3.04E-02	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0053	2.40E-03	4.01E-02	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.929	6.33E-01	6.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.28	4.33E-01	4.80E+00	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.109	4.53E-01	3.81E+00	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.775	5.17E-01	5.24E+00	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.26	4.40E-01	4.00E+00	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.908	5.33E-01	4.80E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-4.56	6.00E-01	4.40E+00	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.764	3.43E-01	3.46E+00	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.24	3.16E-01	3.40E+00	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.697	5.03E-01	4.21E+00	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.34	5.67E-01	5.80E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.71	4.67E-01	5.30E+00	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.838	3.43E-01	3.60E+00	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.647	5.37E-01	5.49E+00	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.34	4.30E-01	4.81E+00	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.39	4.67E-01	5.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.227	5.00E-01	4.80E+00	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.415	3.57E-01	3.39E+00	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.194	2.94E-01	2.80E+00	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.42	4.20E-01	4.51E+00	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	98.6	2.93E+01	3.80E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	75.6	1.97E+01	2.60E+02	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.6	3.67E+01	2.39E+02	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	103	2.37E+01	2.11E+02	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	72.3	1.79E+01	2.41E+02	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	100	2.43E+01	2.60E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	98	3.33E+01	3.80E+02	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	68.3	1.71E+01	2.09E+02	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	72.2	2.20E+01	2.87E+02	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	70.8	1.96E+01	1.90E+02	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	11.5	2.37E+00	2.10E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.77	3.23E+00	3.00E+01	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.56	2.77E+00	2.27E+01	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.8	3.73E+00	3.77E+01	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	9.85	3.07E+00	2.01E+01	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.91	4.33E+00	3.60E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	16.4	2.50E+00	2.10E+01	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.06	2.45E+00	2.35E+01	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.6	2.72E+00	2.35E+01	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-16.9	3.57E+00	3.17E+01	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	6.33E-04	3.60E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00395	1.13E-03	3.60E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0155	2.44E-03	3.95E-02	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00711	4.10E-03	3.32E-02	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00452	1.85E-03	1.66E-02	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00217	1.03E-03	4.20E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00416	1.40E-03	3.80E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0068	2.20E-03	3.71E-02	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0226	2.68E-03	3.95E-02	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Pl													

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.013	1.63E-03	3.80E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00198	1.73E-03	4.10E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0136	2.35E-03	4.65E-02	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	5.65E-10	2.23E-03	3.68E-02	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00903	1.51E-03	2.61E-02	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00217	2.17E-03	4.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00831	2.60E-03	4.30E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00532	1.03E-03	4.37E-02	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-1.35E-09	2.30E-03	4.38E-02	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	9.63E-04	2.36E-02	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.23	6.00E+00	5.70E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-6.96	5.67E+00	5.90E+01	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-19	4.80E+00	4.43E+01	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.6	5.03E+00	5.14E+01	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	23.4	5.07E+00	5.46E+01	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	13.8	7.67E+00	3.90E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-34.7	6.67E+00	5.50E+01	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	2.28	5.17E+00	3.68E+01	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	35.4	5.47E+00	2.38E+01	n/a	pCi/L	UI	R	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-21	4.93E+00	4.26E+01	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.472	5.67E-02	4.80E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.133	2.40E-02	2.00E-01	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	06/22/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.427	7.27E-02	6.77E-01	n/a	pCi/L	U	U	115578	GU0406G22R201	GELC	n/a	n/a
R-22	722	962.8	06/22/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	3.71	2.18E+00	1.42E+01	n/a	pCi/L	U	U	115578	GU0406G22R201	GELC	n/a	n/a
R-22	722	962.8	06/22/04	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	13.4	1.40E+00	1.66E+01	n/a	pCi/L	U	n/a	115578	GU0406G22R201	GELC	n/a	n/a
R-22	722	962.8	11/19/03	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.274	3.67E-02	2.95E-01	n/a	pCi/L	U	U	102503	GU0311G22R201	GELC	n/a	n/a
R-22	722	962.8	11/19/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	5.72	1.49E+00	7.78E+00	n/a	pCi/L	U	U	102503	GU0311G22R201	GELC	n/a	n/a
R-22	722	962.8	07/11/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	0	2.05E+00	1.08E+01	n/a	pCi/L	U	R	63540	GU0207G22R201	GELC	n/a	n/a
R-22	722	962.8	07/11/02	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.397	4.67E-02	3.56E-01	n/a	pCi/L	n/a	J	63540	GU0207G22R201	GELC	n/a	n/a
R-22	722	962.8	07/11/02	WG	UF	DUP	n/a	Rad	EPA:903.1	Radium-226	n/a	0.452	4.97E-02	3.98E-01	n/a	pCi/L	n/a	n/a	63540	GU0207G22R201	GELC	n/a	n/a
R-22	722	962.8	07/11/02	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	10.7	1.80E+00	1.19E+01	n/a	pCi/L	U	n/a	63540	GU0207G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.505	8.33E-02	7.70E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.000556	6.67E-02	7.30E-01	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	06/22/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	22.4	3.93E+00	3.30E+01	n/a	pCi/L	U	U	115578	GU0406G22R201	GELC	n/a	n/a
R-22	722	962.8	06/22/04	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	3.75	2.38E+00	2.35E+01	n/a	pCi/L	U	n/a	115578	GU0406G22R201	GELC	n/a	n/a
R-22	722	962.8	11/19/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	15.4	1.88E+00	1.64E+01	n/a	pCi/L	U	U	102503	GU0311G22R201	GELC	n/a	n/a
R-22	722	962.8	07/11/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	24.7	1.88E+00	2.52E+01	n/a	pCi/L	U	U	63540	GU0207G22R201	GELC	n/a	n/a
R-22	722	962.8	07/11/02	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	6.66	2.29E+00	2.67E+01	n/a	pCi/L	U	n/a	63540	GU0207G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.43	5.00E-01	4.40E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.475	5.33E-01	5.00E+00	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.335	3.06E-01	3.13E+00	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.292	4.70E-01	4.76E+00	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0255	4.53E-01	4.45E+00	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.528	5.00E-01	4.90E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.62	4.67E-01	5.30E+00	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.714	3.37E-01	3.48E+00	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.1	3.40E-01	3.34E+00	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.947	4.47E-01	3.65E+00	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.15	4.33E-02	5.20E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.104	2.90E-02	2.90E-01	n/a	pCi/L	U	U	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.211	3.80E-02	3.66E-01	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.077	3.50E-02	3.59E-01	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0848	4.23E-02	4.51E-01	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.157	3.67E-02	3.70E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.129	2.17E-02	2.40E-01	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.101	2.98E-02	3.84E-01	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.111	3.50E-02	3.83E-01	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a																

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	-1.34106	7.02E-01	3.67E+00	n/a	pCi/L	U	U	08-751	CAPA-08-11046	ARSL	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.19158	9.58E-02	2.87E-01	n/a	pCi/L	U	U	08-431	CAPA-08-9388	UMTL	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2403	UU07090G22R201	UMTL	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	0.09579	9.58E-02	2.87E-01	n/a	pCi/L	n/a	J	2364	UU07060G22R201	UMTL	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.03193	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2320	UU07030G22R201	UMTL	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.262	1.00E-02	8.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.286	9.33E-03	6.70E-02	n/a	pCi/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.215	1.03E-02	6.87E-02	n/a	pCi/L	n/a	n/a	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.223	8.80E-03	3.14E-02	n/a	pCi/L	n/a	n/a	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.242	9.57E-03	6.23E-02	n/a	pCi/L	n/a	n/a	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.232	9.33E-03	8.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.261	8.67E-03	6.40E-02	n/a	pCi/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.319	1.32E-02	7.14E-02	n/a	pCi/L	n/a	n/a	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.277	9.70E-03	2.96E-02	n/a	pCi/L	n/a	n/a	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.274	1.03E-02	6.17E-02	n/a	pCi/L	n/a	n/a	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00611	2.03E-03	4.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0472	3.67E-03	3.00E-02	n/a	pCi/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.017	3.33E-03	5.38E-02	n/a	pCi/L	U	U	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0218	2.60E-03	4.21E-02	n/a	pCi/L	U	U	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.027	3.04E-03	4.40E-02	n/a	pCi/L	U	U	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00924	3.10E-03	4.50E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0151	2.40E-03	2.80E-02	n/a	pCi/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00881	2.77E-03	5.59E-02	n/a	pCi/L	U	U	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00771	2.58E-03	3.97E-02	n/a	pCi/L	U	U	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0208	2.65E-03	4.36E-02	n/a	pCi/L	U	U	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.111	6.33E-03	5.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11048	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.127	5.67E-03	3.90E-02	n/a	pCi/L	n/a	n/a	08-433	CAPA-08-9390	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0637	5.20E-03	6.03E-02	n/a	pCi/L	n/a	J	194131	GF07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.123	6.00E-03	4.19E-02	n/a	pCi/L	n/a	J	189489	GF07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.15	7.00E-03	5.68E-02	n/a	pCi/L	n/a	J	182907	GF07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.135	6.67E-03	5.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.122	5.33E-03	3.70E-02	n/a	pCi/L	n/a	n/a	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	722	962.8	09/18/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.123	7.53E-03	6.27E-02	n/a	pCi/L	n/a	J	194131	GU07090G22R201	GELC	n/a	n/a
R-22	722	962.8	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0915	5.30E-03	3.95E-02	n/a	pCi/L	n/a	J	189489	GU07060G22R201	GELC	n/a	n/a
R-22	722	962.8	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.137	6.80E-03	5.62E-02	n/a	pCi/L	n/a	J	182907	GU07030G22R201	GELC	n/a	n/a
R-22	722	962.8	03/04/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Diethyl Ether	n/a	0.338	n/a	n/a	3.00E-01	µg/L	J	J	08-743	CAPA-08-11046	GELC	n/a	n/a
R-22	722	962.8	12/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Diethyl Ether	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-433	CAPA-08-9388	GELC	n/a	n/a
R-22	772	1273.5	07/09/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	230	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189308	GF07060G22R301	GELC	n/a	n/a
R-22	772	1273.5	07/09/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8.41	n/a	n/a	1.00E-02	SU	H	J	189308	GF07060G22R301	GELC	n/a	n/a
R-22	772	1273.5	03/05/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.439	5.67E-02	4.70E-01	n/a	pCi/L	U	U	08-768	CAPA-08-11101	GELC	n/a	n/a
R-22	772	1273.5	06/23/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	3.43	1.59E+00	1.55E+01	n/a	pCi/L	U	U	115697	GU0406G22R301	GELC	n/a	n/a
R-22	772	1273.5	06/23/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.268	5.27E-02	5.02E-01	n/a	pCi/L	U	U	115697	GU0406G22R301	GELC	n/a	n/a
R-22	772	1273.5	11/20/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	7.64	1.12E+00	6.97E+00	n/a	pCi/L	n/a	JN+	102520	GU0311G22R301	GELC	n/a	n/a
R-22	772	1273.5	11/20/03	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.212	3.31E-02	2.99E-01	n/a	pCi/L	U	U	102520	GU0311G22R301	GELC	n/a	n/a
R-22	772	1273.5	11/20/03	WG	UF	DUP	n/a	Rad	EPA:903.1	Radium-226	<	0.161	3.00E-02	2.84E-01	n/a	pCi/L	U	n/a	102503	GU0311G22R301	GELC	n/a	n/a
R-22	772	1273.5	11/20/03	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	n/a	8.31	9.53E-01	3.92E+00	n/a	pCi/L	n/a	n/a	102503	GU0311G22R301	GELC	n/a	n/a
R-22	772	1273.5	07/09/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	12.9	1.11E+00	5.58E+00	n/a	pCi/L	n/a	J	63409	GU0207G22R301	GELC	n/a	n/a
R-22	772	1273.5	07/09/02	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.402	4.67E-02	3.78E-01	n/a	pCi/L	n/a	J	63409	GU0207G22R301	GELC	n/a	n/a
R-22	772	1273.5	07/09/02	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	3.52	1.21E+00	5.57E+00	n/a	pCi/L	U	n/a	63409	GU0207G22R301	GELC	n/a	n/a
R-22	772	1273.5	03/04/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	1.92	6.00E-01	2.80E+00	n/a	pCi/L	U	U	620S	GW22-02-44965	GEL	n/a	n/a
R-22	772	1273.5	03/05/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.696	6.67E-02	4.90E-01	n/a	pCi/L	n/a	n/a	08-768	CAPA-08-11101	GELC	n/a	n/a
R-22	772	1273.5	06/23/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	16.8	2.31E+00	2.78E+01	n/a	pCi/L	U	U	115697	GU0406G22R301	GELC	n/a	n/a
R-22	772	1273.5	11/20/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	8.25	1.25E+00	1.46E+01	n/a	pCi/L	U	U	102520	GU0311G22R301	GELC	n/a	n/a
R-22	772	1273.5	11/20/03	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	3.7	1.37E+00	1.00E+01	n/a	pCi/L	U	n/a	102503	GU0311G22R301	GELC	n/a	n/a
R-22	772	1273.5	07/09/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	8.09	2.72E+00	1.49E+01	n/a	pCi/L	U	U	63409	GU0207G22R301	GELC	n/a	n/a
R-22	772	1273.5	07/09/02	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	2.59	1.11E+00	1.28E+01	n/a	pCi/L	U	n/a	63409	GU0207G22R301	GELC	n/a	n/a
R-22	772	1273.5	03/04/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	1.89	9.33E-01	6.20E+00	n/a	pCi/L	U	U	620S	GW22-02-44965	GEL	n/a	n/a
R-22	772	1273.5	03/05/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	3.12914	7.13E-01	3.16E+00	n/a	pCi/L	U	U	08-791	CAPA-08-11101	ARSL	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-22	772	1273.5	12/18/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01	n/a	pCi/L	U	U	08-431	CAPA-08-9404	UMTL	n/a	n/a
R-22	772	1273.5	09/17/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2403	UU07090G22R301	UMTL	n/a	n/a
R-22	772	1273.5	07/09/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.06386	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2364	UU07060G22R301	UMTL	n/a	n/a
R-22	772	1273.5	03/20/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	-0.03193	4.26E-02	2.87E-01	n/a	pCi/L	n/a	U	2321	UU07030G22R301	UMTL	n/a	n/a
R-22	822	1378	03/05/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.345	4.67E-02	4.10E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11088	GELC	n/a	n/a
R-22	822	1378	06/23/04	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.249	7.60E-02	7.89E-01	n/a	pCi/L	U	U	115697	GU0406G22R401	GELC	n/a	n/a
R-22	822	1378	06/23/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	11.1	1.65E+00	1.88E+01	n/a	pCi/L	U	U	115697	GU0406G22R401	GELC	n/a	n/a
R-22	822	1378	11/20/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	11	1.16E+00	7.19E+00	n/a	pCi/L	n/a	JN+	102520	GU0311G22R401	GELC	n/a	n/a
R-22	822	1378	11/20/03	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.949	5.60E-02	2.92E-01	n/a	pCi/L	n/a	JN+	102520	GU0311G22R401	GELC	n/a	n/a
R-22	822	1378	11/20/03	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	0.963	8.53E-01	4.35E+00	n/a	pCi/L	U	n/a	102503	GU0311G22R401	GELC	n/a	n/a
R-22	822	1378	07/11/02	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.776	4.67E-02	6.78E-02	n/a	pCi/L	n/a	n/a	63540	GU0207G22R401	GELC	n/a	n/a
R-22	822	1378	07/11/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	16.2	2.06E+00	1.28E+01	n/a	pCi/L	n/a	J	63540	GU0207G22R401	GELC	n/a	n/a
R-22	822	1378	03/05/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	16.6	9.33E-01	4.30E+00	n/a	pCi/L	n/a	n/a	632S	GW22-02-44967	GEL	n/a	n/a
R-22	822	1378	03/05/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.505	8.67E-02	8.00E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11088	GELC	n/a	n/a
R-22	822	1378	06/23/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	11.5	2.58E+00	2.98E+01	n/a	pCi/L	U	U	115697	GU0406G22R401	GELC	n/a	n/a
R-22	822	1378	11/20/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	0	5.80E+00	1.75E+01	n/a	pCi/L	UUI	R	102520	GU0311G22R401	GELC	n/a	n/a
R-22	822	1378	11/20/03	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	1.48	8.23E-01	8.66E+00	n/a	pCi/L	U	n/a	102503	GU0311G22R401	GELC	n/a	n/a
R-22	822	1378	07/11/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	3.18	2.85E+00	2.54E+01	n/a	pCi/L	U	U	63540	GU0207G22R401	GELC	n/a	n/a
R-22	822	1378	03/05/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	2.1	1.10E+00	9.70E+00	n/a	pCi/L	U	U	632S	GW22-02-44967	GEL	n/a	n/a
R-22	822	1378	03/05/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.3193	7.45E-01	3.86E+00	n/a	pCi/L	U	U	08-755	CAPA-08-11088	ARSL	n/a	n/a
R-22	822	1378	12/18/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.19158	9.58E-02	2.87E-01	n/a	pCi/L	U	U	08-431	CAPA-08-9406	UMTL	n/a	n/a
R-22	822	1378	09/14/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2403	UU07090G22R401	UMTL	n/a	n/a
R-22	822	1378	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2364	UU07060G22R401	UMTL	n/a	n/a
R-22	822	1378	03/22/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	<	0.3193	9.58E-02	2.87E-01	n/a	pCi/L	n/a	U	2321	UU07030G22R401	UMTL	n/a	n/a
R-22	872	1448.2	03/05/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.468	5.67E-02	4.30E-01	n/a	pCi/L	n/a	U	08-756	CAPA-08-11104	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	8.03	1.60E+00	1.11E+01	n/a	pCi/L	U	U	102678	GU0311G22R501	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.442	4.70E-02	3.67E-01	n/a	pCi/L	n/a	J	102678	GU0311G22R501	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	5.64	2.10E+00	8.47E+00	n/a	pCi/L	U	n/a	102678	GU0311G22R501	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	DUP	n/a	Rad	EPA:903.1	Radium-226	n/a	0.455	4.13E-02	2.72E-01	n/a	pCi/L	n/a	n/a	102678	GU0311G22R501	GELC	n/a	n/a
R-22	872	1448.2	07/10/02	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.355	4.20E-02	3.28E-01	n/a	pCi/L	n/a	J	63508	GU0207G22R501	GELC	n/a	n/a
R-22	872	1448.2	07/10/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	0.629	1.42E+00	1.33E+01	n/a	pCi/L	U	U	63508	GU0207G22R501	GELC	n/a	n/a
R-22	872	1448.2	03/07/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	1.01	7.67E-01	3.70E+00	n/a	pCi/L	U	U	642S	GW22-02-44969	GEL	n/a	n/a
R-22	872	1448.2	12/07/01	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	6.07	9.00E-01	4.00E+00	n/a	pCi/L	n/a	U	347S	GW22-01-0035	GEL	n/a	n/a
R-22	872	1448.2	03/05/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.437	1.00E-01	9.80E-01	n/a	pCi/L	U	U	08-756	CAPA-08-11104	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	17.2	2.13E+00	1.89E+01	n/a	pCi/L	U	U	102678	GU0311G22R501	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-228	<	16.1	1.95E+00	2.22E+01	n/a	pCi/L	U	n/a	102678	GU0311G22R501	GELC	n/a	n/a
R-22	872	1448.2	07/10/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	11.2	1.95E+00	2.43E+01	n/a	pCi/L	U	U	63508	GU0207G22R501	GELC	n/a	n/a
R-22	872	1448.2	03/07/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	3.85	6.00E-01	6.50E+00	n/a	pCi/L	U	U	642S	GW22-02-44969	GEL	n/a	n/a
R-22	872	1448.2	03/05/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	3.86353	7.98E-01	3.42E+00	n/a	pCi/L	n/a	n/a	08-755	CAPA-08-11104	ARSL	n/a	n/a
R-22	872	1448.2	12/18/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	7.56741	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	08-431	CAPA-08-9961	UMTL	n/a	n/a
R-22	872	1448.2	09/17/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	7.18425	7.45E-02	2.87E-01	n/a	pCi/L	n/a	n/a	2403	UU07090G22R501	UMTL	n/a	n/a
R-22	872	1448.2	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	7.69513	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	2364	UU07060G22R501	UMTL	n/a	n/a
R-22	872	1448.2	03/22/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	8.11022	9.58E-02	2.87E-01	n/a	pCi/L	n/a	n/a	2321	UU07030G22R501	UMTL	n/a	n/a
R-22	872	1448.2	03/05/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	n/a	0.269	n/a	n/a	2.50E-01	µg/L	J	J	08-756	CAPA-08-11104	GELC	n/a	n/a
R-22	872	1448.2	12/18/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	n/a	0.306	n/a	n/a	2.50E-01	µg/L	J	J	08-433	CAPA-08-9961	GELC	n/a	n/a
R-22	872	1448.2	09/17/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	194078	GU07090G22R501	GELC	n/a	n/a
R-22	872	1448.2	07/05/05	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	n/a	0.34	n/a	n/a	n/a	µg/L	J	n/a	140047	GU0506G22R501	GELC	n/a	n/a
R-22	872	1448.2	11/21/03	WG	UF	CS	n/a	Voa	EPA:624	Toluene	n/a	0.58	n/a	n/a	n/a	µg/L	J	J-	102678	GU0311G22R501	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	68.3	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	68.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	66.9	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	65.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	63	n/a	n/a	7.25E-01	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.9	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.52	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.68	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.59	n/a	n/a	6.60E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.78	n/a	n/a	6.60E-02	mg/L	n/a	J	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	3.6	n/a	n/a	6.60E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.395	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.376	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.389	n/a	n/a	3.30E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.415	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.397	n/a	n/a	3.30E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	56.5	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	61	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	57.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	58.1	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	60.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	56.6	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	61.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.83	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.06	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.39	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.3	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.03	n/a	n/a	8.50E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.91	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.02	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.31	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.05	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.35	n/a	n/a	8.50E-02	mg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.19	n/a	n/a	1.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.35	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.234	n/a	n/a	1.00E-02	mg/L	n/a	R	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	RE	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.23	n/a	n/a	5.00E-02	mg/L	H	J	196188	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.31	n/a	n/a	1.00E-01	mg/L	n/a	J	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	1.06	n/a	n/a	1.00E-01	mg/L	n/a	J-	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.451	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.425	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.454	n/a	n/a	5.00E-02	µg/L	n/a	J	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.395	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.428	n/a	n/a	5.00E-02	µg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.91	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.85	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.78	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.98	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.65	n/a	n/a	5.00E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.97	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.83	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.71	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.85	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.95	n/a	n/a	5.00E-02	mg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	64.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	64.3	n/a	n/a	3.20E-02	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	62.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	10.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	167	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	148	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	175	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	178	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	174	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.21	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.26	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.37	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.55	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.29	n/a	n/a	1.00E-01	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	133	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	163	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	152	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	166	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	30	n/a	n/a	2.38E+00	mg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	n/a	n/a	1.45E-01	mg/L	U	UJ	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.05	n/a	n/a	5.00E-02	mg/L	U	UJ	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.106	n/a	n/a	2.90E-02	mg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	n/a	n/a	2.90E-02	mg/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	n/a	n/a	2.90E-02	mg/L	U	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.29	n/a	n/a	2.90E-01	mg/L	U	UJ	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.02	n/a	n/a	2.00E-02	mg/L	U	UJ	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.711	n/a	n/a	3.30E-01	mg/L	J	J	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.16	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.991	n/a	n/a	3.30E-01	mg/L	J	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.623	n/a	n/a	3.30E-01	mg/L	J	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.58	n/a	n/a	3.30E-01	mg/L	J	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.98	n/a	n/a	1.00E-02	SU	H	J-	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8.04	n/a	n/a	1.00E-02	SU	H	J-	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.95	n/a	n/a	1.00E-02	SU	H	J	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.94	n/a	n/a	1.00E-02	SU	H	J	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8.02	n/a	n/a	1.00E-02	SU	H	J	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	21.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	23.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	22.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	26.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	11.1	n/a	n/a	1.00E+01	µg/L	J	J	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	15.8	n/a	n/a	1.00E+01	µg/L	J	J	08-369	CAPA-08-9336	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	14.4	n/a	n/a	1.00E+01	µg/L	J	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	14.9	n/a	n/a	1.00E+01	µg/L	J	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13	n/a	n/a	1.00E+01	µg/L	J	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	10.3	n/a	n/a	1.00E+01	µg/L	J	J	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.7	n/a	n/a	1.00E+01	µg/L	J	J	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.5	n/a	n/a	1.00E+01	µg/L	J	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	13.4	n/a	n/a	1.00E+01	µg/L	J	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	<	10	n/a	n/a	1.00E+01	µg/L	U	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.5	n/a	n/a	1.00E+00	µg/L	J	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.9	n/a	n/a	1.00E+00	µg/L	J	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.3	n/a	n/a	1.00E+00	µg/L	J	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2.7	n/a	n/a	2.50E+00	µg/L	J	J	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	2	n/a	n/a	1.00E+00	µg/L	J	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	4.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	27.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	29.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	19.4	n/a	n/a	2.00E+00	µg/L	n/a	J	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	16.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	64.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.6	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.1	n/a	n/a	2.00E+00	µg/L	J	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	1.6	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.8	n/a	n/a	2.00E+00	µg/L	J	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.6	n/a	n/a	5.00E-01	µg/L	J	J	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	2	n/a	n/a	5.00E-01	µg/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.72	n/a	n/a	5.00E-01	µg/L	J	n/a	193317	GF070			

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.48	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.46	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.52	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.56	n/a	n/a	5.00E-02	µg/L	n/a	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.49	n/a	n/a	5.00E-02	µg/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.48	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.47	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.51	n/a	n/a	5.00E-02	µg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.51	n/a	n/a	5.00E-02	µg/L	n/a	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.49	n/a	n/a	5.00E-02	µg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.8	n/a	n/a	1.00E+00	µg/L	J	JN-	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00714	2.30E-03	4.60E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00921	1.63E-03	4.20E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00326	9.93E-04	3.20E-02	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0329	5.43E-03	3.78E-02	n/a	pCi/L	U	U, J	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00937	2.85E-03	3.69E-02	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0171	4.00E-03	5.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00925	2.97E-03	4.20E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00715	9.57E-04	3.97E-02	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.000787	5.30E-03	4.27E-02	n/a	pCi/L	U	U, J	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.0134	4.77E-03	3.76E-02	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.15	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.949	5.00E-01	3.90E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.39	5.07E-01	4.80E+00	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.07	4.63E-01	4.69E+00	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.415	4.10E-01	3.90E+00	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.8	3.67E-01	4.00E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	2.56	4.00E-01	4.30E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.702	4.17E-01	4.21E+00	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.01	3.97E-01	3.64E+00	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.62	5.90E-01	4.80E+00	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.678	5.00E-01	4.20E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.832	3.33E-01	3.60E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.35	3.57E-01	4.18E+00	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.35	4.73E-01	4.30E+00	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.137	5.23E-01	5.10E+00	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.5	3.67E-01	3.20E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.31	4.33E-01	3.90E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.379	4.13E-01	4.02E+00	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.937	4.30E-01	4.47E+00	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.665	5.23E-01	4.85E+00	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	114	2.77E+01	2.90E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	62.5	1.40E+01	2.20E+02	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.8	2.37E+01	2.13E+02	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	75	2.30E+01	3.00E+02	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73.3	3.23E+01	2.01E+02	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	112	3.10E+01	3.70E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	109	2.93E+01	3.40E+02	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	64.1	1.79E+01	2.04E+02	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	102	2.37E+01	2.34E+02	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	77.3	4.43E+01	3.12E+02	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.7	4.33E+00	3.10E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.978	3.00E+00	2.70E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-16	3.47E+00	2.82E+01	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	15.8	4.00E+00	3.18E+01	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-10.3	4.00E+00	3.25E+01	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.87	3.33E+00	3.10E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.25	3.13E+00	3.00E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	1.33	1.99E+00	1.99E+01	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.17	3.37E+00	3.11E+01	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.1	2.23E+00	2.03E+01	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00695	1.83E-03	3.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00221	1.03E-03	3.90E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0189	2.73E-03	3.88E-02	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.008	1.61E-03	2.24E-02	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00702	3.73E-03	1.72E-02	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0122	2.27E-03	3.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0162	4.00E-03	4.10E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0127	2.64E-03	3.35E-02	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00477	2.98E-03	3.34E-02	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0127	4.57E-03	1.87E-02	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00174	1.30E-03	3.60E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00221	1.63E-03	3.80E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0021	1.85E-03	3.71E-02	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	7.53E-04	2.48E-02	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00936	1.91E-03	2.71E-02	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00525	1.93E-03	3.60E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00464	1.90E-03	4.00E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	1.48E-03	3.20E-02	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00477	1.95E-03	3.70E-02	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00254	2.24E-03	2.94E-02	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	6.45	5.00E+00	5.60E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-32.2	5.33E+00	4.40E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	17.5	4.17E+00	2.89E+01	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	13.3	6.33E+00	6.34E+01	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	21.3	5.97E+00	6.30E+01	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	20.8	6.00E+00	6.20E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	21.1	1.10E+01	3.80E+01	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	24.2	5.07E+00	3.46E+01	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	36.9	4.60E+00	5.35E+01	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-26.4	5.70E+00	4.81E+01	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.273	3.33E-02	2.30E-01	n/a	pCi/L	n/a	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.346	4.67E-02	3.80E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/24/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	0.803	1.01E+00	7.99E+00	n/a	pCi/L	U	U	122193	GU04090GR2301	GELC	n/a	n/a
R-23	1771	816	06/29/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	6.45	1.91E+00	8.96E+00	n/a	pCi/L	U	U	116166	GU04060GR2301	GELC	n/a	n/a
R-23	1771	816	03/23/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	n/a	9.34	8.63E-01	4.07E+00	n/a	pCi/L	n/a	J	109698	GU04030GR2301	GELC	n/a	n/a
R-23	1771	816	03/23/04	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	n/a	12	1.20E+00	5.81E+00	n/a	pCi/L	n/a	n/a	109698	GU04030GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	-0.0339	6.00E-02	7.10E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.361	5.00E-02	4.40E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	10/17/02	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	0	1.97E+00	1.20E+01	n/a	pCi/L	UI	R	1329S	GW23-02-49608	GEL	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.102	3.20E-01	3.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.423	3.33E-01	3.20E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.857	3.26E-01	2.97E+00	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.734	4.43E-01	4.57E+00	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.58	4.80E-01	4.35E+00	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.1	3.67E-01	4.20E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.781	3.67E-01	3.70E+00	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.54	3.93E-01	3.98E+00	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.568	5.87E-01	4.73E+00	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0827	5.53E-01	5.37E+00	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0264	4.00E-02	4.30E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.217	4.00E-02	4.30E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.31	3.08E-02	4.10E-01	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.139	2.57E-02	2.72E-01	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.108	3.83E-02	4.11E-01	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0324	3.27E-02	3.80E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.2	4.00E-02	3.90E-01	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.272	5.00E-02	4.82E-01	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0788	1.96E-02	2.08E-01	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.119	3.77E-02	3.97E-01	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.345	1.20E-02	8.30E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.39	1.23E-02	7.40E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.305	9.83E-03	4.23E-02	n/a	pCi/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.415	1.22E-02	2.60E-02	n/a	pCi/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.412	1.35E-02	6.30E-02	n/a	pCi/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.342	1.20E-02	8.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.353	1.17E-02	7.50E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.315	1.04E-02	4.49E-02	n/a	pCi/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.441	1.25E-02	2.42E-02	n/a	pCi/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.329	1.19E-02	6.56E-02	n/a	pCi/L	n/a	n/a	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0175	3.10E-03	4.20E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0136	2.40E-03	3.80E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0148	2.74E-03	3.00E-02	n/a	pCi/L	U	U	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0203	2.29E-03	3.49E-02	n/a	pCi/L	U	U	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0242	3.53E-03	4.45E-02	n/a	pCi/L	U	U	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0153	2.73E-03	4.50E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0248	3.10E-03	3.90E-02	n/a	pCi/L	U	U	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0134	2.60E-03	3.19E-02	n/a	pCi/L	U	U	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0231	2.36E-03	3.24E-02	n/a	pCi/L	U	U	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00316	3.16E-03	4.63E-02	n/a	pCi/L	U	U	182773	GU070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.147	7.00E-03	5.40E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11052	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.145	6.67E-03	4.60E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9336	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.14	5.90E-03	3.33E-02	n/a	pCi/L	n/a	n/a	193317	GF070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.194	7.37E-03	3.47E-02	n/a	pCi/L	n/a	n/a	188669	GF070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.194	8.83E-03	5.74E-02	n/a	pCi/L	n/a	n/a	182773	GF070300GR2301	GELC	n/a	n/a
R-23	1771	816	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.166	7.67E-03	5.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11054	GELC	n/a	n/a
R-23	1771	816	12/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.152	7.00E-03	4.70E-02	n/a	pCi/L	n/a	n/a	08-369	CAPA-08-9335	GELC	n/a	n/a
R-23	1771	816	09/06/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.156	6.67E-03	3.54E-02	n/a	pCi/L	n/a	n/a	193317	GU070900GR2301	GELC	n/a	n/a
R-23	1771	816	06/25/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.175	6.67E-03	3.22E-02	n/a	pCi/L	n/a	n/a	188669	GU070600GR2301	GELC	n/a	n/a
R-23	1771	816	03/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.11	6.77E-03	5.98E-02	n/a	pCi/L	n/a	J	182773	GU070300GR2301	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	89.1	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	88.9	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	74	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188427	GF0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	93.4	n/a	n/a	7.25E-01	mg/L	n/a	n/a	184942	GF0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	95	n/a	n/a	7.25E-01	mg/L	n/a	n/a	181695	GF0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	21.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	20.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	20.9	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188427	GF0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	20.8	n/a	n/a	3.60E-02	mg/L	n/a	n/a	184942	GF0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	22.9	n/a	n/a	3.60E-02	mg/L	n/a	n/a	181695	GF0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	19.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	19.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	20.5	n/a	n/a	3.60E-02	mg/L	n/a	n/a	188427	GU0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	21.1	n/a	n/a	3.60E-02	mg/L	n/a	n/a	184942	GU0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	23.2	n/a	n/a	3.60E-02	mg/L	n/a	n/a	181695	GU0702GR23i 01	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7.35	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7.26	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7.25	n/a	n/a	6.60E-02	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7.26	n/a	n/a	6.60E-02	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	7.07	n/a	n/a	6.60E-02	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.231	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.227	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.217	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.247	n/a	n/a	3.30E-02	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.21	n/a	n/a	3.30E-02	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	76.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	75.7	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	75.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	74.9	n/a	n/a	4.40E-01	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	83.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	71	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	72.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	74.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	75.7	n/a	n/a	4.40E-01	mg/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	84.5	n/a	n/a	4.40E-01	mg/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.74	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.84	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.76	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.58	n/a	n/a	8.50E-02	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	6.37	n/a	n/a	8.50E-02	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.28	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.55	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.61	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.59	n/a	n/a	8.50E-02	mg/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	6.44	n/a	n/a	8.50E-02	mg/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.655	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.7	n/a	n/a	5.00E-02	mg/L	n/a	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.69	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.558	n/a	n/a	1.00E-02	mg/L	n/a	J	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	n/a	0.403	n/a	n/a	1.00E-02	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.209	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.196	n/a	n/a	5.00E-02	µg/L	J	J	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG																			

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	20.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	903	n/a	n/a	2.30E-01	mg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	16.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	19.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	21.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	216	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	199	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	234	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	245	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	467	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	7.86	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	7.67	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	8.78	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10	n/a	n/a	1.00E-01	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	13.1	n/a	n/a	1.00E-01	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	149	n/a	n/a	2.40E+00	mg/L	n/a	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	143	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	166	n/a	n/a	2.38E+00	mg/L	H	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	146	n/a	n/a	2.38E+00	mg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	169	n/a	n/a	2.38E+00	mg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.874	n/a	n/a	3.30E-01	mg/L	J	J	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.742	n/a	n/a	3.30E-01	mg/L	J	J	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.71	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.33	n/a	n/a	3.30E-01	mg/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.48	n/a	n/a	3.30E-01	mg/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.61	n/a	n/a	1.00E-02	SU	H	J-	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8.26	n/a	n/a	1.00E-02	SU	H	J-	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.97	n/a	n/a	1.00E-02	SU	H	J	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.96	n/a	n/a	1.00E-02	SU	H	J	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8.13	n/a	n/a	1.00E-02	SU	H	J	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	1.6	n/a	n/a	1.50E+00	µg/L	J	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	2.7	n/a	n/a	1.50E+00	µg/L	J	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2.7	n/a	n/a	1.50E+00	µg/L	J	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2	n/a	n/a	1.50E+00	µg/L	J	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2.5	n/a	n/a	1.50E+00	µg/L	J	J	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	2.6	n/a	n/a	1.50E+00	µg/L	J	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2	n/a	n/a	1.50E+00	µg/L	J	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	2	n/a	n/a	1.50E+00	µg/L	J	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	n/a	1.8	n/a	n/a	1.50E+00	µg/L	J	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	7.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	7.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	7.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	8.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	7.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	8.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	9.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	9.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	10.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	18.1	n/a	n/a	1.00E+01	µg/L	J	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	17.8	n/a	n/a	1.00E+01	µg/L	J	J	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	16.8	n/a	n/a	1.00E+01	µg/L	J	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	23.6	n/a	n/a	1.00E+01	µg/L	J	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Boron	n/a	18.1	n/a	n/a	1.00E+01	µg/L	J	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	63.9	n/a	n/a	1.00E+01	µg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	17.2	n/a	n/a	1.00E+01	µg/L	J	J	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	16.1	n/a	n/a	1.00E+01	µg/L	J	n/a	188427	GU0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	23.6	n/a	n/a	1.00E+01	µg/L	J	n/a	184942	GU0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Boron	n/a	23.6	n/a	n/a	1.00E+01	µg/L	J	n/a	181695	GU0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.4	n/a	n/a	2.50E+00	µg/L	J	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188427	GF0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	184942	GF0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.2	n/a	n/a	1.00E+00	µg/L	J	n/a	181695	GF0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	FB	Metals	SW-846:6020	Chromium	n/a	2.6	n/a	n/a	2.50E+00	µg/L	J	J	08-813	CAPA-08-11030	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188427	GU0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.1	n/a	n/a	1.00E+00	µg/L	J	n/a	184942	GU0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.6	n/a	n/a	1.00E+00	µg/L	J	n/a	181695	GU0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.7	n/a	n/a	2.00E+00	µg/L	J	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3	n/a	n/a	2.00E+00	µg/L	J	J	188427	GF0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.8	n/a	n/a	2.00E+00	µg/L	J	n/a	184942	GF0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	8.8	n/a	n/a	2.00E+00	µg/L	J	n/a	181695	GF0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	3.7	n/a	n/a	2.00E+00	µg/L	J	J	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	5.1	n/a	n/a	2.00E+00	µg/L	J	J	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.4	n/a	n/a	2.00E+00	µg/L	J	J	188427	GU0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	13.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	184942	GU0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	11.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	181695	GU0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	2.6	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.8	n/a	n/a	2.00E+00	µg/L	J	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188427	GF0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	3.5	n/a	n/a	2.00E+00	µg/L	J	n/a	184942	GF0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	4	n/a	n/a	2.00E+00	µg/L	J	n/a	181695	GF0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	2.8	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2.5	n/a	n/a	2.00E+00	µg/L	J	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.2	n/a	n/a	2.00E+00	µg/L	J	n/a	188427	GU0706GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	3.4	n/a	n/a	2.00E+00	µg/L	J	n/a	184942	GU0704GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.4	n/a	n/a	2.00E+00	µg/L	J	n/a	181695	GU0702GR23i 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.3	n/a	n/a	5.00E-01	µg/L	J	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1	n/a	n/a	5.00E-01	µg/L	J	J	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.87	n/a	n/a									

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.74	n/a	n/a	4.00E-01	µg/L	J	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	n/a	0.31	n/a	n/a	3.00E-01	µg/L	J	J	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	1	n/a	n/a	3.00E-01	µg/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Thallium	<	0.4	n/a	n/a	4.00E-01	µg/L	U	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.1	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.1	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.3	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.4	n/a	n/a	5.00E-02	µg/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.7	n/a	n/a	5.00E-02	µg/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.1	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.2	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.4	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.6	n/a	n/a	5.00E-02	µg/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	1.7	n/a	n/a	5.00E-02	µg/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.5	n/a	n/a	1.00E+00	µg/L	J	J	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.2	n/a	n/a	1.00E+00	µg/L	J	J	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.7	n/a	n/a	1.00E+00	µg/L	J	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.4	n/a	n/a	1.00E+00	µg/L	J	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4	n/a	n/a	1.00E+00	µg/L	J	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	J	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4	n/a	n/a	1.00E+00	µg/L	J	J	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.4	n/a	n/a	1.00E+00	µg/L	J	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.5	n/a	n/a	1.00E+00	µg/L	J	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00188	2.23E-03	4.50E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0117	3.67E-03	3.00E-02	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00916	2.46E-03	3.24E-02	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00184	6.20E-04	3.73E-02	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	n/a	0.0554	3.80E-03	2.05E-02	n/a	pCi/L	n/a	J	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	RE	n/a	Rad	HASL-300	Americium-241	<	0.0173	3.07E-03	3.79E-02	n/a	pCi/L	U	U	184357	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00667	2.03E-03	4.60E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0224	3.67E-03	2.80E-02	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00472	2.83E-03	3.19E-02	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00934	1.11E-03	3.84E-02	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	n/a	0.0458	3.53E-03	2.11E-02	n/a	pCi/L	n/a	J	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	RE	n/a	Rad	HASL-300	Americium-241	<	0.00454	2.68E-03	3.97E-02	n/a	pCi/L	U	U	184357	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.72	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.86	6.33E-01	4.90E+00	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2.75	3.90E-01	3.11E+00	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.734	4.33E-01	4.17E+00	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.105	4.67E-01	3.82E+00	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.496	4.00E-01	3.90E+00	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-2	8.00E-01	4.80E+00	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.47	3.60E-01	3.43E+00	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.27	4.47E-01	4.06E+00	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.861	5.23E-01	5.29E+00	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	3.04	5.67E-01	5.60E+00	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.24	6.33E-01	5.80E+00	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.399	3.87E-01	3.89E+00	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.141	4.67E-01	4.65E+00	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.38	4.83E-01	4.32E+00	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.515	4.00E-01	4.10E+00	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.0318	5.00E-01	4.80E+00	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.66	3.50E-01	3.61E+00	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.312	4.37E-01	4.35E+00	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.612	4.87E-01	4.97E+00	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	113	2.67E+01	3.80E+02	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	93	2.73E+01	3.10E+02	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	58.3	1.30E+01	1.94E+02	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	62.8	1.50E+01	1.62E+02	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	95.5	2.53E+01	3.34E+02	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	96.4	2.40E+01	2.50E+02	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	121	3.67E+01	3.90E+02	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	52.6	5.40E+01	2.01E+02	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	97.2	2.82E+01	2.50E+02	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	80.5	2.29E+01	2.76E+02	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	5.66	4.33E+00	3.50E+01	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.1	4.00E+00	3.60E+01	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	9.32	3.43E+00	3.22E+01	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.811	3.43E+00	3.41E+01	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.02	2.86E+00	2.71E+01	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.42	2.67E+00	2.60E+01	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.08	1.67E+00	1.60E+01	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	7.83	4.30E+00	2.93E+01	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	40.6	6.20E+00	3.27E+01	n/a	pCi/L	UI	R	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.96	3.87E+00	3.61E+01	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0119	2.97E-03	3.80E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00422	1.40E-03	3.80E-02	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00609	1.52E-03	2.84E-02	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0113	2.92E-03	3.28E-02	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00177	2.12E-03	2.49E-02	n/a	pCi/L	U	J, U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00664	3.33E-03	4.30E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00902	2.00E-03	3.30E-02	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00771	1.82E-03	2.69E-02	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00445	2.57E-03	3.23E-02	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0299	2.96E-03	1.93E-02	n/a	pCi/L	U	J, R	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00596	2.90E-03	4.10E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00633	1.23E-03	4.40E-02	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00406	1.35E-03	3.15E-02	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0362	3.24E-03	3.85E-02	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0106	2.21E-03	3.08E-02	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00221	2.20E-03	4.50E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00361	1.90E-03	3.70E-02	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00385	2.03E-03	2.99E-02	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0111	2.46E-03	3.79E-02	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0281	3.43E-03	1.28E-02	n/a	pCi/L	U	R	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	20.3	6.00E+00	3.20E+01	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-35.3	6.00E+00	5.40E+01	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-13.2	5.60E+00	5.02E+01	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-31.3	5.87E+00	5.24E+01	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-4.85	5.07E+00	5.13E+01	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	62	5.67E+00	4.00E+01	n/a	pCi/L	UI	R	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	9.5	8.00E+00	5.40E+01	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-6.29	5.47E+00	4.82E+01	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	28.5	5.40E+00	3.91E+01	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	0.871	6.17E+00	5.03E+01	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.347	4.67E-02	4.10E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.411	5.00E-02	4.20E-01	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.22	9.00E-02	9.30E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.0178	5.33E-02	6.00E-01	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.1	5.33E-01	5.10E+00	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.71	4.67E-01	4.5									

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.15	3.93E-01	3.78E+00	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.956	3.90E-01	4.16E+00	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.56	3.77E-01	3.80E+00	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0726	3.67E-01	3.50E+00	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.47	5.00E-01	4.70E+00	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.75	3.40E-01	2.71E+00	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.11	3.37E-01	2.85E+00	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-3.25	4.50E-01	2.88E+00	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0273	4.67E-02	5.20E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.248	3.17E-02	3.40E-01	n/a	pCi/L	U	U	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0366	4.27E-02	4.98E-01	n/a	pCi/L	U	U	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.119	4.33E-02	4.51E-01	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0165	3.83E-02	4.18E-01	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.119	4.67E-02	5.00E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.234	2.77E-02	3.10E-01	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.104	2.06E-02	2.29E-01	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0682	3.60E-02	3.85E-01	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.271	3.11E-02	4.07E-01	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	61	1.90E+01	1.90E+02	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	14.9	1.70E+01	1.70E+02	n/a	pCi/L	U	U	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	59.6	1.32E+01	1.31E+02	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	22.51065	2.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2361	UU0706GR23I 01	UMTL	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	21.0738	2.34E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2317	UU0702GR23I 01	UMTL	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	-38.7	1.92E+01	1.96E+02	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	10/03/06	WG	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	6.55	1.91E+01	1.96E+02	n/a	pCi/L	U	U	173388	GU0609GR23I 02	GELC	n/a	n/a
R-23i	7011	470.2	10/03/06	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	24.04329	2.66E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2273	UU0609GR23I 02	UMTL	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.702	1.97E-02	9.10E-02	n/a	pCi/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.695	1.83E-02	7.30E-02	n/a	pCi/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.751	1.95E-02	2.96E-02	n/a	pCi/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.81	2.31E-02	7.83E-02	n/a	pCi/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	1.09	2.62E-02	4.39E-02	n/a	pCi/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.676	1.87E-02	8.20E-02	n/a	pCi/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.815	2.00E-02	6.90E-02	n/a	pCi/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.716	1.95E-02	3.94E-02	n/a	pCi/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.992	2.70E-02	7.87E-02	n/a	pCi/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	1.1	2.68E-02	4.56E-02	n/a	pCi/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0246	3.27E-03	4.60E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0464	4.00E-03	3.20E-02	n/a	pCi/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0436	3.63E-03	3.96E-02	n/a	pCi/L	n/a	J	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.036	4.87E-03	4.59E-02	n/a	pCi/L	U	U	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0282	3.33E-03	4.48E-02	n/a	pCi/L	U	U	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0249	3.67E-03	4.10E-02	n/a	pCi/L	U	U	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0505	3.67E-03	3.00E-02	n/a	pCi/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0239	3.43E-03	5.27E-02	n/a	pCi/L	U	U	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0362	4.87E-03	4.61E-02	n/a	pCi/L	U	U	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0345	3.50E-03	4.65E-02	n/a	pCi/L	U	U	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.356	1.23E-02	6.20E-02	n/a	pCi/L	n/a	n/a	08-813	CAPA-08-11024	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.421	1.27E-02	4.20E-02	n/a	pCi/L	n/a	n/a	08-437	CAPA-08-9374	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.39	1.22E-02	3.94E-02	n/a	pCi/L	n/a	n/a	188427	GF0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.495	1.68E-02	7.36E-02	n/a	pCi/L	n/a	n/a	184942	GF0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.632	1.71E-02	3.11E-02	n/a	pCi/L	n/a	n/a	181695	GF0702GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	03/14/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.439	1.37E-02	5.60E-02	n/a	pCi/L	n/a	n/a	08-813	CAPA-08-11023	GELC	n/a	n/a
R-23i	7011	470.2	12/19/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.433	1.27E-02	4.00E-02	n/a	pCi/L	n/a	n/a	08-437	CAPA-08-9378	GELC	n/a	n/a
R-23i	7011	470.2	06/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.373	1.26E-02	5.25E-02	n/a	pCi/L	n/a	n/a	188427	GU0706GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	04/24/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.495	1.68E-02	7.40E-02	n/a	pCi/L	n/a	n/a	184942	GU0704GR23I 01	GELC	n/a	n/a
R-23i	7011	470.2	02/28/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.582	1.63E-02	3.23E-02	n/a	pCi/L	n/a	n/a	181695	GU0702GR23I 01	GELC	n/a	n/a
R-23i	7021	524	03/14/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.274	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-813	CAPA-08-11062	GELC	n/a	n/a
R-23i	7021	524	09/07/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.258	n/a	n/a	5.00E-02	µg/L							

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-23i	7021	524	06/20/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188427	GF0706GR23I 02	GELC	n/a	n/a
R-23i	7021	524	06/20/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.256	n/a	n/a	5.00E-02	µg/L	n/a	n/a	188427	GF0706GR23I 02	GELC	n/a	n/a
R-23i	7021	524	04/23/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.226	n/a	n/a	5.00E-02	µg/L	n/a	n/a	184854	GF0704GR23I 02	GELC	n/a	n/a
R-23i	7021	524	04/23/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	184854	GF0704GR23I 02	GELC	n/a	n/a
R-23i	7021	524	02/26/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	181512	GF0702GR23I 02	GELC	n/a	n/a
R-23i	7021	524	02/26/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.236	n/a	n/a	5.00E-02	µg/L	n/a	J	181512	GF0702GR23I 02	GELC	n/a	n/a
R-23i	7021	524	06/20/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	212	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188427	GF0706GR23I 02	GELC	n/a	n/a
R-23i	7021	524	04/23/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	214	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	184854	GF0704GR23I 02	GELC	n/a	n/a
R-23i	7021	524	02/26/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	207	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	181512	GF0702GR23I 02	GELC	n/a	n/a
R-23i	7021	524	06/20/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.99	n/a	n/a	1.00E-02	SU	H	J	188427	GF0706GR23I 02	GELC	n/a	n/a
R-23i	7021	524	04/23/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	8	n/a	n/a	1.00E-02	SU	H	J	184854	GF0704GR23I 02	GELC	n/a	n/a
R-23i	7021	524	02/26/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.61	n/a	n/a	1.00E-02	SU	H	J	181512	GF0702GR23I 02	GELC	n/a	n/a
R-23i	7021	524	03/14/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	0.932	7.00E-02	2.60E-01	n/a	pCi/L	n/a	n/a	08-813	CAPA-08-11063	GELC	n/a	n/a
R-23i	7021	524	03/14/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.317	6.67E-02	6.40E-01	n/a	pCi/L	U	U	08-813	CAPA-08-11063	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	72.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	72.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	71.1	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	70.4	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	77.5	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	74	n/a	n/a	7.25E-01	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	74	n/a	n/a	7.25E-01	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	16.3	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.3	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.6	n/a	n/a	3.60E-02	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	n/a	15.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	16.4	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	17.2	n/a	n/a	3.60E-02	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	n/a	2.9	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.87	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.95	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.92	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	2.89	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:300.0														

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	61.7	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	64.3	n/a	n/a	8.50E-02	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	4.59	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.45	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.43	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.95	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.01	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.05	n/a	n/a	8.50E-02	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	n/a	4.53	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.58	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.34	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.91	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.02	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.2	n/a	n/a	8.50E-02	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.886	n/a	n/a	1.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.88	n/a	n/a	1.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.903	n/a	n/a	1.00E-02	mg/L	n/a	J	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.89	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.885	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	n/a	0.99	n/a	n/a	1.40E-02	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	n/a	1	n/a	n/a	1.40E-02	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	n/a	0.32	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.33	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.335	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.316	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.293	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	SW846 6850	Perchlorate	n/a	0.279	n/a	n/a	5.00E-02	µg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	1.85	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.77	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.73	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.66	n/a	n/a	5.00E-02	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.7	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.7	n/a	n/a	5.00E-02	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	n/a	1.78	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.81	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	1.71	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-401	CAPA-08-9338			

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	n/a	165	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	168	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	164	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	n/a	4.66	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.66	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5.12	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.9	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	4.97	n/a	n/a	1.00E-01	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	5	n/a	n/a	1.00E-01	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	135	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	128	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	150	n/a	n/a	2.40E+00	mg/L	n/a	J	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	150	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	178	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	150	n/a	n/a	2.38E+00	mg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	147	n/a	n/a	2.38E+00	mg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.62	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.61	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	1.86	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	n/a	n/a	3.30E-01	mg/L	U	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.475	n/a	n/a	3.30E-01	mg/L	J	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	0.495	n/a	n/a	3.30E-01	mg/L	J	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	n/a	7.69	n/a	n/a	1.00E-02	SU	H	J-	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.69	n/a	n/a	1.00E-02	SU	H	J-	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.49	n/a	n/a	1.00E-02	SU	H	J-	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	5	n/a	n/a	1.50E+00	µg/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	UJ	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6020	Arsenic	n/a	1.6	n/a	n/a	1.50E+00	µg/L	J	J	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	5	n/a	n/a	1.50E+00	µg/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	UJ	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6020	Arsenic	<	1.5	n/a	n/a	1.50E+00	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	n/a	48.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	47.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	49.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	45.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	46.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	48.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	n/a	49.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	50.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	49.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	44.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	47.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	50.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	10	n/a	n/a	2.50E+00	µg/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.9	n/a	n/a	1.00E+00	µg/L	J	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	5.8	n/a	n/a	1.00E+00	µg/L	*	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6020	Chromium	<	1.9	n/a	n/a	1.00E+00	µg/L	J	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	n/a	3.3	n/a	n/a	2.50E+00	µg/L	J	J	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	3.1	n/a	n/a	2.50E+00	µg/L	J	J	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	5.5	n/a	n/a	2.50E+00	µg/L	J	J	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	1.8	n/a	n/a	1.00E+00	µg/L	J	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	n/a	24.3	n/a	n/a	1.00E+00	µg/L	*	J+	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6020	Chromium	<	2.6	n/a	n/a	1.00E+00	µg/L	J	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Iron	n/a	74.1	n/a	n/a	2.50E+01	µg/L	J	J	08-743	CAPA-08-11058	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	80.9	n/a	n/a	2.50E+01	µg/L	J	J	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	61.1	n/a	n/a	2.50E+01	µg/L	J	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	25	n/a	n/a	2.50E+01	µg/L	U	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U*	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	n/a	173	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	176	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	157	n/a	n/a	2.50E+01	µg/L	n/a	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	25	n/a	n/a	2.50E+01	µg/L	U	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	22.6	n/a	n/a	1.80E+01	µg/L	J*	J	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	<	18	n/a	n/a	1.80E+01	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	n/a	12.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	12.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	9.2	n/a	n/a	2.00E+00	µg/L	J	J	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	6.7	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	n/a	19.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	19.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	10.7	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	2.3	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	2.3	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	3.1	n/a	n/a	2.00E+00	µg/L	J	J	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	3.4	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3	n/a	n/a	2.00E+00	µg/L	J	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	n/a	2.5	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	2.5	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.6	n/a	n/a	2.00E+00	µg/L	J	J	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	n/a	2.6	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6020	Nickel	n/a	3.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	J	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.88	n/a	n/a	5.00E-01	µg/L	J	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.78	n/a	n/a	5.00E-01	µg/L	J	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	n/a	4.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	4.5	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	3.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.62	n/a	n/a	5.00E-01	µg/L	J	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	11.4	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.84	n/a	n/a	5.00E-01	µg/L	J	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	n/a	63.1	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	63	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	64.2	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	n/a	91.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	88.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	90.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	83	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	80.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	82.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	n/a	89	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	90.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	89.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	82.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	81.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	86	n/a	n/a	1.00E+00	µg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.75	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.74	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.79	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.87	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.78	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.77	n/a	n/a	5.00E-02	µg/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	n/a	0.74	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.74	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.85	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.9	n/a	n/a	5.00E-02	µg/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.78	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.76	n/a	n/a	5.00E-02	µg/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	J	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	J	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.2	n/a	n/a	1.00E+00	µg/L	J	J	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	3.2	n/a	n/a	1.00E+00	µg/L	J	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.4	n/a	n/a	1.00E+00	µg/L	J	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.9	n/a	n/a	1.00E+00	µg/L	J	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	n/a	3.5	n/a	n/a	1.00E+00	µg/L	J	J	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3	n/a	n/a	1.00E+00	µg/L	J	J	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.2	n/a	n/a	1.00E+00	µg/L	J	J	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	<	4	n/a	n/a	1.00E+00	µg/L	J	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.1	n/a	n/a	1.00E+00	µg/L	J	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.8	n/a	n/a	1.00E+00	µg/L	J	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	n/a	79.4	n/a	n/a	2.00E+00	µg/L	n/a	J	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	78	n/a	n/a	2.00E+00	µg/L	n/a	J	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	102	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	UJ	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.1	n/a	n/a	2.00E+00	µg/L	J	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	4	n/a	n/a	2.00E+00	µg/L	J	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	n/a	115	n/a	n/a	2.00E+00	µg/L	n/a	J	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	117	n/a	n/a	2.00E+00	µg/L	n/a	J	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	128	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	-2.47	4.00E-01	3.20E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.461	4.33E-01	4.30E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.71	3.67E-01	3.50E+00	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.238	3.67E-01	3.52E+00	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.575	4.43E-01	4.19E+00	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	3.38	4.27E-01	4.37E+00	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	0.797	4.00E-01	4.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.192	4.67E-01	4.70E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.966	5.67E-01	5.90E+00	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.783	2.77E-01	3.03E+00	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.43	4.67E-01	4.98E+00	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.01	5.07E-01	5.92E+00	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.972	3.67E-01	3.30E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.22	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.31	4.00E-01	4.00E+00	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.879	3.26E-01	2.88E+00	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.967	3.60E-01	3.82E+00	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0555	3.70E-01	3.60E+00	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	71.1	2.00E+01	1.50E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	137	2.93E+01	3.30E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	103	2.63E+01	2.80E+02	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.9	1.47E+01	2.04E+02	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73.1	1.83E+01	2.04E+02	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	85.3	2.06E+01	3.10E+02	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	130	2.33E+01	3.30E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	90.7	2.23E+01	2.60E+02	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	67.8	3.17E+01	1.40E+02	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	91.8	2.77E+01	3.31E+02	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	74.2	2.37E+01	2.60E+02	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	33.6	1.68E+01	1.72E+02	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	6.16	3.67E+00	2.50E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	8.35	3.67E+00	3.30E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	16.7	3.07E+00	3.10E+01	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.21	2.64E+00	2.27E+01	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.27	3.23E+00	3.23E+01	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-4.49	1.90E+00	1.87E+01	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	11.5	4.00E+00	2.80E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	23.8	3.33E+00	3.40E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.33	2.70E+00	2.60E+01	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-5.64	2.48E+00	2.42E+01	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-13.1	3.57E+00	3.16E+01	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-7.57	3.40E+00	3.05E+01	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.0188	3.33E-03	6.10E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0121	2.67E-03	3.30E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00592	1.47E-03	3.60E-02	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0278	4.00E-03	4.32E-02	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0146	1.96E-03	1.66E-02	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00214	1.60E-03	2.35E-02	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0	3.17E-03	5.30E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.014	3.33E-03	3.90E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00204	9.67E-04	3.70E-02	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	3.00E-03	4.45E-02	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.44E-03	1.81E-02	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	2.65E-03	2.52E-02	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00314	3.13E-03	6.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00347	1.83E-03	3.50E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00197	1.13E-03	4.10E-02	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS</																	

Analytical Results																							
Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0146	2.23E-03	2.40E-02	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00642	2.37E-03	1.56E-02	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00273	1.57E-03	5.60E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.004	1.63E-03	4.10E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00204	1.53E-03	4.20E-02	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00954	3.18E-03	4.93E-02	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0159	1.96E-03	2.61E-02	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0299	3.53E-03	1.68E-02	n/a	pCi/L	U	R	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	-27	5.33E+00	4.40E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	24.9	6.00E+00	6.50E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-19.1	6.33E+00	6.20E+01	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12	4.30E+00	4.15E+01	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-15.1	6.00E+00	5.73E+01	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.6	5.00E+00	6.12E+01	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	-21.2	5.33E+00	4.90E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	12.2	6.00E+00	5.40E+01	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-15.2	5.00E+00	5.10E+01	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-22.2	4.60E+00	4.37E+01	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	2.37	5.67E+00	6.09E+01	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	10.8	5.50E+00	5.61E+01	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:903.1	Radium-226	<	0.261	4.33E-02	4.00E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.448	5.67E-02	4.90E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.263	5.33E-02	5.00E-01	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	11/15/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	2.82	6.23E-01	7.15E+00	n/a	pCi/L	U	U	125900	GU0411G32R101	GELC	n/a	n/a
R-32	1031	870.9	09/21/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	-0.556	7.60E-01	7.86E+00	n/a	pCi/L	U	U	122098	GU0409G32R101	GELC	n/a	n/a
R-32	1031	870.9	05/05/04	WG	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	3.14	9.37E-01	7.52E+00	n/a	pCi/L	U	U	112560	GU0405G32R101	GELC	n/a	n/a
R-32	1031	870.9	05/05/04	WG	UF	DUP	n/a	Rad	EPA:901.1	Radium-226	<	4.01	9.77E-01	7.46E+00	n/a	pCi/L	U	n/a	112577	GU0405G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:904	Radium-228	n/a	0.93	9.33E-02	7.10E-01	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.623	8.00E-02	6.90E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	<	-0.0149	3.67E-02	4.20E-01	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	0.928	3.27E-01	3.50E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.535	4.33E-01	4.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.316	4.33E-01	3.80E+00	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.49	2.89E-01	2.86E+00	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.95	4.07E-01	3.35E+00	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.375	5.27E-01	5.91E+00	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	2.89	5.00E-01	3.50E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.242	4.00E-01	4.10E+00	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.11	3.33E-01	3.80E+00	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.925	3.60E-01	3.23E+00	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.511	3.80E-01	3.86E+00	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.886	3.47E-01	3.06E+00	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.0453	3.67E-02	4.20E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.245	3.67E-02	4.60E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.000847	1.47E-02	1.50E-01	n/a	pCi/L	U	U	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0455	4.60E-02	4.90E-01	n/a	pCi/L	U	U	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0407	2.31E-02	2.84E-01	n/a	pCi/L	U	U	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0624	2.34E-02	2.41E-01	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.141	3.33E-02	3.40E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.18	3.67E-02	3.70E-01	n/a	pCi/L	U	U	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0756	3.07E-02	3.10E-01	n/a	pCi/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.365	3.77E-02	4.85E-01	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.166	3.27E-02	3.23E-01	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0307	2.18E-02	2.39E-01	n/a	pCi/L	U	U	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.517	1.60E-02	8.60E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.494	1.50E-02	7.90E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.523	1.43E-02	7.80E-02	n/a	pCi/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031																						

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.622	1.63E-02	4.97E-02	n/a	pCi/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.554	1.46E-02	3.44E-02	n/a	pCi/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	n/a	0.529	1.63E-02	9.20E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.434	1.33E-02	7.40E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.567	1.47E-02	7.30E-02	n/a	pCi/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.521	1.45E-02	2.66E-02	n/a	pCi/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.606	1.57E-02	4.72E-02	n/a	pCi/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.503	1.43E-02	3.68E-02	n/a	pCi/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0152	2.30E-03	4.40E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0139	3.10E-03	4.10E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0471	3.67E-03	3.40E-02	n/a	pCi/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0217	2.54E-03	3.35E-02	n/a	pCi/L	U	U, J-	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0336	3.32E-03	3.15E-02	n/a	pCi/L	n/a	J	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.028	2.72E-03	3.51E-02	n/a	pCi/L	U	U	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0259	3.67E-03	4.70E-02	n/a	pCi/L	U	U	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0391	3.33E-03	3.80E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.0365	3.33E-03	3.20E-02	n/a	pCi/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0115	2.56E-03	3.56E-02	n/a	pCi/L	U	U	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0192	2.58E-03	2.99E-02	n/a	pCi/L	U	U	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	n/a	0.045	3.67E-03	3.76E-02	n/a	pCi/L	n/a	J	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.249	1.00E-02	5.70E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11058	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.237	9.33E-03	5.20E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11056	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.252	9.00E-03	4.60E-02	n/a	pCi/L	n/a	n/a	08-401	CAPA-08-9339	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.272	9.30E-03	3.33E-02	n/a	pCi/L	n/a	J-	189172	GF07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.259	8.83E-03	3.78E-02	n/a	pCi/L	n/a	n/a	183362	GF07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.282	8.87E-03	2.43E-02	n/a	pCi/L	n/a	n/a	177829	GF06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	n/a	0.225	9.67E-03	6.00E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.211	8.33E-03	4.80E-02	n/a	pCi/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.254	8.67E-03	4.20E-02	n/a	pCi/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.276	9.63E-03	3.54E-02	n/a	pCi/L	n/a	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.282	9.13E-03	3.59E-02	n/a	pCi/L	n/a	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.264	9.00E-03	2.61E-02	n/a	pCi/L	n/a	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	n/a	3.93	n/a	n/a	2.10E+00	µg/L	J	J	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	n/a	3.92	n/a	n/a	2.20E+00	µg/L	J	J	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	n/a	4.54	n/a	n/a	2.00E+00	µg/L	J	J	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	3.64	n/a	n/a	2.27E+00	µg/L	BJ	U, J-	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	11.1	n/a	n/a	2.22E+00	µg/L	U	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	10.4	n/a	n/a	2.08E+00	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Isopropylbenzene	n/a	0.288	n/a	n/a	2.50E-01	µg/L	J	J	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Isopropylbenzene	<	1	n/a	n/a	2.50E-01	µg/L	U	U	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Isopropylbenzene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Isopropylbenzene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Voa	SW-846:8260B	Isopropylbenzene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	FD	Voa	SW-846:8260B	Toluene	n/a	2.55	n/a	n/a	2.50E-01	µg/L	n/a	n/a	08-743	CAPA-08-11059	GELC	n/a	n/a
R-32	1031	870.9	03/04/08	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	n/a	2.83	n/a	n/a	2.50E-01	µg/L	n/a	n/a	08-743	CAPA-08-11055	GELC	n/a	n/a
R-32	1031	870.9	12/14/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	n/a	4.32	n/a	n/a	2.50E-01	µg/L	n/a	n/a	08-401	CAPA-08-9338	GELC	n/a	n/a
R-32	1031	870.9	07/05/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	189172	GU07060G32R101	GELC	n/a	n/a
R-32	1031	870.9	03/26/07	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	183362	GU07030G32R101	GELC	n/a	n/a
R-32	1031	870.9	12/12/06	WG	UF	CS	n/a	Voa	SW-846:8260B	Toluene	<	1	n/a	n/a	2.50E-01	µg/L	U	n/a	177829	GU06120G32R101	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	32.5	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	40.8	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	42.9	n/a	n/a	7.25E-01	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	39.7	n/a	n/a	7.25E-01	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	29.3	n/a	n/a	7.25E-01	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	42.9	n/a	n/a	7.25E-01	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.64	n/a	n/a	3.60E-02	mg/L	E	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.5	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	13.2	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	14.5	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	9.54	n/a	n/a	3.60E-02	mg/L	E	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	12	n/a	n/a	3.60E-02	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	23	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	16.5	n/a	n/a	6.60E-02	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	14.6	n/a	n/a	6.60E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	4.26	n/a	n/a	6.60E-02	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	15.3	n/a	n/a	6.60E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.105	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.087	n/a	n/a	3.30E-02	mg/L	J	J	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.148	n/a	n/a	3.30E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.126	n/a	n/a	3.30E-02	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.116	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	49.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	55.6	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	45.3	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37.3	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	45	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	52	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	59.8	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	50.1	n/a	n/a	4.25E-01	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	37	n/a	n/a	4.40E-01	mg/L	n/a	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	47.2	n/a	n/a	4.40E-01	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.3	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.06	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.83	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.22	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.95	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.62	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.72	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.62	n/a	n/a	8.50E-02	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.19	n/a	n/a	8.50E-02	mg/L	n/a	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	4.21	n/a	n/a	8.50E-02	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.345	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.626	n/a	n/a	1.00E-02	mg/L	n/a	J-	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.341	n/a	n/a	1.00E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.083	n/a	n/a	1.00E-02	mg/L	n/a	J-	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.577	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.422	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.409	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.217	n/a	n/a	5.00E-02	µg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.262	n/a	n/a	5.00E-02	µg/L	n/a	J-	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.457	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.15	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.35	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.63	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.41	n/a	n/a	5.00E-02	mg/L	E	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.81	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.45	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.97	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.54	n/a	n/a	5.00E-02	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	2.41	n/a	n/a	5.00E-02	mg/L	E	J	189433	GU070600GSTS01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.08	n/a	n/a	5.00E-02	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	31.2	n/a	n/a	3.20E-02	mg/L	n/a	J, J-	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	35.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	42.7	n/a	n/a	3.20E-02	mg/L	n/a	J-	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	11.7	n/a	n/a	4.50E-02	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	7.28	n/a	n/a	4.50E-02	mg/L	E	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	15.6	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.1	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.4	n/a	n/a	4.50E-02	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	7.17	n/a	n/a	4.50E-02	mg/L	E	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	12.5	n/a	n/a	4.50E-02	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	183	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	152	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	151	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	120	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	161	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.8	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	9.4	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	6.04	n/a	n/a	1.00E-01	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	7.45	n/a	n/a	1.00E-01	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	14.3	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	162	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	158	n/a	n/a	2.40E+00	mg/L	n/a	J	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	106	n/a	n/a	2.38E+00	mg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	109	n/a	n/a	2.38E+00	mg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	195	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.039	n/a	n/a	2.90E-02	mg/L	J	JN-	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.052	n/a	n/a	2.90E-02	mg/L	J	JN-, J-	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.162	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	12/06/06	WG	F	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.256	n/a	n/a	1.00E-02	mg/L	n/a	n/a	177384	GF061200GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.229	n/a	n/a	2.90E-02	mg/L	n/a	J-	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.19	n/a	n/a	2.90E-02	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.083	n/a	n/a	2.90E-02	mg/L	J	JN-, J-	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	n/a	0.208	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	12/06/06	WG	UF	CS	n/a	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.08	n/a	n/a	1.00E-02	mg/L	J	U	177384	GU061200GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	7.67	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	6.11	n/a	n/a	3.30E-01	mg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.04	n/a	n/a	3.30E-01	mg/L	n/a	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	8.01	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	12/06/06	WG	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	2.79	n/a	n/a	3.30E-01	mg/L	n/a	n/a	177384	GU061200GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	n/a	0.087	n/a	n/a	2.40E-02	mg/L	n/a	J+	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.065	n/a	n/a	2.40E-02	mg/L	n/a	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.079	n/a	n/a	2.40E-02	mg/L	n/a	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.06	n/a	n/a	2.40E-02	mg/L	n/a	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.086	n/a	n/a	1.00E-02	mg/L	n/a	J+, U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.02	n/a	n/a	1.00E-02	SU	H	J-	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.9	n/a	n/a	1.00E-02	SU	H	J-	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.72	n/a	n/a	1.00E-02	SU	H	J	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.3	n/a	n/a	1.00E-02	SU	H	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.58	n/a	n/a	1.00E-02	SU	H	J	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	4390	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5730	n/a	n/a	6.80E+01	µg/L	N	J+	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	427	n/a	n/a	6.80E+01	µg/L	N	J+	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	593	n/a	n/a	6.80E+01	µg/L	E	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	3810	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5740	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	10800	n/a	n/a	6.80E+01	µg/L	N	J+	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	6990	n/a	n/a	6.80E+01	µg/L	N	J+	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	776	n/a	n/a	6.80E+01	µg/L	E	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5720	n/a	n/a	6.80E+01	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	62.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	70.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	49.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	37.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	62.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	67.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	91.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	78.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	37.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	81.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1950	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2910	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	260	n/a	n/a	2.50E+01	µg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	253	n/a	n/a	1.80E+01	µg/L	E	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	1710	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2580	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	5610	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	3900	n/a	n/a	2.50E+01	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	326	n/a	n/a	1.80E+01	µg/L	E	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2920	n/a	n/a	1.80E+01	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.1	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.7	n/a	n/a	5.00E-01	µg/L	J	J	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.2	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	3.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	3.2	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	<	0.5	n/a	n/a	5.00E-01	µg/L	U	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Lead	n/a	2.7	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	9.7	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	18.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	9.8	n/a	n/a	2.00E+00	µg/L	J	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	12.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	34.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	29.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	2.1	n/a	n/a	2.00E+00	µg/L	J	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	60.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.32	n/a	n/a	1.00E-01	µg/L	J	J	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.51	n/a	n/a	1.00E-01	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.6	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	J	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1	n/a	n/a	5.00E-01	µg/L	J	n/a	194314	GF070800GSTS01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.83	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.9	n/a	n/a	5.00E-01	µg/L	J	J	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.9	n/a	n/a	5.00E-01	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.6	n/a	n/a	5.00E-01	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.81	n/a	n/a	5.00E-01	µg/L	J	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	44.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	53	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.64	n/a	n/a	2.00E-01	µg/L	J	J-	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.58	n/a	n/a	2.00E-01	µg/L	J	J	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	<	0.2	n/a	n/a	2.00E-01	µg/L	U	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	<	0.2	n/a	n/a	2.00E-01	µg/L	U	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Silver	<	0.2	n/a	n/a	2.00E-01	µg/L	U	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.85	n/a	n/a	2.00E-01	µg/L	J	J-	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	1.4	n/a	n/a	2.00E-01	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	1.3	n/a	n/a	2.00E-01	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	<	0.2	n/a	n/a	2.00E-01	µg/L	U	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Silver	n/a	0.72	n/a	n/a	2.00E-01	µg/L	J	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	95.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	101	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	87.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	70.6	n/a	n/a	1.00E+00	µg/L	E	J	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	85.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	101	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	107	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	93.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	69.7	n/a	n/a	1.00E+00	µg/L	E	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	89.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.2	n/a	n/a	5.00E-02	µg/L	J	J	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.23	n/a	n/a	5.00E-02	µg/L	n/a	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.17	n/a	n/a	5.00E-02	µg/L	J	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.083	n/a	n/a	5.00E-02	µg/L	J	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.24	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.24	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.39	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.38	n/a	n/a	5.00E-02	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.09	n/a	n/a	5.00E-02	µg/L	J	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.44	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5	n/a	n/a	1.00E+00	µg/L	J	J	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.1	n/a	n/a	1.00E+00	µg/L	J	n/a	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	3.7	n/a	n/a	1.00E+00	µg/L	J	n/a	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	9.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.8	n/a	n/a	1.00E+00	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	2.2	n/a	n/a	1.00E+00	µg/L	J	n/a	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4.9	n/a	n/a	1.00E+00	µg/L	J	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	5.8	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	2.3	n/a	n/a	2.00E+00	µg/L	J	n/a	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2.4	n/a	n/a	2.00E+00	µg/L	J	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	9.2	n/a	n/a	2.00E+00	µg/L	J	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	7.4	n/a	n/a	2.00E+00	µg/L	J	J	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	17.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	13.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	<	2.7	n/a	n/a	2.00E+00	µg/L	J	U	189433	GU070600GSTS01	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.024	5.33E-03	4.20E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00479	1.13E-03	4.80E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000171	1.54E-03	4.83E-02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000236	1.87E-03	3.72E-02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.00995	1.47E-03	3.84E-02	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.0184	5.33E-03	4.20E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00648	1.67E-03	4.60E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000766	9.10E-04	4.41E-02	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00497	1.41E-03	3.53E-02	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.00112	2.71E-03	4.25E-02	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.69	5.67E-01	5.20E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-3.37	4.00E-01	3.20E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.88	2.42E-01	2.54E+00	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.18	3.60E-01	3.76E+00	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.0704	4.80E-01	4.65E+00	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.65	6.33E-01	5.80E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	5.66	7.33E-01	4.50E+00	n/a	pCi/L	UI	R	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.06	2.51E-01	2.33E+00	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.646	5.10E-01	4.42E+00	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.298	3.73E-01	3.60E+00	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.927	5.00E-01	5.20E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.52	4.33E-01	4.70E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.251	2.39E-01	2.30E+00	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.32	3.53E-01	3.00E+00	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.09	7.43E-01	5.85E+00	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.47	5.00E-01	5.10E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.58	5.33E-01	5.50E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.864	2.47E-01	2.33E+00	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.305	4.60E-01	4.52E+00	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.72	3.50E-01	4.15E+00	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	263	3.33E+01	3.90E+02	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	122	4.33E+01	2.90E+02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	33.5	1.23E+01	1.16E+02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.7	2.12E+01	2.39E+02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	83.9	3.77E+01	3.61E+02	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	174	3.33E+01	4.50E+02	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	207	3.67E+01	4.20E+02	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	37.8	7.17E+00	1.06E+02	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	76.6	1.82E+01	2.80E+02	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	130	3.57E+01	4.53E+02	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	45.7	4.33E+00	4.20E+01	n/a	pCi/L	UI	R	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	16.3	3.17E+00	3.20E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-8.03	1.66E+00	1.54E+01	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-15.8	3.40E+00	2.60E+01	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-9.6	2.20E+00	1.98E+01	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	10.8	2.87E+00	2.40E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-0.753	3.67E+00	3.70E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-12.7	1.53E+00	1.14E+01	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.333	4.27E+00	3.53E+01	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-3.08	2.65E+00	2.53E+01	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	1.80E-03	4.00E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0161	3.00E-03	3.60E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0126	4.03E-03	4.03E-02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00401	1.34E-03	2.80E-02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00196	1.46E-03	2.01E-02	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0	6.33E-04	3.50E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00478	3.33E-03	4.30E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00487	3.43E-03	3.89E-02	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.002	2.58E-03	2.80E-02	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00654	1.63E-03	2.24E-02	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	2.10E-03	4.00E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00603	1.50E-03	3.40E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.0101	3.57E-03	4.76E-02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.002	2.41E-03	3.11E-02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	1.85E-03	2.90E-02	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00949	2.10E-03	3.40E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00717	2.10E-03	4.10E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00243	1.81E-03	4.60E-02	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-9.54E-10	1.63E-03	3.10E-02	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0	1.78E-03	3.23E-02	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	21.3	5.67E+00	6.10E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-22.4	5.00E+00	4.80E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.12	3.73E+00	3.15E+01	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-2.03	5.30E+00	5.22E+01	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-26.7	6.83E+00	5.22E+01	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	23.6	6.67E+00	6.90E+01	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-19.7	6.00E+00	5.80E+01	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	5.43	4.87E+00	2.70E+01	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-36.5	5.43E+00	5.23E+01	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	8.1	6.20E+00	2.38E+01	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	09/10/04	WG	F	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.28	9.93E-02	6.99E-01	n/a	pCi/L	n/a	J	121197	GF04070GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:903.1	Radium-226	n/a	1.16	7.33E-02	3.70E-01	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	0.839	9.00E-02	7.10E-01	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.154	5.00E-01	5.00E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.9	4.00E-01	3.20E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.0687	2.46E-01	2.43E+00	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.64	3.67E-01	4.04E+00	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.181	5.17E-01	4.96E+00	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.874	5.00E-01	4.90E+00	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-3.6	5.00E-01	3.70E+00	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-1.06	3.25E-01	2.46E+00	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.51	4.43E-01	3.50E+00	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-2.96	4.83E-01	3.08E+00	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.289	3.67E-02	4.80E-01	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.16	1.83E-02	1.60E-01	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0323	2.44E-02	2.89E-01	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0528	4.20E-02	4.50E-01	n/a	pCi/L	U	JN-, U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0725	3.97E-02	4.80E-01	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.141	4.67E-02	5.00E-01	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0943	2.50E-02	2.50E-01	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.00591	3.83E-02	4.33E-01	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.055	2.98E-02	3.62E-01	n/a	pCi/L	U	U, JN-	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.361	4.70E-02	4.34E-01	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	26.21453	2.71E+00	3.16E+00	n/a	pCi/L	n/a	n/a	08-793	CAPA-08-10966	ARSL	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	63.86	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-309	CAPA-08-9219	UMTL	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	41.1897	4.26E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2407	UU070800GSTS01	UMTL	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	40.2318	4.26E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2364	UU070600GSTS01	UMTL	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	LLEE	Tritium	n/a	73.7583	8.51E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2320	UU070300GSTS01	UMTL	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0801	4.33E-03	6.20E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0619	4.67E-03	7.70E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0507	6.60E-03	8.48E-02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0238	3.32E-03	2.61E-02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.113	6.30E-03	7.00E-02	n/a	pCi/L	n/a	J	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.118	5.33E-03	6.10E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.165	7.33E-03	7.70E-02	n/a	pCi/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0905	7.87E-03	7.87E-02	n/a	pCi/L	n/a	J	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0316	3.16E-03	2.65E-02	n/a	pCi/L	n/a	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.117	6.20E-03	5.53E-02	n/a	pCi/L	n/a	J	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0154	1.97E-03	3.20E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00283	2.10E-03	4.00E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0131	3.17E-03	6.64E-02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.00679	1.69E-03	3.49E-02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.019	3.00E-03	4.45E-02	n/a	pCi/L	U	U	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00651	1.27E-03	3.20E-02	n/a	pCi/L	U	U	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00567	1.90E-03	4.00E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	-0.000146	3.47E-03	6.17E-02	n/a	pCi/L	U	U	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0046	1.09E-03	3.55E-02	n/a	pCi/L	U	U	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00749	2.21E-03	3.51E-02	n/a	pCi/L	U	U	183003	GU070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0605	3.67E-03	4.10E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10965	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.016	2.97E-03	4.80E-02	n/a	pCi/L	U	U	08-310	CAPA-08-9218	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0488	5.37E-03	7.44E-02	n/a	pCi/L	U	U	194314	GF070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0293	3.04E-03	3.48E-02	n/a	pCi/L	U	U	189433	GF070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0997	5.93E-03	5.33E-02	n/a	pCi/L	n/a	J	183003	GF070300GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/11/08	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0702	4.33E-03	4.00E-02	n/a	pCi/L	n/a	n/a	08-784	CAPA-08-10966	GELC	n/a	n/a
Starmer Spring	-	-	12/03/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.106	5.67E-03	4.80E-02	n/a	pCi/L	n/a	n/a	08-310	CAPA-08-9219	GELC	n/a	n/a
Starmer Spring	-	-	09/20/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0867	7.00E-03	6.91E-02	n/a	pCi/L	n/a	J	194314	GU070800GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	07/10/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0354	3.05E-03	3.53E-02	n/a	pCi/L	n/a	J	189433	GU070600GSTS01	GELC	n/a	n/a
Starmer Spring	-	-	03/21/07	WG	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0666	4.40E-03	4.21E-02	n/a	pCi/L	n/a	J	183003	GU070300GSTS01	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	25.9	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	37.7	n/a	n/a	7.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	48	n/a	n/a	7.25E-01	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	41.2	n/a	n/a	7.25E-01	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:310.1	Alkalinity-CO ³ +HCO ³	n/a	7.15	n/a	n/a	7.25E-01	mg/L	n/a	J-	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.123	n/a	n/a	3.00E-02	mg/L	n/a	J-	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.11	n/a	n/a	6.00E-02	mg/L	n/a	J-	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.03	n/a	n/a	3.00E-02	mg/L	U	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	n/a	0.037	n/a	n/a	3.00E-02	mg/L	J	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.03	n/a	n/a	3.00E-02	mg/L	U	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	19.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Calcium	n/a	13.4	n/a	n/a	3.00E-02	mg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.7	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.4	n/a	n/a	3.60E-02	mg/L	N	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	20	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Calcium	n/a	13.6	n/a	n/a	3.00E-02	mg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	11.9	n/a	n/a	3.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	10.8	n/a	n/a	3.00E-02	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Calcium	n/a	15.3	n/a	n/a	3.60E-02	mg/L	N	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	77.9	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	32.2	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	19	n/a	n/a	1.32E-01	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	46.8	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Chloride	n/a	60.3	n/a	n/a	6.60E-01	mg/L	n/a	J	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.145	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.181	n/a	n/a	3.30E-02	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.242	n/a	n/a	3.30E-02	mg/L	n/a	J+	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.237	n/a	n/a	3.30E-02	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Fluoride	n/a	0.163	n/a	n/a	3.30E-02	mg/L	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	70.2	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	47.6	n/a	n/a	4.25E-01	mg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	42.4	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	40.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54.4	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	71.3	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	49.2	n/a	n/a	4.25E-01	mg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	44.2	n/a	n/a	4.30E-01	mg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	40.7	n/a	n/a	4.25E-01	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SM:A2340B	Hardness	n/a	54	n/a	n/a	4.40E-01	mg/L	n/a	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.16	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Magnesium	n/a	3.45	n/a	n/a	8.50E-02	mg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.28	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.28	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.85	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	5.18	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Magnesium	n/a	3.72	n/a	n/a	8.50E-02	mg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.51	n/a	n/a	8.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.31	n/a	n/a	8.50E-02	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Magnesium	n/a	3.84	n/a	n/a	8.50E-02	mg/L	n/a	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.097	n/a	n/a	5.00E-02	mg/L	J	J	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.23	n/a	n/a	1.00E-01	mg/L	J	J	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.149	n/a	n/a	1.00E-02	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.013	n/a	n/a	1.00E-02	mg/L	J	JN-	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	n/a	0.346	n/a	n/a	1.00E-02	mg/L	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.216	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.213	n/a	n/a	5.00E-02	µg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.162	n/a	n/a	5.00E-02	µg/L	J	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.0654	n/a	n/a	5.00E-02	µg/L	J	J+	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	SW-846:6850	Perchlorate	n/a	0.316	n/a	n/a	5.00E-02	µg/L	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:314.0	Perchlorate	<	4	n/a	n/a	4.00E+00	µg/L	U	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.12	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Potassium	n/a	4.67	n/a	n/a	5.00E-02	mg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.39	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.73	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.78	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	4.12	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Potassium	n/a	4.97	n/a	n/a	5.00E-02	mg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.65	n/a	n/a	5.00E-02	mg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.86	n/a	n/a	5.00E-02	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Potassium	n/a	3.81	n/a	n/a	5.00E-02	mg/L	n/a	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	55.9	n/a	n/a	3.20E-02	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	26.5	n/a	n/a	3.20E-02	mg/L	N	J+	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Silicon Dioxide	n/a	24.3	n/a	n/a	3.20E-02	mg/L	N	J+	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	37.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Geninorg	EPA:200.7	Sodium	n/a	33.8	n/a	n/a	4.50E-02	mg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	22.9	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	22.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	29.8	n/a	n/a	4.50E-02	mg/L	n/a	J+	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	37.3	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:200.7	Sodium	n/a	34	n/a	n/a	4.50E-02	mg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	23.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	22.2	n/a	n/a	4.50E-02	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:6010B	Sodium	n/a	29.7	n/a	n/a	4.50E-02	mg/L	n/a	J+	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	358	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	209	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	195	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	293	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:120.1	Specific Conductance	n/a	321	n/a	n/a	1.00E+00	µS/cm	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	6.79	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	7.25	n/a	n/a	1.00E-01	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	6.19	n/a	n/a	1.00E-01	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	12.2	n/a	n/a	1.00E-01	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:300.0	Sulfate	n/a	10.6	n/a	n/a	1.00E-01	mg/L	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	18	n/a	n/a	1.10E+00	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	9	n/a	n/a	1.14E+00	mg/L	H	J	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	10	n/a	n/a	2.28E+00	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	1.6	n/a	n/a	1.14E+00	mg/L	J	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	UF	CS	n/a	Geninorg	EPA:160.2	Suspended Sediment Concentration	n/a	2.8	n/a	n/a	2.28E+00	mg/L	J	n/a	183582	GU070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	200	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	163	n/a	n/a	2.40E+00	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	151	n/a	n/a	2.38E+00	mg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	193	n/a	n/a	2.38E+00	mg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Geninorg	EPA:160.1	Total Dissolved Solids	n/a	232	n/a	n/a	2.38E+00	mg/L	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	3.27	n/a	n/a	3.30E-01	mg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.81	n/a	n/a	6.60E-01	mg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	4.85	n/a	n/a	3.30E-01	mg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	5.08	n/a	n/a	3.30E-01	mg/L	n/a	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	UF	CS	n/a	Geninorg	SW-846:9060	Total Organic Carbon	n/a	4.05	n/a	n/a	3.30E-01	mg/L	n/a	n/a	183582	GU070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.52	n/a	n/a	1.00E-02	SU	H	J-	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.51	n/a	n/a	1.00E-02	SU	H	J-	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	7.83	n/a	n/a	1.00E-02	SU	H	J	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Geninorg	EPA:150.1	pH	n/a	6.85	n/a	n/a	1.00E-02	SU	H	J	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	524	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Aluminum	n/a	2410	n/a	n/a	6.80E+01	µg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	5200	n/a	n/a	6.80E+01	µg/L	n/a	J	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	7700	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	297	n/a	n/a	6.80E+01	µg/L	*	J	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	1350	n/a	n/a	6.80E+01	µg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Aluminum	n/a	4190	n/a	n/a	6.80E+01	µg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	6880	n/a	n/a	6.80E+01	µg/L	n/a	J	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	7640	n/a	n/a	6.80E+01	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Aluminum	n/a	496	n/a	n/a	6.80E+01	µg/L	*	J	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	59	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Barium	n/a	49.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	48.9	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	59.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Barium	n/a	55	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	64.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Barium	n/a	58.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	56.3	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	66.6	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Barium	n/a	55.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	263	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Iron	n/a	1240	n/a	n/a	2.50E+01	µg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	2640	n/a	n/a	2.50E+01	µg/L	n/a	J	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	4040	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Iron	n/a	165	n/a	n/a	1.80E+01	µg/L	*	J	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	767	n/a	n/a	2.50E+01	µg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Iron	n/a	2170	n/a	n/a	2.50E+01	µg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	3560	n/a	n/a	2.50E+01	µg/L	n/a	J	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	4120	n/a	n/a	2.50E+01	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Iron	n/a	372	n/a	n/a	1.80E+01	µg/L	*	J	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Manganese	n/a	15.6	n/a	n/a	2.00E+00	µg/L	n/a	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	14.8	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	30.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.9	n/a	n/a	2.00E+00	µg/L	J	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	17.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Manganese	n/a	14.9	n/a	n/a	2.00E+00	µg/L	n/a	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	21.1	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	55.4	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Manganese	n/a	4.2	n/a	n/a	2.00E+00	µg/L	J	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.48	n/a	n/a	1.00E-01	µg/L	J	J	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	3.1	n/a	n/a	2.00E+00	µg/L	J	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Molybdenum	n/a	0.49	n/a	n/a	1.00E-01	µg/L	J	J	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	10	n/a	n/a	2.00E+00	µg/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Molybdenum	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.64	n/a	n/a	5.00E-01	µg/L	J	J	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.8	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	J	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.8	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.7	n/a	n/a	5.00E-01	µg/L	J	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.82	n/a	n/a	5.00E-01	µg/L	J	J	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.8	Nickel	n/a	1.5	n/a	n/a	5.00E-01	µg/L	J	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	1.4	n/a	n/a	5.00E-01	µg/L	J	J	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	2.3	n/a	n/a	5.00E-01	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6020	Nickel	n/a	0.83	n/a	n/a	5.00E-01	µg/L	J	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	22.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Silicon Dioxide	n/a	42.4	n/a	n/a	3.20E-02	mg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	111	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	68.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	65.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	94.4	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	110	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	110	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	71	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	65.7	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	94.1	n/a	n/a	1.00E+00	µg/L	n/a	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Strontium	n/a	114	n/a	n/a	1.00E+00	µg/L	n/a	n/a	183582	GU070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.11	n/a	n/a	5.00E-02	µg/L	J	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.25	n/a	n/a	5.00E-02	µg/L	n/a	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.053	n/a	n/a	5.00E-02	µg/L	J	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Metals	SW-846:6020	Uranium	<	0.05	n/a	n/a	5.00E-02	µg/L	U	n/a	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.11	n/a	n/a	5.00E-02	µg/L	J	J	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.14	n/a	n/a	5.00E-02	µg/L	J	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6020	Uranium	<	0.25	n/a	n/a	5.00E-02	µg/L	n/a	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.052	n/a	n/a	5.00E-02	µg/L	J	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	UF	CS	n/a	Metals	SW-846:6020	Uranium	n/a	0.096	n/a	n/a	5.00E-02	µg/L	J	n/a	183582	GU070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Vanadium	n/a	2.6	n/a	n/a	1.00E+00	µg/L	J	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	4	n/a	n/a	1.00E+00	µg/L	J	J	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	8.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Vanadium	<	1	n/a	n/a	1.00E+00	µg/L	U	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.5	n/a	n/a	1.00E+00	µg/L	J	J	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Vanadium	n/a	4.1	n/a	n/a	1.00E+00	µg/L	J	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	5.5	n/a	n/a	1.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	7.2	n/a	n/a	1.00E+00	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Vanadium	n/a	1.3	n/a	n/a	1.00E+00	µg/L	J	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	3.9	n/a	n/a	2.00E+00	µg/L	J	J	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	F	CS	n/a	Metals	EPA:200.7	Zinc	n/a	7.9	n/a	n/a	2.00E+00	µg/L	J	n/a	202317	GF080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	10.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	13.5	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Metals	SW-846:6010B	Zinc	<	2	n/a	n/a	2.00E+00	µg/L	U	n/a	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	6.3	n/a	n/a	2.00E+00	µg/L	J	J	08-748	CAPA-08-11000	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Metals	EPA:200.7	Zinc	n/a	10	n/a	n/a	2.00E+00	µg/L	J	n/a	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	13	n/a	n/a	2.00E+00	µg/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	15.3	n/a	n/a	2.00E+00	µg/L	n/a	n/a	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Metals	SW-846:6010B	Zinc	n/a	2.6	n/a	n/a	2.00E+00	µg/L	J	n/a	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00519	3.00E-03	3.90E-02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00125	1.20E-03	2.80E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Americium-241	<	0.0218	2.38E-03	4.00E-02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00902	2.73E-03	3.01E-02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	0.000805	2.50E-03	4.00E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00376	2.49E-03	4.95E-02	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00332	1.33E-03	2.80E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.000382	1.82E-03	4.68E-02	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Americium-241	<	-0.00498	1.74E-03	3.51E-02	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	1.18	4.33E-01	4.60E+00	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.63	4.33E-01	4.20E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.343	3.32E-01	3.25E+00	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Cesium-137	<	0.875	2.37E-01	2.53E+00	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.31	3.17E-01	2.90E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-1.26	6.70E-01	5.88E+00	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.764	2.27E-01	2.10E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.223	4.17E-01	4.02E+00	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cesium-137	<	-0.677	4.50E-01	4.35E+00	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.906	4.33E-01	3.90E+00	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.62	5.00E-01	3.70E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	1.1	3.28E-01	3.51E+00	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.0387	2.98E-01	2.98E+00	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-1.33	4.00E-01	3.70E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	2.93	9.23E-01	6.79E+00	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.481	2.17E-01	2.00E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	-0.646	3.30E-01	3.07E+00	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Cobalt-60	<	0.168	4.60E-01	4.64E+00	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65	2.00E+01	2.80E+02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	39.1	9.33E+00	1.20E+02	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	59.6	4.30E+01	2.45E+02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	88.6	2.03E+01	2.80E+02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WS	F	CS	n/a	Rad	EPA:901.1	Gross gamma	<	86.5	2.14E+01	3.10E+02	n/a	pCi/L	U	U	183582	GF070300P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	58	1.47E+01	1.50E+02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	50.7	2.20E+01	1.70E+02	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	86.8	2.72E+01	2.12E+02	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	65.8	3.67E+01	2.39E+02	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/03/07	WP	UF	CS	n/a	Rad	EPA:901.1	Gross gamma	<	73.1	2.20E+01	2.23E+02	n/a	pCi/L	U	U	183582	GU070300P24402	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-19.4	3.33E+00	3.00E+01	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-11	3.13E+00	3.00E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.95	2.83E+00	2.50E+01	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	17.3	2.30E+00	1.90E+01	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	-2.57	2.80E+00	2.30E+01	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	4.36	4.03E+00	3.57E+01	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	0.874	1.90E+00	1.60E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	2.96	3.23E+00	2.95E+01	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Neptunium-237	<	10.1	3.93E+00	3.37E+01	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.00272	9.00E-04	5.20E-02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00185	2.03E-03	3.30E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00425	2.30E-03	3.63E-02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00837	1.68E-03	2.34E-02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.0199	4.00E-03	5.50E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	1.42E-10	1.13E-03	4.37E-02	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	0.0109	2.83E-03	3.20E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00762	2.46E-03	4.15E-02	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-238	<	-0.00691	2.31E-03	2.42E-02	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0109	2.57E-03	5.60E-02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00185	1.83E-03	3.20E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00493	2.07E-03	4.28E-02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00335	9.67E-04	2.59E-02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.00284	2.83E-03	5.80E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	0.00477	1.95E-03	5.14E-02	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0127	2.03E-03	3.10E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0085	3.47E-03	4.89E-02	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Plutonium-239/240	<	-0.0173	2.45E-03	2.68E-02	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-14.7	5.67E+00	5.30E+01	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	27.9	7.67E+00	3.90E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-9.33	5.40E+00	5.27E+01	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Potassium-40	<	41.3	3.70E+00	2.28E+01	n/a	pCi/L	UI	R	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	-4.35	5.33E+00	5.40E+01	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	1.89	1.16E+01	6.12E+01	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	8.54	4.00E+00	2.10E+01	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	10.4	7.60E+00	3.62E+01	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Potassium-40	<	0.345	8.57E+00	2.47E+01	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0.244	5.00E-02	4.90E-01	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	0	6.53E-02	7.92E-01	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:901.1	Radium-226	<	4.62	4.17E-01	4.73E+00	n/a	pCi/L	U	U	111808	GU04040M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:903.1	Radium-226	<	-0.0716	4.47E-02	5.68E-01	n/a	pCi/L	U	U	111808	GU04040M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:904	Radium-228	<	0.294	7.67E-02	7.60E-01	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:901.1	Radium-228	<	4.24	1.27E+00	8.73E+00	n/a	pCi/L	U	U	111808	GU04040M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	04/27/04	WM	UF	CS	n/a	Rad	EPA:904	Radium-228	n/a	2.83	1.48E-01	1.33E+00	n/a	pCi/L	n/a	J+	111808	GU04040M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.12	4.00E-01	4.30E+00	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	2.88	4.00E-01	5.10E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.67	3.93E-01	3.09E+00	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.436	2.59E-01	2.48E+00	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.854	4.00E-01	4.20E+00	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	1.41	5.93E-01	6.16E+00	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.857	2.83E-01	2.20E+00	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	0.595	3.87E-01	3.94E+00	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:901.1	Sodium-22	<	-0.372	4.40E-01	4.32E+00	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.159	5.00E-02	5.00E-01	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.0409	4.33E-02	4.60E-01	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.16	2.89E-02	3.67E-01	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.148	3.53E-02	3.54E-01	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.376	5.00E-02	4.40E-01	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0878	4.03E-02	4.78E-01	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.199	4.67E-02	4.70E-01	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	-0.0105	3.05E-02	3.53E-01	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	EPA:905.0	Strontium-90	<	0.165	2.71E-02	2.63E-01	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	LLEE	Tritium	n/a	25.03312	2.61E+00	3.32E+00	n/a	pCi/L	n/a	n/a	08-747	CAPA-08-11000	ARSL	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	EPA:906.0	Tritium	<	-44.2	1.66E+01	1.71E+02	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	LLEE	Tritium	n/a	40.8704	4.26E-01	2.87E-01	n/a	pCi/L	n/a	n/a	08-418	CAPA-08-9267	UMTL	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	LLEE	Tritium	n/a	52.6845	5.32E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2400	UU070900P24401	UMTL	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WP	UF	CS	n/a	Rad	LLEE	Tritium	n/a	72.4811	7.45E-01	2.87E-01	n/a	pCi/L	n/a	n/a	2363	UU070600P24401	UMTL	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.00632	2.73E-03	7.40E-02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0547	4.33E-03	8.50E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0705	6.37E-03	8.05E-02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0209	3.87E-03	4.25E-02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0283	3.67E-03	7.60E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.225	1.28E-02	1.82E-01	n/a	pCi/L	n/a	J	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.0661	4.33E-03	6.80E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-234	<	0.055	5.30E-03	7.58E-02	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-234	n/a	0.0302	3.00E-03	2.69E-02	n/a	pCi/L	n/a	J	188820	GU070600P24401	GELC	n/a	n/a

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0026	2.30E-03	3.80E-02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0169	2.67E-03	3.70E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0149	3.53E-03	6.30E-02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.00368	1.23E-03	5.69E-02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0	2.20E-03	3.90E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0253	5.97E-03	9.01E-02	n/a	pCi/L	U	U	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0227	2.43E-03	3.00E-02	n/a	pCi/L	U	U	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0047	1.57E-03	5.94E-02	n/a	pCi/L	U	U	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-235/236	<	0.0116	2.07E-03	3.60E-02	n/a	pCi/L	U	U	188820	GU070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0126	2.83E-03	4.80E-02	n/a	pCi/L	U	U	08-748	CAPA-08-10999	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0593	4.33E-03	4.90E-02	n/a	pCi/L	n/a	n/a	08-412	CAPA-08-9265	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0403	4.93E-03	7.06E-02	n/a	pCi/L	U	U	193728	GF070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	F	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0238	3.47E-03	5.66E-02	n/a	pCi/L	U	U	188820	GF070600P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	03/05/08	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	<	0.0283	3.33E-03	5.00E-02	n/a	pCi/L	U	U	08-748	CAPA-08-11000	GELC	n/a	n/a
Twomile above Pajarito	-	-	01/29/08	WM	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.199	1.18E-02	1.07E-01	n/a	pCi/L	n/a	J	202317	GU080100M24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	12/17/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0478	4.00E-03	4.00E-02	n/a	pCi/L	n/a	n/a	08-412	CAPA-08-9267	GELC	n/a	n/a
Twomile above Pajarito	-	-	09/12/07	WP	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0874	6.33E-03	6.65E-02	n/a	pCi/L	n/a	J	193728	GU070900P24401	GELC	n/a	n/a
Twomile above Pajarito	-	-	06/27/07	WS	UF	CS	n/a	Rad	HASL-300	Uranium-238	n/a	0.0377	2.90E-03	3.58E-02	n/a	pCi/L	n/a	J	188820	GU070600P24401	GELC	n/a	n/a

^a n/a = not applicable.

^b – = None.

Appendix E

Screening Results

The following pages provide (1) definitions for other codes, (2) laboratory qualifier codes, (3) secondary validation flag codes, and (4) secondary validation reason codes. Refer to each of these sets of codes while reviewing the tables in Appendix E.

Definitions for Other Codes

Field Prep Code	
Field Prep Code	Description
ASHED	Ashed
CRUSH	Crushed
F	Filtered
NA	Not Applicable
SV	Sieved
UA	Unassigned
UF	Unfiltered
UNK	Unknown
Field QC Type Code	
Field QC Type Code	Description
CO	Collocated
EQB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
FPR	Field Prepared Reagent
FPS	Field Prepared Spike
FR	Field Rinsate
FS	Field Split
FTB	Field Trip Blank
FTR	Field Triplicate
INB	Equipment blank taken during installation and not assoc with a sampling event
ITB	Trip blank taken during installation and not assoc with a sampling event
NA	Not Applicable
PE	Performance Evaluation
PEB	Performance Evaluation Blank
PEK	Performance Evaluation Known
RES	Resample
SS	Special Sampling Event, Data Unique
UA	Unassigned

Definitions for Other Codes (continued)

Analyte Suite Code	
Suite Code	Description
DIOX/FUR	Dioxins and Furans
DRO	Diesel Range Organics
GENINORG	General Inorganics
HERB	Herbicides
HEXP	High Explosives
METALS	Metal
PEST/PCB	Pesticides and PCBs
RAD	Radionuclides
SVOA	Semivolatile Organics
VOA	Volatile Organics
Lab Sample Type Code	
Lab Sample Type Code	Description
BLIND	Blind QC
BS	Blank Spike
BSD	Blank Spike Duplicate
CS	Client Sample
DL	Dilution
DUP	Duplicate
LCS	Lab Control Sample
LCSD	Lab Control Sample Duplicate
LCST	Laboratory Control Sample Triplicate
MB	Method Blank
MBD	Method Blank Duplicate
MBT	Method Blank Triplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
MSQD	Matrix Spike Quadruplicate
MSQT	Fifth Matrix Spike
MST	Matrix Spike Triplicate
QNT	Fifth Replicate
QUD	Quadruplicate
RE	Reanalysis
REDP	Reanalysis Duplicate
RETRP	Reanalysis Triplicate
RI	Reissue
RID	Reissue Duplicate
SXT	Sixth Replicate
TOTC	Calculated Total
TOTCD	Calculated Total for a Duplicate
TRP	Triplicate

Laboratory Qualifier Codes

Lab Qualifier Code	Laboratory Qualifier Description
*	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
**	** (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
*E	*(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
ABJ	(A) (Organic)—The tentatively Identified compound is an aldol condensate. (B) (Organic).—This analyte was detected in the associated Laboratory Method Blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
AJ	A (Organic)—The tentatively Identified compound is an aldol condensate. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
B	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit.
B*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument detection limit but less than the contract required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
B*E	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BEN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument detection limit but less than the contract required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
BEN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
BJ	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
BJN	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC).
BJP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
BN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BNE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
BW	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
D	(D) (Organic)—The result for this analyte was reported from a dilution.
DJ	(D) (Organic)—The result for this analyte was reported from a dilution. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
DP	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
DPX	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
E	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
E*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
EJ	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
EJ*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
EN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
H	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
I	(I) (DIOXIN)—The lab is reporting an interference for the associated congener. The reported concentration is an Estimated Maximum Possible Concentration (EMPC) due to the reported interference.
J	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
J*	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
JN	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
JN*	(J) (Organic/Inorganic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JP	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the Practical Quantitation Limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
JPX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
JX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
L	(L) (Inorganic)—The result for this analyte in the serial dilution sample indicates physical and chemical interferences are present.
LT	(LT) (Rad)—The result for this analyte is affected by spectral interference.
N	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
N*	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
P	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
PJ	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
PX	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
Q	(Q)—The result for this analyte was reported at an elevated reporting limit.
SI	(SI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
SQ	(SQ) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
TI	(TI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
U	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit.
U*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UE	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
UEN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
UH	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UI	(UI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification.
UJ	(UJ) (Organic)—Legacy CST lab code should not be used.
UL	UL (all suites)—Not detected legacy—This lab qualifier code is applied by WQ personnel for CST data and other legacy data that was reported as not detected using the less than symbol without the laboratory assigning a U lab code.
UN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
UN*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UUI	(UUI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification and the lab assigned these gamma spectroscopy results as not detected.
UW	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
UY2	(UY2) (Rad)—Result should be regarded as an uncertain identification due to spectral interference.
W	(W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
X	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
XB	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected. (B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit.

Secondary Validation Flag Codes

Valid Flag Code	Valid Flag Desc
A	The contractually required supporting documentation for this datum is absent.
GUP	Matrix and Units are inconsistent.
IUP	Matrix and Units are inconsistent.
J	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual.
J+	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
J-	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
JN+	Presumptive evidence of the presence of the material at an estimated quantity with a suspected positive bias.
JN-	Presumptive evidence of the presence of the material at an estimated quantity with a suspected negative bias.
JPM	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual. Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
LIMIT	The limit type is uncertain.
MS	Invalid validation flag. MS indicates a laboratory matrix spike sample.
MSD	Invalid validation flag. MSD indicates a laboratory matrix spike duplicate sample.
N	Presumptive evidence of the presence of the material.
NJ	(Organic)—Analyte has been tentatively identified and the associated numerical value is estimated based upon 1:1 response factor to the nearest eluting internal standard
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
NUP	Matrix and Units are inconsistent B
P	Use professional judgment based on data use. A decision must be made by the project manager or a delegate with regard to the need for further review of the data. This review should include some consideration of potential impact that could result from using the P-qualified data.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
R	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone

Secondary Validation Flag Codes (continued)

Valid Flag Code	Valid Flag Description
RPM	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
RUP	Matrix and units are inconsistent C.
U	The analyte is classified as not detected.
UA	Invalid validation flag of unknown meaning.
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.
VUP	Matrix and units are inconsistent D.

Secondary Validation Reason Codes

Valid Reason Code	Valid Reason Description
C12d	VOC_C12d
DR12a	ORGANIC_ODRO12a
DR3b	ORGANIC_ODRO3b
DR9a	ORGANIC_ODRO9a
G165b	GAMMA_GR165b
G165c	GAMMA_GR165c
G16b	GAMMA_G16b
G16bc	GAMMA_GR16bc
G16c	GAMMA_G16c
G3TPU	The sample result is less than or equal to 3 times the 1-sigma total propagated uncertainty.
G9a	GAMMA_G9a
G9ra	GAMMA_G9ra
GADM1	GAMMA_GADMIN1
GADMI	GAMMA_GADMIN1
GCZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
GI16b	GAMMA_GI16b
GI16c	GAMMA_GI16c
GI16d	GAMMA_GI16d
GI4	GAMMA_GI4
GI5	GAMMA_GI5
GIQ	GIQ
GIR16	GAMMA_GIR16c
GJCST	Chemical Sciences and Technology validators assigned a J qualifier to this sample result. The hardcopy validation report should be reviewed to determine the reason for applying the J qualifier.
GJLAB	GJLAB_GAMMA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GLCS	The percent recovery from the laboratory control sample for this analyte was less than 10%.
GNONE	A reason code is not available in the database for the data qualifier(s) applied to this sample result.
GNPO	The reported result should be regarded as rejected because no peak was observed for this radionuclide in the gamma spectrum.
GNQ	The reported result should be regarded as rejected because the gamma spectrum peak was not quantitated.
GR1	The tracer yield information is missing. Data may not be acceptable for use.
GR10	GAMMA_GR10
GR10a	GAMMA_GR10a
GR11	GAMMA_GR11
GR15b	GAMMA_GR15b
GR15c	GAMMA_GR15c
GR16	GAMMA_GR16
GR165	GAMMA_GR165b
GR166	GAMMA_GR166
GR16a	GAMMA_GR16a
GR16b	GAMMA_GR16b
GR16c	GAMMA_GR16c
GR16d	GAMMA_GR16d
GR16g	GAMMA_GR16g
GR17c	GAMMA_GR17c
GR19	The validator identified quality deficiencies in the reported data that require qualification.
GR1a	The tracer %R value is less than 10%.
GR1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
GR1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
GR3	The matrix spike information is missing. Data may not be acceptable for use.
GR3a	ORGANIC_OGRO3a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR3b	ORGANIC_OGRO3b
GR3c	ORGANIC_OGRO3c
GR3d	ORGANIC_OGRO3d
GR3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
GR4	GAMMA_GR4
GR4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5x the associated sample concentration.
GR5	GAMMA_GR5
GR54	GAMMA_GR54
GR5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
GR5b	GR5b
GR6	GAMMA_GR6
GR6a	GR6a
GR6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
GR6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
GR6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
GR6e	GR6e
GR7	GAMMA_GR7
GR7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
GR7b	GAMMA_GR7b
GR7c	The affected analytes are qualified as rejected because the RER was greater than 4.
GR8	GAMMA_GR8
GR9	GAMMA_GR9

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR9a	GAMMA_GR9a
GR9b	GAMMA_GR9b
GRA	GAMMA_GRA
GRLAB	R Lab Gamma
GRNA	GAMMA_GRNA
GRR16	GAMMA_GRR16c
GRR1b	GAMMA_GRR1b
GRR6c	GAMMA_GRR16c
GSI	The reported result for this radionuclide should be regarded as rejected (R) due to spectral interference in the gamma spectrum.
GTI	The reported result should be regarded as rejected because the radionuclide identification based on the gamma spectrum is tentative.
GUJC	This analyte should be regarded as not detected because the analytical laboratory assigned a U lab qualifier. Chemical Sciences and Technology validators assigned the J qualifier. The hardcopy validation report should be reviewed to determine the reason for applying the J qualifier.
GULAB	This analyte should be regarded as not detected because the analytical laboratory assigned a U lab qualifier.
GUP_R	Gamma: Units and matrix inconsistent.
GZR	The result for this radionuclide was reported as zero (0); therefore, this analyte should be regarded as not detected.
GZUNC	Chemical Sciences and Technology division reported this result with an uncertainty value of zero (0), indicating that this analyte should be regarded as not detected.
G_LIA	The sample was lost in analysis. Results are not available for this sample.
G_MDA	The limit type (e.g., MDA, MDC, or DLC) was not reported by the analytical laboratory; the reported limit value has been saved in the MDA field.
G_NQ	No data qualifier flag has been applied to this sample result.
G_TPU	Result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
H10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
H11	The required retention time information is missing. Data may not be acceptable for use.
H11a	The affected analytes should be regarded as rejected because the associated retention times have shifted by more than 0.05 minutes from the initial calibration.
H12	Required LCS data are missing. The LCS analyte recoveries could not be evaluated. Data may not be acceptable for use.
H12a	H12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H12b	HEXP_H12b
H12c	HEXP_H12c
H12d	HEXP_H12d
H14a	Insufficient sample volume was received for a matrix spike and/or a matrix spike duplicate analysis.
H14b	The matrix spike and/or the matrix spike duplicate analyses were not performed on a sample associated with a LANL request number.
H14c	The matrix spike and/or the matrix spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
H15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
H16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
H19	The validator identified quality deficiencies in the reported data that require qualification.
H3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results
H3a	The surrogate percent recovery is less than the LAL but greater than 10%R, which indicates the potential for a low bias in the detected results.
H3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
H3c	The reporting limit is approximated for nondetects because a surrogate percent recovery is lower than the LAL but greater than or equal to 10%R, which indicates an increased potential for false negative results.
H3d	The surrogate recovery is less than 10% and the result is a nondetect, which indicates significant potential for false negative results.
H3e	At least one surrogate percent recovery exceeds its upper UAL and at least one surrogate is less than its LAL, which indicates a greater than normal degree of uncertainty in the data.
H3f	At least one surrogate is less than 10%R and the sample result is a detect, which indicates the potential for a severely low bias in the results.
H3g	Required surrogate information is missing. Data may not be acceptable for use.
H4	The sample result is greater than the EQL and less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
H4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5x.
H4b	Required method blank information is missing. Data may not be acceptable for use.
H5	The sample result is less than the EQL and less than 5 times the concentration of the analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H5a	Method-blank data is missing, or method blank was not analyzed. Data may not be acceptable for use.
H6	The recovery of the LCS analyte is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
H6a	HEXP_H6a
H6b	The of the LCS analyte percent recovery is less than the LAL and greater than or equal to 10%R, which indicates (1) the reporting limit is approximate and probably biased low for nondetected results, and (2) that detected results likely are biased low.
H6c	H6c
H6d	The result is a nondetect and the %R value of surrogates or the analyte in the LCS is less than 10%R, which indicates a greatly increased potential for false negative results.
H7	The affected results were not analyzed with a valid 5 point calibration curve and/or a standard at the reporting limit.
H7a	HEXP_H7a
H7c	The affected analytes should be regarded as estimated and/or rejected because the associated analyte did not have a standard at the reporting limit.
H8	HEXP_H8
H8a	The required confirmation column analysis data is missing. Data may not be acceptable for use.
H9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the effects of exceeding the holding time. Factors to consider include how long the holding time was exceeded, sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
H9a	H9a
H9b	HEXP_H9b
HEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
HERB	ORGANIC_HERB 3A
HERB1	ORGANIC_HERB12A
HERB3	ORGANIC_HERB3
HERB4	ORGANIC_HERB4
HERB8	ORGANIC_HERB8
HERB9	ORGANIC_HERB9
HHOLD	The result should be regarded as rejected (R) because the holding time was exceeded by more than 2 times.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HJCST	CST assigned the J qualifier, need hard copy to determine CST's reason.
HNONE	No reason for historic HEXP data.
HNQ	HNQ
HQCBL	The J or R qualifier should not be accepted because the qualifier was assigned by CST based on a noncertified standard. The J or R qualifier should be ignored.
HR12a	ORGANIC_HERB12A
HR12b	ORGANIC_HERB12B
HR12c	ORGANIC_HERB12C
HR12d	ORGANIC_HERB12D
HR3a	ORGANIC_HERB 3A
HR3b	ORGANIC_HERB 3D
HR3d	ORGANIC_HERB3D
HR9	ORGANIC_HERB 9
HRLAB	R Lab HEXP
HSM	HEXP_SPECTRAL MATCH
HUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
HUJL	HUJL
HUJLA	HUJLA_HEXP
HULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
HWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
HWQ10	Calibration Verification %D exceeded 60%
HWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
HWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
HWQ4	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HWQ5	Nonspecified quality control failure; see validation report
HWQ6	The sample was improperly preserved.
HWQ7	Calibration % RSD was greater than the acceptance criteria but less than 60%
HWQ8	Calibration % RSD was greater than 60%
HWQ9	Calibration verification %D exceeded acceptance criteria but was less than 60%
Hba	HEXP_Hba
I	INORGANIC_I
I1	The sample result was reported as detected between the IDL and the EDL. Reported result may be less precise than results that are reported as being above the EDL.
I10	The duplicate sample RPD is greater than the advisory limit and the sample result is a detect. Manual review is suggested to determine the source of the difference between analyses.
I10a	The duplicate sample RPD is greater than the advisory limit and the sample result is a nondetect. Manual review is suggested to determine the source of the difference between analyses.
I10b	The affected analytes should be regarded as estimated because the duplicate results were not analyzed on a LANL sample.
I10c	The affected analytes should be regarded as estimated because the duplicate results exceeded the RPD requirements.
I10d	The affected analytes should be regarded as estimated because the duplicate results were greater than 2x the RL and the RPD was greater than 20 for water and 35 for soils.
I110	INORGANIC_I110
I113a	INORGANIC_I113a
I114b	INORGANIC_I114b
I13	INORGANIC_I13
I134b	INORGANIC_I134b
I13a	Insufficient sample volume was received for a duplicate-sample analysis.
I13b	The duplicate-sample analysis was not performed on a sample associated with this request number.
I13d	INORGANIC_I13d
I14	I14
I14a	Insufficient sample volume was received for a matrix-spike analysis.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I14b	The matrix-spike analysis was not performed on a sample associated with this request number.
I15	The sample was damaged, lost, or there was insufficient quantity and the analytical laboratory was unable to analyze it.
I15a	An ICV was not reported for this sample.
I15b	A CCV was not reported for this sample.
I16	Relative percent difference is greater than 10% in the serial dilution sample.
I16a	The affected analytes should be regarded as rejected because the ICV/CCV recovered high.
I16b	INORGANIC_I16b
I16c	The affected analytes should be regarded as estimated because the ICV/CCV recovered low.
I16d	The affected analytes should be regarded as rejected because the ICV/CCV recovered less than 10%.
I16e	The affected analytes should be regarded as rejected because the initial calibrations correlation coefficient was less than 0.995
I16z	The affected analytes should be regarded as rejected because the ICV/CCV was not analyzed with the associated samples.
I17d	INORGANIC_I17d
I18	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed.
I18a	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed on a LANL sample.
I18b	The affected analytes should be regarded as estimated because the serial dilution sample RPD exceeded criteria.
I19	INORGANIC_I19
I1a	INORGANIC_I1a
I20	INORGANIC_I20
I24b	INORGANIC_I24b
I2h	INORGANIC_I2h
I3	The spike percent recovery value is greater than or equal to the upper acceptance limit (125%) but less than or equal to 150% and the result is a detect, which indicates a potential high bias in the sample results.
I3a	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a detect, which indicates a potential low bias in the results.
I3b	INORGANIC_I3b
I3c	INORGANIC_I3c

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I3d	The spike percent recovery value is less than 30%, and the result is a nondetect, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
I3e	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a nondetect, which indicates a potential for false negatives being reported.
I3e I	INORGANIC_I3e I4
I3eI4	INORGANIC_I3e I4
I3f	The spike percent recovery value is less than 30% and the sample result is a detect, which indicates a potential low bias.
I3g	The sample result is undetected and the spike percent recovery value is greater than 150%, which indicates a potential bias in the sample result.
I3h	The sample result is detected and the spike percent recovery value is greater than 150%, which indicates a potential high bias in the sample result.
I3j	INORGANIC_I3j
I3l	INORGANIC_I3l
I4	INORGANIC_I4
I4a	In comparison with the preparation blank, the sample result is greater than the EDL but less than or equal to 5 times the concentration of the related analyte in the blank.
I4b	Preparation blank data were not reported by the analytical laboratory.
I5	The sample result is less than the estimated detection limit (EDL) and is considered to be not detected.
I6	The percent recovery value of the analyte in the LCS is greater than the upper acceptance limit, which indicates a potential for quantitation problems in the analyses and the potential for false positive results being reported.
I6a	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit and the analyte is a detect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6b	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit and the analyte is a nondetect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6c	The corresponding LCS or LCS analyte was not analyzed with the associated batch.
I7	The ICS percent recovery value is greater than 120% and the result is a detect, which indicates potential quantitation problems in the analyses and the potential for false positive results being reported.
I7a	The ICS percent recovery value is greater than or equal to 50% and less than 80% and the result is a detect, which indicates a potential for a low bias.
I7b	The ICS percent recovery value is less than 50%, which indicates a greatly increased potential for false negative sample results being reported.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I7c	The ICS percent recovery value is greater than or equal to 50% and less than 80%, and the result is a nondetect, which indicates a potential for false negative results being reported.
I7d	The ICS data was not provided by the analytical laboratory.
I9	The holding time is exceeded. Positive results may be biased low and nondetected analytes may be false negatives. An evaluation of the data with respect to the technical implications of exceeding the holding time is recommended. Factors to consider include sample preservation; sample storage practices; data use; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
I9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
IADM1	INORGANIC_IADMIN1
IADMI	INORGANIC_IADMIN1
ICSTZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
IDRPD	IDRPD
IEQL	INORGANIC_IEQL/MDL
IEQL/	INORGANIC_IEQL/MDL
IH6a	INORGANIC_IH6a
IHOLD	IHOLD
IICP	IICP
IJCST	CST assigned the J qualifier, need hard copy to determine CST's reason.
IJLAB	IJLAB
ILCS	ILCS
ILIA	ILIA
ILOWS	VOC_LOWSTD
ILS	VOC_LOW STD
IMS10	IMS10
IMS30	IMS30
INONE	No reason for historical inorganic data
INQ	INQ

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IPM	INORGANIC_IPM
IQCBL	IQCBL
IR10b	INORGANIC_IR10b
IR14b	INORGANIC_IR14b
IR3	INORGANIC_IR3
IR3a	INORGANIC_IR3a
IR4	INORGANIC_IR4
IR5	INORGANIC_IR5
IR6a	INORGANIC_IR6a
IR7	INORGANIC_IR7
IR9a	INORGANIC_IR9a
IR9b	INORGANIC_IR9b
IRCST	CST assigned the R qualifier, need hard copy to determine CST's reason.
IU1	INORGANIC_IU1
IU3e	INORGANIC_IU3e
IUA	INORGANIC_IUA
IUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
IUJLA	IUJLA
IULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
IUP_R	Inorganic: Units and matrix are inconsistent.
IUUJ	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
IV3a	INORGANIC_IV3a
IWQ1	The sample temperature was elevated
IWQ2	Negative blank samples results were greater than the MDL

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IWQ3	Failed serial dilution RPD
IWQ4	Sample should have been preserved by acidification but was not. Error was not corrected at the laboratory.
IWQ5	Sample should not have been acidified but was. Error could not be corrected at the laboratory.
IWQ6	Nonspecified quality control failure; see validation report
IWQ7	Reporting limit verification recovery was greater than the acceptance criteria.
IZR	IZR
Id	INORGANIC_Id
Is	INORGANIC_Is
J+	VOC_J+
J-	VOC_J-
J_LAB	The analytical laboratory qualified the detected result as estimated (J) because the result was less than the PQL but greater than the MDL.
LB	Gross contamination exists from a source other than the standard.
LB1	Method-blank data are missing, or method blank was not analyzed at the required frequency.
LB2	ICB/CCB data are missing, or ICB/CCB was not run at the required frequency.
LB9	The sample result is less than 5 times the concentration of the related analyte in the blank.
LC1	The frequency of the CCV did not meet method criteria.
LC2	The CCV %D failed high.
LC3	The CCV %D failed low.
LCO	Suspected carryover. Compound detected in sample at value < 5X PQL. The previous sample had a value > high standard and required dilution.
LDL1	No CRI was analyzed to verify the reporting limit.
LDL2	The CRI recovery failed high.
LDL3	The CRI recovery failed low.
LDS1	An initial dilution was performed and the surrogate recovery was >= 10% OR <10% but some sample results are >PQL.
LDS2	An initial dilution was performed and the surrogate recovery was 0% and sample results are nondetect.
LDS3	The sample result in a diluted sample was nondetect.
LDS4	The instrument response for a diluted sample result was < half the lowest calibration standard and the sample result is detect.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LH1	The holding time is exceeded for sample analysis
LH2	The holding time is exceeded for sample extraction
LH3	The holding time is exceeded by greater than twice the specified holding time
LI	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
LI2	A second source ICV (or second standard made from the same stock) was not used to verify the calibration
LI3	The initial calibration %RSD or correlation coefficient failed to meet acceptance criteria.
LI4	The initial calibration slope or RF criteria were not met.
LI5	The initial calibration y-intercept criteria were not met.
LI6	An insufficient number of calibration standards were used and/or all standards were not analyzed within a 24 hour period. Data may not be acceptable for use.
LI7	Points were removed from the calibration curve and the reporting limits were not adjusted accordingly.
LIR1	Chlorine isotope ratio criteria not met.
LIS	Required IS information is missing.
LIS1	The IS area count failed high.
LIS2	The IS area count failed low.
LIS4	The IS RT is >30sec from that of the associated standard.
LIV2	The ICV %D failed high.
LIV3	The ICV %D failed low.
LL1	The frequency of the LCS did not meet the specified criteria.
LL2	The LCS %R failed high.
LL3	The LCS %R failed low.
LL4	The LCS %Rs failed both high and low, or the LCS/LSCD RPD failed to meet criteria.
LMS1	An applicable MS/MSD analysis was not performed.
LMS2	The MS/MSD %R failed high.
LMS3	The MS/MSD %R failed low.
LMS4	Relative percent difference of the MS/MSD is greater than the acceptance criteria or the recoveries fail both high and low.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LOW S	VOC_LOW STD
LOWST	VOC_LOWSTD
LP1	The sample was improperly preserved.
LP3	Sample not maintained at required temperature
LR1	The sample result exceeded the calibration range.
LR2	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
LRP1	There is no measure of precision for the sample, i.e., no replicate, MSD or LCSD was performed.
LRP2	The replicate precision criteria are not met.
LS	Required surrogate information is missing. Data may not be acceptable for use.
LS1	Surrogate failed high.
LS2	Surrogate failed low.
LS4	The surrogate %R in the blank did not meet acceptance criteria.
LWQ1	specified quality control failure; see report
MDL	ORGANIC_OEQL/MDL
N3TPU	NONE_<3*TPU result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
NJCST	NONE_J_CST
NJLAB	NONE_J_LAB
NND	NONE_NONDETECT
NNQ	NONE_NQ
NQ	The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualifier. The analyte is detected in the sample.
NS12a	SVOC_SVV12a
NS12c	SVOC_SVV12c
NS1a	SVOC_SVVS1a
NUA	NONE_NUA
NULAB	NONE_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
NUP_R	Units and matrix are inconsistent.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
O12d	ORGANIC_OSV12d
O5XBL	ORGANIC_O5XBLANK
ODRO1	ORGANIC_ODRO12a
ODRO3	ORGANIC_ODRO3
ODRO4	ORGANIC_ODRO4
ODRO5	ODRO5_ORGANIC
ODRO7	ODRO7_ORGANIC
ODRO9	ORGANIC_ODRO9
OEQL/	ORGANIC_OEQL/MDL
OGR3b	OGR3b_ORGANIC
OGR3c	OGR3c_ORGANIC
OGRO3	ORGANIC_OGRO3
OGRO7	OGRO7_ORGANIC
OGRO9	ORGANIC_OGRO9
OH12b	ORGANIC_OH12b
OH9	ORGANIC_OH9
OI3	ORGANIC_OI3
OI4	ORGANIC_OI4
OI9	ORGANIC_OI9
ONONE	ORGANIC_ONONE
ONQ	ONQ
OP12a	ORGANIC_OP12a
OP12b	ORGANIC_OP12b
OP3	ORGANIC_OP3
OP3a	ORGANIC_OP3a
OP3b	ORGANIC_OP3b

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OP3c	ORGANIC_OP3c
OP3d	ORGANIC_OP3d
OP4	ORGANIC_OP4
OP5	ORGANIC_OP5
OP6	ORGANIC_OP6
OP7	ORGANIC_OP7
OP7a	ORGANIC_OP7a
OP9	ORGANIC_OP9
OP9a	OP9a Organic
OPa	ORGANIC_OPa
OR1	INORGANIC_OR1
OSIN	ORGANIC_OSIN
OSV12	ORGANIC_OSV12d
OSV1a	ORGANIC_OSV1a
OSV3	ORGANIC_OSV3
OSV3a	ORGANIC_OSV3a
OSV4	ORGANIC_OSV4
OSV4a	ORGANIC_OSV4a
OSV7	ORGANIC_OSV7
OSV7a	ORGANIC_OSV7a
OSV9	ORGANIC_OSV9
OUJLA	O_UJ_LAB
OULAB	O_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
OV3	OV3
OV36	ORGANIC_OV36
OV3a	ORGANIC_OV3a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OV3b	ORGANIC_OV3b
OV3c	ORGANIC_OV3c
OV4	INORGANIC_OV4
OV7	ORGANIC_OV7
OV7a	ORGANIC_OV7a
OV9	ORGANIC_OV9
P10	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a low bias in the reported results and potential the labile compounds Endrin and 4,4'-DDT.
P10a	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a high bias in the reported results and potential false positive results for the breakdown products Endrin ketone, Endrin aldehyde, DDD, and DDE.
P10b	The breakdown recovery data are missing. The analyte breakdown could not be evaluated.
P10c	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
P11	The surrogate retention time has shifted by more than 0.05 min, possibly affecting analyte identification and causing false positives or negatives to be reported.
P11a	The surrogate recovery data are missing. Surrogate recoveries could not be evaluated.
P11b	The affected analytes are considered estimated because the confirmed analytes was outside the retention time windows.
P12	The LCS data are missing. The LCS analyte recoveries could not be evaluated.
P12a	The LCS analyte is less than 10%R, which indicates the potential for a severely low bias in the results.
P12b	The LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for a low bias in the results.
P12c	The result is a nondetect and the LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for false negative results.
P12d	The LCS analyte %R value is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
P13	The Florisil cleanup not conducted; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13a	The GPC cleanup was not conducted on this soil sample; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13b	The appropriate cleanup was not conducted; interferences may have increased the analytical uncertainty and the potential for both false positives and false negatives. Examples of required cleanups are sulfur contamination (sulfur cleanup required), interferences in PCB samples (sulfuric acid cleanup required), and high molecular weight interferences in water samples (GPC cleanup required).

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P14a	Insufficient sample volume was received for a matrix spike and/or a matrix spike duplicate analysis.
P14b	The matrix spike and/or the matrix spike duplicate analysis were not performed on a sample associated with a LANL request number.
P14c	The matrix spike and/or the matrix spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
P15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
P16	Required continuing calibration information is missing. Data may not be acceptable for use.
P19	The validator identified quality deficiencies in the reported data that require qualification.
P23B	P23B
P3	The surrogate %R value is greater than the UAL, which indicates the potential for a high bias in the results and a potential for false positive results.
P3a	The surrogate is greater than 10%R but less than the LAL, which indicates the potential for low bias in the results.
P3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
P3c	The result is less than the EQL and the surrogate %R value is greater than 10 % but less than the LAL, which indicates a potential for false negative results being reported.
P3d	The result is less than the EQL and the surrogate less than 10%R, which indicates a significant potential for false negative results.
P3e	One surrogate recovery is greater than the UAL and one surrogate recovery is less than the LAL, which indicates increased uncertainty in reported results.
P3f	The surrogate information is missing. Data may not be acceptable for use.
P4	The sample result is a detect but less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
P46	PESTPCB_P46
P4a	The method blank or instrument blank documentation is missing.
P4b	The surrogate information is missing. Data may not be acceptable for use.
P5	PESTPCB_P5
P6	PESTPCB_P6
P7	The percent relative standard deviation (%RSD) or percent difference (%D) exceeds the applicable acceptance criterion, which indicates potential quantitation problems in the analyses and the potential for false negative results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P77	The affected analytes are considered estimated because the associated continuing calibration standard was not analyzed within 72 h of the initial analysis. This is for multicomponent analytes.
P7a	The multicomponent analyte standard was not analyzed within 72 h of a multicomponent analyte detection. Quantitation of the multicomponent detection in the sample may not be accurate.
P7b	PESTPCB_P7b
P7c	PESTPCB_P7c
P8	This analyte should be regarded as not detected because it was not confirmed on a second dissimilar column.
P8a	The required confirmation column analysis data is missing. Data may not be acceptable for use.
P9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the impact of exceeding the holding time. Factors to consider include sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
P913	PESTPCB_P913
P9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
P9b	The results for the affected analytes are rejected because the analytical holding time was exceeded.
PC	PESTPCB_PC
PEQL	P_EQL/MDL The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
PHOLD	P_HOLD_TIME
PJCST	P_J_CST
PJLAB	PJLAB_PESTPCB
PLIA	P_LIA
PNONE	No reason for historic AROCLOR data.
PNQ	P_NQ
PQCBL	P_QC_BLIND
PS10	P_Surr < 10%
PUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
PUJLA	P_U_LAB

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
PULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
PV3	PESTPCB_PV3
PV4	PESTPCB_PV4
PWQ1	No MS/MSD data was included in the data package.
PWQ10	Calibration verification %D exceeded acceptance criteria but was less than 60%
PWQ11	Calibration Verification %D exceeded 60%
PWQ2	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
PWQ3	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
PWQ4	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
PWQ5	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
PWQ6	Nonspecified quality control failure; see validation report
PWQ7	The sample was improperly preserved.
PWQ8	Calibration % RSD was greater than the acceptance criteria but less than 60%.
PWQ9	Calibration % RSD was greater than 60%.
R 6B	RAD_R 6B
R1	The tracer /carrier %R value is < 10%.
R10	RAD_R10
R10a	RAD_R10a
R10b	RAD_R10b
R11	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration was less than 3x the 1 sigma TPU.
R11a	RAD_R11a
R11b	RAD_R11b
R11c	RAD_R11c
R11d	RAD_R11d

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R14	RAD_R14
R14a	Insufficient sample volume was received for a matrix-spike analysis.
R14b	The matrix-spike analysis was not performed on a sample associated with this RN
R16	RAD_R16
R16a	Result is greater than the MDC for the following fission and activation products with half-lives less than 365 days: Ce-144, Co-57, Mn-54, Pa-233, Se-75, and Zn-65.
R16b	Result is greater than the MDC for the following radionuclides not reliably measured by gamma spectroscopy: Ac-228, Ba-140, Bi-212, I-129, La-140, Np-237, Pa-231, Pa-234, Pb-210, Pb-211, Ra-223, Ra-224, Ra-226, and Rn-219.
R16c	Result is greater than the MDC for the following naturally occurring radionuclides that are reliably measured by gamma spectroscopy and that can provide an indication of the quality of the gamma spectroscopy measurement: Bi-211, Bi-214, K-40, Pb-212, Pb-214, Th-227, Th-234, Tl-208, and annihilation radiation.
R16d	Result is greater than the MDC for the following six radionuclides typically used by the analytical labs in their LCSs for instrument calibration and checks on instrument performance: Cd-109, Ce-139, Hg-203, Sn-113, Sr-85, and Y-88.
R19	The validator identified quality deficiencies in the reported data that require qualification.
R1a	The tracer %R value is 10%–30% inclusive and the sample result is greater than the MDA.
R1b	The tracer %R value is 10%–30% inclusive and the sample result is less than the MDA.
R1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
R1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
R1e	The tracer/carrier %R value is not reported.
R1x	The tracer %R value is less than 10%.
R1z	The tracer %R value is less than 30% but greater than 10% and the sample result is a detect.
R3	The matrix spike %R value is greater than the upper limit and the sample result is greater than the MDA.
R3TPU	P_UJ_LAB
R3a	The matrix spike %R value is less than the lower limit and the sample result is greater than the MDA.
R3b	The matrix-spike %R value is less than 10% and the result is not detected.
R3c	The matrix spike %R value is less than the lower limit and the sample result is less than the MDA.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R3d	The results for the affected analytes are qualified as estimated and biased low because the associate matrix spike recovery was less than the LAL but greater than 10%, and the results are detected.
R3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
R4	The sample result is greater than the MDA but less than 5 times the amount found in the blank.
R4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5x the associated sample concentration.
R4b	Blank data is either missing from or not reported in the data record package.
R4z	The method blank information is missing. The data may be acceptable for use.
R5	Analyte is not detected because the amount reported is less than the MDC.
R5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
R5b	This analyte should be regarded as rejected because spectral interferences prevents positive identification of the analytes.
R6	Recovery of the analyte in the LCS is greater than the upper limit and the analyte result is greater than the MDA.
R6a	Recovery of analyte in the LCS is less than the lower limit and the analyte is greater than the MDA in the sample.
R6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
R6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
R6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
R6e	The LCS data is missing from the data record package.
R7	The duplicate information is missing. Data may not be acceptable for use.
R7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
R7b	The duplicate and sample results have a DER (duplicate error ratio) that is greater than 2.0.
R7c	The affected analytes are qualified as rejected because the RER was greater than 4.
R8	RAD_R8
R9	The results for the affected analytes should be regarded as estimated because the holding time was exceeded.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R96	RAD_R96
R9a	The results for the affected analytes should be regarded as rejected because the holding time was exceeded by 2 times the method published holding times.
R9b	RAD_R9b
RA	R_Accidentally_
RB7	RAD_RB7
RC0TP	R_CST_ZERO_TPU
RC0UN	R_CST_0_UNC
RI14a	RAD_RI14a
RI14b	RAD_RI14b
RI3	RAD_RI3
RI3a	RAD_RI3a
RI4	RAD_RI4
RI5	RAD_RI5
RI6	RAD_RI6
RIA	RAD_RIA
RIB	RAD_RIB
RJCST	R_J_CST
RJLAB	R_J_LAB
RLIA	R_LIA
RNONE	No reason for historical RAD data.
RNQ	R_NQ
RPA	RAD_RPA
RQCBL	RQCBL_RAD
RQCMX	R_Samp_QC_Mixed
RRLAB	R Lab RAD

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
RSQLP	RAD_SQLPLUR9B
RT30	R_Tracer < 30%
RUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
RUJLA	RUJLA_RAD
RULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
RUP_R	RAD: Units and matrix inconsistent.
RWQ1	Planchets were flamed
RWQ2	Result values are less than 3 times the MDC
RWQ3	Less than the negative MDC
RWQ4	Planchets were not flamed
RWQ5	The tracer %R value is greater than 105% but less than 125%
RWQ6	The tracer %R value is greater than 125%
RWQ7	Nonspecified quality control failure; see validation report
RZUNC	R_ZERO_UNCERT
R_MDA	R_MDA
Rb	RAD_Rb
SEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
SHOLD	SHOLD
SJCST	SJCST
SJLAB	SJLAB
SNQ	SNQ
SPECT	HEXP_SPECTRAL MATCH
SQCBL	SQCBL
SQLPL	RAD_SQLPLUR9B
SRO9	ORGANIC_SRO9

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SSU10	SSU10
SUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
SUJLA	SUJLA
SULAB	SULAB
SV0	The IS retention time has shifted by more than ?30 sec, which could affect compound identification and result in false positives or negatives.
SV1	The IS area count for the quantitating IS is outside the $-50\% \pm 100\%$ window in relation to the previous continuing calibration, which could affect the quantitation accuracy of the associated analytes and the correct quantitation of surrogate %R values.
SV10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
SV11	TICs are not reported but were requested by ER Project. The validator contacted the laboratory that had not provided TICs.
SV12	The LCS documentation is missing. Data may not be acceptable for use.
SV12a	The LCS percent recovery was less than 10%.
SV12b	The LCS percent recovery was less than the LAL but greater than 10% and the result is detected.
SV12c	The LCS percent recovery was less than the LAL but greater than 10% and the result is not detected.
SV12d	The affected analytes should be regarded as estimated and biased high because the LCS percent recovery was greater than the UAL.
SV13c	SVOC_SV13c
SV15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
SV16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
SV16a	The results for the affected analytes are rejected because the instrument performance sample (DFTPP) did not pass method acceptance criteria.
SV19	The affected analytes are qualified because the data validator identified quality deficiencies in the reported data.
SV1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
SV1b	The area count for the quantitating IS is greater than 200% of the area count for the previous continuing calibration.
SV2	The quantitating IS area count is less than 10% of the expected value, which indicates increased potential for false negative results and other possible problems with sample quantitation.
SV2a	Required IS information is missing. Data may not be acceptable for use.
SV2c	SVOC_SV2c

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV3	The %R values for two or more surrogates in either SV fraction is greater than the UAL, which indicates the potential for high bias in the results and the potential for false positive results.
SV3a	Two or more surrogates in either SV fraction are greater than or equal to 10%R but less than the LAL, which indicates the potential for low bias in the results.
SV3b	A surrogate in the related fraction is less than 10%R, and the result is a detect, which indicates the potential for severely low bias in the results.
SV3c	The result is a nondetect and two or more surrogates are greater than or equal to 10%R but less than the LAL, which indicates increased potential for false negative results.
SV3d	The result is a nondetect and a surrogate in the related fraction is less than 10%R, which indicates a greatly increased potential for false negative results.
SV3e	The %R value of one surrogate in a fraction is greater than the UAL and one is less than the LAL but greater than or equal to 10%R, which indicates a greater than normal uncertainty in the results.
SV3f	Required surrogate information is missing. Data may not be acceptable for use.
SV4	The sample result is greater than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the related analyte in the blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
SV4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5x (10x for common lab contaminants).
SV4b	Required method blank information is missing. Data may not be acceptable for use.
SV5	The sample result is less than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the analyte in the blank, which indicates the detected result was indistinguishable from contamination in the blank.
SV5a	Method-blank data is missing, or method blank was not analyzed. Data may not be acceptable for use.
SV5v7	SVOC_SV5v7a
SV6	SVOC_SV6
SV6b	SVOC_SV6b
SV7	The affected results were not analyzed with a valid 5 point calibration curve and/or a standard at the reporting limit.
SV7a	The affected analytes were analyzed with a initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
SV7b	The affected analytes were analyzed with a RRF of less than 0.05.
SV8	The affected analyte is considered not detected because mass spectrum did not meet specifications.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
SV9	The extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effect of exceeding the holding time. Factors to consider include sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
SV9a	The affected analytes are regarded as rejected because the extraction holding time was exceeded by 2 times the method published holding time requirements.
SV9b	The affected analytes are regarded as rejected because the analytical holding time was exceeded.
SVA	SVOC_SVA
SVC	SVOC_SVC
SVD	SVOC_SVD
SVI	SVOC_SVI
SVIA	SVOC_SVIA
SVNON	No reason for historic SVOC data.
SVPM	SVOC_SVPM
SVS	SVOC_SVS
SVV12	SVOC_SVV12a
SVV1a	SVOC_SVV1a
SVV3	SVOC_SVV3
SVV4	SVOC_SVV4
SVV5	SVOC_SVV5
SVV7a	SVOC_SVV7a
SVV9	SVOC_SVV9
SVVS1	SVOC_SVVS1a
SWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
SWQ10	Calibration Verification %D exceeded 60%
SWQ11	The LCS recovery was greater than the acceptance criteria

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
SWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
SWQ4	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
SWQ5	Nonspecified quality control failure; see validation report
SWQ6	The sample was improperly preserved.
SWQ7	Calibration % RSD was greater than the acceptance criteria but less than 60%
SWQ8	Calibration %RSD exceeded 60%
SWQ9	Calibration Verification %D was greater than the acceptance criteria but less than 60%
UNK	Unknown
U_LAB	The analytical laboratory qualified the analyte as not detected.
V	VOC_V
V+	VOC_V+
V0	The IS retention time has shifted by more than 30 seconds, which could affect compound identification and cause false positives or negatives to be reported.
V1	The IS area count for the quantitating IS is outside the $-50\% \pm 100\%$ window in relation to the previous continuing calibration. This condition could affect the quantitation accuracy of the associated analytes.
V10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
V11	TICs are not reported by the analytical laboratory but were requested by the ER Project. The analytical laboratory was contacted and TICs were not provided.
V12	The LCS documentation is missing. The data may not be acceptable for use.
V126	VOC_V126
V12a	The LCS percent recovery was less than 10%.
V12b	The LCS percent recovery was less than the LAL but greater than 10%. The result is biased low and is detected.
V12c	The LCS percent recovery was less than the LAL but greater than 10%. The result was not detected.
V12d	The LCS percent recovery was greater than the UAL. The result is detected and biased high.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V14a	Insufficient sample volume was received for a matrix spike and/or a matrix spike duplicate analysis.
V14b	The matrix spike and/or the matrix spike duplicate analysis was not performed on a sample associated with a LANL request number.
V14c	The matrix spike and/or the matrix spike duplicate was analyzed on a sample associated with a different LANL request number but no summary was included.
V15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
V16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
V16a	The results should be regarded as rejected because the BFB instrument performance sample did not pass method acceptance criteria.
V19	The validator identified quality deficiencies in the reported data that require qualification.
V1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
V1b	This analyte should be regarded as estimated because the IS failed high.
V1c	VOC_V1c
V1s	VOC_V1s
V2	The quantitating IS area is less than 10% of the expected value, which indicates an increased potential for false negative results and possibly other problems with sample quantitation.
V2a	Required IS information is missing. Data may not be acceptable for use.
V3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results.
V3a	The surrogate is less than the LAL but greater than or equal to 10%R, which indicates the potential for a low bias in the results.
V3b	The surrogate is less than 10%R and the result is a detect, which indicates the potential for a severely low bias in the results.
V3c	The surrogate is less than LAL and the result is a nondetect, which indicates the potential for a low bias in the results.
V3d	The surrogate is less than 10%R and the result is a nondetect, which indicates a greatly increased potential for false negative results.
V3e	At least one surrogate is greater than the UAL and one surrogate is less than the LAL, which indicates a greater than normal degree of uncertainty in the result.
V3f	Required surrogate information is missing. Data may not be acceptable for use.
V4	The sample result is less than or equal to 5 times (10 n for acetone, methylene chloride, and 2-butanone) the concentration of the related analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5x (10x for common lab contaminants).
V4b	Required method blank information is missing. Data may not be acceptable for use.
V5	VOC_V5
V5a	Method-blank data is missing, or method blank was not analyzed. Data may not be acceptable for use.
V5c	VOC_V5c
V6b	VOC_V6b
V7	The affected results were not analyzed with a valid 5 point calibration curve and/or a standard at the reporting limit.
V76	VOC_V76
V78	VOC_V78
V7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
V7b	The affected analytes were analyzed with a RRF of less than 0.05.
V8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
V8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
V9	The analytical and/or extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effects of exceeding the holding time. Factors to consider include sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
V9a	The affected analytes are regarded as rejected because the analytical/extraction holding time was exceeded by 2x the method published holding time requirements.
VC4	VOC_VC4
VEQL	The result should be regarded as estimated (J) because the result was less than the EQL, but greater than the MDL.
VI1	VOC_VI1
VI4	VOC_VI4
VI45	VOC_VI45
VIA	VOC_VIA
VIC	VOC_VIC

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VJCST	VJCST
VJLAB	VJLAB
VLA	VOC_VLA
VNONE	No reason for historic VOC data.
VNQ	VNQ
VO	VOC_VO
VP	VOC_VP
VQCBL	VQCBL
VR5	VOC_VR5
VR7b	VOC_VR7b
VS	VOC_SPECTRUM
VSV1	VOC_VSV1
VSV1a	VOC_VSV1a
VSV3b	VOC_VSV3b
VSV3c	VOC_VSV3c
VSV4	VOC_VSV4
VSV5	VOC_VSV5
VSV7	VOC_VSV7
VSV7a	VOC_VSV7a
VU7a	VOC_VU7a
VUCST	VUCST
VUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
VUJLA	VUJLA
VULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
VUP_R	VOC: Units and matrix inconsistent.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
VWQ10	Calibration Verification %D exceeded 60%
VWQ11	The LCS recovery was greater than the acceptance criteria
VWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit but and the result is a detect, which indicates a potential high bias in the sample results.
VWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
VWQ4	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
VWQ5	Nonspecified quality control failure; see validation report
VWQ6	The sample was improperly preserved.
VWQ7	Calibration % RSD was greater than the acceptance criteria but less than 60%.
VWQ8	Calibration %RSD exceeded 60%.
VWQ9	Calibration Verification %D was greater than the acceptance criteria but less than 60%.

Table E-1
Surface-Water Metals

Field Matrix Code	Location	Start Date	Analyte	Fld Preparation Code	Field Qc Type Code	Symbol	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	NM Aquatic Acute 100 mg	Ratio (Result/ Scr Level)	NM Aquatic Chronic 100 mg	Ratio (Result/ Scr Level)
WS	Pajarito 0.5 mi above SR-501	03/19/08	Al	F	FD	—*	3220	68	µg/L	GELC	—	—	—	SW-846:6010B	750	4.29	87	37.01
WS	Pajarito 0.5 mi above SR-501	03/19/08	Al	F	—	—	3200	68	µg/L	GELC	—	—	—	SW-846:6010B	750	4.27	87	36.78
WS	Pajarito 0.5 mi above SR-501	03/19/08	Cd	F	—	—	0.12	0.11	µg/L	GELC	J	J	J_LAB	SW-846:6020	—	—	0.2	0.6
WS	Pajarito above Twomile	03/05/08	Al	F	—	—	2870	68	µg/L	GELC	—	—	—	SW-846:6010B	750	3.83	87	32.99
WS	Twomile above Pajarito	03/05/08	Al	F	—	—	524	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.7	87	6.02

* — = No data.

Table E-2
Surface-Water Perchlorate

Field Matrix Code	Location	Start Date	Field Qc Type Code	Field Preparation Code	Lab Sample Type Code	Analyte	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
WS	Pajarito 0.5 mi above SR-501	03/19/08	—*	F	CS	ClO4	SW-846:6850	—	0.447	0.05	µg/L	1	—	—	—	GELC
WS	Pajarito 0.5 mi above SR-501	03/19/08	FD	F	CS	ClO4	SW-846:6850	—	0.439	0.05	µg/L	1	—	—	—	GELC
WS	Twomile above Pajarito	03/05/08	—	F	CS	ClO4	SW-846:6850	—	0.216	0.05	µg/L	1	—	—	—	GELC
WS	Pajarito above Twomile	03/05/08	—	F	CS	ClO4	SW-846:6850	—	0.324	0.05	µg/L	1	—	—	—	GELC

* — = No data.

Table E-3 Surface-Water Tritium

Field Matrix Code	Location	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field Qc Type Code	Symbol	Result	Method Detection Limit	Unit	Analytical Method Code	Lab Code
WS	Pajarito above Twomile	03/05/08	H-3	UF	CS	—*	—	38.99	3.67195	pCi/L	Generic:Low_Level_Tritium	ARSL
WS	Twomile above Pajarito	03/05/08	H-3	UF	CS	—	—	25.03	3.32072	pCi/L	Generic:Low_Level_Tritium	ARSL

* — = No data.

Table E-4
Surface-Water Radionuclides

Field Matrix Code	Location Name	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field Qc Type Code	Symbol	Result	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE BCG Water	Ratio (Result/ Scr Level)	NM Livestock Water Standard	Ratio (Result/ Scr Level)	NMED Radiation Protection	Ratio (Result/ Scr Level)
WS	Pajarito above Twomile	03/05/08	Ra-228	UF	CS	—*	<	0.555	0.55	pCi/L	GELC	EPA:904	—	U	R11	300	—	30	0.02	60	0.01

* — = No data.

Table E-5
Groundwater Metals

Zone	Location Name	Well Class	Port Depth	Start Date	Analyte	Field Prep Code	Field Qc Type Code	Symbol	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Anyl Meth Code	NMWQCC STD	Ratio (Result/Scr Level)
Alluvial	18-BG-1	SINGLE	10	03/04/08	Fe	F	—*	—	663	25	µg/L	GELC	—	—	—	SW-846:6010B	1000	0.66
Alluvial	PCO-3	SINGLE	5.7	03/18/08	Mn	F	—	—	131	2	µg/L	GELC	—	—	—	SW-846:6010B	200	0.66
Intermediate Spring	PC Spring	SPRING	—	03/19/08	Fe	F	—	—	668	25	µg/L	GELC	—	—	—	SW-846:6010B	1000	0.67
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Al	F	FD	—	4040	68	µg/L	GELC	—	—	—	SW-846:6010B	5000	0.81
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Al	F	—	—	2740	68	µg/L	GELC	—	—	—	SW-846:6010B	5000	0.55
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Fe	F	FD	—	1880	25	µg/L	GELC	—	—	—	SW-846:6010B	1000	1.88
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Fe	F	—	—	1240	25	µg/L	GELC	—	—	—	SW-846:6010B	1000	1.24
Intermediate Spring	Starmer Spring	SPRING	—	03/11/08	Al	F	—	—	4390	68	µg/L	GELC	—	—	—	SW-846:6010B	5000	0.88
Intermediate Spring	Starmer Spring	SPRING	—	03/11/08	Fe	F	—	—	1950	25	µg/L	GELC	—	—	—	SW-846:6010B	1000	1.95
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	Al	F	—	—	3410	68	µg/L	GELC	—	—	—	SW-846:6010B	5000	0.68
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	Fe	F	—	—	1540	25	µg/L	GELC	—	—	—	SW-846:6010B	1000	1.54

* — = No data.

Table E-6
Groundwater Organic Chemicals

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field Qc Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Scr Level)	EPA TAP Screening Level C-5	Ratio (Result/Scr Level)	EPA TAP Screening Level-N	Ratio (Result/Scr Level)	NMWQCC STD	Ratio (Result/Scr Level)
Alluvial	18-MW-9	SINGLE	6	03/19/08	FTB	UF	CS	VOA	Trimethylbenzene [1,2,4-]	95-63-6	—*	0.252	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	12.4	0.02	—	—
Alluvial	PCO-3	SINGLE	5.7	03/18/08	—	UF	DL	SVOA	Dioxane[1,4-]	123-91-1	—	1190	21	µg/L	20	—	—	—	SW-846:8270C	GELC	—	—	61.1	19.47	—	—	—	—
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	FD	UF	CS	VOA	Acetone	67-64-1	—	2.68	1.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	FD	UF	CS	VOA	Butanone[2-]	78-93-3	—	3.73	1.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	7060	—	—	—
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	—	UF	CS	VOA	Butanone[2-]	78-93-3	—	1.33	1.3	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	—	—	7060	—	—	—
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	—	UF	CS	VOA	Butanone[2-]	78-93-3	—	1.8	1.3	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	—	—	7060	—	—	—
Intermediate Spring	Bulldog Spring	SPRING	—	03/11/08	—	UF	CS	HEXP	HMX	2691-41-0	—	1.1	0.1	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate Spring	Bulldog Spring	SPRING	—	03/11/08	—	UF	CS	HEXP	RDX	121-82-4	—	1.68	0.13	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	6.11	0.27	—	—	—	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	FTB	UF	CS	VOA	Trimethylbenzene [1,2,4-]	95-63-6	—	0.314	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	12.4	0.03	—	—

Table E-6 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field Qc Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Scr Level)	EPA TAP Screening Level C-5	Ratio (Result/Scr Level)	EPA TAP Screening Level-N	Ratio (Result/Scr Level)	NMWQC STD	Ratio (Result/Scr Level)
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Chloroform	67-66-3	—	0.293	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	80	—	1.67	0.18	—	—	100	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Dichloroethane[1,1,-]	75-34-3	—	1.35	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	1220	—	25	0.05
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Dichloroethene[1,1,-]	75-35-4	—	3	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	7	0.43	—	—	339	0.01	5	0.6
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Dioxane[1,4,-]	123-91-1	—	377	20	µg/L	1	—	J	V7b	SW-846:8260B	GELC	—	—	61.1	6.17	—	—	—	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Trichloroethane[1,1,1,-]	71-55-6	—	52.5	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	200	0.26	—	—	836	0.06	60	0.88
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	0.509	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.1	1.66	0.31	—	—	100	0.01
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	CS	VOA	Trimethylbenzene[1,2,4,-]	95-63-6	—	0.486	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	12.4	0.04	—	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	DL	SVOA	Dioxane[1,4,-]	123-91-1	—	183	4.1	µg/L	4	—	—	—	SW-846:8270C	GELC	—	—	61.1	2.99	—	—	—	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	—	UF	RE	SVOA	Dioxane[1,4,-]	123-91-1	—	179	4.2	µg/L	4	—	J	SV88	SW-846:8270C	GELC	—	—	61.1	2.93	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	PEST/PCB	BHC[delta,-]	319-86-8	—	0.0122	0.0054	µg/L	1	J	J	J_LAB	SW-846:8081A	GELC	—	—	—	—	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	PEST/PCB	DDD[4,4'-]	72-54-8	—	0.0452	0.0054	µg/L	1	—	—	—	SW-846:8081A	GELC	—	—	2.8	0.02	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	PEST/PCB	DDE[4,4'-]	72-55-9	—	0.0442	0.0054	µg/L	1	P	—	—	SW-846:8081A	GELC	—	—	1.98	0.02	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	PEST/PCB	DDT[4,4'-]	50-29-3	—	0.0452	0.011	µg/L	1	—	—	—	SW-846:8081A	GELC	—	—	1.98	0.02	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	PEST/PCB	Dieldrin	60-57-1	—	0.0103	0.0054	µg/L	1	J	J	J_LAB	SW-846:8081A	GELC	—	—	0.042	0.25	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	PEST/PCB	Endrin	72-20-8	—	0.0145	0.0054	µg/L	1	J	J	J_LAB	SW-846:8081A	GELC	2	0.01	—	—	11	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Chloroform	67-66-3	—	0.391	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	80	—	1.67	0.23	—	—	100	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Dichloroethane[1,1,-]	75-34-3	—	2.3	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	1220	—	25	0.09
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Dichloroethene[1,1,-]	75-35-4	—	5.37	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	7	0.77	—	—	339	0.02	5	1.07
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Dioxane[1,4,-]	123-91-1	—	1050	20	µg/L	1	—	J	V7b	SW-846:8260B	GELC	—	—	61.1	17.18	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Trichloroethane[1,1,1,-]	71-55-6	—	79.9	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	200	0.4	—	—	836	0.1	60	1.33
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Trichloroethane[1,1,2,-]	79-00-5	—	0.285	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.06	11.6	0.02	—	—	10	0.03
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	0.734	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.15	1.66	0.44	—	—	100	0.01
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	CS	VOA	Trimethylbenzene[1,2,4,-]	95-63-6	—	0.279	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	12.4	0.02	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	—	UF	DL	SVOA	Dioxane[1,4,-]	123-91-1	—	746	11	µg/L	10	—	—	—	SW-846:8270C	GELC	—	—	61.1	12.21	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Acetone	67-64-1	—	1.69	1.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Chloroform	67-66-3	—	0.473	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	80	0.01	1.67	0.28	—	—	100	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Dichloroethane[1,1,-]	75-34-3	—	2.73	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	1220	—	25	0.11
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Dichloroethene[1,1,-]	75-35-4	—	5.64	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	7	0.81	—	—	339	0.02	5	1.13
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Dioxane[1,4,-]	123-91-1	—	1220	20	µg/L	1	—	J	V7b	SW-846:8260B	GELC	—	—	61.1	19.96	—	—	—	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Trichloroethane[1,1,1,-]	71-55-6	—	92.2	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	200	0.46	—	—	836	0.11	60	1.54
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Trichloroethane[1,1,2,-]	79-00-5	—	0.33	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.07	11.6	0.03	—	—	10	0.03
Intermediate	03-B-13	SINGLE	21.5	03/17/08	FD	UF	CS	VOA	Trichloroethene	79-01-6	—	0.871	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.17	1.66	0.53	—	—	100	0.01
Regional	R-18	SINGLE	1358	03/07/08	FD	UF	CS	HEXP	RDX	121-82-4	—	0.265	0.13	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	6.11	0.04	—	—	—	—

Table E-6 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field Qc Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Scr Level)	EPA TAP Screening Level C-5	Ratio (Result/Scr Level)	EPA TAP Screening Level-N	Ratio (Result/Scr Level)	NMWQCC STD	Ratio (Result/Scr Level)
Regional	R-18	SINGLE	1358	03/07/08	FD	UF	CS	SVOA	Benzoic Acid	65-85-0	—	8.33	6.3	µg/L	1	J	J	SV7a	SW-846:8270C	GELC	—	—	—	—	146000	—	—	—
Regional	R-18	SINGLE	1358	03/07/08	—	UF	CS	HEXP	RDX	121-82-4	—	0.281	0.13	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	6.11	0.05	—	—	—	—
Regional	R-18	SINGLE	1358	03/07/08	—	UF	CS	SVOA	Benzoic Acid	65-85-0	—	8.46	6.3	µg/L	1	J	J	SV7a	SW-846:8270C	GELC	—	—	—	—	146000	—	—	—
Regional	R-22	MULTI	962.8	03/04/08	—	UF	CS	VOA	Diethyl Ether	60-29-7	—	0.338	0.3	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	—	—	1220	—	—	—
Regional	R-22	MULTI	1448.2	03/05/08	—	UF	CS	VOA	Toluene	108-88-3	—	0.269	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Regional	R-32	MULTI	870.9	03/04/08	FD	UF	CS	SVOA	Bis(2-ethylhexyl)phthalate	117-81-7	—	3.93	2.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	6	0.66	48	0.08	—	—	—	—
Regional	R-32	MULTI	870.9	03/04/08	FD	UF	CS	VOA	Toluene	108-88-3	—	2.55	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Regional	R-32	MULTI	870.9	03/04/08	—	UF	CS	SVOA	Bis(2-ethylhexyl)phthalate	117-81-7	—	3.92	2.2	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	6	0.65	48	0.08	—	—	—	—
Regional	R-32	MULTI	870.9	03/04/08	—	UF	CS	VOA	Isopropylbenzene	98-82-8	—	0.288	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	658	—	—	—
Regional	R-32	MULTI	870.9	03/04/08	—	UF	CS	VOA	Toluene	108-88-3	—	2.83	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—

* — = No data.

Table E-7
Groundwater Perchlorate

Zone	Location Name	Well Class	Port Depth (ft)	Start Date	Field Qc Type Code	Field Preparation Code	Lab Sample Type Code	Anyl Meth Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial	18-BG-1	SINGLE	10	03/04/08	—*	F	CS	SW-846:6850	—	0.309	0.05	µg/L	1	—	—	—	GELC
Alluvial	18-MW-8	SINGLE	8	03/03/08	—	F	CS	SW-846:6850	—	0.121	0.05	µg/L	1	J	J	J_LAB	GELC
Alluvial	18-MW-9	SINGLE	6	03/19/08	—	F	CS	SW-846:6850	—	0.312	0.05	µg/L	1	—	—	—	GELC
Alluvial	18-MW-11	SINGLE	27	03/05/08	—	F	CS	SW-846:6850	—	0.406	0.05	µg/L	1	—	—	—	GELC
Alluvial	18-MW-11	SINGLE	27	03/05/08	FD	F	CS	SW-846:6850	—	0.397	0.05	µg/L	1	—	—	—	GELC
Alluvial	18-MW-18	SINGLE	13	03/03/08	—	F	CS	SW-846:6850	—	0.242	0.05	µg/L	1	—	—	—	GELC
Alluvial	PCO-2	SINGLE	2	03/07/08	—	F	CS	SW-846:6850	—	0.159	0.05	µg/L	1	J	J	J_LAB	GELC
Alluvial	PCO-3	SINGLE	6	03/18/08	—	F	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate Spring	PC Spring	SPRING	—	03/19/08	—	F	CS	SW-846:6850	—	0.474	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	—	F	CS	SW-846:6850	—	0.349	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	FD	F	CS	SW-846:6850	—	0.382	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Starmer Spring	SPRING	—	03/11/08	—	F	CS	SW-846:6850	—	0.422	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	—	F	CS	SW-846:6850	—	0.515	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Bulldog Spring	SPRING	—	03/11/08	—	F	CS	SW-846:6850	—	0.629	0.05	µg/L	1	—	—	—	GELC
Intermediate	03-B-10	SINGLE	21	03/17/08	—	F	CS	SW-846:6850	—	0.0852	0.05	µg/L	1	J	J	J_LAB	GELC
Intermediate	03-B-13	SINGLE	22	03/17/08	—	F	CS	SW-846:6850	—	0.0644	0.05	µg/L	1	J	J	J_LAB	GELC

Table E-7 (continued)

Zone	Location Name	Well Class	Port Depth (ft)	Start Date	Field Qc Type Code	Field Preparation Code	Lab Sample Type Code	Anyl Meth Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Intermediate	03-B-13	SINGLE	22	03/17/08	FD	F	CS	SW-846:6850	—	0.0669	0.05	µg/L	1	J	J	J_LAB	GELC
Intermediate	R-19	MULTI	844	03/14/08	EQB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-23i	MULTI	470	03/14/08	—	F	CS	SW-846:6850	—	0.209	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-23i	MULTI	524	03/14/08	—	F	CS	SW-846:6850	—	0.274	0.05	µg/L	1	—	—	—	GELC
Regional	R-18	SINGLE	1358	03/07/08	—	F	CS	SW-846:6850	—	0.249	0.05	µg/L	1	—	—	—	GELC
Regional	R-18	SINGLE	1358	03/07/08	FD	F	CS	SW-846:6850	—	0.251	0.05	µg/L	1	—	—	—	GELC
Regional	R-17	MULTI	1057	03/13/08	—	F	CS	SW-846:6850	—	0.289	0.05	µg/L	1	—	—	—	GELC
Regional	R-17	MULTI	1124	03/13/08	—	F	CS	SW-846:6850	—	0.302	0.05	µg/L	1	—	—	—	GELC
Regional	R-19	MULTI	1413	03/13/08	—	F	CS	SW-846:6850	—	0.281	0.05	µg/L	1	—	—	—	GELC
Regional	R-19	MULTI	1413	03/13/08	EQB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-22	MULTI	963	03/04/08	EQB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-22	MULTI	963	03/04/08	—	F	CS	SW-846:6850	—	0.378	0.05	µg/L	1	—	—	—	GELC
Regional	R-22	MULTI	1448	03/05/08	EQB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-23	SINGLE	816	03/04/08	—	F	CS	SW-846:6850	—	0.451	0.05	µg/L	1	—	—	—	GELC
Regional	R-32	MULTI	871	03/04/08	—	F	CS	SW-846:6850	—	0.33	0.05	µg/L	1	—	—	—	GELC
Regional	R-32	MULTI	871	03/04/08	FD	F	CS	SW-846:6850	—	0.32	0.05	µg/L	1	—	—	—	GELC

* — = No data.

Table E-8
Groundwater General Inorganic Chemicals

Analyte	Zone	Location	Well Class	Port Depth (ft)	Start Date Time	Field Preparation Code	Field Qc Type Code	Lab Sample Type Code	Symbol	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	NM GW Standard Screening level	Ratio (Result/ Scr Level)
Cl(-1)	Alluvial	18-MW-18	SINGLE	12.5	03/03/08	F	—*	CS	—	176	1.3	mg/L	GELC	—	—	—	250	0.7
Cl(-1)	Alluvial	PCO-3	SINGLE	5.7	03/18/08	F	—	CS	—	186	1.3	mg/L	GELC	—	—	—	250	0.74
Cl(-1)	Intermediate	03-B-10	SINGLE	20.6	03/17/08	F	—	CS	—	483	3.3	mg/L	GELC	—	—	—	250	1.93
Cl(-1)	Intermediate	03-B-13	SINGLE	21.5	03/17/08	F	FD	CS	—	552	3.3	mg/L	GELC	—	—	—	250	2.21
Cl(-1)	Intermediate	03-B-13	SINGLE	21.5	03/17/08	F	—	CS	—	550	3.3	mg/L	GELC	—	—	—	250	2.2
TDS	Alluvial	PCO-3	SINGLE	5.7	03/18/08	F	—	CS	—	732	2.4	mg/L	GELC	—	—	—	1000	0.73
TDS	Intermediate	03-B-10	SINGLE	20.6	03/17/08	F	—	CS	—	898	2.4	mg/L	GELC	—	—	—	1000	0.9
TDS	Intermediate	03-B-13	SINGLE	21.5	03/17/08	F	FD	CS	—	1030	2.4	mg/L	GELC	—	—	—	1000	1.03
TDS	Intermediate	03-B-13	SINGLE	21.5	03/17/08	F	—	CS	—	1050	2.4	mg/L	GELC	—	—	—	1000	1.05

* — = No data.

Table E-9
Groundwater Tritium

Zone	Location	Well Class	Port Depth (ft)	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field Qc Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	18-BG-1	SINGLE	10	03/04/08	H-3	UF	CS	—*	—	24.17	7.44	2.58633	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Alluvial	18-MW-8	SINGLE	8	03/03/08	H-3	UF	CS	—	—	41.60	12.68	3.64002	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Alluvial	18-MW-11	SINGLE	27	03/05/08	H-3	UF	CS	FD	—	46.14	13.99	3.60809	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Alluvial	18-MW-11	SINGLE	27	03/05/08	H-3	UF	CS	—	—	43.23	13.16	3.79967	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Alluvial	18-MW-18	SINGLE	12.5	03/03/08	H-3	UF	CS	—	—	46.52	14.11	3.70388	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Alluvial	PCO-2	SINGLE	1.5	03/07/08	H-3	UF	CS	—	—	30.14	9.36	3.60809	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	H-3	UF	CS	FD	—	26.34	8.21	3.193	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	H-3	UF	CS	—	—	30.84	9.52	3.35265	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Intermediate Spring	Starmer Spring	SPRING	—	03/11/08	H-3	UF	CS	—	—	26.21	8.14	3.16107	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	H-3	UF	CS	—	—	29.44	9.04	2.96949	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Intermediate Spring	Bulldog Spring	SPRING	—	03/11/08	H-3	UF	CS	—	—	35.28	10.73	2.96949	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Regional	R-18	SINGLE	1358	03/07/08	H-3	UF	CS	FD	<	0.77	1.82	3.09721	pCi/L	Generic:Low-Level_Tritium	ARSL	U	U	R5
Regional	R-18	SINGLE	1358	03/07/08	H-3	UF	CS	—	—	5.56	3.26	4.50213	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Regional	R-22	MULTI	907.1	03/10/08	H-3	UF	CS	—	—	3.99	2.27	3.12914	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—
Regional	R-22	MULTI	962.8	03/04/08	H-3	UF	CS	—	<	-1.34	2.11	3.67195	pCi/L	Generic:Low-Level_Tritium	ARSL	U	U	R5
Regional	R-22	MULTI	1273.5	03/05/08	H-3	UF	CS	—	<	3.13	2.14	3.16107	pCi/L	Generic:Low-Level_Tritium	ARSL	U	U	R5
Regional	R-22	MULTI	1378	03/05/08	H-3	UF	CS	—	<	0.32	2.24	3.86353	pCi/L	Generic:Low-Level_Tritium	ARSL	U	U	R5
Regional	R-22	MULTI	1448.2	03/05/08	H-3	UF	CS	—	—	3.86	2.39	3.41651	pCi/L	Generic:Low-Level_Tritium	ARSL	—	—	—

* = No data.

Table E-10
Groundwater Radionuclides

Zone	Location	Well Class	Port Depth (ft)	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field Qc Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DCG Screening Level	Ratio (Result/Scr Level)	DOE DW DCG Screening Level	Ratio (Result/Scr Level)	EPA MCL	Ratio (Result/Scr Level)	NMWQCC Standard	Ratio (Result/Scr Level)	NMED Radiation Protection Screening Level	Ratio (Result/Scr Level)
Alluvial	18-MW-8	SINGLE	8	03/03/08	Ra-226	UF	CS	—*	—	0.802	0.21	0.48	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.2	5	0.16	30	0.03	60	0.01
Alluvial	18-MW-9	SINGLE	6	03/19/08	Ra-226	UF	CS	—	—	0.916	0.22	0.48	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.23	5	0.18	30	0.03	60	0.02
Alluvial	18-MW-11	SINGLE	27	03/05/08	Ra-226	UF	CS	FD	—	0.769	0.19	0.43	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.19	5	0.15	30	0.03	60	0.01
Alluvial	18-MW-18	SINGLE	12.5	03/03/08	Ra-228	UF	CS	—	—	1.25	0.28	0.55	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.31	5	0.25	30	0.04	60	0.02
Alluvial	PCO-2	SINGLE	1.5	03/07/08	Ra-226	UF	CS	—	—	0.526	0.14	0.27	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.13	5	0.11	30	0.02	60	0.01
Alluvial	PCO-3	SINGLE	5.7	03/18/08	Sr-90	F	CS	—	—	0.604	0.17	0.47	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.02	8	0.08	—	—	500	—
Intermediate Spring	PC Spring	SPRING	—	03/19/08	Ra-226	UF	CS	—	—	0.562	0.17	0.34	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.14	5	0.11	30	0.02	60	0.01
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Ra-226	UF	CS	FD	—	2.05	0.32	0.34	pCi/L	GELC	EPA:903.1	—	—	—	100	0.02	4	0.51	5	0.41	30	0.07	60	0.03
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Ra-226	UF	CS	—	—	2.72	0.38	0.34	pCi/L	GELC	EPA:903.1	—	—	—	100	0.03	4	0.68	5	0.54	30	0.09	60	0.05
Intermediate Spring	Homestead Spring	SPRING	—	03/11/08	Ra-228	UF	CS	—	—	3.13	0.52	0.57	pCi/L	GELC	EPA:904	—	—	—	100	0.03	4	0.78	5	0.63	30	0.1	60	0.05
Intermediate Spring	Starmer Spring	SPRING	—	03/11/08	Ra-226	UF	CS	—	—	1.16	0.22	0.37	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.29	5	0.23	30	0.04	60	0.02
Intermediate Spring	Starmer Spring	SPRING	—	03/11/08	Ra-228	UF	CS	—	—	0.839	0.27	0.71	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.21	5	0.17	30	0.03	60	0.01
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	Ra-226	UF	CS	—	—	0.548	0.17	0.44	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.14	5	0.11	30	0.02	60	0.01
Intermediate Spring	Kieling Spring	SPRING	—	03/11/08	Ra-228	UF	CS	—	—	0.584	0.19	0.52	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.15	5	0.12	30	0.02	60	0.01
Intermediate Spring	Bulldog Spring	SPRING	—	03/11/08	Ra-226	UF	CS	—	—	0.579	0.19	0.49	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.14	5	0.12	30	0.02	60	0.01
Intermediate	03-B-10	SINGLE	20.6	03/17/08	H-3	UF	CS	—	—	493	79	190	pCi/L	GELC	EPA:906.0	—	—	—	2000000	—	80000	0.01	20000	0.02	—	—	1000000	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	Ra-226	UF	CS	—	—	0.937	0.22	0.37	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.23	5	0.19	30	0.03	60	0.02
Intermediate	03-B-10	SINGLE	20.6	03/17/08	Ra-228	UF	CS	—	—	1.15	0.27	0.57	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.29	5	0.23	30	0.04	60	0.02
Intermediate	03-B-10	SINGLE	20.6	03/17/08	Sr-90	F	CS	—	—	1.89	0.33	0.65	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.05	8	0.24	—	—	500	—
Intermediate	03-B-10	SINGLE	20.6	03/17/08	Sr-90	UF	CS	—	—	1.48	0.26	0.46	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.04	8	0.19	—	—	500	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	H-3	UF	CS	—	—	1560	170	190	pCi/L	GELC	EPA:906.0	—	—	—	2000000	—	80000	0.02	20000	0.08	—	—	1000000	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Ra-228	UF	CS	—	—	1.21	0.32	0.77	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.3	5	0.24	30	0.04	60	0.02
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Sr-90	UF	CS	—	—	1.19	0.25	0.57	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.03	8	0.15	—	—	500	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	H-3	UF	CS	FD	—	1540	170	190	pCi/L	GELC	EPA:906.0	—	—	—	2000000	—	80000	0.02	20000	0.08	—	—	1000000	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Ra-226	UF	CS	FD	—	0.501	0.14	0.27	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.13	5	0.1	30	0.02	60	0.01
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Ra-228	UF	CS	FD	—	2.3	0.43	0.64	pCi/L	GELC	EPA:904	—	—	—	100	0.02	4	0.58	5	0.46	30	0.08	60	0.04
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Sr-90	F	CS	FD	—	1.37	0.26	0.54	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.03	8	0.17	—	—	500	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Sr-90	F	CS	—	—	0.889	0.21	0.51	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.02	8	0.11	—	—	500	—
Intermediate	03-B-13	SINGLE	21.5	03/17/08	Sr-90	UF	CS	FD	—	1.75	0.36	0.89	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.04	8	0.22	—	—	500	—
Intermediate	R-23i	MULTI	524	03/14/08	Ra-226	UF	CS	—	—	0.932	0.21	0.26	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.23	5	0.19	30	0.03	60	0.02

Table E-10 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field Qc Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DCG Screening Level	Ratio (Result/Scr Level)	DOE DW DCG Screening Level	Ratio (Result/Scr Level)	EPA MCL	Ratio (Result/Scr Level)	NMWQCC Standard	Ratio (Result/Scr Level)	NMED Radiation Protection Screening Level	Ratio (Result/Scr Level)
Regional	R-18	SINGLE	1358	03/07/08	Ra-228	UF	CS	—	<	0.574	0.2	0.53	pCi/L	GELC	EPA:904	—	U	R11	100	0.01	4	0.14	5	0.11	30	0.02	60	0.01
Regional	R-17	MULTI	1057	03/13/08	Ra-226	UF	CS	—	<	0.33	0.13	0.32	pCi/L	GELC	EPA:903.1	—	U	R11	100	—	4	0.08	5	0.07	30	0.01	60	0.01
Regional	R-17	MULTI	1124	03/13/08	Ra-226	UF	CS	—	—	0.944	0.19	0.2	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.24	5	0.19	30	0.03	60	0.02
Regional	R-19	MULTI	1190.7	03/17/08	Ra-226	UF	CS	—	—	0.462	0.15	0.39	pCi/L	GELC	EPA:903.1	—	—	—	100	—	4	0.12	5	0.09	30	0.02	60	0.01
Regional	R-19	MULTI	1730.1	03/14/08	Ra-226	UF	CS	—	<	0.501	0.18	0.48	pCi/L	GELC	EPA:903.1	—	U	R11	100	0.01	4	0.13	5	0.1	30	0.02	60	0.01
Regional	R-22	MULTI	907.1	03/10/08	Ra-226	UF	CS	—	—	0.848	0.2	0.42	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.21	5	0.17	30	0.03	60	0.01
Regional	R-22	MULTI	907.1	03/10/08	Ra-228	UF	CS	—	—	3.97	0.62	0.58	pCi/L	GELC	EPA:904	—	—	—	100	0.04	4	0.99	5	0.79	30	0.13	60	0.07
Regional	R-22	MULTI	1273.5	03/05/08	Ra-228	UF	CS	—	—	0.696	0.2	0.49	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.17	5	0.14	30	0.02	60	0.01
Regional	R-22	MULTI	1448.2	03/05/08	Ra-226	UF	CS	—	<	0.468	0.17	0.43	pCi/L	GELC	EPA:903.1	—	U	R11	100	—	4	0.12	5	0.09	30	0.02	60	0.01
Regional	R-23	SINGLE	816	03/04/08	Ra-226	UF	CS	—	<	0.273	0.1	0.23	pCi/L	GELC	EPA:903.1	—	U	R11	100	—	4	0.07	5	0.05	30	0.01	60	—
Regional	R-32	MULTI	870.9	03/04/08	Ra-228	UF	CS	FD	—	0.93	0.28	0.71	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.23	5	0.19	30	0.03	60	0.02

* = No data.

Appendix F

Investigation-Derived Waste Management

F-1.0 INTRODUCTION

This appendix describes the storage and disposal of investigation-derived waste (IDW) generated during this periodic groundwater monitoring event conducted in the Pajarito watershed under the Los Alamos National Laboratory (the Laboratory) "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2007, 096665). IDW is waste generated as a result of field investigation activities and may include, but is not limited to, purge water; contact waste, consisting of contaminated personal protective equipment (PPE), sampling supplies, plastic, and paper; fluids from the decontamination of PPE and sampling equipment; and all other wastes potentially contacting contaminants. IDW generated during implementation of the IFGMP is managed to protect human health and the environment, comply with applicable regulatory requirements, and adhere to Laboratory waste minimization goals. The wastes are managed in accordance with the Pajarito Watershed Groundwater Monitoring waste characterization strategy form (WCSF), submitted in the March 2007 periodic monitoring report (PMR) (LANL 2007, 095116). The WCSF provides information on IDW characterization, management, containerization, analytical methods and estimated waste volumes. The Laboratory's 2007 "Los Alamos National Laboratory Hazardous Waste Minimization Report" (LANL 2006, 096015) is implemented during groundwater monitoring to minimize waste generation. The plan is updated annually as a requirement of Module VIII of the Laboratory's Hazardous Waste Facility Permit.

F-2.0 WASTE DETERMINATION

IDW characterization is completed through review of existing data and/or documentation, and sampling of the media being investigated (i.e., groundwater). The groundwater analyses are augmented, as needed, by direct sampling of containerized purge waters to fulfill a treatment or disposal facility's waste acceptance criteria (WAC). Under the 2007 IFGMP, the wastes from each sampling event were initially managed as hazardous wastes until the analytical data for that event were available. However, multiple analyses showed that the groundwater (and, therefore, the wastes) for a number of the wells were not hazardous. The 2007 IFGMP recognized this and allowed the number of sampling events used to make Resource Conservation and Recovery Act (RCRA) waste determinations to be based on acceptable knowledge (AK) of groundwater conditions within a watershed in the area of a well. AK includes reviews of existing analytical data and may also include source term/process identification performed to identify whether the water contains hazardous waste in accordance with 40 Code of Federal Regulations 262.11 (incorporated by 20.4.1.300 New Mexico Administrative Code).

F-3.0 WASTE MANAGEMENT

All IDW generated during this periodic monitoring event is being managed in accordance with applicable Environmental Programs—Waste and Environmental Services (EP-WES) and Environmental Protection Water Quality and Resource Conservation Recovery Group (ENV-RCRA) standard operating procedures (SOPs). These SOPs incorporate the requirements of all applicable U.S. Environmental Protection Agency (EPA) and New Mexico Environment Department (NMED) regulations, U.S. Department of Energy (DOE) orders, and Laboratory implementation requirements.

SOPs applicable to the characterization and management of IDW are the following:

- ENV-RCRA-SOP-010.0, "Land Application of Groundwater"
(<http://int.lanl.gov/orgs/env/rcra/docs/qa/ENV-RCRA-SOP-010-R0.pdf>)

- EP-ERSS-SOP-5022, "Characterization and Management of Environmental Restoration Project Waste," which replaces SOP-1.06 and 1.10 (http://int.lanl.gov/environment/all/docs/qa/ep_qa/EP-ERSS-SOP-5022.pdf)

The IDW streams associated with groundwater monitoring are identified in Table F-1 and are briefly described below. Table F-1 summarizes the waste types, volumes, characterization methods, methods of on-site management, and disposition path for each of the waste streams. Only the wastes generated during this particular monitoring event are detailed in this section and in Table F-1. The number of samples used to make the waste determination varies by well, depending on the classifications described under Waste Determination section, above. If the waste has not yet been characterized or shipped to the destination where it will be treated and/or disposed of, "Pending" appears in the Disposition Status column of Table F-1.

Purge water: The purge water waste stream consists of groundwater purged from wells in the Pajarito Watershed before sampling in order to ensure that representative samples are collected. Purge water is being managed and characterized in accordance with the WCSF and ENV-RCRA-SOP-010.0, "Land Application of Groundwater." ENV-RCRA-SOP-010.0 implements the notice of intent (NOI) decision tree, which was approved by the NMED Ground Water Quality Bureau and Hazardous Waste Bureau on November 21, 2006.

During the monitoring activity, purge water was collected and containerized as it was removed from the wells. If purge water at a specific well has met the requirements for land application, it may have been directly land-applied, or it may have been containerized before land application. The type of container used depends on the volume of purge water expected and includes 5-gal. carboys, 55-gal. drums, and other containers. U.S. Department of Transportation- (DOT-) approved containers are used, as appropriate, for transport. The containers of purge water are managed in accordance with their classification as hazardous, mixed, nonhazardous, or radioactive waste, as follows.

- If purge water is hazardous or mixed waste, it is placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a "contained-in" is granted by NMED (decision point D5 of the NOI decision tree) or investigation of the sources of the contamination determines that the waste does not contain hazardous waste, the hazardous waste is treated or disposed of at a permitted off-site treatment, storage, and disposal (TSD) facility .
- Purge water that has been determined to be nonhazardous, including those for which a contained-in determination has been granted by NMED, are evaluated using ENV-RCRA-SOP-1.10 for land disposal. If land application criteria are met, the purge water is land-applied as specified in the NOI decision tree. If land application criteria cannot be met, the purge water is transported and disposed of at on-site facilities, if possible, or at an authorized off-site facility if the WACs of on-site facilities cannot be met (disposal pathways P3–P9 of the NOI decision tree).

Contact waste: The contact waste stream consists of wastes that "contacted" potentially contaminated environmental media (i.e., purge water) and cannot be decontaminated. It consists primarily of contaminated PPE (primarily gloves); disposable sampling supplies; and dry decontamination wastes, such as paper items. Contact waste is stored in containers (e.g., 55-gal. drums) at monitoring sites or at a consolidated accumulation area. DOT-approved containers are used, as appropriate, for transport. Characterization of this waste stream is being performed through AK of the waste materials, the methods of generation, and the levels of contamination observed in the environmental media (e.g., the results of analysis of associated water samples), and, if necessary, direct sampling of the containerized waste. The containers of contact waste are managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows.

- Contact waste that has been in contact with nonhazardous, nonradioactive groundwater is disposed of at a New Mexico solid waste landfill using Waste Profile Form (WPF) 39268, a copy of which was included in Appendix F of the March 2007 PMR (LANL 2007, 096015).
- If the contact wastes are hazardous or mixed wastes, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a contained-in is granted by NMED (decision point D5 of the NOI decision tree) or a due diligence investigation of the sources of the contamination determines that the waste does not contain hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated or disposed of at a permitted off-site TSD facility.
- If the contact wastes are nonhazardous but contain elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at Technical Area 54 (TA-54) Area G. Radioactive contact waste must be placed in registered radioactive accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. If the LANL Green Is Clean program verifies that the contact waste is nonradioactive, it is disposed of at a New Mexico solid waste landfill.

Decontamination fluids: Consistent with waste minimization practices, the Laboratory employs dry decontamination methods to the extent possible. However, if dry decontamination cannot be performed, liquid decontamination is used. The decontamination fluids waste stream consists of decontamination solutions and rinse waters, such as deionized water and Alconox. Liquid decontamination wastes are collected in containers at the point of generation. The decontamination fluids waste stream are characterized through AK of the waste materials, the levels of contamination observed in the environmental media (e.g., the results of the associated water samples), and, if necessary, direct sampling of the containerized waste. These wastes receive the same designation as the associated purge water. The containers of decontamination fluids are managed in accordance with their classification as nonhazardous, hazardous, mixed, or radioactive waste, as follows:

- Nonhazardous/nonradioactive decontamination fluids may be sent to the Sanitary Waste System or the Sanitary or Effluent Reclamation Facility. The Radioactive Liquid Waste Treatment Facility or the TA-53 evaporation basins treat radioactive wastewaters. Radioactive wastewaters must be placed in registered radioactive accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. If the decontamination fluids do not meet the WAC for these facilities, they are sent off-site for treatment and/or disposal.
- If the wastes are hazardous or mixed waste, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a contained-in is granted by NMED (decision point D5 of the NOI decision tree) or a due diligence investigation of the sources of the contamination determines that the waste does not contain hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated or disposed of at a permitted off-site TSD facility.

F-4.0 REFERENCES

The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; DOE–Los Alamos Site Office; EPA, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), November 2006. "Los Alamos National Laboratory Hazardous Waste Minimization Report," Los Alamos National Laboratory document LA-UR-06-8175, Los Alamos, New Mexico. (LANL 2006, 096015)

LANL (Los Alamos National Laboratory), March 2007. "Periodic Monitoring Report for Pajarito Watershed Sampled August 15–31, 2006," Los Alamos National Laboratory document LA-UR-07-1425, Los Alamos, New Mexico. (LANL 2007, 095116)

LANL (Los Alamos National Laboratory), May 2007. "2007 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-07-3271, Los Alamos, New Mexico. (LANL 2007, 096665)

Table F-1
Summary of IDW Generation and Management

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Purge Water	Mixed Low-level waste	11 gal.	Analytical results from groundwater monitoring samples and acceptable knowledge (AK)	Managed conservatively and collected in drums at satellite accumulation areas. These shallow wells have been determined to be hazardous based on data review and due diligence that shows impacts from a localized source.	Pending transport to TA-54 for eventual transport to an off-site mixed low-level waste facility for treatment/disposal ^{a,b}
Purge Water	Nonhazardous, Nonradioactive	1264 gal.	Analytical results from groundwater monitoring samples and AK	Collected in containers, stored on-site in nonhazardous accumulation areas. These wells are managed as nonhazardous, based on 3 to 5 previous quarters of nonhazardous determinations on the groundwater	Pending land application review and approval
Purge Water	Suspect Hazardous, Nonradioactive	1 gal.	Analytical results from groundwater monitoring samples and AK	Managed conservatively and collected in containers, stored at satellite accumulation areas	Pending due diligence approval, land application review, and approval or WPF.
Contact Waste	Mixed Low-level Waste	<0.01 yd ³ (1.5 gal.)	AK	Zip-lock baggies accumulated in drums at satellite accumulation areas.	Pending transport to TA-54 for eventual transport to an off-site mixed low-level waste facility for treatment/disposal ^{a,b}
Contact Waste	Nonhazardous, Nonradioactive	0.15 yd ³ (30 gal.)	AK	Zip-lock baggies accumulated in containers	Disposed of at New Mexico solid waste landfill; WPF #39268 ^b
Contact Waste	Suspect Hazardous, Nonradioactive	0.01 yd ³ (2.5 gal.)	AK	Zip-lock baggies accumulated in drums at satellite accumulation areas	Pending due diligence approval or WPF approval ^a
Decontamination fluids	Nonhazardous, Nonradioactive	17.5 gal.	Analytical results from groundwater monitoring samples and AK	Collected in 250 mL to 1-gal. bottles, stored in 55-gal. drums at accumulation areas	Pending WPF approval and disposal ^a

Table F-1 (continued)

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Decontamination Fluids	Suspect Hazardous, Nonradioactive	2 gal.	As above.	Collected in 250 mL to 1-gal. bottles, stored in 55-gal. drums at satellite accumulation areas	Pending due diligence approval, WPF approval and disposal ^a

Notes: Volumes recorded represent volumes generated during this particular sample event. The associated disposal documents record volumes for multiple sample events.

^a Transport/disposal documentation is pending completion of transport.

^b The existing WPF was submitted in a previous PMR.

Appendix G

*Analytical Reports and Previously Unreported Data
(on DVD included with this document)*

DVD Table of Contents

Request	Suite	Sample	Date	Location
08-728	HEXP	CAPA-08-10938	3/3/2008	18-MW-8
08-728	HEXP	CAPA-08-10941	3/3/2008	18-MW-18
08-729	GENINORG	CAPA-08-10938	3/3/2008	18-MW-8
08-729	GENINORG	CAPA-08-10940	3/3/2008	18-MW-8
08-729	GENINORG	CAPA-08-10941	3/3/2008	18-MW-18
08-729	GENINORG	CAPA-08-10943	3/3/2008	18-MW-18
08-729	HEXP	CAPA-08-10938	3/3/2008	18-MW-8
08-729	HEXP	CAPA-08-10941	3/3/2008	18-MW-18
08-729	METALS	CAPA-08-10938	3/3/2008	18-MW-8
08-729	METALS	CAPA-08-10940	3/3/2008	18-MW-8
08-729	METALS	CAPA-08-10941	3/3/2008	18-MW-18
08-729	METALS	CAPA-08-10943	3/3/2008	18-MW-18
08-729	PEST/PCB	CAPA-08-10938	3/3/2008	18-MW-8
08-729	PEST/PCB	CAPA-08-10941	3/3/2008	18-MW-18
08-729	RAD	CAPA-08-10938	3/3/2008	18-MW-8
08-729	RAD	CAPA-08-10940	3/3/2008	18-MW-8
08-729	RAD	CAPA-08-10941	3/3/2008	18-MW-18
08-729	RAD	CAPA-08-10943	3/3/2008	18-MW-18
08-729	SVOA	CAPA-08-10938	3/3/2008	18-MW-8
08-729	SVOA	CAPA-08-10941	3/3/2008	18-MW-18
08-729	VOA	CAPA-08-10938	3/3/2008	18-MW-8
08-729	VOA	CAPA-08-10939	3/3/2008	18-MW-8
08-729	VOA	CAPA-08-10941	3/3/2008	18-MW-18
08-729	VOA	CAPA-08-10942	3/3/2008	18-MW-18
08-739	HEXP	CAPA-08-10936	3/4/2008	18-BG-1
08-740	GENINORG	CAPA-08-10935	3/4/2008	18-BG-1
08-740	GENINORG	CAPA-08-10936	3/4/2008	18-BG-1
08-740	HEXP	CAPA-08-10936	3/4/2008	18-BG-1
08-740	METALS	CAPA-08-10935	3/4/2008	18-BG-1
08-740	METALS	CAPA-08-10936	3/4/2008	18-BG-1
08-740	PEST/PCB	CAPA-08-10936	3/4/2008	18-BG-1
08-740	RAD	CAPA-08-10935	3/4/2008	18-BG-1
08-740	RAD	CAPA-08-10936	3/4/2008	18-BG-1
08-740	SVOA	CAPA-08-10936	3/4/2008	18-BG-1
08-740	VOA	CAPA-08-10936	3/4/2008	18-BG-1
08-740	VOA	CAPA-08-10937	3/4/2008	18-BG-1
08-742	HEXP	CAPA-08-11044	3/3/2008	R-22
08-742	HEXP	CAPA-08-11046	3/4/2008	R-22
08-742	HEXP	CAPA-08-11047	3/4/2008	R-22
08-742	HEXP	CAPA-08-11054	3/4/2008	R-23
08-742	HEXP	CAPA-08-11055	3/4/2008	R-32
08-742	HEXP	CAPA-08-11059	3/4/2008	R-32

Request	Suite	Sample	Date	Location
08-742	HEXP	CAPA-08-11110	3/4/2008	R-22
08-743	GENINORG	CAPA-08-11044	3/3/2008	R-22
08-743	GENINORG	CAPA-08-11046	3/4/2008	R-22
08-743	GENINORG	CAPA-08-11047	3/4/2008	R-22
08-743	GENINORG	CAPA-08-11048	3/4/2008	R-22
08-743	GENINORG	CAPA-08-11052	3/4/2008	R-23
08-743	GENINORG	CAPA-08-11054	3/4/2008	R-23
08-743	GENINORG	CAPA-08-11055	3/4/2008	R-32
08-743	GENINORG	CAPA-08-11056	3/4/2008	R-32
08-743	GENINORG	CAPA-08-11058	3/4/2008	R-32
08-743	GENINORG	CAPA-08-11059	3/4/2008	R-32
08-743	GENINORG	CAPA-08-11110	3/4/2008	R-22
08-743	HERB	CAPA-08-11055	3/4/2008	R-32
08-743	HERB	CAPA-08-11059	3/4/2008	R-32
08-743	HEXP	CAPA-08-11044	3/3/2008	R-22
08-743	HEXP	CAPA-08-11046	3/4/2008	R-22
08-743	HEXP	CAPA-08-11047	3/4/2008	R-22
08-743	HEXP	CAPA-08-11054	3/4/2008	R-23
08-743	HEXP	CAPA-08-11055	3/4/2008	R-32
08-743	HEXP	CAPA-08-11059	3/4/2008	R-32
08-743	HEXP	CAPA-08-11110	3/4/2008	R-22
08-743	METALS	CAPA-08-11044	3/3/2008	R-22
08-743	METALS	CAPA-08-11046	3/4/2008	R-22
08-743	METALS	CAPA-08-11047	3/4/2008	R-22
08-743	METALS	CAPA-08-11048	3/4/2008	R-22
08-743	METALS	CAPA-08-11052	3/4/2008	R-23
08-743	METALS	CAPA-08-11054	3/4/2008	R-23
08-743	METALS	CAPA-08-11055	3/4/2008	R-32
08-743	METALS	CAPA-08-11056	3/4/2008	R-32
08-743	METALS	CAPA-08-11058	3/4/2008	R-32
08-743	METALS	CAPA-08-11059	3/4/2008	R-32
08-743	PEST/PCB	CAPA-08-11044	3/3/2008	R-22
08-743	PEST/PCB	CAPA-08-11046	3/4/2008	R-22
08-743	PEST/PCB	CAPA-08-11047	3/4/2008	R-22
08-743	PEST/PCB	CAPA-08-11054	3/4/2008	R-23
08-743	PEST/PCB	CAPA-08-11055	3/4/2008	R-32
08-743	PEST/PCB	CAPA-08-11059	3/4/2008	R-32
08-743	RAD	CAPA-08-11046	3/4/2008	R-22
08-743	RAD	CAPA-08-11048	3/4/2008	R-22
08-743	RAD	CAPA-08-11052	3/4/2008	R-23
08-743	RAD	CAPA-08-11054	3/4/2008	R-23
08-743	RAD	CAPA-08-11055	3/4/2008	R-32
08-743	RAD	CAPA-08-11056	3/4/2008	R-32

Request	Suite	Sample	Date	Location
08-743	RAD	CAPA-08-11058	3/4/2008	R-32
08-743	RAD	CAPA-08-11059	3/4/2008	R-32
08-743	SVOA	CAPA-08-11044	3/3/2008	R-22
08-743	SVOA	CAPA-08-11046	3/4/2008	R-22
08-743	SVOA	CAPA-08-11047	3/4/2008	R-22
08-743	SVOA	CAPA-08-11054	3/4/2008	R-23
08-743	SVOA	CAPA-08-11055	3/4/2008	R-32
08-743	SVOA	CAPA-08-11059	3/4/2008	R-32
08-743	VOA	CAPA-08-11044	3/3/2008	R-22
08-743	VOA	CAPA-08-11045	3/4/2008	R-22
08-743	VOA	CAPA-08-11046	3/4/2008	R-22
08-743	VOA	CAPA-08-11047	3/4/2008	R-22
08-743	VOA	CAPA-08-11053	3/4/2008	R-23
08-743	VOA	CAPA-08-11054	3/4/2008	R-23
08-743	VOA	CAPA-08-11055	3/4/2008	R-32
08-743	VOA	CAPA-08-11057	3/4/2008	R-32
08-743	VOA	CAPA-08-11059	3/4/2008	R-32
08-746	HEXP	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-746	HEXP	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-747	RAD	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-747	RAD	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	GENINORG	CAPA-08-10999	3/5/2008	Twomile above Pajarito
08-748	GENINORG	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	GENINORG	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	GENINORG	CAPA-08-11004	3/5/2008	Pajarito above Twomile
08-748	HEXP	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	HEXP	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	METALS	CAPA-08-10999	3/5/2008	Twomile above Pajarito
08-748	METALS	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	METALS	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	METALS	CAPA-08-11004	3/5/2008	Pajarito above Twomile
08-748	PEST/PCB	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	PEST/PCB	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	RAD	CAPA-08-10999	3/5/2008	Twomile above Pajarito
08-748	RAD	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	RAD	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	RAD	CAPA-08-11004	3/5/2008	Pajarito above Twomile
08-748	SVOA	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	SVOA	CAPA-08-11002	3/5/2008	Pajarito above Twomile
08-748	VOA	CAPA-08-10988	3/5/2008	Pajarito below TA-18
08-748	VOA	CAPA-08-11000	3/5/2008	Twomile above Pajarito
08-748	VOA	CAPA-08-11001	3/5/2008	Twomile above Pajarito
08-748	VOA	CAPA-08-11002	3/5/2008	Pajarito above Twomile

Request	Suite	Sample	Date	Location
08-748	VOA	CAPA-08-11003	3/5/2008	Pajarito above Twomile
08-749	RAD	CAPA-08-10936	3/4/2008	18-BG-1
08-750	RAD	CAPA-08-10938	3/3/2008	18-MW-8
08-750	RAD	CAPA-08-10941	3/3/2008	18-MW-18
08-751	RAD	CAPA-08-11046	3/4/2008	R-22
08-754	HEXP	CAPA-08-11105	3/5/2008	18-MW-11
08-754	HEXP	CAPA-08-11108	3/5/2008	18-MW-11
08-754	HEXP	CAPA-08-11159	3/5/2008	R-22
08-755	RAD	CAPA-08-11088	3/5/2008	R-22
08-755	RAD	CAPA-08-11104	3/5/2008	R-22
08-755	RAD	CAPA-08-11105	3/5/2008	18-MW-11
08-755	RAD	CAPA-08-11108	3/5/2008	18-MW-11
08-756	GENINORG	CAPA-08-11105	3/5/2008	18-MW-11
08-756	GENINORG	CAPA-08-11107	3/5/2008	18-MW-11
08-756	GENINORG	CAPA-08-11108	3/5/2008	18-MW-11
08-756	GENINORG	CAPA-08-11109	3/5/2008	18-MW-11
08-756	GENINORG	CAPA-08-11159	3/5/2008	R-22
08-756	HEXP	CAPA-08-11105	3/5/2008	18-MW-11
08-756	HEXP	CAPA-08-11108	3/5/2008	18-MW-11
08-756	HEXP	CAPA-08-11159	3/5/2008	R-22
08-756	METALS	CAPA-08-11105	3/5/2008	18-MW-11
08-756	METALS	CAPA-08-11107	3/5/2008	18-MW-11
08-756	METALS	CAPA-08-11108	3/5/2008	18-MW-11
08-756	METALS	CAPA-08-11109	3/5/2008	18-MW-11
08-756	PEST/PCB	CAPA-08-11105	3/5/2008	18-MW-11
08-756	PEST/PCB	CAPA-08-11108	3/5/2008	18-MW-11
08-756	RAD	CAPA-08-11088	3/5/2008	R-22
08-756	RAD	CAPA-08-11104	3/5/2008	R-22
08-756	RAD	CAPA-08-11105	3/5/2008	18-MW-11
08-756	RAD	CAPA-08-11107	3/5/2008	18-MW-11
08-756	RAD	CAPA-08-11108	3/5/2008	18-MW-11
08-756	RAD	CAPA-08-11109	3/5/2008	18-MW-11
08-756	SVOA	CAPA-08-11105	3/5/2008	18-MW-11
08-756	SVOA	CAPA-08-11108	3/5/2008	18-MW-11
08-756	VOA	CAPA-08-11088	3/5/2008	R-22
08-756	VOA	CAPA-08-11103	3/5/2008	R-22
08-756	VOA	CAPA-08-11104	3/5/2008	R-22
08-756	VOA	CAPA-08-11105	3/5/2008	18-MW-11
08-756	VOA	CAPA-08-11106	3/5/2008	18-MW-11
08-756	VOA	CAPA-08-11108	3/5/2008	18-MW-11
08-760	GENINORG	CAPA-08-10944	3/7/2008	PCO-2
08-760	GENINORG	CAPA-08-10946	3/7/2008	PCO-2
08-760	HEXP	CAPA-08-10944	3/7/2008	PCO-2

Request	Suite	Sample	Date	Location
08-760	METALS	CAPA-08-10944	3/7/2008	PCO-2
08-760	METALS	CAPA-08-10946	3/7/2008	PCO-2
08-760	PEST/PCB	CAPA-08-10944	3/7/2008	PCO-2
08-760	RAD	CAPA-08-10944	3/7/2008	PCO-2
08-760	RAD	CAPA-08-10946	3/7/2008	PCO-2
08-760	SVOA	CAPA-08-10944	3/7/2008	PCO-2
08-760	VOA	CAPA-08-10944	3/7/2008	PCO-2
08-760	VOA	CAPA-08-10945	3/7/2008	PCO-2
08-763	HEXP	CAPA-08-10944	3/7/2008	PCO-2
08-767	HEXP	CAPA-08-11037	3/7/2008	R-18
08-767	HEXP	CAPA-08-11040	3/7/2008	R-18
08-767	HEXP	CAPA-08-11042	3/7/2008	R-18
08-767	HEXP	CAPA-08-11043	3/7/2008	R-18
08-768	GENINORG	CAPA-08-11037	3/7/2008	R-18
08-768	GENINORG	CAPA-08-11039	3/7/2008	R-18
08-768	GENINORG	CAPA-08-11040	3/7/2008	R-18
08-768	GENINORG	CAPA-08-11041	3/7/2008	R-18
08-768	GENINORG	CAPA-08-11042	3/7/2008	R-18
08-768	GENINORG	CAPA-08-11043	3/7/2008	R-18
08-768	HEXP	CAPA-08-11037	3/7/2008	R-18
08-768	HEXP	CAPA-08-11040	3/7/2008	R-18
08-768	HEXP	CAPA-08-11042	3/7/2008	R-18
08-768	HEXP	CAPA-08-11043	3/7/2008	R-18
08-768	METALS	CAPA-08-11037	3/7/2008	R-18
08-768	METALS	CAPA-08-11039	3/7/2008	R-18
08-768	METALS	CAPA-08-11040	3/7/2008	R-18
08-768	METALS	CAPA-08-11041	3/7/2008	R-18
08-768	METALS	CAPA-08-11042	3/7/2008	R-18
08-768	METALS	CAPA-08-11043	3/7/2008	R-18
08-768	PEST/PCB	CAPA-08-11037	3/7/2008	R-18
08-768	PEST/PCB	CAPA-08-11040	3/7/2008	R-18
08-768	PEST/PCB	CAPA-08-11042	3/7/2008	R-18
08-768	PEST/PCB	CAPA-08-11043	3/7/2008	R-18
08-768	RAD	CAPA-08-11037	3/7/2008	R-18
08-768	RAD	CAPA-08-11039	3/7/2008	R-18
08-768	RAD	CAPA-08-11040	3/7/2008	R-18
08-768	RAD	CAPA-08-11041	3/7/2008	R-18
08-768	RAD	CAPA-08-11101	3/5/2008	R-22
08-768	SVOA	CAPA-08-11037	3/7/2008	R-18
08-768	SVOA	CAPA-08-11040	3/7/2008	R-18
08-768	SVOA	CAPA-08-11042	3/7/2008	R-18
08-768	SVOA	CAPA-08-11043	3/7/2008	R-18
08-768	VOA	CAPA-08-10997	3/7/2008	Two Mile Canyon below TA-59

Request	Suite	Sample	Date	Location
08-768	VOA	CAPA-08-11037	3/7/2008	R-18
08-768	VOA	CAPA-08-11040	3/7/2008	R-18
08-768	VOA	CAPA-08-11042	3/7/2008	R-18
08-768	VOA	CAPA-08-11043	3/7/2008	R-18
08-768	VOA	CAPA-08-11100	3/5/2008	R-22
08-768	VOA	CAPA-08-11101	3/5/2008	R-22
08-779	VOA	CAPA-08-10967	3/10/2008	Anderson Spring
08-783	HEXP	CAPA-08-10961	3/11/2008	Homestead Spring
08-783	HEXP	CAPA-08-10966	3/11/2008	Starmer Spring
08-783	HEXP	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	GENINORG	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	GENINORG	CAPA-08-10962	3/11/2008	Homestead Spring
08-784	GENINORG	CAPA-08-10965	3/11/2008	Starmer Spring
08-784	GENINORG	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	GENINORG	CAPA-08-11012	3/11/2008	Homestead Spring
08-784	GENINORG	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	HEXP	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	HEXP	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	HEXP	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	METALS	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	METALS	CAPA-08-10962	3/11/2008	Homestead Spring
08-784	METALS	CAPA-08-10965	3/11/2008	Starmer Spring
08-784	METALS	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	METALS	CAPA-08-11012	3/11/2008	Homestead Spring
08-784	METALS	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	PEST/PCB	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	PEST/PCB	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	PEST/PCB	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	RAD	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	RAD	CAPA-08-10962	3/11/2008	Homestead Spring
08-784	RAD	CAPA-08-10965	3/11/2008	Starmer Spring
08-784	RAD	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	RAD	CAPA-08-11012	3/11/2008	Homestead Spring
08-784	RAD	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	SVOA	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	SVOA	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	SVOA	CAPA-08-11013	3/11/2008	Homestead Spring
08-784	VOA	CAPA-08-10961	3/11/2008	Homestead Spring
08-784	VOA	CAPA-08-10963	3/11/2008	Homestead Spring
08-784	VOA	CAPA-08-10964	3/11/2008	Starmer Spring
08-784	VOA	CAPA-08-10966	3/11/2008	Starmer Spring
08-784	VOA	CAPA-08-10971	3/11/2008	Charlie's Spring
08-784	VOA	CAPA-08-11013	3/11/2008	Homestead Spring

Request	Suite	Sample	Date	Location
08-787	HEXP	CAPA-08-10974	3/11/2008	Bulldog Spring
08-787	HEXP	CAPA-08-10981	3/11/2008	Kieling Spring
08-787	HEXP	CAPA-08-10982	3/11/2008	Kieling Spring
08-787	HEXP	CAPA-08-10983	3/11/2008	Kieling Spring
08-788	RAD	CAPA-08-10974	3/11/2008	Bulldog Spring
08-788	RAD	CAPA-08-10981	3/11/2008	Kieling Spring
08-788	RAD	CAPA-08-11085	3/10/2008	R-22
08-789	GENINORG	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	GENINORG	CAPA-08-10975	3/11/2008	Bulldog Spring
08-789	GENINORG	CAPA-08-10979	3/11/2008	Kieling Spring
08-789	GENINORG	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	GENINORG	CAPA-08-10982	3/11/2008	Kieling Spring
08-789	GENINORG	CAPA-08-10983	3/11/2008	Kieling Spring
08-789	HEXP	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	HEXP	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	HEXP	CAPA-08-10982	3/11/2008	Kieling Spring
08-789	HEXP	CAPA-08-10983	3/11/2008	Kieling Spring
08-789	METALS	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	METALS	CAPA-08-10975	3/11/2008	Bulldog Spring
08-789	METALS	CAPA-08-10979	3/11/2008	Kieling Spring
08-789	METALS	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	METALS	CAPA-08-10982	3/11/2008	Kieling Spring
08-789	METALS	CAPA-08-10983	3/11/2008	Kieling Spring
08-789	PEST/PCB	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	PEST/PCB	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	PEST/PCB	CAPA-08-10982	3/11/2008	Kieling Spring
08-789	PEST/PCB	CAPA-08-10983	3/11/2008	Kieling Spring
08-789	RAD	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	RAD	CAPA-08-10975	3/11/2008	Bulldog Spring
08-789	RAD	CAPA-08-10979	3/11/2008	Kieling Spring
08-789	RAD	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	RAD	CAPA-08-11085	3/10/2008	R-22
08-789	SVOA	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	SVOA	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	SVOA	CAPA-08-10982	3/11/2008	Kieling Spring
08-789	SVOA	CAPA-08-10983	3/11/2008	Kieling Spring
08-789	VOA	CAPA-08-10973	3/11/2008	Bulldog Spring
08-789	VOA	CAPA-08-10974	3/11/2008	Bulldog Spring
08-789	VOA	CAPA-08-10980	3/11/2008	Kieling Spring
08-789	VOA	CAPA-08-10981	3/11/2008	Kieling Spring
08-789	VOA	CAPA-08-10982	3/11/2008	Kieling Spring
08-789	VOA	CAPA-08-10983	3/11/2008	Kieling Spring
08-789	VOA	CAPA-08-10993	3/11/2008	Pajarito below confluences of South and North Anchor East Basin

Request	Suite	Sample	Date	Location
08-789	VOA	CAPA-08-11085	3/10/2008	R-22
08-789	VOA	CAPA-08-11087	3/10/2008	R-22
08-790	RAD	CAPA-08-10944	3/7/2008	PCO-2
08-791	RAD	CAPA-08-11037	3/7/2008	R-18
08-791	RAD	CAPA-08-11040	3/7/2008	R-18
08-791	RAD	CAPA-08-11101	3/5/2008	R-22
08-793	RAD	CAPA-08-10961	3/11/2008	Homestead Spring
08-793	RAD	CAPA-08-10966	3/11/2008	Starmer Spring
08-793	RAD	CAPA-08-11013	3/11/2008	Homestead Spring
08-802	HEXP	CAPA-08-10953	3/10/2008	18-MW-9
08-802	HEXP	CAPA-08-10957	3/12/2008	18-BG-4
08-803	GENINORG	CAPA-08-10953	3/10/2008	18-MW-9
08-803	HEXP	CAPA-08-10953	3/10/2008	18-MW-9
08-803	HEXP	CAPA-08-10957	3/12/2008	18-BG-4
08-803	METALS	CAPA-08-10953	3/10/2008	18-MW-9
08-803	PEST/PCB	CAPA-08-10953	3/10/2008	18-MW-9
08-803	SVOA	CAPA-08-10953	3/10/2008	18-MW-9
08-803	VOA	CAPA-08-10953	3/10/2008	18-MW-9
08-803	VOA	CAPA-08-10956	3/12/2008	18-BG-4
08-803	VOA	CAPA-08-10957	3/12/2008	18-BG-4
08-804	GENINORG	CAPA-08-11027	3/13/2008	R-17
08-804	GENINORG	CAPA-08-11028	3/13/2008	R-17
08-804	GENINORG	CAPA-08-11031	3/13/2008	R-17
08-804	GENINORG	CAPA-08-11033	3/13/2008	R-17
08-804	HEXP	CAPA-08-11027	3/13/2008	R-17
08-804	HEXP	CAPA-08-11033	3/13/2008	R-17
08-804	METALS	CAPA-08-11027	3/13/2008	R-17
08-804	METALS	CAPA-08-11028	3/13/2008	R-17
08-804	METALS	CAPA-08-11031	3/13/2008	R-17
08-804	METALS	CAPA-08-11033	3/13/2008	R-17
08-804	PEST/PCB	CAPA-08-11027	3/13/2008	R-17
08-804	PEST/PCB	CAPA-08-11033	3/13/2008	R-17
08-804	RAD	CAPA-08-11027	3/13/2008	R-17
08-804	RAD	CAPA-08-11028	3/13/2008	R-17
08-804	RAD	CAPA-08-11031	3/13/2008	R-17
08-804	RAD	CAPA-08-11033	3/13/2008	R-17
08-804	SVOA	CAPA-08-11027	3/13/2008	R-17
08-804	SVOA	CAPA-08-11033	3/13/2008	R-17
08-804	VOA	CAPA-08-11027	3/13/2008	R-17
08-804	VOA	CAPA-08-11029	3/13/2008	R-17
08-804	VOA	CAPA-08-11032	3/13/2008	R-17
08-804	VOA	CAPA-08-11033	3/13/2008	R-17
08-805	HEXP	CAPA-08-11027	3/13/2008	R-17

Request	Suite	Sample	Date	Location
08-805	HEXP	CAPA-08-11033	3/13/2008	R-17
08-807	GENINORG	CAPA-08-11034	3/13/2008	R-19
08-807	GENINORG	CAPA-08-11036	3/13/2008	R-19
08-807	GENINORG	CAPA-08-11121	3/13/2008	R-19
08-807	HEXP	CAPA-08-11034	3/13/2008	R-19
08-807	HEXP	CAPA-08-11121	3/13/2008	R-19
08-807	METALS	CAPA-08-11034	3/13/2008	R-19
08-807	METALS	CAPA-08-11036	3/13/2008	R-19
08-807	PEST/PCB	CAPA-08-11034	3/13/2008	R-19
08-807	RAD	CAPA-08-11034	3/13/2008	R-19
08-807	RAD	CAPA-08-11036	3/13/2008	R-19
08-807	SVOA	CAPA-08-11034	3/13/2008	R-19
08-807	VOA	CAPA-08-11034	3/13/2008	R-19
08-807	VOA	CAPA-08-11035	3/13/2008	R-19
08-808	HEXP	CAPA-08-11034	3/13/2008	R-19
08-808	HEXP	CAPA-08-11121	3/13/2008	R-19
08-812	HEXP	CAPA-08-11023	3/14/2008	R-23i
08-812	HEXP	CAPA-08-11026	3/14/2008	R-23i
08-812	HEXP	CAPA-08-11030	3/14/2008	R-23i
08-812	HEXP	CAPA-08-11119	3/14/2008	R-19
08-813	GENINORG	CAPA-08-11023	3/14/2008	R-23i
08-813	GENINORG	CAPA-08-11024	3/14/2008	R-23i
08-813	GENINORG	CAPA-08-11026	3/14/2008	R-23i
08-813	GENINORG	CAPA-08-11030	3/14/2008	R-23i
08-813	GENINORG	CAPA-08-11062	3/14/2008	R-23i
08-813	GENINORG	CAPA-08-11119	3/14/2008	R-19
08-813	HERB	CAPA-08-11063	3/14/2008	R-23i
08-813	HEXP	CAPA-08-11023	3/14/2008	R-23i
08-813	HEXP	CAPA-08-11026	3/14/2008	R-23i
08-813	HEXP	CAPA-08-11030	3/14/2008	R-23i
08-813	HEXP	CAPA-08-11119	3/14/2008	R-19
08-813	METALS	CAPA-08-11023	3/14/2008	R-23i
08-813	METALS	CAPA-08-11024	3/14/2008	R-23i
08-813	METALS	CAPA-08-11026	3/14/2008	R-23i
08-813	METALS	CAPA-08-11030	3/14/2008	R-23i
08-813	PEST/PCB	CAPA-08-11023	3/14/2008	R-23i
08-813	PEST/PCB	CAPA-08-11026	3/14/2008	R-23i
08-813	PEST/PCB	CAPA-08-11030	3/14/2008	R-23i
08-813	RAD	CAPA-08-11023	3/14/2008	R-23i
08-813	RAD	CAPA-08-11024	3/14/2008	R-23i
08-813	RAD	CAPA-08-11063	3/14/2008	R-23i
08-813	RAD	CAPA-08-11069	3/14/2008	R-19
08-813	RAD	CAPA-08-11072	3/14/2008	R-19

Request	Suite	Sample	Date	Location
08-813	SVOA	CAPA-08-11023	3/14/2008	R-23i
08-813	SVOA	CAPA-08-11026	3/14/2008	R-23i
08-813	SVOA	CAPA-08-11030	3/14/2008	R-23i
08-813	VOA	CAPA-08-11023	3/14/2008	R-23i
08-813	VOA	CAPA-08-11025	3/14/2008	R-23i
08-813	VOA	CAPA-08-11026	3/14/2008	R-23i
08-813	VOA	CAPA-08-11030	3/14/2008	R-23i
08-813	VOA	CAPA-08-11063	3/14/2008	R-23i
08-813	VOA	CAPA-08-11065	3/14/2008	R-23i
08-813	VOA	CAPA-08-11069	3/14/2008	R-19
08-813	VOA	CAPA-08-11071	3/14/2008	R-19
08-813	VOA	CAPA-08-11072	3/14/2008	R-19
08-813	VOA	CAPA-08-11073	3/14/2008	R-19
08-823	HEXP	CAPA-08-11017	3/17/2008	03-B-10
08-824	GENINORG	CAPA-08-11017	3/17/2008	03-B-10
08-824	GENINORG	CAPA-08-11018	3/17/2008	03-B-10
08-824	HEXP	CAPA-08-11017	3/17/2008	03-B-10
08-824	METALS	CAPA-08-11017	3/17/2008	03-B-10
08-824	METALS	CAPA-08-11018	3/17/2008	03-B-10
08-824	PEST/PCB	CAPA-08-11017	3/17/2008	03-B-10
08-824	RAD	CAPA-08-11017	3/17/2008	03-B-10
08-824	RAD	CAPA-08-11018	3/17/2008	03-B-10
08-824	SVOA	CAPA-08-11017	3/17/2008	03-B-10
08-824	VOA	CAPA-08-11017	3/17/2008	03-B-10
08-824	VOA	CAPA-08-11019	3/17/2008	03-B-10
08-826	HEXP	CAPA-08-11020	3/17/2008	03-B-13
08-826	HEXP	CAPA-08-11068	3/17/2008	R-19
08-826	HEXP	CAPA-08-11398	3/17/2008	03-B-13
08-827	GENINORG	CAPA-08-11020	3/17/2008	03-B-13
08-827	GENINORG	CAPA-08-11022	3/17/2008	03-B-13
08-827	GENINORG	CAPA-08-11398	3/17/2008	03-B-13
08-827	GENINORG	CAPA-08-11399	3/17/2008	03-B-13
08-827	HEXP	CAPA-08-11020	3/17/2008	03-B-13
08-827	HEXP	CAPA-08-11068	3/17/2008	R-19
08-827	HEXP	CAPA-08-11398	3/17/2008	03-B-13
08-827	METALS	CAPA-08-11020	3/17/2008	03-B-13
08-827	METALS	CAPA-08-11022	3/17/2008	03-B-13
08-827	METALS	CAPA-08-11398	3/17/2008	03-B-13
08-827	METALS	CAPA-08-11399	3/17/2008	03-B-13
08-827	PEST/PCB	CAPA-08-11020	3/17/2008	03-B-13
08-827	PEST/PCB	CAPA-08-11398	3/17/2008	03-B-13
08-827	RAD	CAPA-08-11020	3/17/2008	03-B-13
08-827	RAD	CAPA-08-11022	3/17/2008	03-B-13

Request	Suite	Sample	Date	Location
08-827	RAD	CAPA-08-11068	3/17/2008	R-19
08-827	RAD	CAPA-08-11398	3/17/2008	03-B-13
08-827	RAD	CAPA-08-11399	3/17/2008	03-B-13
08-827	SVOA	CAPA-08-11020	3/17/2008	03-B-13
08-827	SVOA	CAPA-08-11398	3/17/2008	03-B-13
08-827	VOA	CAPA-08-11020	3/17/2008	03-B-13
08-827	VOA	CAPA-08-11021	3/17/2008	03-B-13
08-827	VOA	CAPA-08-11066	3/17/2008	R-19
08-827	VOA	CAPA-08-11068	3/17/2008	R-19
08-827	VOA	CAPA-08-11398	3/17/2008	03-B-13
08-832	RAD	CAPA-08-11061	3/14/2008	R-19
08-832	RAD	CAPA-08-11084	3/14/2008	R-19
08-832	VOA	CAPA-08-11061	3/14/2008	R-19
08-832	VOA	CAPA-08-11064	3/14/2008	R-19
08-832	VOA	CAPA-08-11083	3/14/2008	R-19
08-832	VOA	CAPA-08-11084	3/14/2008	R-19
08-837	HEXP	CAPA-08-10947	3/18/2008	PCO-3
08-840	GENINORG	CAPA-08-10947	3/18/2008	PCO-3
08-840	GENINORG	CAPA-08-10949	3/18/2008	PCO-3
08-840	HEXP	CAPA-08-10947	3/18/2008	PCO-3
08-840	METALS	CAPA-08-10947	3/18/2008	PCO-3
08-840	METALS	CAPA-08-10949	3/18/2008	PCO-3
08-840	PEST/PCB	CAPA-08-10947	3/18/2008	PCO-3
08-840	RAD	CAPA-08-10947	3/18/2008	PCO-3
08-840	RAD	CAPA-08-10949	3/18/2008	PCO-3
08-840	SVOA	CAPA-08-10947	3/18/2008	PCO-3
08-840	VOA	CAPA-08-10947	3/18/2008	PCO-3
08-840	VOA	CAPA-08-10948	3/18/2008	PCO-3
08-843	HEXP	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-843	HEXP	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-843	HEXP	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-843	HEXP	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	GENINORG	CAPA-08-11005	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	GENINORG	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	GENINORG	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	GENINORG	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	GENINORG	CAPA-08-11010	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	GENINORG	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	HEXP	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	HEXP	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	HEXP	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	HEXP	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	METALS	CAPA-08-11005	3/19/2008	Pajarito 0.5 mi above SR-501

Request	Suite	Sample	Date	Location
08-844	METALS	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	METALS	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	METALS	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	METALS	CAPA-08-11010	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	METALS	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	PEST/PCB	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	PEST/PCB	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	PEST/PCB	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	PEST/PCB	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	RAD	CAPA-08-11005	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	RAD	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	RAD	CAPA-08-11010	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	RAD	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	SVOA	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	SVOA	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	SVOA	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	SVOA	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	VOA	CAPA-08-11006	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	VOA	CAPA-08-11007	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	VOA	CAPA-08-11008	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	VOA	CAPA-08-11009	3/19/2008	Pajarito 0.5 mi above SR-501
08-844	VOA	CAPA-08-11011	3/19/2008	Pajarito 0.5 mi above SR-501
08-846	HEXP	CAPA-08-10950	3/19/2008	18-MW-9
08-846	HEXP	CAPA-08-10954	3/19/2008	18-MW-9
08-846	HEXP	CAPA-08-11397	3/19/2008	18-MW-9
08-847	GENINORG	CAPA-08-10950	3/19/2008	18-MW-9
08-847	GENINORG	CAPA-08-10952	3/19/2008	18-MW-9
08-847	GENINORG	CAPA-08-10954	3/19/2008	18-MW-9
08-847	GENINORG	CAPA-08-11397	3/19/2008	18-MW-9
08-847	HEXP	CAPA-08-10950	3/19/2008	18-MW-9
08-847	HEXP	CAPA-08-10954	3/19/2008	18-MW-9
08-847	HEXP	CAPA-08-11397	3/19/2008	18-MW-9
08-847	METALS	CAPA-08-10950	3/19/2008	18-MW-9
08-847	METALS	CAPA-08-10952	3/19/2008	18-MW-9
08-847	METALS	CAPA-08-10954	3/19/2008	18-MW-9
08-847	METALS	CAPA-08-11397	3/19/2008	18-MW-9
08-847	PEST/PCB	CAPA-08-10950	3/19/2008	18-MW-9
08-847	PEST/PCB	CAPA-08-10954	3/19/2008	18-MW-9
08-847	PEST/PCB	CAPA-08-11397	3/19/2008	18-MW-9
08-847	RAD	CAPA-08-10950	3/19/2008	18-MW-9
08-847	RAD	CAPA-08-10952	3/19/2008	18-MW-9
08-847	SVOA	CAPA-08-10950	3/19/2008	18-MW-9
08-847	SVOA	CAPA-08-10954	3/19/2008	18-MW-9

Request	Suite	Sample	Date	Location
08-847	SVOA	CAPA-08-11397	3/19/2008	18-MW-9
08-847	VOA	CAPA-08-10950	3/19/2008	18-MW-9
08-847	VOA	CAPA-08-10951	3/19/2008	18-MW-9
08-847	VOA	CAPA-08-10954	3/19/2008	18-MW-9
08-847	VOA	CAPA-08-11397	3/19/2008	18-MW-9
08-854	GENINORG	CAPA-08-10958	3/19/2008	PC Spring
08-854	GENINORG	CAPA-08-10960	3/19/2008	PC Spring
08-854	HEXP	CAPA-08-10958	3/19/2008	PC Spring
08-854	METALS	CAPA-08-10958	3/19/2008	PC Spring
08-854	METALS	CAPA-08-10960	3/19/2008	PC Spring
08-854	PEST/PCB	CAPA-08-10958	3/19/2008	PC Spring
08-854	RAD	CAPA-08-10958	3/19/2008	PC Spring
08-854	RAD	CAPA-08-10960	3/19/2008	PC Spring
08-854	SVOA	CAPA-08-10958	3/19/2008	PC Spring
08-854	VOA	CAPA-08-10958	3/19/2008	PC Spring
08-854	VOA	CAPA-08-10959	3/19/2008	PC Spring
08-859	HEXP	CAPA-08-10958	3/19/2008	PC Spring

