

Table 1.0  
 Buckman Wells Nos. 1, 6, and 8  
 Low-Level Tritium

Location Name	Start Date	Analyte	Anyl Meth Code	Fld Prep Code		Std Result	Units	Std Uncertainty (1s)	Std Mda	Lab Qual Code	Concat Flag Code	Fld Qc Type Code	Lab Code	Sample Id
Buckman 1	6/8/2010	H-3	Generic:Low_Level_Tritium	UF	<	-2.94	pCi/L	0.73	2.11	U	U		ARSL	Buckman1-10-16990
Buckman 6	6/8/2010	H-3	Generic:Low_Level_Tritium	UF	<	-3.35	pCi/L	0.83	2.40	U	U		ARSL	Buckman06-10-16992
Buckman 8	6/22/2010	H-3	Generic:Low_Level_Tritium	UF	<	2.27	pCi/L	0.80	2.40	U	U		ARSL	Buckman08-10-16994
Buckman 1	8/24/2010	H-3	Generic:Low_Level_Tritium	UF		3.93	pCi/L	0.89	2.14				ARSL	Buckman1-10-24996
Buckman 1	8/24/2010	H-3	Generic:Low_Level_Tritium	UF		3.03	pCi/L	0.70	1.66			FD	ARSL	Buckman1-10-24999
Buckman 6	8/24/2010	H-3	Generic:Low_Level_Tritium	UF		2.46	pCi/L	0.58	1.34				ARSL	Buckman06-10-24997
Buckman 8	8/24/2010	H-3	Generic:Low_Level_Tritium	UF		3.48	pCi/L	0.80	1.88				ARSL	Buckman08-10-24998

Table 2.0  
 Buckman Wells Nos. 1, 6, and 8  
 Field Parameters

Location Name	Start Date	Analyte	Analyte Desc	Fld Prep Code	Result	Units	Lab Code	Sample Id
Buckman 1	8/24/2010	TURB	GENERIC FIELD TURB	UF	0.29	NTU	FLD	Buckman06-10-24996
Buckman 1	8/24/2010	TEMP	GENERIC FIELD TEMP	UF	22.2	deg C	FLD	Buckman06-10-24996
Buckman 1	8/24/2010	SPEC_CONDC	GENERIC FIELD CONDUCTIVITY	UF	429	uS/cm	FLD	Buckman06-10-24996
Buckman 1	8/24/2010	pH	GENERIC FIELD PH	UF	7.91	SU	FLD	Buckman06-10-24996
Buckman 6	8/24/2010	TURB	GENERIC FIELD TURB	UF	0.20	NTU	FLD	Buckman06-10-24997
Buckman 6	8/24/2010	TEMP	GENERIC FIELD TEMP	UF	24.2	deg C	FLD	Buckman06-10-24997
Buckman 6	8/24/2010	SPEC_CONDC	GENERIC FIELD CONDUCTIVITY	UF	609	uS/cm	FLD	Buckman06-10-24997
Buckman 6	8/24/2010	pH	GENERIC FIELD PH	UF	7.14	SU	FLD	Buckman06-10-24997
Buckman 8	8/24/2010	TURB	GENERIC FIELD TURB	UF	0.11	NTU	FLD	Buckman08-10-24998
Buckman 8	8/24/2010	TEMP	GENERIC FIELD TEMP	UF	26.2	deg C	FLD	Buckman08-10-24998
Buckman 8	8/24/2010	SPEC_CONDC	GENERIC FIELD CONDUCTIVITY	UF	528	uS/cm	FLD	Buckman08-10-24998
Buckman 8	8/24/2010	pH	GENERIC FIELD PH	UF	7.48	SU	FLD	Buckman08-10-24998