

LA-UR-24-21102

Approved for public release; distribution is unlimited.

Title: IDEA ID No. 856 - Los Alamos National Laboratory, Permit #2195, Exemption Notice for Twenty Small Fuel-Burning Units

Author(s): Carretti, Vincent Anthony

Intended for: Environmental Regulatory Document
Issued: 2024-02-14 (rev.1)



Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.



Los Alamos National Laboratory
PO Box 1663, K491
Los Alamos, NM 87545
505-667-4218

**Environmental Protection & Compliance Division
Compliance Programs Group**

Symbol: EPC-DO: 24-056
LA-UR: 24-21102
Locates Action No.: N/A
Date: **FEB 13 2024**

James Nellessen, PhD
Permitting Section
New Mexico Environment Department, Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505-1816

**Subject: IDEA ID No. 856 – Los Alamos National Laboratory, Permit #2195, Exemption
Notice for Twenty Small Fuel-Burning Units**

Dear Mr. Nellessen:

In accordance with the requirements of 20.2.72 NMAC Section 219 A.1.e for administrative permit revisions, Los Alamos National Laboratory (LANL) is providing notification to incorporate twenty (20) exempt sources as defined in Section 202.B.1.a.

The applicable exemption is Section 202.B.1(a) which states:

Fuel burning equipment which is used solely for heating buildings for personal comfort or for producing hot water for personal use and which:

- (a) Uses gaseous fuel and has a design rate less than or equal to five (5) million BTU per hour.*

We request these exempt units be placed on the Air Quality Permit #2195 as an administrative revision (2195 R-100). If you have any questions, please feel free to contact Vincent Carretti (Triad) at (505) 665-1658.

These small boilers and heaters will be included in our small boiler pool, and emissions from these units will be included in our emissions reporting for small boilers, and subject to emission limits in Table 802.A of our Title V Operating Permit P100-R2M5.

The exempt units are listed in the following table. The listed units all use pipeline quality natural gas as fuel and have a design rate of less than five (5) million BTU per hour.

New Exempt Fuel Burning Units at Los Alamos National Laboratory

Description	Make	Model No.	Capacity (MMbtu/hr)	Serial No.	Location	Replacement
Gas-Fired HVAC	Daikin	DPS-016A	0.3648	FBOU2212 01053	TA-35-0086	No
Gas-Fired Heater	Reznor	X-250	0.25	BVL306214 7276	TA-53-0019	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0002	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0003	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0004	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0005	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0006	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0007	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0008	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0009	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0010	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027- 040-0011	TA-35-0301	Yes
Gas-Fired Furnace	Rheem	R801CA125 524MSA	0.125	W16225500 6	TA-03-1911	Yes
Gas-Fired Heater	Reznor	UDZ-45	0.045	BWE30620 26170	TA-48-0001	Yes
Gas-Fired Furnace	Trane	S8X1B060M 4PSC	0.06	23383035H G	TA-35-0207	Yes
Gas-Fired Heater	Re-Verber Ray	DR30 NFS-2 120V	0.03	2109HMAC 217660 0008	TA-46-0335	Yes
Gas-Fired Furnace	Reznor	HXE-300	0.3	BWK30620 74832	TA-53-0017	Yes
Gas-Fired Furnace	Reznor	HXE-350	0.35	BWK30620 74833	TA-53-0017	Yes
Gas-Fired Furnace	Trane	S8X1D120M 5PSC	0.12	24033XDM JG	TA-03-0481	Yes

Description	Make	Model No.	Capacity (MMbtu/hr)	Serial No.	Location	Replacement
Gas-Fired Furnace	Trane	S8X1D120M 5PSC	0.12	24033XDNJ G	TA-03-0481	Yes

In accordance with Section 203.A.12, I hereby certify on behalf of LANL that the information submitted in this notification is as complete, true, and accurate as possible, to the best of my personal knowledge.

Sincerely,



Sarah S. Holcomb
Acting Group Leader

Attachment(s): Attachment 1 Air Quality Administrative Revision for Twenty Small Fuel-Burning Units

Copy: Karen E. Armijo, NA-LA, karen.armijo@nnsa.doe.gov
 Robert A. Gallegos, NA-LA, robert.gallegos@nnsa.doe.gov
 Silas DeRoma, NA-LA, silas.deroma@nnsa.doe.gov
 Stephen N.P. Jochem, NA-LA, stephen.jochem@nnsa.doe.gov
 Steven A. Coleman, Triad, ALDESHQ, scoleman@lanl.gov
 Jennifer E. Payne, Triad, ALDESHQ, jpayne@lanl.gov
 Jeannette T. Hyatt, Triad, EWP, jhyatt@lanl.gov
 Steven L. Story, Triad, EPC-DO, story@lanl.gov
 Deepika Saikrishnan, Triad, EPC-DO, deepika@lanl.gov
 Sarah S. Holcomb, Triad, EPC-CP, sholcomb@lanl.gov
 Maxine M. McReynolds, Triad, GC-ESH, mcreynolds@lanl.gov
 Christopher C. Stoneback, Triad, GC-ESH, stoneback@lanl.gov
 Marjorie B. Stockton, Triad, EPC-CP, mstockton@lanl.gov
 Vincent A. Carretti, Triad, EPC-CP, vcarretti@lanl.gov
 Triad, EPC-CP Permit Application File
lasomailbox@nnsa.doe.gov
epccorrespondence@lanl.gov
eshq-dcrm@lanl.gov
gc-esh@lanl.gov

ATTACHMENT 1
**Air Quality Administrative Revision for
Twenty Small Fuel-Burning Units**

EPC-DO: 24-056

LA-UR-24-21102

Date: **FEB 13 2024**

Permitting Administrative Multi-Form

Use for NSR administrative permit revisions (including GCPs), TV administrative amendments, TV responsible official notifications, and other submittals required by a permit condition. Refer to Section 4 for instructions, acronyms, and mailing addresses.

Mail Application To: New Mexico Environment Department Air Quality Bureau 525 Camino de los Marquez, Suite 1 Santa Fe, New Mexico, 87505 Phone (505) 476-4300 Fax (505) 476-4375 www.env.nm.gov/aqb		For Department use only – Received Date: <input type="checkbox"/> Approved <input type="checkbox"/> Completed <input type="checkbox"/> Denied Permit revision number: Reviewed by & date:
--	---	--

Section 1: General Information – Required for All Submittals

1	Facility Name: Los Alamos National Laboratory								
2	Preparer/Consultant Name: Vincent A. Carretti	Title: Environmental Professional – Air Quality							
3	Email: vcarretti@lanl.gov	Phone: (505) 665-1658							
4	Address: P.O. Box 1663, MS J978, Los Alamos, NM 87545								
5	Air Permit Contact: Marjorie B. Stockton	Title: Meteorology & Air Quality Team Leader							
6	Email: mstockton@lanl.gov	Phone: (505) 695-4508							
7	Address: P.O. Box 1663, MS J978, Los Alamos, NM 87545								
8	Check all boxes below for which this submittal applies:	AI #: 856	Permit #: 2195						
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; border: 1px solid black; padding: 2px;"> <input checked="" type="checkbox"/> NSR Construction Permit (20.2.72 NMAC) </td> <td style="width: 33%; border: 1px solid black; padding: 2px;"> <input type="checkbox"/> NOI (20.2.73 NMAC) (Sections 2-B, 2-D) </td> <td style="width: 33%; border: 1px solid black; padding: 2px;"> <input type="checkbox"/> PSD Permit (20.2.74 NMAC) </td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;"> <input type="checkbox"/> TV Operating Permit (20.2.70 NMAC) </td> <td style="border: 1px solid black; padding: 2px;"> <input checked="" type="checkbox"/> Notice of Exemption (20.2.72.202.B NMAC) (Section 2-F) </td> <td style="border: 1px solid black; padding: 2px;"> <input type="checkbox"/> Nonattainment Permit (20.2.79 NMAC) </td> </tr> </table>				<input checked="" type="checkbox"/> NSR Construction Permit (20.2.72 NMAC)	<input type="checkbox"/> NOI (20.2.73 NMAC) (Sections 2-B, 2-D)	<input type="checkbox"/> PSD Permit (20.2.74 NMAC)	<input type="checkbox"/> TV Operating Permit (20.2.70 NMAC)	<input checked="" type="checkbox"/> Notice of Exemption (20.2.72.202.B NMAC) (Section 2-F)	<input type="checkbox"/> Nonattainment Permit (20.2.79 NMAC)
<input checked="" type="checkbox"/> NSR Construction Permit (20.2.72 NMAC)	<input type="checkbox"/> NOI (20.2.73 NMAC) (Sections 2-B, 2-D)	<input type="checkbox"/> PSD Permit (20.2.74 NMAC)							
<input type="checkbox"/> TV Operating Permit (20.2.70 NMAC)	<input checked="" type="checkbox"/> Notice of Exemption (20.2.72.202.B NMAC) (Section 2-F)	<input type="checkbox"/> Nonattainment Permit (20.2.79 NMAC)							

Section 2: Details of Submittal

Only print and submit the pages necessary for your submittal. Print double sided head-to-toe, flip on short end (tablet). The Permit Section responds to all TV Administrative amendments and responds only to denials of NSR administrative revisions. Courier proof of delivery is required if you want confirmation that the Department received this submittal. Check the box(es) applicable to this submittal:

- | | |
|--|--|
| <input type="checkbox"/> 2-A(i) & 2-A(ii): Identical Engine or Turbine Replacements

<input type="checkbox"/> 2-B: Owner, Operator, and Name Changes to NOIs or Construction Permits

<input type="checkbox"/> 2-C: Ownership or Operational Control Changes for Title V Permits

<input type="checkbox"/> 2-D: Closing a Facility or Removing Units from a Permit or Canceling an NOI | <input type="checkbox"/> 2-E: Correct Typographical Error

<input checked="" type="checkbox"/> 2-F: Reporting Exempt Equipment for Minor Construction Permits or for No Permit Required (NPR) Facilities

<input type="checkbox"/> 2-G: Add Minor NSR Exempt Equipment to Construction Permits for PSD or Nonattainment Sources

<input type="checkbox"/> 2-H: Title V Responsible Official Designations |
|--|--|

Section 2-F: Reporting Exempt Equipment for Minor Construction Permits or for No Permit Required (NPR) Facilities

Certain equipment can be added to minor construction permits as exempt equipment under 20.2.72.202.B NMAC as an administrative permit revision. (This exemption does not apply to facilities subject to 20.2.70 NMAC (TV), 20.2.74 NMAC (PSD), or 20.2.79 NMAC Nonattainment Sources. In those cases, use Section 2-G of this form.)

Construction permit Part 72 exemptions are not the same as operating permit TV insignificant activities (20.2.70.7.Q NMAC). If you have a TV permit and want to claim [Title V insignificant activities](#), they may be required to have authorization through a construction permit. Only the insignificant activities that meet the requirements of 20.2.72.202.B NMAC may be added using this form for an administrative permit revision.

The Potential to Emit (PTE) of regulated air contaminants from minor permit exempt equipment count toward the facility’s total emissions under the PSD, nonattainment, and TV regulations therefore, the addition of equipment using this form could possibly result in the facility becoming PSD, Nonattainment, or TV major.

Check the box(es) to indicate if your facility has a permit or is a no permit required (NPR) facility, check the box(es) for the equipment being added, and complete the table(s), if applicable. Include attachments as required.

Administrative Revision: This facility has a minor construction permit as designated in Section 1 of this application. This form is being submitted to add a piece(s) of equipment that qualifies as exempt under 20.2.72.202.B NMAC.

or

Notice of Exemption: This facility does not require a 20.2.72 NMAC permit, so it is designated as a no permit required (NPR) facility. This exemption form is being submitted to record that this equipment qualifies as exempt under 20.2.72.202.B NMAC. (This exemption does not apply to (cannot be added to) NOI (20.2.73 NMAC), TV (20.2.70 NMAC), PSD (20.2.74 NMAC), or nonattainment (20.2.79 NMAC) facilities.)

AQB used to require either the Notice of Exemption Form or Exemption Application Form for these facilities. This form replaces both of those forms.

Only fill out the information in this table if your facility is an NPR facility, we already have the information for permitted sites.

Facility Name:	Plant primary SIC Code (4 digits):
	Plant NAICS code (6 digits):
Facility Street Address (If no facility street address, provide directions from a prominent landmark):	
Company Name:	Phone:

Company Mailing Address:				
Air Contact:			Title:	
Email:			Phone:	
The facility is: <input type="text"/> (distance) miles <input type="text"/> (direction) of <input type="text"/> (nearest New Mexico town or tribal community).		Zip Code:	County:	
Status of land (check one): <input type="checkbox"/> Private <input type="checkbox"/> Indian/Pueblo <input type="checkbox"/> Federal BLM <input type="checkbox"/> Federal Forest Service <input type="checkbox"/> State Land <input type="checkbox"/> Bernalillo County				

Section 2-F: Reporting Exempt Equipment for Minor Construction Permits or for No Permit Required (NPR) Facilities, continued

Minor Construction Permit (Part 72) or NPR Exempt Equipment

The equipment checked in this section meets the requirements of the exemption in 20.2.72.202 NMAC, will comply with all applicable federal requirements in 40 CFR Part 60 (NSPS) or 40 CFR Part 63 (MACT), and appropriate records will be created and retained for two (2) years (or five (5) years if a TV source):

Standby Generators

Standby generators which are operated only during the unavoidable loss of commercial utility power and less than 500 hours per year. (20.2.72.202.B(3) NMAC). Potentially applicable federal regulations: 40 CFR 63 Subpart ZZZZ and 40 CFR 60 Subparts JJJJ or IIII. Emission rates from emergency standby generators should be calculated assuming operation throughout the year (i.e., 8760 hours per year) to verify that it does not make your facility PSD, Nonattainment, or TV major.

Standby Generator Manufacturer	Serial Number	Date of Manufacture	Date of Installation ¹	Capacity (hp)
Name of commercial power provider ² :				

¹ Date of installation is the date the engine is placed and secured at the location where it is intended to be operated.

² Commercial power is purchased from a utility company, which specifically does not include power generated on-site for the sole purpose of the user.

Abrasive Blasting

Enclosed abrasive blasting operations; if no visible emissions from the building. (20.2.72.202.B(7) NMAC). Potentially applicable federal regulations: 40 CFR 63 Subpart XXXXXX - National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories. More information: www.env.nm.gov/air-quality/ind-sector-info/.

Surface Coating

Surface coating of equipment, including spray painting, roll coating, and painting with aerosol spray cans and all coating and clean-up solvent; if VOCs from paints and solvents do not exceed ten (10) pounds per hour and two (2) tons per year. (20.2.72.202.B(6) NMAC). Potentially applicable federal regulations (more information: www.env.nm.gov/air-quality/ind-sector-info/):

40 CFR 63 Subpart HHHHHH - National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources or

40 CFR 63 Subpart XXXXXX - National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories.

Volatile Organic Compound (VOC) Handling and or Storage

VOC emissions resulting from the handling or storing of any VOC emission source; if vapor pressure is less than two tenths (0.2) PSI at the storage and handling temperatures. (20.2.72.202.B(2) NMAC).

Fuel Burning Equipment

Fuel burning equipment used solely for heating buildings for personal comfort or producing hot water for personal use; if gaseous or liquid fuel and rated 5 MMBtu or less, or if distillate oil and 1 MMBtu or less. (20.2.72.202.B(1) NMAC).

See table below:

Description	Make	Model No.	Capacity (MMbtu/hr)	Serial No.	Location	Replacement
Gas-Fired HVAC	Daikin	DPS-016A	0.3648	FBOU221201053	TA-35-0086	No
Gas-Fired Heater	Reznor	X-250	0.25	BVL3062147276	TA-53-0019	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0002	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0003	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0004	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0005	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0006	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0007	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0008	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0009	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0010	TA-35-0301	Yes
Gas-Fired Heater	Co-Ray-Vac	CRV-B-4	0.04	2304-027-040-0011	TA-35-0301	Yes
Gas-Fired Furnace	Rheem	R801CA125524MSA	0.125	W162255006	TA-03-1911	Yes
Gas-Fired Heater	Reznor	UDZ-45	0.045	BWE3062026170	TA-48-0001	Yes
Gas-Fired Furnace	Trane	S8X1B060M4PSC	0.06	23383035HG	TA-35-0207	Yes

Description	Make	Model No.	Capacity (MMbtu/hr)	Serial No.	Location	Replacement
Gas-Fired Heater	Re-Verber Ray	DR30 NFS-2 120V	0.03	2109HMAC21766 0 0008	TA-46-0335	Yes
Gas-Fired Furnace	Reznor	HXE-300	0.3	BWK3062074832	TA-53-0017	Yes
Gas-Fired Furnace	Reznor	HXE-350	0.35	BWK3062074833	TA-53-0017	Yes
Gas-Fired Furnace	Trane	S8X1D120M5PSC	0.12	24033XDMJG	TA-03-0481	Yes
Gas-Fired Furnace	Trane	S8X1D120M5PSC	0.12	24033XDNJG	TA-03-0481	Yes

Repositioning Sources at Plant

Repositioning or relocating sources of air emissions or emissions points within the plant site, but only when such change in physical configuration does not increase air emissions or the ambient impacts. (20.2.72.B(4) NMAC). Attach an updated plot plan. Permittees must ensure that relocation of any emissions source within the plant site does **not** increase the ambient impact and will not result in an exceedance of any National Ambient Air Quality Standard (NAAQS), New Mexico Ambient Air Quality Standard (NMAAQs), or PSD Increment. If not sure, please contact the Modeling Section Manager (505-476-4300).

Emissions Exempted Based on Quantity

Any emissions unit, operation, or activity that has the potential emission rate no more than one-half (1/2) ton per year of any regulated new source review pollutant. Units, operations, or activities of similar function shall be combined when calculating the emission rate. (20.2.72.202.B(5) NMAC).

Unit Description	Serial Number	Capacity (size)	Regulated Pollutants Emitted ³	PER ⁴ tpy

³ Particulate Matter (PM, PM₁₀, PM_{2.5}); Sulfur Dioxide (SO₂); Carbon Monoxide (CO); Nitrogen Dioxide (NO₂); Hydrogen Sulfide (H₂S); Lead (Pb); Total Reduced Sulfur; and Volatile Organic Compounds (VOC).

⁴ Potential emission rate, as defined in 20.2.72 NMAC. The PER is the worst-case emission rate of the facility without controls or other limitations (unless the controls or limitations are enforceable) and as if the facility were operating continuously 8760 hours per year (24 hour/day, 365 days/year).

Section 3: Certification – Required for All Submittals

Company Name: Triad National Security, LLC

I, Sarah S. Holcomb, hereby certify that the information and data submitted in this application are true and as accurate as possible, to the best of my knowledge and professional expertise and experience.

Signed this 13 day of February, 2024, upon my oath or affirmation, before a

notary of the State of New Mexico.

Sarah S. Holcomb
Signature¹

2/13/2024
Date

Sarah S. Holcomb
Printed Name

Acting Group Leader
Title

Scribed and sworn before me on this 13 day of February, 2024.

My authorization as a notary of the State of New Mexico expires on the 12 day of June, 2027.

[Signature]
Notary's Signature

2/13/24
Date

Maria Francesca Trujillo
Notary's Printed Name

**STATE OF NEW MEXICO
NOTARY PUBLIC
MARIA FRANCESCA TRUJILLO
Commission Number 1057385
My Commission Expires June 12, 2027**

¹ For Title V applications, the signature must be of the Responsible Official as defined in 20.2.70.7.AE NMAC: