LA-UR-12-24317

Approved for public release; distribution is unlimited.

Title: Agriculture and Food Security: Plant Disease Surveillance

Author(s): White, P Scott
Deshpande, Alina

Intended for: Industry visitors shopping LANL technologies.

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Agriculture and Food Security: Plant Disease Surveillance

BASF visit to LANL

20 August 2012

P Scott White, PhD

Team Leader for Global Security and Applications

B-7, Biosecurity and Public Health

Bioscience Division

LANL Innovations in Bioscience Research & Development High Impact Past and Exciting Future

Protecting high value crops

Annual vs. perennial crops

- Crop rotation is an effective pest control for annual crops.
- Orchards/vineyards are developed over many years; no rotation relative to pathogen/vector life cycles.
- Trees/vines come into full production in 5-7 years.
- Breeding for resistance is an extremely slow process.
- Screening propagative material takes many weeks.
- Diseased trees serve as pathogen and vector reservoirs.
- Early detection and mitigation are critical for controlling disease spread.

Pathogens that threaten citrus

Microbe/disease

1. *Candidatus Liberibacter* sp. – Huanglongbing (HLB); citrus greening
2. *Xanthomonas citri* – citrus canker
3. Citrus tristeza virus – citrus tristeza disease
4. *Xylella fastidiosa* – citrus variegated chlorosis

All are transmitted by insect vectors. Pathogens and vectors have many alternate hosts.

CTV worldwide distribution

Huanglongbing (HLB) distribution, US quarantine and impact

Figure 6. The worldwide distribution of HLB is shown with the following colors representing each of the strains or combinations of strains.
 ■ Asian strain of HLB. ■ Asian and African strains of HLB. ■ African strain of HLB. ■ Asian and American strains of HLB.
 Source: California Department of Food and Agriculture, GIS/GPS Laboratory.

Citrus greening costs \$3.63 billion in lost revenues and 6,611 jobs, new UF study shows

Filed under [Agriculture](#), [Business](#), [Economic Impact](#), [Florida](#), [Research](#) on Tuesday, January 24, 2012.

GAINESVILLE, Fla. — Since 2006, the bacterial disease citrus greening has cost Florida's economy an estimated \$3.63 billion in lost revenues and 6,611 jobs by reducing orange juice production, according to a new study from the [University of Florida's Institute of Food and Agricultural Sciences](#).

Huanglongbing (HLB) in the USA

Plant disease screening needs

- Inexpensive, broad spectrum tests
- Presymptomatic detection where possible (testing insect vectors provides early warning)
- Rapid results
- Strain/species/subspecies specificity
- High throughput
- Automatable
- Flexible – add or change markers, as needed

Current methods for plant pathogen screening

- Symptomatic diagnosis
- Inoculation of indicator plants
- ELISA
- PCR
- Whole genome sequencing?

Costs, cycle times, or lack of resolution present major limitations to collecting the large amount of data needed for global surveillance and security.

Multiplexing speeds diagnosis and response

Screening assay parameters: application-dependent

NOTE: the values in the graph are for illustration purposes only. Higher values represent higher level of importance of the corresponding parameter.

Plant pathogen screening process

Collect field samples,
transport to lab
(via mail or hand-carry)

Process
samples in
high throughput
laboratory
(up to thousands/day)

Management decisions
based on rich data

Multiplex Oligonucleotide Ligation-Polymerase Chain Reaction (MOL-PCR): LANL-developed solution

- Multidisciplinary technology developed over years
- Generic technology with many applications
 - Genotyping, Marker Assisted Selection, ID and forensics
 - **Detection** and diagnosis (human, **ag**, food safety, biothreat surveillance)
 - Antibiotic/drug resistance determination
 - Gene expression liquid arrays
 - Many more
- Over \$3M in investments by DOE, LDRD, DHS S&T, Citrus Research Board, and industry.
- Licensed to industry

MOL-PCR: an assay designed for multiplex

MOL-PCR: Multiplex Oligonucleotide Ligation-PCR

This figure depicts a single marker, for simplicity. Up to 500 markers is possible with the Luminex FlexMap 3D data acquisition instrument.

Multiplexing reduces cost per data point (marker)

Multiplexing reduces cost of ownership

4-plex Taqman

Taqman (ABI 7500 throughput)

1 plate	96	wells
4 markers/well	386	marker/plate
1 plate/~2 hrs	192	markers/hr
Operates ~8 hrs	1,536	markers/day
Operates 5 days/week	7,680	markers/wk

Capital Investment **\$45K per instrument**

Capital Investment for 76,800 markers/week

\$450K

Total Reagent Cost = \$19,200/week

100-plex MOL-PCR

MOL-PCR (2 PCR machines, 1 Luminex 100)

4 plates	384	wells
100 markers/well	9,600	markers/plate
Process 4 plates/4 hrs	9,600	markers/hr
Operates ~8 hrs	19,200	markers/day
Operates 5 days/week	96,000	markers/wk

Capital Investment **\$75K total**

Total Reagent Cost = \$1,344/week

Platform and assay comparison

Assay/platform	Specificity	Sensitivity	Instrument Cost	Operational cost	Multiplex	Throughput
Taqman PCR	High	High	Moderate to High*	Moderate*	Limited to 4	Moderate
qPCR (RT-PCR)	High	High	Moderate to High*	Moderate*	No	Moderate
ELISA	Low to Medium	Low to Medium	Low	Low	Single to 2-plex	Moderate
Sequencing	High	Low to Medium**	Extreme	Extreme	Possible with some platforms	Extremely Low
MOL-PCR	High***	Medium to High	Moderate	Low to Moderate	500+ possible	Med to High

*Depends on required “bandwidth”. Costs increase linearly with additional markers/samples.

**Large amounts of enriched or purified DNA are generally required, but whole genome amplification (WGA) is sometimes used to increase sensitivity.

***Includes SNP discrimination for higher resolution among pathovars, where needed.

For MOL-PCR, cost per sample ~\$2.50 exclusive of sample collection, shipping, DNA purification, pipets, plates

Trade Space: Sample Throughput vs. Data

Throughput vs. information content

Assay Development: Computational design

CTV

HLB

Computational tools for assay design

MOLigoDesigner

A web-based tool for molecular signature design

MOLigo Design

Input

Tags

Generate

Input: the wild-type sequence, the **SNP base** and **other mutations**, or upload a file with this information [Choose File](#) no file selected

```
>Clas gene 1 [INIT:1251]
TTCAAAAGATCCAGCAATTAGTGAAATTTACATTGTAGAGGGTGACTCTGCCGGTGGATCAGCAAAGCAA
GGCGGTGATCGTCACTTCCAAGCGATTTTACCACTGAAAGGTAATAATTATTAACGTTGAAAAGGCAAGAT
TAGATAAAATCTTATCTAACGATGAAGTGCCTACAATTATTACTGCAATTGGTACGAACATTGGCG
```

SNP1 C1330G [C1335A]

Click [\[HERE\]](#) to see an example input.

Ligation conditions

Oligo concentration	5e-9	M
Monovalent salt concentration	0.06	M
Divalent salt concentration	0.002	M
Nucleotide triphosphates (dNTPs)	0.0002	M
Specific region T _m (95%)	55	°C

MOLigo parameters

Max specific region length	36	bp
Min specific region length	12	bp
Secondary structure boundary T _m	45	°C
Range of T _m (+/-)	1.4	°C
Delta T _m of specific regions	5	°C

LNA base parameters

Maximum trim 5'	5	bp
Maximum trim 3'	5	bp
Minimal trim length	0	bp
Optimal trim length	1	bp
Maximum LNA bases	6	bp

Other options

MOL-PCR version: ☐ Classic ☒ Reverse

☒ Do not introduce LNA bases if T_m of region is out of range

Forward universal primer 5'- CGCGGTAGTAAGAAGTGAGA -3'

Reverse universal primer 5'- ACTCGTAGGGAATAAACCGT -3'

[Submit](#) [Reset](#)

Example search result for one target SNP

MOLigoDesigner

A web-based tool for molecular signature design

MOLigo Results

Conditions	Template	Summary	Download
------------	----------	---------	----------

Oligo concentrations	5e-9 M	Max specific primer length	36 bp	Maximum trim 5'	bp
Monovalent salt concentrations	0.06 M	Min specific primer length	12 bp	Maximum trim 3'	bp
Divalent salt concentrations	0.002 M	Secondary structure boundary Tm	45°C	Minimal trim length	bp
Nucleotide triphosphates (dNTPs)	0.0002 M	Range of Tm (+/-)	1.4°C	Optimal trim length	bp
Ligation Tm	55°C	Delta Tm of specific regions	5°C	Maximum LNA bases	bp

Name	Target	Strand	Tag ID	Tag Sequence	Hairpin Tm	Homodimer Tm	Heterodimer Tm
SNP1	CLas	+	LUA-55	GTTAGTTATTGAGAAGTGTATATA	15.70°C	0.00°C	0.00°C
Probe	Tm	Group	Length	Sequence (5'-3')			
MOLigo1	54.34°C	-	18 bp	ATCACGCCCTTGCTTTGCTCTCACTTCTTACTACCGCG			
MOLigo2	54.58°C	-	23 bp	ACTCGTAGGGAATAAACCGTGTAGTTATTGAGAAGTGTATATAGGTAATCGCTTGAATTGACC			
Amplicon	105 bp			ACTCGTAGGGAATAAACCGTGGTAAATCGCTTGAATTGACCATCAGCCCTTGCTTTGCGTTAGTTATTGAGAAGTGTATATATCTCACTTCTTACTACCGG			

Name	Target	Strand	Tag ID	Tag Sequence	Hairpin Tm	Homodimer Tm	Heterodimer Tm
SNP1	CLas	-	LUA-55	GTTAGTTATTGAGAAGTGTATATA	15.70°C	0.00°C	0.00°C
Probe	Tm	Group	Length	Sequence (5'-3')			
MOLigo1	55.20°C	-	24 bp	GTCAATTCCAAGCGATTTTACCACCTCACTTCTTACTACCGCG			
MOLigo2	56.07°C	-	19 bp	ACTCGTAGGGAATAAACCGTGTAGTTATTGAGAAGTGTATATAGCAAAGCAAGGGCGTGATG			
Amplicon	107 bp			ACTCGTAGGGAATAAACCGTGCAAAGCAAGGGCGTGATGGTCAATTTCCAAGCGATTTTACCACGTTAGTTATTGAGAAGTGTATATATCTCACTTCTTACTACCGG			

Detection and characterization assay

Summary:

- All pathogens detected
- Discrimination among most major clades of *Liberibacter*
- Inference of other *Liberibacter* clades possible
- Discrimination among major CTV clades

UNCLASSIFIED

Slide 22

Future needs in plant disease surveillance

- Autonomous detection for pathogens and/or vectors
- Predictive tools for risk assessment and prioritization of resources
- Cooperative threat reduction partnerships for agricultural surveillance and security
- Worldwide sampling of crops, alternate hosts (backgrounds) to understand microbial/vector diversity and emerging pathogens
- Rapid, inexpensive, broad spectrum screening tools
- More sequence data
- Multidisciplinary solutions

LANL Science of Signatures

Comprehensive measurement, analysis, and decision support capability through science of signatures.

Overarching science goals

* Discover signatures

Identify signatures of CBRNE (chemical, biological, radiological, nuclear, and explosives) threats and of climate, energy and health security impacts. In a nutshell, signature discovery is determining those measurable phenomena that uniquely identify and characterize properties of complex environments.

* Revolutionize measurements

For threat-specific signatures, develop entirely new measurement technologies, methodologies, or strategies or develop transformational advances in the current state-of-the-art. In a nutshell, how can sensitive and specific measurements be made in entirely new ways and/or how can new phenomena (signatures) be measured?

* Forward Deployment

Make measurement technologies and methodologies practical through engineering. This includes prototyping of sensors and instruments for field deployment and systems integration of sensor networks. In a nutshell, how do we bring science advances to the real world in a way that provides feedback into signature discovery and/or revolutionary measurement technologies?

Forward Deployment: Agriculture

NATIONAL AGRICULTURAL
GENOTYPING CENTER

| [Home](#) | [Partners](#) | [Publications](#) | [Contact Us](#) |

The mission of the National Agricultural Genotyping Center (NAGC) is to translate scientific discoveries into solutions for production agriculture, food safety, functional foods, bioenergy and national security.

“Our continued global leadership and success depends upon a renewed and reinforced commitment to our world-class agricultural science and research.”

*Catherine Woteki, USDA Under Secretary
for Research, Education & Economics*

Importance of Genotyping for Improved Genetics

NATIONAL AGRICULTURAL GENOTYPING CENTER

| [Home](#) | [Partners](#) | [Publications](#) | [Contact Us](#) |

Los Alamos National Laboratory (LANL)

The NAGC is partnered with Los Alamos National Laboratory (LANL), the premier research institution in the world with a proven track record in developing high-throughput genotyping technology. LANL has considerable experience in the design and testing of nucleic acid assays for the detection of human, animal and plant pathogens. The main funding for this work has come from the Department of Homeland Security (DHS), and a number of LANL assay designs have been transitioned by the DHS for use at the Centers for Disease Control and Prevention (CDC). Other support has come from the Citrus Research Board and from private industry. Over the past 10 years, LANL has designed assays for all of the key biothreat and public defense viral and bacterial pathogens.

The design methods employed at LANL rely extensively on computational techniques for genome comparison that were developed at LANL for the DHS and that are implemented on a large dedicated cluster of high performance computers. These methods are ahead of the current state of the art and allow LANL to identify assay designs that cannot be achieved elsewhere. The computational methods developed at LANL are applicable to any of the existing hybridization-based nucleic-acid assay methods (PCR, TaqMan, microarrays, NASBA, etc). However, in addition, LANL has considerable unique expertise with the MOL-PCR platform that will be deployed by this initiative. Tools have been developed and continue to be improved that are specific for MOL-PCR assay designs.

LANL will be responsible for the bioinformatics component of this initiative. Their work will be primarily focused on the design of nucleic acid assays. Additional tasks may involve sequence analysis for improved understanding of assay performance, database support, and support for development of counter-measures. Research needed to maintain state of the art capabilities may also be necessary.

National Corn Growers Association (NCGA).

The NAGC will benefit from this partnership by maintaining a direct link with the agricultural producers. NCGA represents 35,000 dues-paying corn farmers nationwide and the interests of more than 300,000 growers who contribute through corn checkoff programs. A partnership with the NCGA will facilitate access to farmers in 48 states. The Mission of the National Corn Growers Association is to create and increase opportunities for corn growers. The Vision of the National Corn Growers Association is that it will continue to be the recognized leader working in cooperation with its suppliers and customers to maintain sustainability and to achieve new business and profit opportunities for those it represents.

Donald Danforth Plant Science Center (DDPSC)

The Donald Danforth Plant Science Center in St. Louis, Missouri is a not-for-profit research institute. Scientists at the Center are engaged in research that strives to enhance the nutritional content of plants, increase agricultural production and to create a sustainable food supply. DDPSC will provide research expertise, administrative and operation support, and advising oversight. A partnership with the DDPSC will provide a rich, collaborative research environment and access to over 170 leading scientists.

Questions?

Capabilities for agricultural surveillance reside across LANL

- B-6 Genome Center
- B-7 Biosecurity and Public Health
- B-8 Environmental Science
- B-9 Advanced Measurement Science
- C Div instrumentation and analysis
- D-3 R&D, testing, modeling
- D-6 risk modeling, knowledge integration
- EES modeling, plant stress and environmental research
- IAT-1 FIE; threat assessment, global awareness
- MPA-CINT materials and detection technologies
- P-21 aerosol science, microfabrication, field-based instrument development
- T-6 research and modeling
- Tech Transfer Program Office

Outline

- Scope of the problem
- Need for technical solutions
- LANL technology solutions

Greening and Canker in Florida