Los Alamos

Los Alamos National Laboratory
Los Alamos, New Mexico 87545

memorandum

TO: EE-2A Redrill Panel Distribution
FROM: G. Cocks & D. Dreesen
SYMBOL: ESS-4-87-82
SUBJECT: MEETING OF THE TARGET AND TRAJECTORY WORKING GROUP OF THE EE-2A REDRILLING COMMITTEE.

DATE: April 14, 1987
MAIL STOP/TELEPHONE: J981/7-4318

The target/trajectory working group met on April 7 and were presented the very preliminary results of the application of the 3 point method Exp. 2032 planes to the target section process.

Preliminary Results

1. Planes 1, 2, 3, 4a, 4b, 4c, 5a, and 5b intersected and overlapped sufficiently in the seismic regions to provide a complete hydraulic flow path to generate all of the planes created during Exp. 2032.
2. A very complex flow network was created but it appears to be consistent with hydraulic results from Exps. 2049, 2057, and 2059.
3. Plane 3 appears to be closely associated with the leak off zone region in EE-3 and EE-3A. It's (seismic region) intersects EE-2 at a depth of 10,751 ft. This plane may have conducted significant pressure very close to the interval in EE-2 where the 9-5/8" casing collapsed during the inadvertent vent down of the backside following Exp. 2032.
4. Plane 4a (in the aseismic region) intersects EE-2 at 10,072 + 420 ft. This plane might be associated with the flow at 9800 + 100 ft in EE-2.
5. From the flow manifold for experiment 2059 (see attachment 4, part 4) it appears that plane 5a is a potential restriction in the manifold. Planes 5a and 5b dip 30° west so it is assumed that high pressure is required to jack them open. Plane 5a has a questionable connection to EE-3A. If it intersects EE-3A near 11,586 ft depth it was not observed on temperature logs until the ICFT. Its connection to EE-2 may be deep and very likely the connection is covered with sand. If these connections are not well developed it is expected that all flow to EE-2 passed from 4a and 4b through 5a and then through 1 or 4c and 3 to reach EE-2.

6. Two additional flow paths are postulated though aseismic regions in plane 4a. The first would flow out of the seismic 4c plane into the aseismic 4a plane to the 9800 ft zone. The second would flow from the seismic region in plane 3 through the aseismic region in plane 4a to the 9800 ft zones. One of these flow paths is needed to explain the flow at 9800 ft that has been observed since 12/1/84.
7. The DiBona target, 50 to 100 ft radius of old EE-2, would allow intersection of planes 1 and 3 and possible intersection of planes 4c and 5a (with stimulation required to assure a connection).
8. After penetration of the DiBona target, intersection of the deeper planes would require that EE-2A be turned sharply to the south to follow EE-3A. This may not be a realistic trajectory option.
9. The deeper planes (2,5b,4b, and 4a) may have had little contribution to the ICFT but 3 point planes from experiments 2066 and 2062 need to be put in the manifold before the assumption can be made with confidence.

Action Items

1. Incorporate the Exps 2062 and 2066 planes into the model and evaluate the ICFT flow manifold.
2. Investigate the possibility of projecting flow splits through the ICFT manifold. If the projected flow splits are reasonable, (compared with B. Robinson's tracer manifolds?), use projected flow splits in the various manifolds that would result from potential drilling targets to project reservoir performance.
3. Develop trajectory options for the DiBona target.

ATTACHMENT I

Exp. 2032 Planes (Revised)

<u>Plane/Strk/Dip</u>	<u>Intersection</u>	<u><*</u>	<u>Seismic Region</u>	<u>Best Description</u>
1. N31W 74E	EE-2 11,865 (11,658-12,013)	18°	<u>Yes</u>	Exp 2018 inj. zone 11,830-40' altered zone
	EE-2 7397 EE-3A 10,632 (10,500-11,175)	na 6°	No <u>No?</u>	none Transition zone, caliper log ledge at 10,580'
2. N90W 27N	EE-2 13496 EE-3A 12,664	49° 69°	No <u>Yes</u>	none Top Exp 2061 inj. zone
3. N29W 67W	EE-2 10,751 EE-3 10,217 EE-3A 10,415	43° 53° 32°	<u>Yes</u> No No	9-5/8" casing collapse Leak off zone (behind 9-5/8" casing) Leak off zone 10,100-10,250'
4a. N7E 67E	EE-2 10,072 EE-2 12,744 EE-3A 11,726	9° 7° 15°	No No <u>Yes</u>	9800 ft zone Altered zone on mud log 12,740-60' Top ICFT inj zone Main CO ₂ influx
4b. N7E 67E	EE-3A 12,183	15-1/2°	<u>Yes</u>	Bottom of ICFT inj zone. Main caliper log breakout zone 13010-25'
4c. N7E 67E	EE-3A 12,579	15-1/2°	No	Bottom Exp 2062 inj zone 12,300'
5a. N29E 60W	EE-2 11,947 EE-3 11,590 EE-3a 11,586	38° 44° 45°	<u>No?</u> No <u>Yes</u>	Bottom Exp 2018 inj zone Exp 2027 & Exp 2025 inj zone, 11,420-11,585' Exp 2059 zone
5b. N29 60W	EE-2 13,198 EE-3 12,841 EE-3A 12,919	51° 56° 41°	No No <u>No?</u>	Altered zone 13,180-13,210' None Middle Exp 2061 Inj zone Abundant Fractures 12,850-12,900'

*Angle between wellbore and plane at intersection

ATTACHMENT 2

Exp. 2032 Plane Intersections Revised

Seismic Planes Intersect

		1	2	3	4			5		Seismic Plane Intersect Wellbores
					a	b	c	a	b	
Planes Intersect	2032-1	x	n	y	n	n	y	y	n	11658-12013 EE-2
	2	y	x	n	y	y	n	n	?	12664 EE-3A
	3	y	y	x	n	n	?	n#	n	10751 EE-2
	4a	y	y	y	x	x	x	?	y	11726 EE-3A
	4b	y	y	y	x	x	x	y	n	12183 EE-3A
	4c	y	y	y	x	x	x	y	n	
	5a	y	y	y	y	y	y	x	x	(11947)* EE-2, 11586 EE-3A
	5b	y	y	n	y	y	y	x	x	(12919)** EE-3A
Planes		EE-3A	EE-2	EE-3A	(EE-2)		EE-3A	EE-3	EE-2	
Intersect		10631	13496	10415	10072		12579	11590	13198	
Wellbores		EE-2		EE-3	12744				EE-3	
		7397		10217					12841	
		EE-3A								
									12919	

Plane 5a seismic region intersects an aseismic region of plane 3 which may conduct fluid.

* EE-2 (11947) is borderline seismic connection to EE-2.

** EE-3A (12919) is borderline seismic connection to EE-3A

Y Yes

N No

? Yes, but just barely

X Planes are parallel or the same.

Attachment 3

Planes and Wellbores EE-2 & EE-3A

Attachment 4 (Do not Type)

Flow Paths Based on the Exp 2032 Planes

1. Exp 2032 Creation of Reservoir

Nov. 1983

Inlets - EE-2 11,585 - 11,646

Outlets - EE-3 10,375 - 10,898

EE-3 11,390 - 11,770

(no temp. log indication of flow)

2. Exp 2049
4/19/85

1st packer test in EE-3A

Intets - EE-3A 10,830 - 10,875

EE-3A BS 9400 - 10,830

Out lets EE-2 11,585 - 11,646

EE-2 10,720 - ?

EE-2 10,072 - ?

Evidence of flow from 9800 ft zone on
most EE-2 logs from 12/1/84 on

EE-3A → (no 2032 planes)

no flow observed
in EE-2 after
injection of
6000 gallons into
EE-3A FS and
2600 gallons
slid into the

3. Exp 2057
5/2/85

2nd Packer Test in EE-3A

Inlets EE-3A 10,842 - 11,615

EE-3A BS 9400-19842

Out lets EE-2 11,585 - 11,646

CE-2 10,720 - ?

EE-2 10, 072 - ?

no flow
observed
at EE-2
after 140,000
gallons injected
into FS &
BS. (Packer
leaked for
last 4 hours of
the injection,

4. Exp 2059 4 + 4 Packer Test in EE-3A
 5/27/85 Inlets EE-3A 11,528 - 12,205
 Outlets EE-3A BS 9400 - 11,528
 EE-2 11,585 - 11,646
 EE-2 10,720 - ?
 EE-2 10,072 - ? (9800 ft)

Temp log shows all injection entering
 the 11,726 & 12,183 intervals