LA-UR-16-29557

Approved for public release; distribution is unlimited.

Title: Large-scale Epidemic Modeling and Simulation: W14_EpiSim Institutional Computing Project

Author(s): Mniszewski, Susan M.

Intended for: Institutional Computing status report.
Report

Issued: 2016-12-20

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Large-scale Epidemic Modeling and Simulation

Sue Mniszewski

**W14_EpiSim Institutional Computing
Project**

12/16/2016

Seasonal Variation for Mosquito Borne Disease in an EpiSimS Network-Patch Model

Introduction

- Epidemic Simulation System (**EpiSimS**) is an agent-based disease spread model
- EpiSimS simulates detailed human movement, demography, business location networks and in-host disease progression
- Hybrid patch model approach used to model vector borne disease
- Vectors such as mosquitoes are represented as a patch associated with a physical location
- Seasonal variation observed in mosquito population is a critical factor to study diseases such as chikungunya and dengue
- In this work seasonal variation has been successfully incorporated into the patch model

Mosquito Dynamics

Susceptible (S), exposed (E), and infected (I) ODE disease progression model for a Patch of mosquitoes.

Mosquito-borne disease transmission cycle

EpiSimS Population Dynamics

Network Patch Model

Visualization of Disease Spread

Base case at early, middle, and incidence peak of epidemic showing densities of infected people and patches.

Seasonal Variation

- Incorporated seasonal variation through sinusoidal function
- Function takes max population, start day, no. of cycles as input and generates seasonal population dynamics
- Seasonal variation is estimated for each individual mosquito patch

Proof of Concept Experiments

- Washington, DC ~0.4M people, ~40K home and business locations
- Probability of transmission ($\beta_{hv} = \beta_{vh} = 0.26$)
- Vary peak mosquito count (K_v) per Patch
- Vary indoor/outdoor activity exposure
- Vary seasonal mosquito population

Results

References:

- SM Minizewski, CA Manore, C Bryan, SY Del Valle, D Roberts, 2014, "Towards a Hybrid Agent-based Model for Mosquito Borne Disease," Proceedings of the 1014 Summer Simulation Multi-Conference (SummerSim'14)
- CA Manore, KS Hickmann, JM Hyman, et al., 2014, "A Network-Patch Methodology for Adapting Agent-based Models for Directly Transmitted Disease to Vector-Borne Disease," <http://arxiv.org/abs/1405.2258>

LA-UR-14-25846

EpiAgent Ebola Model for DTRA BioSurveillance EcoSystem Project

Ebola Disease Progression

Foya, Liberia - Ebola Infections per Day

Validation

Preliminary Results

Spatio-Temporal Predictive Analytics and Visualization for *EpiSimS*

Analyze Linear Regression Emulator

Analyze Prediction