LA-UR-19-24292

Approved for public release; distribution is unlimited.

Title: The Next Quantum Revolution

Author(s): Qualters, Irene

Intended for: P/T Colloquium

Issued: 2019-05-09

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

The Next Quantum Revolution

Physics/Theoretical Colloquium

Irene Qualters

Associate Lab Director,
Simulation and Computation

April 25, 2019

Managed by Triad National Security, LLC for the U.S. Department of Energy's NNSA

In the beginning...
computing is rooted in the 1945 Von Neuman *draft* description of an architecture designed for PDE solvers, certain sorting problems, and statistical “experiments”

The first Cray-1 system was installed at Los Alamos Laboratory in 1976, opening paths to new understanding in many science and engineering domains

ANALYSTORY

CRAY®

Researchers employ classical supercomputing to advance understanding of natural and engineered systems, including quantum systems.

In 2017, University of Illinois researchers Juan K. Perillo and Klaus Schulten (posthumously) published a paper describing the chemical structure of the HIV-1 capsid based on their 64 million atom molecular dynamic simulations on the UIUC Blue Waters Cray system. It took two years to simulate 1.2 microseconds. The simulation allowed details to emerge beyond what is possible under the most powerful electron microscopes.

Credit: Credit: UI News Bureau: Stauffer
Copyright: University of Illinois Board of Trustees

In 2019 researchers from Los Alamos National Laboratory used the Trinity supercomputer to create a simulation that features more than a billion atoms over a nanosecond. This is the first-ever atomistic simulation of an entire gene of DNA. It simulates not only individual atoms but also the electrical and chemical interactions between each pair.

After decades, the increasing benefits of “Moore’s law” and Dennard’s scaling have gradually stalled

Original data up to the year 2010 collected and plotted by M. Horowitz, F. Labonte, O. Shacham, K. Olukotun, L. Hammond, and C. Batten
New plot and data collected for 2010-2017 by K. Rupp

<https://www.karlrupp.net/2018/02/42-years-of-microprocessor-trend-data/>

I think most technologists will, at least privately, rationally consider the prospects for the end of Moore's Law. But they focus on the physics, which change substantially from one silicon process technology to the next. These technologists know how monumental the challenges are to even get to [7 nanometer] silicon technology, so the natural assumption is that eventually some problem with the next silicon process technology will turn out to be physically insurmountable, and that's what will end Moore's Law. They are right, there are very serious challenges looming, but then, the silicon industry has beaten back such challenges in the past. This gives a lot of people false confidence that we can do it again. My attitude is, maybe we can, maybe we can't, but physics isn't the only challenge. That was my point in focusing on economics, to remind the field that we have to succeed at the physics AND the economics or we will have failed, and Moore's Law will have ended.

Bob Caldwell/DARPA

In late 2016 the Computing Community Consortium released a workshop report considering technological approaches in the context of application drivers

Arch2030: A Vision of Computer Architecture Research over the Next 15 Years

Driving applications

IEEE Rebooting Computing Initiative: exploring multiple options

T. M. Conte, E. P. DeBenedictis, P. A. Gargini, and E. Track. Rebooting computing: The road ahead. *Computer*, 50(1):20{29, Jan. 2017.

Example: N3XT Computation Immersed in Memory

Credit: Subhasish Mitra/ Dept. of EE and Dept. of CS/Stanford University

N3XT: Energy efficient abundant data computing*

TABLE 1. Nano-Engineered Computing Systems Technology (N3XT) technology foundations.

Technology		Impact on		
		Computation	Storage	Memory access
Field-effect transistors: 1D carbon nanotubes and 2D layered semiconductors		Highly energy-efficient digital systems (including logic and interconnects)	NA	Energy-efficient memory controllers and peripheral circuits
Emerging nonvolatile memory	Spin-transfer torque magnetic RAM	NA	Quick access, high endurance	No refresh; simple control; energy-efficient management by turning off unused banks
	3D resistive RAM	NA	Very high density, long retention	
Fine-grained (monolithic) 3D integration		Computation immersed in memory High computation density for a given footprint	Massive on-chip storage Integration of heterogeneous memory technologies	High bandwidth and low latency
Thermal solutions		High-performance computing on all tiers	Minimized temperature-induced degradation	NA

*Sabry, Mohamed & Wu, Tony & Bartolo, Andrew & H. Malviya, Yash & Hwang, William & Hills, Gage & Markov, Igor & Wootters, Mary & M. Shulaker, Max & Wong, H.-S. Philip & Mitra, Souradeep. (2019). The N3XT Approach to Energy-Efficient Abundant-Data Computing. Proceedings of the IEEE. 107. 19-48. 10.1109/JPROC.2018.2882603.

20th century understanding of quantum phenomenon underpins far-reaching technology innovations and is responsible for fundamentally new industries

The computer industry is built on quantum mechanics, relying on the band structure of solid objects

(AP Photo/Keith Srakocic)

After 100 years quantum mechanics retains its mystery ...

If you think you understand quantum mechanics, you don't understand quantum mechanics.

I don't like it, and I'm sorry I ever had anything to do with it.
--Erwin Schrodinger

The more precisely the position is determined, the less precisely the momentum is known in this instant, and vice versa.

--Heisenberg, uncertainty paper, 1927

$$|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$$

...spooky action at a distance..... Einstein

...and its promise

- Bernstein, E. and Vazirani, E.
Quantum Complexity Theory, *SIAM J. Comput.* 26, 1411 (1997).
- Shor P.W.
Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer, *SIAM Journal of Computing* 26, pp. 1484–1509 (1997).
- Raz, R. and Tal, A.
Oracle Separation of BQP and PH, *Electronic Colloquium on Computational Complexity*, Report No. 107 (2018).

A New Island on the Complexity Map

What can a quantum computer do that any possible classical computer cannot? Computer scientists have finally found a way to separate two fundamental computational complexity classes.

Current industry quantum devices support approximately 10-50 qubits and approximately 1% error per gate ⁵²

Technology	Best Argument For	Best Argument Against	Companies Involved
Majorana	Fundamentally protected from errors	Hard to engineer	Microsoft
Solid-state spins (P:Si, NV centers, etc.)	Small footprint	Heterogeneous, hard to scale	Turing, CQC2T
Quantum dots	Small footprint, scalable fabrication	Connectivity	HRL, Intel
Neutral atoms	Homogeneous, long-range gates	Lack of demonstrated good 2-qubit gates	Atom Computing, Inc.
Linear optics ⁵⁰	Scalable fabrication	Lack of key components (single photon sources)	PsiCorp, Xanadu
Superconductors	Demonstrated programmability, lithographically definable	Large footprint, 10 mK	Google, IBM, Rigetti, Intel, QCI
Ions ⁵¹	Demonstrated programmability, long coherence, homogeneous,	Microsecond gate speeds, lasers	IonQ, Honeywell

⁵⁰ <https://www.nature.com/articles/nphys2253>

⁵¹ <https://www.nature.com/articles/nature18648>

⁵² <https://cra.org/ccc/wp-content/uploads/sites/2/2018/11/Next-Steps-in-Quantum-Computing.pdf>

NISQ and beyond: Computer Science and QIS

*“Quantum computing sits at an important inflection point”**

- Algorithms
 - Quantum and classical
 - Supremacy
 - Simulation, Cryptanalysis, Optimization and Machine Learning
- Programming (hybrid), workflows, compilers, toolchains “toolflows”
- Devices, technologies, architectures
 - Communications, Memory,
 - Micro/macro architecture

*Programming languages and compiler design for realistic quantum hardware

www.nature.com/articles/nature23459

Design tool flows and abstraction stacks

a 1950s computing

b Classical computing today

c Quantum computing

a, Toolchain for computing in the 1950s, when programmers used assembly directly, which controlled relay circuits and wires. **b**, Over time, improved hardware and software allowed algorithms to be expressed in high-level languages with the compiler translating and optimizing to machine instructions. VLSI, very large-scale integration. **c**, QC is split into classical control structures and quantum instructions. Whereas the classical side can take advantage of the classical tool chain, quantum operations are treated differently owing to the physical constraints imposed by quantum computers.

F T Chong *et al.* *Nature* **549**, 180–187 (2017) doi:10.1038/nature23459

nature

National Quantum Initiative

On Dec. 21, 2018 President Trump signed into law the bipartisan [National Quantum Initiative \(NQI\) Act](#). The legislation establishes a multiagency coordinated program to support quantum information science (QIS) R&D, education, and partnerships.

- **National Institute of Standards and Technology (NIST):** \$80M annually > R&D *measurement and standards infrastructure necessary to advance commercial development*
- **National Science Foundation (NSF):** 2-5 *Multidisciplinary Centers for Quantum Research and Education*
 - \$10M/year for five years with potential renewal for five years
 - Multi-institutional, industry engagements encouraged
- **Department of Energy (DOE):** 2-5 *National Quantum Information Science Research Centers*
 - \$25M/year for five years with potential renewal for five years
 - Applicants can include national laboratories, universities, research centers, multi-institutional collaborations that can include private entities, as well as “any other entity that the Secretary of Energy determines to be appropriate.”

National Quantum Initiative

Coordination established for 11 years

- QIS R&D interagency program coordination, goals, priorities, budget, infrastructure and workforce assessment through the existing QIS Subcommittee
- National Quantum Initiative Advisory Committee comprising representatives from industry, universities, and federal laboratories who will be selected based on recommendations from *“Congress, industry, the scientific community (including the National Academy of Sciences, scientific professional societies, and universities), the defense community, and other appropriate organizations.”*
- National Quantum Coordination Office to be established within Office of Science Technology and Policy

National Science and Technology Council

Subcommittee on Quantum Information Science established 2018

- Agency Co-chairs: DOE, NIST, NSF, OSTP
- Members:
OMB, NASA, ODNI, DHS, NSA, USDA, DOD, ODI, State, NIH
- National Strategy for QIS:
 - Create and maintain a national strategy for Quantum information science
 - Coordinate current and future efforts across the agencies

<https://www.whitehouse.gov/wp-content/uploads/2018/09/National-Strategic-Overview-for-Quantum-Information-Science.pdf>

In September the Subcommittee produced a guiding document

POLICY RECOMMENDATIONS

- Focus on a science-first approach that aims to identify and solve Grand Challenges: problems whose solutions enable transformative scientific and industrial progress;
- Build a quantum-smart and diverse workforce to meet the needs of a growing field;
- Encourage industry engagement, providing appropriate mechanisms for public-private partnerships;
- Provide the key infrastructure and support needed to realize the scientific and technological opportunities;
- Drive economic growth;
- Maintain national security; and,
- Continue to develop international collaboration and cooperation

International quantum research efforts are similar in scope and timescales offering opportunity for international collaboration

Metrology and Sensing, Communication, Computing

Europe Launches Ten-year, €1B Quantum Flagship Project

China's National Laboratory for Quantum Information Sciences Set to Open by 2020

LANL researchers have played a leadership role in QIS from the beginning

Richard Feynman delivering "Tiny Computers Obeying Quantum Mechanical Laws" at LANL (1983).

Illustration from Wojciech Zurek's "Decoherence and the Transition from Quantum to Classical", *Physics Today* (1991).

Zurek (still at LANL) is known for foundations of quantum decoherence, the Kibble-Zurek mechanism, and the no-cloning theorem.

LANL's current approach to QIS is aligned with the Lab Agenda to be a leader in QIS

- “Breadth over depth”
 - Cover as many aspects of quantum information science as possible
 - Don't know a priori what will turn out to be useful so try everything
 - Consider both gate-based and annealing devices
- Develop partnership strategies: Compete or collaborate?
- Invest internal funds into different types of investigations
 - Fundamental science, with internal investments from the Laboratory Directed Research and Development office
 - Additional funding through competitive proposals from DOE Office of Science (ASCR, BES, HEP)
 - Delivery of Mission needs: investments from the Advanced Simulation and Computing program
- Additional emphasis on workforce development
 - Internal funding through the National Security Education Center
 - Train the LANL workforce—in particular, staff members with no background in anything quantum-related—to program quantum computers
 - Train students in quantum information processing and hope they one day become LANL staff

Address research challenges crosscutting physics, computer science, & materials

LANL has a multi-faceted Quantum Strategy that connects fundamental R&D with our NNSA and broader national security missions.

ASC Investment in Ising laid the cornerstone for new opportunities

- **(Mission-relevant) Computational Physics**
 - Ising not typically used programmatically
 - Co-Processor model in hybrid (classical-quantum annealing) method setting promising also for other BML techniques
- **Combinatorial Optimization**
 - Problem decomposition methods key to scalability
 - Hybrid algorithms with classical parts of decomposition, QUBO sparsification and more. Pre-processing and post-processing requires most design cycles
- **Stochastic applications**
 - Some success in Machine learning with use as sampler; scalability for larger systems remains to be seen
- **Embeddings**
 - Limited connectivity requires smart embedding, which is a hard problem itself
 - Biggest bottleneck to scaling
- **Device Physics**
 - Noise characterization
 - The search for the native D-Wave problem continues ... (now on lower-order terms)

The Center for Integrated Technologies (CINT) is leading the DOE-BES Nanocenters in nano→QIS S&T

New Quantum Materials Thrust with a focus on understanding and controlling quantum effects in nanoscale materials and their integration into systems spanning multiple length scales.

- Capabilities to **fabricate Qubits and next generation nanomaterials**
 - Fabrication of donor-dot (and other structures) qubit devices in semiconductor systems
 - Next generation QIS materials e.g. single photon sources, topological materials
- Capabilities to **characterize Qubits** and next gen QIS materials
 - Single spin characterization and single photon measurements at high magnetic fields
 - State of the art instrumentation to study single nanostructures and single photons, including optical spectroscopy systems equipped with a 9T magnet
- **Strong Theory support** coupled to QIS effort at host labs
 - Real-time density functional theory, time-dependent Lanczos and dynamical mean-field theoretical methods, to tackle both weakly and strongly correlated quantum materials

Three areas identified in CINT strategic plan for expansion:

1. Deterministic placement and electronic/photonic integration of solitary quantum defects.
2. Build Quantum-sensed Nuclear Magnetic Resonance (NMR) Discovery Platform™.
3. Using light to probe and control novel phenomena in quantum materials.

LANL Quantum Summer School is fostering the development of future quantum leaders based on multidisciplinary approaches

Co-Leads

Lukasz Cincio
T-4

Carleton Coffrin
A-1

Patrick Coles
T-4

Mentors

Lukasz Cincio (T-4)
Patrick Coles (T-4)
Yigit Subasi (T-4)
Marc Vuffray (T-4)

Andrey Lokhov (T-5)

Carleton Coffrin (A-1)

Andrew Sornborger (CCS-3)
Hristo Djidjev (CCS-3)
Sue Mniszewski (CCS-3)

Stephan Eidenbenz (NSEC)

Scott Pakin (CCS-7)

Guest Lecturers (2018)

Peter Shor (MIT)
Matthias Troyer (Microsoft)
Sergio Boixo (Google)
Eleanor Rieffel (NASA)
Susan Coppersmith (Wisconsin)
Daniel Lidar (USC)
Ivan Deutsch (UNM)
Jungsang Kim (IonQ/Duke)
Will Zeng (Rigetti)
Doug McClure (IBM)
Denny Dahl (D-Wave)

Guest Lecturers (2019)

Scott Aaronson (Texas)
Fernando Brandao (CalTech/Google)
Elizabeth Crosson (UNM)
Travis Humble (Oak Ridge)
John Martinis (Google)
Jarrod McLean (Google)
Krysta Svore (Microsoft)
Jay Gambetta (IBM)
Chris Monroe (IONQ)
Will Zeng (Rigetti)
Alejandro Perdomo-Ortiz (UCL)

Staff Lecturers

Lukasz Cincio (T-4)
Patrick Coles (T-4)
Yigit Subasi (T-4)
Nikolai Sinitsyn (T-4)
Rolando Somma (T-4)
Marc Vuffray (T-4)
Carleton Coffrin (A-1)
Andrew Sornborger (CCS-3)
Scott Pakin (CCS-7)

New QIS groups will increase external visibility and help position LANL for national cross-disciplinary efforts at larger scale

Leadership Working Group

- Mike Lang
- Andreas Roelofs
- Joe Carlson, S&T CoChair
- Michael Hundley
- Angel Garcia
- Stephan Eidenbenz
- Candy Culhane
- Fil Ronning
- Malcom Boshier, S&T CoChair
- Michael DiRosa
- Toni Taylor, CoChair
- Irene Qualters, CoChair

Science and Technology Working Group

• <u>Joe Carlson, CoChair</u>	• Mike Martin
• <u>Malcom Boshier, CoChair</u>	• Ray Newell
• Nikolai Sinitsyn	• Victor Klimov
• Sergei Tretiak	• Han Htoon
• Steve Poole	• Filip Ronning
• Rolando Somma	• Leonardo Civate
• Patrick Coles	• Carleton Coffrin
• Andrew Sornborger	• Daniele Alves
• Andrew Tyler	• Pavel Dub
	• Scott Pakin
	• Dmitry Yarotski
	• Xinxin Zhao

LANL must expand alliances and partnerships in order to participate as part of National Quantum Information Science Research Centers

- **Regionally centered partnership (s)—draws, coordinates complementary resources “under one roof” in the Rio Grande Corridor:**
 - LANL, Sandia; UNM; University of Colorado; Boulder; regional industries
 - Fundamental research (including industry-funded) and workforce development
 - Higher TRL R&D, IP-protected CRADA's and national security connection at LANL & Sandia
 - QIS Industry Engagement
 - Coordination with NIST
- **Quantum S&T Thrusts:** Quantum Computing and Simulation; Quantum Networks and Communications; Quantum Matter and Dynamics; Quantum Sensing and Metrology
- **Leverages:** DOE User Facilities (e.g., CINT); DOE & industry QC testbeds; HPC
- Builds on LANL's strengths in quantum and quant-information theory, many-body physics, device physics, quantum sensors, HPC, q-simulation & annealing, quantum computation and algorithms, materials co-design
- **Additional partnership** formed with LLNL and PNNL for WFO national security sponsors.

QIS Research holds promise for a new science and technology landscape

QUANTUM INFORMATION TECHNOLOGY

Promises

Quantum sensing

Measure beyond the limits of individual particles — use entanglement (Adv. LIGO, dual ion clock)

Quantum communication

Use fundamental quantum mechanics to ensure security (already commercial implementations)

Quantum simulation

Implement arbitrary Hamiltonians (nonequilibrium, topological phases, quantum phase transitions)

Quantum computation

Shor's algorithm, Grover's algorithm (breaking codes, searching databases)

The future

How do we operate in a post-quantum world?

https://science.energy.gov/~media/hep/hepap/pdf/201811/JTaylor-HEPAP_Quantum_Talk_201811.pdf

Thank you

- John Sarrao
- Toni Taylor
- Stephan Eidenbenz
- Jake Taylor (OSTP)